




**PART D PROPOSED VARIATIONS TO THE CONDITIONS IN CURRENT ENVIRONMENTAL PERMIT**

<p>D1. Condition(s) in the Current Environmental Permit :</p>	<p>D2. Proposed Variation(s) :</p>	<p>D3. Reason for Variation(s) :</p>	<p>D4. Describe the environmental changes arising from the proposed variation(s) :</p>	<p>D5. Describe how the environment and the community might be affected by the proposed variation(s) :</p>	<p>D6. Describe how and to what extent the environmental performance requirements set out in the EIA report previously approved or project profile previously submitted for this project may be affected :</p>	<p>D7. Describe any additional measures proposed to eliminate, reduce or control any adverse environmental impact arising from the proposed variation(s) and to meet the requirements in the Technical Memorandum on Environmental Impact Assessment Process :</p>
<p>Conditions 4.1, 4.2 and 4.4</p>	<p>Remove Conditions 4.1, 4.2 and 4.4 which stipulated requirements on simultaneous operation of existing and new cremators, maximum number of cremators, loading and operation hours of Wo Hop Shek Crematorium (WHSC) respectively.</p>	<p>Having reviewed the circumstances that there is a foreseeable occurrence of upsurge of demand of cremation service due to the service suspension of Kwai Chung Crematorium for re-provisioning and the local custom during the Lunar New Year Period, it is considered necessary to extend the cremation service of WHSC in respect of simultaneous operation of existing and new cremators, maximum number of cremators, loading time and operation hours. The chimney emission arising from operation (including variation of operation hours and number of cremation) of WHSC is under control by the Specified Process (SP) License issued by EPD under the Air Pollution Control Ordinance (APCO). Hence, conditions 4.1, 4.2 &amp; 4.4 are proposed to be removed to avoid unnecessary duplicate legislative control.</p>	<p>The proposed variation may affect the chimney emission from the operation of WHSC.</p>	<p>The proposed variation will not adversely affect the environment and the community given that the chimney emission from the operation of WHSC is under controlled by the SP Licence.</p>	<p>The operation of the WHSC with the proposed variation still comply with requirements of the SP Licence. Hence, the relevant environmental performance requirements set out in the EIA report will be maintained.</p>	<p>Given the chimney emission from the operation of the WHSC with the proposed variation still comply with the relevant environmental performance requirements set out in the EIA Report, no additional measures are required.</p>

**PART E DECLARATION BY APPLICANT**

E1. I hereby certify that the particulars given above are correct and true to the best of my knowledge and belief. I understand the environmental permit may be suspended, varied or cancelled if any information given above is false, misleading, wrong or incomplete.



Signature of Applicant



Full Name in Block Letters

Position



on behalf of Food and Environmental Hygiene Department

Company Name and Chop (as appropriate)

2 December 2024

Date

**NOTES :**

1. A person who constructs or operates a designated project in Part I of Schedule 2 of the Ordinance or decommissions a designated project listed in Part II of Schedule 2 of the Ordinance without an environmental permit or contrary to the permit conditions commits an offence under the Ordinance and is liable to a maximum fine of \$5,000,000 and to a maximum imprisonment for 2 years.
2. A person for whom a designated project is constructed, operated or decommissioned and who permits the carrying out of the designated project in contravention of the Ordinance commits an offence and is liable to a maximum fine of \$5,000,000 and to a maximum imprisonment for 2 years.