



**CONTRACT NO: SD 6/2020**

**CONSTRUCTION OF SAN SHEK WAN SEWAGE TREATMENT WORKS  
ASSOCIATED SUBMARINE OUTFALL AND PUI O SEWERAGE WORKS**

**UNDER ENVIRONMENTAL PERMIT NO. EP-538/2017**

**MONTHLY ENVIRONMENTAL MONITORING & AUDIT REPORT**

**JANUARY 2022  
REVISION 1**

**CLIENTS:**

**Drainage Services Department**

**PREPARED BY:**

**Lam Environmental Services Limited**

19/F Remex Centre,  
42 Wong Chuk Hang Road,  
Hong Kong

Telephone: (852) 2882-3939  
Facsimile: (852) 2882-3331  
E-mail: [info@lamenviro.com](mailto:info@lamenviro.com)  
Website: <http://www.lamenviro.com>

**CERTIFIED BY:**

---

Melody Cheng  
Environmental Team Leader

**DATE:**

11 February 2022



Member of the Surbana Jurong Group

local people  
global experience

Our ref: 7076811/L28311/AW/KL/TK/rw

11 February 2022

Drainage Services Department  
Sewage Services Branch  
Special Duty Division Group 3  
42/F Revenue Tower  
5 Gloucester Road  
Wan Chai, Hong Kong

**By Email and Post**  
(kschan04@dsd.gov.hk)

Attention: Mr Silas CHAN

Dear Sir

**Contract No. SD 7/2020  
Independent Environmental Checker ("IEC") for Environmental Monitoring Work for  
South Lantau Sewerage Works  
Verification of Monthly EM&A Report (January 2022)**

With reference to the Monthly EM&A Report (January 2022) Revision 1 dated and certified by the ET Leader on 11 February 2022, please note that we have no adverse comments on the captioned. We hereby verify the captioned in accordance with Condition 3.4 of the Environmental Permit No. EP-538/2017 subject to the following condition:

- EPD's approval for the proposed cancellation of water quality monitoring at Monitoring Stations SR9, SR10, and SR12 during construction

Should you have questions please do not hesitate to contact the undersigned at tel. 3995-8140 or by email to [kitty.lee@smec.com](mailto:kitty.lee@smec.com).

Yours faithfully

**Kitty LEE**  
Independent Environmental Checker

cc	Binnies	-	Mr Clarence CHAK	by email
	Lam	-	Ms Melody CHENG / Mr Raymond DAI	by email
	KLCW-JV	-	Mr Charles TSE	by email

**SMEC ASIA LIMITED**  
27/F Ford Glory Plaza, 37-39 Wing Hong Street  
Cheung Sha Wan, Kowloon, Hong Kong  
T +852 3995 8100  
F +852 3995 8101  
E [hongkong@smec.com](mailto:hongkong@smec.com)  
W [www.smec.com](http://www.smec.com)





## TABLE OF CONTENTS

<b>1</b>	<b>INTRODUCTION.....</b>	<b>5</b>
1.1	Scope of the Report .....	5
1.2	Structure of the Report.....	5
<b>2</b>	<b>ENVIRONMENTAL STATUS.....</b>	<b>7</b>
2.1	Construction Programme.....	7
2.2	Works undertaken during the month .....	7
2.3	Drawing showing the project area, environmental sensitive receivers and monitoring locations.....	7
<b>3.</b>	<b>IMPLEMENTATION STATUS.....</b>	<b>8</b>
3.1	Advice on the implementation status of environmental protection and pollution control/mitigation measures .....	8
3.2	Environmental Mitigation Measures.....	8
3.3	Environmental monitoring requirements and contractual requirements	8
3.4	Site Inspection and Audit Reports.....	9
<b>4.</b>	<b>MONITORING RESULTS.....</b>	<b>11</b>
4.1	Noise Monitoring .....	11
4.2	Water Quality Monitoring .....	14
4.3	Waste Management .....	17
<b>5.</b>	<b>COMPLAINTS, NOTIFICATION OF SUMMONS AND PROSECUTION.....</b>	<b>19</b>
<b>6.</b>	<b>OTHERS.....</b>	<b>20</b>
<b>7</b>	<b>CONCLUSION .....</b>	<b>21</b>
7.1	Noise Monitoring .....	21
7.2	Water Quality Monitoring .....	21
7.3	Review of the Reasons for and the Implications of Non-compliance ..	21
7.4	Summary of action taken in the event of and follow-up on non- compliance.....	21



## LIST OF TABLES

<b>Table 3.1</b>	<b>Summary of submission status under EP-538/2017</b>
<b>Table 3.2</b>	<b>Summary of the current status on licences and/or permits on environmental protection pertinent to the Project</b>
<b>Table 3.3</b>	<b>Summary of Environmental Inspections</b>
<b>Table 4.1</b>	<b>Noise Monitoring Equipment</b>
<b>Table 4.2</b>	<b>Noise Monitoring Station</b>
<b>Table 4.3</b>	<b>Water Quality Monitoring Equipment</b>
<b>Table 4.4</b>	<b>Marine Water Quality Stations for Water Quality Monitoring</b>
<b>Table 4.5</b>	<b>Summary of Quantities of Waste Material (as of December 2021)</b>
<b>Table 5.1</b>	<b>Cumulative Statistics on Complaints</b>
<b>Table 5.2</b>	<b>Cumulative Statistics on Successful Prosecutions</b>
<b>Table 6.1</b>	<b>Construction Activities and Recommended Mitigation Measures in Coming Reporting 3 Months</b>

## LIST OF FIGURES

<b><a href="#">Figure 2.1</a></b>	<b><a href="#">Master Layout Plan</a></b>
<b><a href="#">Figure 2.2</a></b>	<b><a href="#">Contract Layout Plan</a></b>
<b><a href="#">Figure 2.3</a></b>	<b><a href="#">Locations of Noise Monitoring Station</a></b>
<b><a href="#">Figure 2.4</a></b>	<b><a href="#">Locations of Water Quality Monitoring Stations</a></b>

## LIST OF APPENDICES

<b><a href="#">Appendix 4.1</a></b>	<b><a href="#">Copies of Calibration Certificates</a></b>
<b><a href="#">Appendix 4.2</a></b>	<b><a href="#">Impact Monitoring Schedule</a></b>
<b><a href="#">Appendix 4.3</a></b>	<b><a href="#">Noise Monitoring Results and Graphical Presentations</a></b>
<b><a href="#">Appendix 4.4</a></b>	<b><a href="#">Monthly Summary Waste Flow Table &amp; Yearly Summary Waste Flow Table</a></b>
<b><a href="#">Appendix 6.1</a></b>	<b><a href="#">3 Months Rolling Programme – Feb 2022 to Apr 2022</a></b>





## EXECUTIVE SUMMARY

- i. This is the Environmental Monitoring and Audit (EM&A) Monthly Report – **January 2022** of Outlying Islands Sewerage Stage 2 – South Lantau Sewerage Works under Environmental Permit no. EP-538/2017 (Hereafter as “the Project”). The construction works of the Project was commenced on **3 November 2021** and the tentative completion date is **Q1 2026**. The EM&A report presenting the environmental monitoring findings and information recorded during the period of **01 January 2022 to 31 January 2022**. The cut-off date of reporting is at the end of each reporting month.
- ii. In the reporting month, the principal work activities conducted are as follow:
  - **Tree pruning, removal, digging Recipient site preparation and transplanting works at San Shek Wan Sewage Treatment Works (SSWSTW) and Pui O Sewage Pumping Station (POSPS)**
  - **Site formation works at SSWSTW**
  - **Village sewers (excavation, sewer laying, construction of manhole) at Pui O Lo Uk Tsuen**

### Exceedances of Action/Limit Levels

#### Noise Monitoring

- iii. Noise monitoring was conducted at **five (5)** noise monitoring stations N12a, N12b, N13, N14 and N17 once per week in the reporting month.
- iv. **No action or limit level exceedance was recorded in construction noise level in this reporting period.**

#### Water Quality Monitoring

- v. **No water quality monitoring was conducted at six (6) monitoring stations three days per week in the reporting month due to no marine-based construction works.**

#### Complaint log

- vi. **No environmental complaint regarding the construction works was recorded in the reporting period.**

#### Notifications of Any Summons and Successful Prosecutions

- vii. **No environmental notification of any summons and successful prosecution regarding the construction works was recorded in the reporting period.**



Reporting Changes

- viii. There are no particular reporting changes.

Future Key Issues

- ix. In coming reporting 3 months, the scheduled construction activities and the recommended mitigation measures are listed as follows:

<b>Key Construction Works</b>	<b>Recommended Mitigation Measures</b>
<ul style="list-style-type: none"><li>• Tree pruning, digging recipient site preparation and transplanting works</li><li>• Village sewers (excavation, sewer laying, construction of manhole) at Pui O Lo Uk Tsuen</li><li>• Site formation for POSPS and horizontal directional drilling (HDD) works setup at SSWSTW</li></ul>	<ul style="list-style-type: none"><li>• Dust control during dust generating works;</li><li>• Implementation of proper noise pollution control;</li><li>• Tree protection works and protection of existing village planting within the Project Site; and</li><li>• Proper waste handling, recycling and storage.</li></ul>

## 1 Introduction

### 1.1 Scope of the Report

- 1.1.1. Lam Environmental Services Limited (LES) has been appointed to work as the Environmental Team (ET) under Environmental Permit (EP) no. EP-538/2017 to implement the Environmental Monitoring and Audit (EM&A) programme as stipulated in the EM&A Manual of the approved Environmental Impact Assessment (EIA) Report for Outlying Islands Sewerage Stage 2 - South Lantau Sewerage Works (Register No.: AEIAR-210/2017).
- 1.1.2. In accordance with Clause 3.4 stated in EP-538/2017, 4 hard copies and 1 electronic copy of Monthly EM&A Report shall be submitted to the Director within 2 weeks after the end of each reporting month.
- 1.1.3. According to Section 12.2 of the Project EM&A Manual, the Monthly EM&A Report should be submitted within 10 working days of the end of each reporting month, with the first report due in the month after construction commences.

### 1.2 Structure of the Report

**Section 1**     **Introduction** – details the scope and structure of the report.

**Section 2**     **Environmental Status** – construction programme, works undertaken during the month with illustrations, drawing showing the project area, environmental sensitive receivers and monitoring locations.

**Section 3**     **Implementation Status** – Advice on the implementation status of environmental protection and pollution control/mitigation measures, as recommended in the EIA Report and summarised in the updated implementation schedule.

**Section 4**     **Monitoring Results** – summarizes the monitoring results obtained in the reporting period, including monitoring methodology, name of laboratory and equipment used and calibration details, parameters monitored, monitoring locations (and depth), monitoring date, frequency, and duration.

**Section 5**     **Report on Complaints, Notification of Summons and Successful Prosecutions**

Record of all complaints received (written or verbal) for each media, including locations and nature of complaints investigation, liaison and consultation undertaken, actions and follow-up procedures taken, results and summary;



Record of notifications of summons and successful prosecutions for breaches of the current environmental protection/pollution control legislations, including locations and nature of the breaches, investigation, follow-up actions taken, results and summary;

Review of the reasons for and the implications of non-compliance, complaints, summons and prosecutions including review of pollution sources and working procedures; and

Description of the actions taken in the event of non-compliance and deficiency reporting and any follow-up procedures related to non-compliance.

**Section 6**      ***Others*** – An account of the future key issues as reviewed from the works programme and work method statements.

**Section 7**      ***Conclusion***

## **2 Environmental Status**

### **2.1 Construction Programme**

- 2.1.1 The proposed sewerage works will collect the sewage generated from the unsewered areas of Shui Hau, Tong Fuk, Cheung Sha, San Shek Wan, Pui O and Ham Tin in South Lantau (i.e. within the Project Catchment Area) and convey it to a proposed sewage treatment works at San Shek Wan for treatment and disposal into outer bay of Pui O/ Chi Ma Wan via a submarine outfall.
- 2.1.2 The entire Project are divided into three contracts. Contract No. DC/2020/20 (the Contract) would have the following implementations as demonstrated in [Figure 2.1](#).
- 2.1.3 The major components of the Project under Environmental Permit (EP) (EP No. EP-538/2017) comprises: (i) construction of sewage treatment works at San Shek Wan (SSWSTW) and associated submarine outfall; (ii) construction of sewage pumping station at Pui O (POSPPS); (iii) village sewage works at Pui O; and (iv) trunk sewers and rising mains on carriageways.
- 2.1.4 **No** construction programme with fine tuning of construction activities showing the inter-relationship with environmental protection/ mitigation measures for the month.

### **2.2 Works undertaken during the month**

- 2.2.1 In the reporting month, the principal work activities conducted are as follow:
- [Site formation works at SSWSTW](#)
  - [Village sewers \(excavation, sewer laying, construction of manhole\) at Pui O Lo Uk Tsuen](#)
  - [Tree pruning, removal, digging Recipient site preparation and transplanting works at SSWSTW and POSPPS](#)

The locations of works are shown in [Figure 2.2](#).

### **2.3 Drawing showing the project area, environmental sensitive receivers and monitoring locations**

- 2.3.1 Noise and water monitoring location plans with sensitive receivers are shown in [Figure 2.3](#) and [Figure 2.4](#).

### 3. Implementation Status

#### 3.1 Advice on the implementation status of environmental protection and pollution control/mitigation measures

3.1.1 Mitigation measures according to the environmental mitigation implementation schedule in Annex A of EM&A Manual were generally implemented by the Contractor. Hence, the EM&A programme was considered effective and shall be maintained.

#### 3.2 Environmental Mitigation Measures

3.2.1 Environmental mitigation measures mentioned the EIA Report were weekly reviewed and recorded in Weekly Environmental Site Audit Checklist. Also, a summary of the current status on submissions and measures mentioned in Environmental Permit (EP-538/2017) are shown in **Table 3.1**.

**Table 3.1 Summary of submission status under EP-538/2017**

EP Condition	Submission	Date of Latest Submission to EPD <sup>^</sup> / EPD Approval#
Condition 2.10	Waste Management Plan (Rev. 5)	19 Nov 2021 <sup>^</sup>
Condition 2.11	Submission of Preservation and/or Transplantation Plan for Plant Species of Conservation Importance (Rev. 7)	25 June 2021 <sup>^</sup>
Condition 2.12	Submission of Compensatory Woodland Planting Plan (Rev. 5)	2 July 2021 <sup>^</sup>
Condition 2.13	Silt Curtain Deployment Plan (Stage 1)	31 Jan 2022 <sup>^</sup>
Condition 2.14	Landscape Mitigation Plan	To be confirmed
Condition 2.15	Construction Noise Mitigation Plan	29 Dec 2021 <sup>^</sup>

#### 3.3 Environmental monitoring requirements and contractual requirements

3.3.1 A summary of the current status on licences and/or permits on environmental protection pertinent to the Project is shown in **Table 3.2**.

**Table 3.2 Summary of the current status on licences and/or permits on environmental protection pertinent to the Project**



Permits and/or Licences	Permit. No. / Account No.	Issued Date	Valid Period & Expiry Date (dd-mm-yyyy to dd-mm-yyyy)	Status
Notification of Works Under APCO	466408	14 Apr 2021	N/A	Valid
Discharge Licence	POPS: WT00039820-2021	31 Dec 2021	31-12-2021 to 31-12-2026	Valid
	SSWSTW: WT00039636-2021	30 Dec 2021	30-12-2021 to 31-12-2026	
Billing account under Waste Disposal Ordinance	Account No.: 7040411	05 May 2021	N/A	Valid
Registration as a Chemical Waste Producer	0000-931-K3428-01	13 May 2021	N/A	Valid
Construction Noise Permit	GW-RS0921-21	26 Nov 2021	29-11-2021 to 28-05-2022	Valid

Note: Only include those valid or under application; fill in "N/A" for non-applicable item(s).

### 3.4 Site Inspection and Audit Reports

- 3.4.1 Within this reporting month, weekly environmental site inspections were conducted on 06, 11, 17, 25 and 31 January 2022. IEC attended the joint site audit on 17 January 2022.
- 3.4.2 No non-compliance was found during the site inspection while reminders on environmental measures were recommended. Results and findings of these inspections in this reporting month are listed below in **Table 3.3**.

**Table 3.3 Summary of Environmental Inspections**

Inspection Date	Reminder and Recommendations	Close-out Date / Status
6 Jan 2022	1. Dusty stockpile should be covered 2. Village planting disturbed by sewer works should be watering in regular basis	11 Jan 2022
11 Jan 2022	1. Protect village planting from sewer works 2. Provide waste disposal points 3. Clean and maintain drainage regularly	11 Jan 2022
17 Jan 2022	1. Provide sand bag barriers around stockpile to minimise surface runoff	17 Jan 2022



25 Jan 2022	1. Provide designated waste disposal point and dispose regularly.	31 Jan 2022
31 Jan 2022	1. Recyclables should be sorted in recycle bins properly and free from garbage.	7 Jan 2022



## 4. Monitoring Results

### 4.1 Noise Monitoring

#### MONITORING METHODOLOGY

##### 4.1.1 Monitoring Procedure

- (a) The impact noise monitoring should be carried out at all the designated monitoring stations when there are project-related construction activities undertaken within a radius of 300m from the monitoring stations.
- (b) The monitoring station shall normally be at a point 1m from the exterior of the sensitive receiver's building façade and be at a position 1.2m above the ground.
- (c) Façade measurements were made at the monitoring locations. For free-field measurement, a correction factor of +3 dB (A) would be applied.
- (d) The battery condition was checked to ensure the correct functioning of the meter.
- (e) Parameters such as frequency weighting, the time weighting and the measurement time were set as follows:
- (f) Frequency weighting: A, Time weighting: Fast, Measurement time set: continuous 5 mins
- (g) Prior and after to the noise measurement, the meter was checked using the acoustic calibrator for 94dB (A) at 1000 Hz. If the difference in the calibration level before and after measurement was more than  $\pm 1$  dB (A), the measurement would be considered invalid and repeat of noise measurement would be required after re-calibration or repair of the equipment.

#### NAME OF LABORATORY AND EQUIPMENT USED AND CALIBRATION DETAILS

4.1.2 Noise monitoring was performed using sound level meter at the designated monitoring locations. The sound level meters shall comply with the International Electrotechnical Commission Publications 651:1979 (Type 1) and 804:1985 (Type 1) specifications. Acoustic calibrator shall be deployed to check the sound level meters at a known sound pressure level. Brand and model of the equipment is given in **Table 4.1**.

**Table 4.1 Noise Monitoring Equipment**

Equipment	Brand and Model	Series Number
Integrated Sound Level Meter	Larson Davis LxT1	0003737
Acoustic Calibrator	Honglim HLES-02	2016611465

4.1.3 The calibration certificates of the noise monitoring equipment are attached in [Appendix 4.1](#).

##### 4.1.4 Calibration Details

- (a) The microphone head of the sound level meter was cleaned with soft cloth at regular intervals.

- (b) The sound level meter and calibrator were calibrated at yearly intervals.

#### PARAMETERS MONITORED

- 4.1.5 The construction noise level shall be measured in terms of the A-weighted equivalent continuous sound pressure level ( $L_{eq}$ ).  $L_{eq(30min)}$  should be used as the monitoring parameter. Supplementary information for data auditing, statistical results such as  $L_{10}$  and  $L_{90}$  shall also be obtained for reference.
- 4.1.6 For impact monitoring for construction of village sewers / rising main, noise monitoring should be undertaken on weekly basis. One set of  $L_{eq(30min)}$  noise level as six consecutive  $L_{eq(5min)}$  between 07:00-19:00 hours on normal weekdays.

#### MONITORING STATIONS

- 4.1.7 The noise monitoring stations for the Project are listed and shown in **Table 4.2**, impact noise monitoring was conducted at five (5) noise monitoring stations N12a, N12b, N13, N14 and N17 once per week in the reporting month.

**Table 4.2 Noise Monitoring Station**

Monitoring Station ID <sup>(1)</sup>	Monitoring Location	Measurement Type	Level (in terms of no. of floor)
N01a	Shui Hau Village	Free-Field	G/F
N01c	Shui Hau Village	Free-Field	G/F
N03a	Tong Fuk Village	Free-Field	G/F
N05a	Residences at Cheung Fu Street	Free-Field	G/F
N07	Government Holiday Bungalows	Free-Field	G/F
N08	Cheung Sha Ha Tsuen	Free-Field	G/F
N10	Cheung Sha Sheung Tsuen	Façade	G/F
N11b	San Shek Wan – Ming Garden	Free-Field	G/F
N12a	Lo Uk Tsuen	Free-Field	G/F
N12b	Lo Uk Tsuen	Façade	G/F
N13	Pui O San Wai Tsuen	Façade	G/F
N14	South Lantau Community Centre	Free-Field	G/F
N15b	Pui O Lo Wai Tsuen	Façade	G/F
N16a	Residences at Ham Tin	Free-Field	G/F
N16b	Residences at Ham Tin	Free-Field	G/F
N17	Bui O Public School	Façade	R/F

Remarks (1): Fine adjustment of noise monitoring stations at all locations was proposed as per EP Condition 3.1.



#### MONITORING DATE, TIME, FREQUENCY AND DURATION

- 4.1.8 For daytime construction work on normal weekdays, monitoring of  $L_{eq(30min)}$  should be carried out at each station at 0700-1900 hours on normal weekdays at a frequency of once a week. Impact monitoring schedule can be referred to [Appendix 4.2](#).

#### NOISE MONITORING RESULTS

- 4.1.9 Noise monitoring results measured in this reporting period are reviewed and summarized. Details of noise monitoring results and graphical presentation can be referred in [Appendix 4.3](#).
- 4.1.10 No action or limit level exceedance was recorded in construction noise level in this reporting period.



## **4.2 Water Quality Monitoring**

### MONITORING METHODOLOGY

#### 4.2.1 Monitoring Procedure

- (a) The condition near the monitoring stations shall be observed and recorded on the data log sheet.
- (b) Check of sensors and electrodes with certified standard solutions before each use.
- (c) Wet bulb calibration for a DO meter should be carried out before measurement.
- (d) Water depth should be recorded by detector before sampling.
- (e) Sample would be taken using bucket sampler at surface level.
- (f) Transfer the sampled water carefully into cleaned water bottles (2x 1000ml) provided by the laboratory at the spot after the collection of the water sample for the subsequent laboratory Suspended Solid testing.
- (g) Transfer the sampled water from the bucket sampler to the rinsed water container for in-situ measurement (In case of the in-situ measurement cannot be carried at spot due to safety and adverse weather condition, sampled water from the bucket sampler will be transfer to cleaned water bottles provided by laboratory. Then, In-situ measurement will be conducted at a safe location which sampled water inside cleaned water bottle will be transfer to the rinsed water container for in-situ measurement) In-situ measurement shall be measured in duplicate.
- (h) Parameters including Water Temperature (°C), pH (units), Salinity (ppt), DO (mg/L), DO saturation (%) will be measured by the Multifunctional Meter and Turbidity (NTU) will be measured by turbid meter. (Water Temperature and Salinity will be measured as reference parameters)
- (i) Record the result on the data log sheet and record any special finding during / after in-situ measurement.
- (j) The water sample bottles will be stored in a cool box (at cooled to 4°C without being frozen), which shall be delivered to HOKLAS laboratory (ALS Technichem (HK) Pty Ltd) for further testing to determine the level of SS.

### NAME OF LABORATORY AND EQUIPMENT USED AND CALIBRATION DETAILS

#### LABORATORY MEASUREMENT / ANALYSIS

- 4.2.2 Analysis of suspended solids will be carried out in a HOKLAS accredited laboratory, which is ALS Technichem (HK) Pty Ltd.

#### EQUIPMENT USED

##### Dissolved Oxygen, pH And Temperature Measuring Equipment

- 4.2.3 Multifunctional Meter and Turbid Meter are used at each designated monitoring station. They are capable of measuring:

- (a) a dissolved oxygen level in the range of 0-20mg/L and 0-200% saturation (Detection Limit: 0.1mg/L)
- (b) a temperature of 0-45 degree Celsius (Detection Limit: 0.1 degree Celsius)
- (c) turbidity level between 0-1000NTU (Detection Limit: 0.1NTU)
- (d) salinity in the range of 0-40ppt (Detection Limit: 0.1ppt)
- (e) pH value in range of 0.0 – 14.0 (Detection Limit: 0.1units)

Other monitoring equipment namely water depth meter, water current meter, dGPS positioning device, water sampler listed below were also deployed,

- (a) Water depth meter (Range: 0.6 -100m, Resolution: 0.1m)
- (b) Water current meter (Range: 0-360°, Detection Limit: 1mm/s)
- (c) dGPS positioning device (Resolution: Horizontal: 0.25m; Vertical: 0.50 m )
- (d) Water sampler (Horizontal discrete type, Capacity: 2.2L)

Sampler Container and Storage

4.2.4 A water sampler, Water samples for suspended solids measurement should be collected in high-density polythene bottles, packed in ice (cooled to 4°C without being frozen), and delivered to ALS Technichem (HK) Pty Ltd. as soon as possible after collection for analysis.

Water Depth Detector

4.2.5 A portable, battery-operated echo sounder shall be used for the determination of water depth at each designated monitoring station. This unit can either be handheld or affixed to the bottom of the workboat, if the same vessel is to be used throughout the monitoring programme.

CALIBRATION DETAILS

4.2.6 Maintenance and Calibration

- (a) The responses of sensors and electrodes of the water quality monitoring equipment were cleaned and checked at regular intervals.
- (b) DO meter (Multifunctional Meter) and turbid meter was certified by a laboratory accredited under HOKLAS or any other international accreditation scheme, and subsequently re-calibrated at three monthly intervals.

4.2.7 Brand and model of the equipment are given in **Table 4.3**.

**Table 4.3 Water Quality Monitoring Equipment**

Equipment	Brand and model	Series Number
Multifunctional Meter	Sonde YSI Professional Plus	17F100236
Turbid meter	Xin Rui WGZ-3B	1807079

- 4.2.8 Due to no marine-based construction works, water quality monitoring was not conducted. Calibration certificates of the water quality monitoring equipment to be attached in [Appendix 4.1](#) will be prepared in the upcoming reporting month during commencement of monitoring.

#### PARAMETERS MONITORED

- 4.2.9 In construction phase, the levels of dissolved oxygen (DO), temperature, turbidity and salinity should be measured in situ while suspended solids (SS) is determined by laboratory analysis.

#### MONITORING STATIONS

- 4.2.10 Water quality monitoring involves 6 monitoring stations. Reviewing the location of the outfall constructed under the scope of Contract DC/2020/02, water quality impact of the localized dredging works during construction phase can be effectively monitored around the nearfield stations SR4, SR5, SR15 within 500m radius of the outfall location and SR6 is already outside the 500m radius together with CE and CF can effectively act as control stations to monitor the extent of the dredging impact, whereas the farfield SR9, SR10 and SR12 are located at least 3km away from the sewage outfall location. As such, water quality monitoring at Station SR9, SR10 and SR12 were cancelled. The locations of water quality monitoring station are shown in **Table 4.4**.

**Table 4.4 Marine Water Quality Stations for Water Quality Monitoring**

Station	Description	Easting	Northing
CE	Upstream control station at ebb tide	810900	807690
CF	Upstream control station at flood tide	815720	807980
SR4 <sup>(1)</sup>	Ecological Sensitive Receiver (Coral Communities) at Pui O Wan	814938	810975
SR5	Ecological Sensitive Receiver (Coral Communities) at Pui O Wan	814326	810540
SR6	Gazetted Bathing Beach at Lower Cheung Sha	810553	810475
SR15	Gazetted Bathing Beach at Pui O and Ecologically Important Stream at Pui O	816037	810722

Remarks (1): Fine adjustment of water quality monitoring stations at SR4, SR9 and SR12 was proposed as per EP Condition 3.1, and baseline monitoring was conducted at corresponding fine adjusted locations.

#### MONITORING DATE, TIME, FREQUENCY AND DURATION

- 4.2.11 The levels of dissolved oxygen (DO), temperature, turbidity and salinity were measured in situ while suspended solids (SS) is determined by laboratory analysis at all the monitoring stations in **Table 4.4** three times a week.

- 4.2.12 In association with the water quality parameters, other relevant data shall also be recorded, such as monitoring location / position, time, water temperature, DO saturation, weather conditions, and any special phenomena underway near the monitoring station.
- 4.2.13 Impact Monitoring shall be carried out three days per week, at mid-flood and mid-ebb tides (within  $\pm 1.75$  hour of the predicted time). The interval between two sets of monitoring shall not be less than 36 hours. The monitoring period should avoid concurrent marine project in the vicinity.
- 4.2.14 The sampling frequency of at least three days per week should be undertaken when the highest dust impact occurs. Upon completion of the construction works, the monitoring exercise at the designated monitoring locations should be continued for four weeks in the same manner as the impact monitoring. In case exceedance of Action/Limit Level is recorded, the frequency shall be increased as per the Event and Action Plan.
- 4.2.15 To ensure the robustness of in-situ measurement, parameters shall be measured in duplicate. In case the difference between duplicates is larger than 25%, a third set of measurement shall be carried out.

#### MONITORING RESULTS

- 4.2.16 [Due to no marine-based construction works in the reporting period, no water quality monitoring was conducted.](#) Water quality monitoring results to be measured in the upcoming reporting period will be reviewed and summarized.

### **4.3 Waste Management**

- 4.3.1 The quantities of waste for disposal in the Reporting Period are summarized in **Table 4.5**. The Monthly Summary Waste Flow Table and Yearly Summary Waste Flow Table are shown in [Appendix 4.4](#).

**Table 4.5 Summary of Quantities of Waste Material (as of January 2022)**

Waste Type	Quantity this month	Quantity (Project commencement to the end of last month)	Cumulative Quantity-to-Date
Hard Rock and Large Broken Concrete (Inert) (in '000m <sup>3</sup> )	0	0	0
Reused in this Contract (Inert) (in '000m <sup>3</sup> )	0	0	0
Reused in other Projects (Inert)	0	0	0



<b>Waste Type</b>	<b>Quantity this month</b>	<b>Quantity (Project commencement to the end of last month)</b>	<b>Cumulative Quantity-to-Date</b>
(in '000m <sup>3</sup> )			
Disposal as Public Fill (Inert) (in '000m <sup>3</sup> )	0.01524	0.85163	0.86687
Metals (in '000kg)	0.00390	0.00330	0.00720
Paper / Cardboard Packing (in '000kg)	0.01270	0.01178	0.02448
Plastics (in '000kg)	0.00230	0.00466	0.00696
Chemical Wastes (in '000kg)	0	0	0
General Refuses (in '000kg)	58.35	120.60	178.95

- \*: Further breakdown into sub-group if considered applicable;
- \*: Please also provide daily dumping report for our records.
- \*: Delete as appropriate





## 5. Complaints, Notification of Summons and Prosecution

5.1.1 No environmental complaint, notification of summons and successful prosecution regarding construction works was recorded in the reporting period.

5.1.2 Cumulative statistic on complaints and successful prosecutions are summarized in **Table 5.1** and **Table 5.2** respectively.

**Table 5.1 Cumulative Statistics on Complaints**

Reporting Period	No. of Complaints
January 2022	0
Project commencement to the end of last reporting month	-
<b>Total</b>	<b>0</b>

**Table 5.2 Cumulative Statistics on Successful Prosecutions**

Environmental Parameters	Cumulative No. Brought Forward	No. of Successful Prosecutions this month (Offence Date)	Cumulative No. Project-to-Date
Air	-	0	0
Noise	-	0	0
Water	-	0	0
Waste	-	0	0
Other	-	0	0
<b>Total</b>	<b>-</b>	<b>0</b>	<b>0</b>

## 6. Others

6.1.1 In coming reporting 3 months, the scheduled construction activities are listed as follows:

- Tree pruning, digging recipient site preparation and transplanting works
- Village sewers (excavation, sewer laying, construction of manhole) at Pui O Lo Uk Tsuen
- Site formation for POSPS and HDD works setup at SSWSTW

6.1.2 The scheduled construction activities and the recommended mitigation measures for the coming 3 months are listed in **Table 6.1**. The major construction activities for the next 3 months are summarized in Three Months Rolling Programme – Dec 2021 to Feb 2022 in [Appendix 6.1](#).

**Table 6.1 Construction Activities and Recommended Mitigation Measures in Coming Reporting 3 Months**

Key Construction Works	Recommended Mitigation Measures
<ul style="list-style-type: none"> <li>• Tree pruning, digging recipient site preparation and transplanting works</li> <li>• Village sewers (excavation, sewer laying, construction of manhole) at Pui O Lo Uk Tsuen</li> <li>• Site formation for POSPS and HDD works setup at SSWSTW</li> </ul>	<ul style="list-style-type: none"> <li>• Dust control during dust generating works;</li> <li>• Implementation of proper noise pollution control;</li> <li>• Tree protection works within the Project Site; and</li> <li>• Proper waste handling, recycling and storage.</li> </ul>



## **7 Conclusion**

### **7.1 Noise Monitoring.**

7.1.1 No action or limit level exceedance was recorded in construction noise level in this reporting period.

### **7.2 Water Quality Monitoring**

7.2.1 Due to no marine-based construction works in the reporting period, no water quality monitoring was conducted.

### **7.3 Review of the Reasons for and the Implications of Non-compliance**

7.3.1 No environmental non-compliance was recorded in the reporting month.

### **7.4 Summary of action taken in the event of and follow-up on non-compliance**



7.4.1 There was no particular action taken since no non-compliance was recorded in the reporting period.



***Figure 2.1***

***Master Layout Plan***





Revision	Date	Description	Initial
D	11/20	TENDER ADDENDUM NO.6	BL
C	11/20	TENDER ADDENDUM NO.5	BL
B	11/20	TENDER ADDENDUM NO.4	BL
A	09/20	TENDER ADDENDUM NO.2	TFL
Initial	Designed	Checked	Drawn
	TFL	BL	SZ
Date	04/20	04/20	04/20

Approved: *Christina*


Contract no. DC/2020/02

Contract title  
CONSTRUCTION OF SAN SHEK WAN SEWAGE TREATMENT WORKS, ASSOCIATED SUBMARINE OUTFALL AND PUI O SEWERAGE WORKS

Drawing title  
SOUTH LANTAU SEWERAGE WORKS - MASTER LAYOUT PLAN

Drawing no.	Revision
178711/B&V/GN/001	D

Scale 1 : 15000









***Figure 2.2***  
***Contract Layout Plan***

Figure 2.2



位置圖 LOCATION PLAN  
比例 SCALE 1 : 150 000

圖則名稱 drawing title  
工務工程計劃編號331DS - 離島污水收集系統第2階段  
- 南大嶼山污水收集系統工程  
PWP ITEM NO.331DS - OUTLYING ISLANDS SEWERAGE, STAGE 2  
- SOUTH LANTAU SEWERAGE WORKS

繪畫 drawn <i>SIGNED</i> W. H. CHAN	日期 date 27 APR 2020	修改項目 description	簡簽 initial
核對 checked <i>SIGNED</i> Ir K. S. CHAN	日期 date 27 APR 2020	圖則編號 drawing no. DVD/2020/001	比例 scale 1:12 500
批核 approved <i>SIGNED</i> Ir L. CHEN	日期 date 27 APR 2020	保留版權 COPYRIGHT RESERVED	
部門 office 特別職務部 SPECIAL DUTY DIVISION	 香港特別行政區政府渠務署 DRAINAGE SERVICES DEPARTMENT GOVERNMENT OF THE HONG KONG SPECIAL ADMINISTRATIVE REGION		







***Figure 2.3***

***Locations of Noise Monitoring Station***






0 CM  
10  
20  
30

**圖例 LEGEND:**

-  擬建污水處理廠集水範圍  
CATCHMENT AREA OF PROPOSED SEWAGE TREATMENT WORKS
-  擬建的污水渠  
PROPOSED SEWERS
-  擬建的雙管污水泵喉  
PROPOSED TWIN RISING MAINS
-  擬建的海底排放管  
PROPOSED SUBMARINE OUTFALL
-  擬建的污水處理廠  
PROPOSED SEWAGE TREATMENT WORKS
-  擬建的污水泵房  
PROPOSED SEWAGE PUMPING STATION
-  擬建的鄉村污水收集系統範圍  
PROPOSED AREA FOR VILLAGE SEWERAGE WORKS

---

-  FINE ADJUSTED NOISE MONITORING LOCATIONS
-  AREA OF A RADIUS OF 300m OFFSET FROM CONSTRUCTION AREA
-  AREA OF A RADIUS OF 300m OFFSET FROM CONSTRUCTION AREA FOR VILLAGE SEWERAGE WORKS



Construction of village sewers at Pui O Lo Uk Tsuen

貝澳羅屋村  
PUI O LO UK TSUEN

貝澳  
PUI O

芝麻灣路  
CHI MA WAN ROAD

礮石灣  
SAN SHEK WAN

貝澳沙灘  
PUI O BEACH

長沙  
CHEUNG SHA

1.1 公里  
1.1 km  
1.4 公里  
1.4 km

Fine Adjusted N07  
Fine Adjusted N08

Fine Adjusted N10

Fine Adjusted N11b

Fine Adjusted N12a

Fine Adjusted N12b

Fine Adjusted N13

Fine Adjusted N17

Fine Adjusted N14

Fine Adjusted N15b

Fine Adjusted N16b

Fine Adjusted N16a






***Figure 2.4***

***Locations of Water Quality Monitoring Stations***






**Key**

- Marine Water Quality Monitoring Station
- Proposed Site of Pumping Station
- Proposed Sewage Treatment Works
- Proposed Sewer Alignment
- Streams
- Project Boundary
- Fine Adjusted Marine WQM Station during Baseline, Construction and Operation Phase
- Proposed Submarine Outfall
- Proposed Dredging Area Boundary

Location	E	N
Fine Adjusted SR4	814938	810975
SR5	814326	810540
SR6	813553	810475
Fine Adjusted SR9	811325	809787
SR10	810561	809494
Fine Adjusted SR12	810359	808989
SR15	816037	810722
CE	810900	807690
CF	815720	807980




Title  Locations of Marine Water Quality Monitoring Station	OUTLYING ISLANDS SEWERAGE STAGE 2 SOUTH LANTAU SEWERAGE WORKS - INVESTIGATION		Figure no. Figure 5.1	
			Prepared	Checked
	 BLACK & VEATCH HONG KONG LIMITED 博誠工程顧問有限公司		Date	Scale



***Appendix 4.1***

***Copies of Calibration Certificates***



## CERTIFICATE OF CALIBRATION

Certificate No.: 21CA0326 03-02 Page 1 of 2

### Item tested

Description: Sound Level Meter (Type 1) , Microphone  
Manufacturer: Larson Davis , PCB  
Type/Model No.: LxT1 , 377B02  
Serial/Equipment No.: 0003737 , 171529  
Adaptors used: - , -

### Item submitted by

Customer Name: Lam Environmental Services Limited.  
Address of Customer: -  
Request No.: -  
Date of receipt: 26-Mar-2021

Date of test: 31-Mar-2021

### Reference equipment used in the calibration

Description:	Model:	Serial No.	Expiry Date:	Traceable to:
Multi function sound calibrator	B&K 4226	2288444	23-Aug-2021	CIGISMEC
Signal generator	DS 360	33873	19-May-2021	CEPREI

### Ambient conditions

Temperature:  $21 \pm 1$  °C  
Relative humidity:  $55 \pm 10$  %  
Air pressure:  $1005 \pm 5$  hPa

### Test specifications

- 1, The Sound Level Meter has been calibrated in accordance with the requirements as specified in BS 7580: Part 1: 1997 and the lab calibration procedure SMTP004-CA-152.
- 2, The electrical tests were performed using an electrical signal substituted for the microphone which was removed and replaced by an equivalent capacitance within a tolerance of  $\pm 20\%$ .
- 3, The acoustic calibration was performed using an B&K 4226 sound calibrator and corrections was applied for the difference between the free-field and pressure responses of the Sound Level Meter.

### Test results

This is to certify that the Sound Level Meter conforms to BS 7580: Part 1: 1997 for the conditions under which the test was performed.

Details of the performed measurements are presented on page 2 of this certificate.

Actual Measurement data are documented on worksheets.

Approved Signatory:  Date: 07-Apr-2021 Company Chop: 



Comments: The results reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long-term stability of the instrument. The results apply to the item as received.



## CERTIFICATE OF CALIBRATION

(Continuation Page)

Certificate No.: 21CA0326 03-02 Page 2 of 2

### 1, Electrical Tests

The electrical tests were performed using an equivalent capacitance substituted for the microphone. The results are given in below with test status and the estimated uncertainties. The "Pass" means the result of the test is inside the tolerances stated in the test specifications. The "-" means the result of test is outside these tolerances.

Test:	Subtest:	Status:	Expanded Uncertainty (dB)	Coverage Factor	
Self-generated noise	A	Pass	0.3	2.1	
	C	Pass	0.8		
	Lin	Pass	1.6		
Linearity range for Leq	At reference range, Step 5 dB at 4 kHz	Pass	0.3	2.2	
	Reference SPL on all other ranges	Pass	0.3		
	2 dB below upper limit of each range	Pass	0.3		
	2 dB above lower limit of each range	Pass	0.3		
Linearity range for SPL	At reference range, Step 5 dB at 4 kHz	Pass	0.3		
	Frequency weightings	A	Pass		0.3
	C	Pass	0.3		
	Lin	Pass	0.3		
Time weightings	Single Burst Fast	Pass	0.3		
	Single Burst Slow	Pass	0.3		
Peak response	Single 100µs rectangular pulse	Pass	0.3		
R.M.S. accuracy	Crest factor of 3	Pass	0.3		
Time weighting I	Single burst 5 ms at 2000 Hz	Pass	0.3		
	Repeated at frequency of 100 Hz	Pass	0.3		
Time averaging	1 ms burst duty factor 1/10 <sup>3</sup> at 4kHz	Pass	0.3		
	1 ms burst duty factor 1/10 <sup>4</sup> at 4kHz	Pass	0.3		
Pulse range	Single burst 10 ms at 4 kHz	Pass	0.4		
Sound exposure level	Single burst 10 ms at 4 kHz	Pass	0.4		
Overload indication	SPL	Pass	0.3		
	Leq	Pass	0.4		

### 2, Acoustic tests

The complete sound level meter was calibrated on the reference range using a B&K 4226 acoustic calibrator with 1000Hz and SPL 94 dB. The sensitivity of the sound level meter was adjusted. The test result at 125 Hz and 8000 Hz are given in below with test status and the estimated uncertainties.

Test:	Subtest	Status	Expanded Uncertainty (dB)	Coverage Factor
Acoustic response	Weighting A at 125 Hz	Pass	0.3	
	Weighting A at 8000 Hz	Pass	0.5	

### 3, Response to associated sound calibrator

N/A

The expanded uncertainties have been calculated in accordance with the ISO Publication "Guide to the expression of uncertainty in measurement", and gives an interval estimated to have a level of confidence of 95%. A coverage factor of 2 is assumed unless explicitly stated.

Calibrated by:

Date:

Fung Chi Yip  
31-Mar-2021

- End -

Checked by:

Date:

Chan Yuk Yiu  
07-Apr-2021

The standard(s) and equipment used in the calibration are traceable to national or international recognised standards and are calibrated on a schedule to maintain the required accuracy level.



Test Data for Sound Level Meter

Page 1 of 5

Sound level meter type: LxT1 Serial No. 0003737 Date 31-Mar-2021  
Microphone type: 377B02 Serial No. 171529

Report: 21CA0326 03-02

### SELF GENERATED NOISE TEST

The noise test is performed in the most sensitive range of the SLM with the microphone replaced by an equivalent impedance.

Noise level in A weighting 11.3 dB  
Noise level in C weighting 14.9 dB  
Noise level in Lin 21.5 dB

### LINEARITY TEST

The linearity is tested relative to the reference sound pressure level using a continuous sinusoidal signal of frequency 4 kHz. The measurement is made on the reference range for indications at 5 dB intervals starting from the 94 dB reference sound pressure level. And until within 5 dB of the upper and lower limits of the reference range, the measurements shall be made at 1 dB intervals. (SLM set to LEQ/SPL)

Reference/Expected level	Actual level		Tolerance	Deviation	
	non-integrated	integrated		non-integrated	integrated
dB	dB	dB	+/- dB	dB	dB
94.0	94.0	94.0	0.7	0.0	0.0
99.0	99.0	99.0	0.7	0.0	0.0
104.0	104.0	104.0	0.7	0.0	0.0
109.0	109.0	109.0	0.7	0.0	0.0
114.0	114.0	114.0	0.7	0.0	0.0
115.0	115.0	115.0	0.7	0.0	0.0
116.0	116.0	116.0	0.7	0.0	0.0
117.0	117.0	117.0	0.7	0.0	0.0
118.0	118.0	118.0	0.7	0.0	0.0
119.0	119.0	119.0	0.7	0.0	0.0
120.0	120.0	120.0	0.7	0.0	0.0
89.0	89.0	89.0	0.7	0.0	0.0
84.0	84.0	84.0	0.7	0.0	0.0
79.0	79.0	79.0	0.7	0.0	0.0
74.0	74.0	74.0	0.7	0.0	0.0
69.0	69.0	69.0	0.7	0.0	0.0
64.0	63.9	63.9	0.7	-0.1	-0.1
59.0	59.0	59.0	0.7	0.0	0.0
54.0	54.0	54.0	0.7	0.0	0.0
49.0	48.9	48.9	0.7	-0.1	-0.1
44.0	43.9	43.9	0.7	-0.1	-0.1
39.0	38.9	38.9	0.7	-0.1	-0.1
34.0	33.9	33.9	0.7	-0.1	-0.1
33.0	32.9	32.9	0.7	-0.1	-0.1



Test Data for Sound Level Meter

Page 2 of 5

Sound level meter type: LxT1 Serial No. 0003737 Date 31-Mar-2021  
Microphone type: 377B02 Serial No. 171529

Report: 21CA0326 03-02

32.0	31.9	31.9	0.7	-0.1	-0.1
31.0	30.9	30.9	0.7	-0.1	-0.1
30.0	29.9	29.9	0.7	-0.1	-0.1

Measurements for an indication of the reference SPL on all other ranges which include it

Other ranges	Expected level	Actual level	Tolerance	Deviation
dB	dB	dB	+/- dB	dB
20-120	94.0	94.0	0.7	0.0

Measurements on all level ranges for indications 2 dB below the upper limit and 2 dB above the lower limit

Ranges	Reference/Expected level	Actual level	Tolerance	Deviation
dB	dB	dB	+/- dB	dB
20-120	30.0	29.9	0.7	-0.1
	118.0	118.0	0.7	0.0

## FREQUENCY WEIGHTING TEST

The frequency response of the weighting networks are tested at octave intervals over the frequency ranges 31.5 Hz to 12500 Hz. The signal level at 1000 Hz is set to give an indication of the reference SPL.

Frequency weighting A:

Frequency	Ref. level	Expected level	Actual level	Tolerance(dB)		Deviation
				+	-	
Hz	dB	dB	dB			dB
1000.0	94.0	94.0	94.0	0.0	0.0	0.0
31.6	94.0	54.6	54.5	1.5	1.5	-0.1
63.1	94.0	67.8	67.7	1.5	1.5	-0.1
125.9	94.0	77.9	77.8	1.0	1.0	-0.1
251.2	94.0	85.4	85.3	1.0	1.0	-0.1
501.2	94.0	90.8	90.7	1.0	1.0	-0.1
1995.0	94.0	95.2	95.2	1.0	1.0	0.0
3981.0	94.0	95.0	95.0	1.0	1.0	0.0
7943.0	94.0	92.9	92.9	1.5	3.0	0.0
12590.0	94.0	89.7	89.6	3.0	6.0	-0.1

Frequency weighting C:

Frequency	Ref. level	Expected level	Actual level	Tolerance(dB)		Deviation
				+	-	
Hz	dB	dB	dB			dB
1000.0	94.0	94.0	94.0	0.0	0.0	0.0
31.6	94.0	91.0	91.0	1.5	1.5	0.0
63.1	94.0	93.2	93.1	1.5	1.5	-0.1
125.9	94.0	93.8	93.7	1.0	1.0	-0.1
251.2	94.0	94.0	93.9	1.0	1.0	-0.1
501.2	94.0	94.0	94.0	1.0	1.0	0.0





Test Data for Sound Level Meter

Page 3 of 5

Sound level meter type: LxT1 Serial No. 0003737 Date 31-Mar-2021  
Microphone type: 377B02 Serial No. 171529

Report: 21CA0326 03-02

1995.0	94.0	93.8	93.8	1.0	1.0	0.0
3981.0	94.0	93.2	93.2	1.0	1.0	0.0
7943.0	94.0	91.0	91.0	1.5	3.0	0.0
12590.0	94.0	87.8	87.7	3.0	6.0	-0.1

Frequency weighting Lin:

Frequency Hz	Ref. level dB	Expected level dB	Actual level dB	Tolerance(dB)		Deviation dB
				+	-	
1000.0	94.0	94.0	94.0	0.0	0.0	0.0
31.6	94.0	94.0	93.9	1.5	1.5	-0.1
63.1	94.0	94.0	93.9	1.5	1.5	-0.1
125.9	94.0	94.0	93.9	1.0	1.0	-0.1
251.2	94.0	94.0	93.9	1.0	1.0	-0.1
501.2	94.0	94.0	94.0	1.0	1.0	0.0
1995.0	94.0	94.0	94.0	1.0	1.0	0.0
3981.0	94.0	94.0	94.0	1.0	1.0	0.0
7943.0	94.0	94.0	93.9	1.5	3.0	-0.1
12590.0	94.0	94.0	94.0	3.0	6.0	0.0

#### TIME WEIGHTING FAST TEST

Time weighting F is tested on the reference range with a single sinusoidal burst of duration 200 ms at a frequency 2000 Hz and an amplitude which produces an indication 4 dB below the upper limit of the primary indicator range when the signal is continuous. (Weight A, Maximum hold)

Ref. level dB	Expected level dB	Actual level dB	Tolerance(dB)		Deviation dB
			+	-	
116.0	115.0	114.9	1.0	1.0	-0.1

#### TIME WEIGHTING SLOW TEST

Time weighting S is tested on the reference range with a single sinusoidal burst of duration 500 ms at a frequency 2000 Hz and an amplitude which produces an indication 4 dB below the upper limit of the primary indicator range when the signal is continuous. (Weight A, Maximum hold)


Ref. level dB	Expected level dB	Actual level dB	Tolerance(dB)		Deviation dB
			+	-	
116.0	111.9	111.8	1.0	1.0	-0.1

#### PEAK RESPONSE TEST

The onset time of the peak detector is tested on the reference range by comparing the response to a 100 us rectangular test pulse with the response to a 10 ms reference pulse of the same amplitude. The amplitude of the 10 ms reference pulse is such as to produce an indication 1 dB below the upper limit of the primary indicator range.

Positive polarities: (Weighting Z, set the generator signal to single, Lzpeak)

Ref. level dB	Response to 10 ms dB	Response to 100 us dB	Tolerance +/- dB	Deviation dB
119.0	119.0	119.5	2.0	0.5



Test Data for Sound Level Meter

Page 4 of 5

Sound level meter type: LxT1 Serial No. 0003737 Date 31-Mar-2021  
Microphone type: 377B02 Serial No. 171529

Report: 21CA0326 03-02

Negative polarities:

Ref. level	Response to 10 ms	Response to 100 us	Tolerance	Deviation
dB	dB	dB	+/- dB	dB
119.0	119.0	119.5	2.0	0.5

RMS ACCURACY TEST

The RMS detector accuracy is tested on the reference range for a crest factor of 3.

Test frequency: 2000 Hz  
Amplitude: 2 dB below the upper limit of the primary indicator range.  
Burst repetition frequency: 40 Hz  
Tone burst signal: 11 cycles of a sine wave of frequency 2000 Hz. (Set to INT)

	Ref. Level	Expected level	Tone burst signal	Tolerance	Deviation
Time weighting	dB	dB	indication(dB)	+/- dB	dB
Slow	116.0+6.6	116.0	115.8	0.5	-0.2

TIME WEIGHTING IMPULSE TEST

Time weighting I is tested on the reference range (Set the SLM to LAImax)

Test frequency: 2000 Hz  
Amplitude: The upper limit of the primary indicator range.

Single sinusoidal burst of duration 5 ms:

Ref. Level	Single burst indication		Tolerance	Deviation
dB	Expected (dB)	Actual (dB)	+/- dB	dB
120.0	111.2	111.1	2.0	-0.1

Repeated at 100 Hz

Ref. Level	Repeated burst indication		Tolerance	Deviation
dB	Expected (dB)	Actual (dB)	+/- dB	dB
120.0	117.3	117.1	1.0	-0.2

TIME AVERAGING TEST

This test compares the SLM reading for continuous sine signals with readings obtained from a sine tone burst sequence having the same RMS level. The test level is 30 dB below the upper limit of the linearity range and repeated for Type 1 SLM with 40 dB below the upper limit of the linearity.

Frequency of tone burst: 4000 Hz

Duration of tone burst: 1 ms

Repetition Time	Level of tone burst	Expected Leq	Actual Leq	Tolerance	Deviation	Remarks
msec	dB	dB	dB	+/- dB	dB	
1000	90.0	90.0	89.9	1.0	-0.1	60s integ.
10000	80.0	80.0	79.9	1.0	-0.1	6min. integ.

PULSE RANGE AND SOUND EXPOSURE LEVEL TEST

The test tone burst signal is superimposed on a baseline signal corresponding to the lower limit of reference range

Test frequency: 4000 Hz

Integration time: 10 sec



Test Data for Sound Level Meter

Page 5 of 5

Sound level meter type: LxT1 Serial No. 0003737 Date 31-Mar-2021  
Microphone type: 377B02 Serial No. 171529

Report: 21CA0326 03-02

The integrating sound level meter set to Leq:

Duration	Rms level of	Expected	Actual	Tolerance	Deviation
msec	tone burst (dB)	dB	dB	+/- dB	dB
10	88.0	58.0	57.9	1.7	-0.1

The integrating sound level meter set to SEL:

Duration	Rms level of	Expected	Actual	Tolerance	Deviation
msec	tone burst (dB)	dB	dB	+/- dB	dB
10.0	88.0	68.0	67.9	1.7	-0.1

OVERLOAD INDICATION TEST

For SLM capable of operating in a non-integrating mode.

Test frequency: 2000 Hz  
Amplitude: 2 dB below the upper limit of the primary indicator range.  
Burst repetition frequency: 40 Hz  
Tone burst signal: 11 cycles of a sine wave of frequency 2000 Hz.

Level	Level reduced by	Further reduced	Difference	Tolerance	Deviation
at overload (dB)	1 dB	3 dB	dB	dB	dB
115.0	114.0	111.0	3.0	1.0	0.0

For integrating SLM, with the instrument indicating Leq.

For integrating SLM, with the instrument indicating Leq and set to the reference range. The test signal as following:  
The test tone burst signal is superimposed on a baseline signal corresponding to the lower limit of reference range

Test frequency: 4000 Hz  
Integration time: 10 sec  
Single burst duration: 1 msec

Rms level	Level reduced by	Expected level	Actual level	Tolerance	Deviation
at overload (dB)	1 dB	dB	dB	dB	dB
121.7	120.7	80.7	80.6	2.2	-0.1

ACOUSTIC TEST

The acoustic test of the complete SLM is tested at the frequency 125 Hz and 8000 Hz using a B&K type 4226 Multifunction Acoustic Calibrator. The test is performed in A weighting.

Frequency	Expected level	Actual level	Tolerance (dB)		Deviation
Hz	dB	Measured (dB)	+	-	dB
1000	94.0	94.0	0.0	0.0	0.0
125	77.9	78.0	1.0	1.0	0.1
8000	92.9	91.1	1.5	3.0	-1.8

-----END-----



## CERTIFICATE OF CALIBRATION

Certificate No.: 21CA1021 05-01

Page: 1 of 2

## Item tested

Description: Acoustical Calibrator (Class 1)  
Manufacturer: Honglim Co., Ltd.  
Type/Model No.: HLES-02  
Serial/Equipment No.: 2016611465  
Adaptors used: -

## Item submitted by

Customer: Lam Environmental Services Limited.  
Address of Customer: -  
Request No.: -  
Date of receipt: 21-Oct-2021

Date of test: 25-Oct-2021

## Reference equipment used in the calibration

Description:	Model:	Serial No.	Expiry Date:	Traceable to:
Lab standard microphone	B&K 4180	2341427	04-May-2022	SCL
Preamplifier	B&K 2673	2239857	31-May-2022	CEPREI
Measuring amplifier	B&K 2610	2346941	01-Jun-2022	CEPREI
Signal generator	DS 360	33873	27-May-2022	CEPREI
Digital multi-meter	34401A	US36087050	27-May-2022	CEPREI
Audio analyzer	8903B	GB41300350	28-May-2022	CEPREI
Universal counter	53132A	MY40003662	02-Jun-2022	CEPREI

## Ambient conditions

Temperature:  $22 \pm 1$  °C  
Relative humidity:  $55 \pm 10$  %  
Air pressure:  $1005 \pm 5$  hPa

## Test specifications


- The Sound Calibrator has been calibrated in accordance with the requirements as specified in IEC 60942 1997 Annex B and the lab calibration procedure SMTP004-CA-156.
- The calibrator was tested with its axis vertical facing downwards at the specific frequency using insert voltage technique.
- The results are rounded to the nearest 0.01 dB and 0.1 Hz and have not been corrected for variations from a reference pressure of 1013.25 hectoPascals as the maker's information indicates that the instrument is insensitive to pressure changes.

## Test results

This is to certify that the sound calibrator conforms to the requirements of annex B of IEC 60942: 1997 for the conditions under which the test was performed. This does not imply that the sound calibrator meets IEC 60942 under any other conditions.

Details of the performed measurements are presented on page 2 of this certificate.

Approved Signatory:

  
Feng Junqi

Date: 26-Oct-2021

Company Chop:



Comments: The results reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long-term stability of the instrument. The results apply to the item as received.



## CERTIFICATE OF CALIBRATION

(Continuation Page)

Certificate No.: 21CA1021 05-01

Page: 2 of 2

## 1, Measured Sound Pressure Level

The output Sound Pressure Level in the calibrator head was measured at the setting and frequency shown using a calibrated laboratory standard microphone and insert voltage technique. The results are given in below with the estimated uncertainties.

Frequency Shown Hz	Output Sound Pressure Level Setting dB	Measured Output Sound Pressure Level dB	(Output level in dB re 20 $\mu$ Pa)
			Estimated Expanded Uncertainty dB
1000	94.00	94.01	0.10

## 2, Sound Pressure Level Stability - Short Term Fluctuations

The Short Term Fluctuations was determined by measuring the maximum and minimum of the fast weighted DC output of the B&K 2610 measuring amplifier over a 20 second time interval as required in the standard. The Short Term Fluctuation was found to be:

At 1000 Hz STF = 0.017 dB

Estimated expanded uncertainty 0.005 dB

## 3, Actual Output Frequency

The determination of actual output frequency was made using a B&K 4180 microphone together with a B&K 2673 preamplifier connected to a B&K 2610 measuring amplifier. The AC output of the B&K 2610 was taken to an universal counter which was used to determine the frequency averaged over 20 second of operation as required by the standard. The actual output frequency at 1 KHz was:

At 1000 Hz Actual Frequency = 1003.7 Hz

Estimated expanded uncertainty 0.1 Hz Coverage factor k = 2.2

## 4, Total Noise and Distortion

For the Total Noise and Distortion measurement, the unfiltered AC output of the B&K 2610 measuring amplifier was connected to an Agilent Type 8903 B distortion analyser. The TND result at 1 KHz was:

At 1000 Hz TND = 1.5 %

Estimated expanded uncertainty 0.7 %

The expanded uncertainties have been calculated in accordance with the ISO Publication "Guide to the expression of uncertainty in measurement", and gives an interval estimated to have a level of confidence of 95%. A coverage factor of 2 is assumed unless explicitly stated.

Calibrated by:

Date:

Fung Chi Yip  
25-Oct-2021

- End -

Checked by:

Date:

Chan Yuk Yiu  
26-Oct-2021

The standard(s) and equipment used in the calibration are traceable to national or international recognised standards and are calibrated on a schedule to maintain the required accuracy level.





## CERTIFICATE OF CALIBRATION

Certificate No.: 21CA1021 05-02

Page: 1 of 2

### Item tested

Description: Acoustical Calibrator (Class 1)  
Manufacturer: Honglim Co., Ltd.  
Type/Model No.: HLES-02  
Serial/Equipment No.: 2019612534  
Adaptors used: -

### Item submitted by

Customer: Lam Environmental Services Limited  
Address of Customer: -  
Request No.: -  
Date of receipt: 21-Oct-2021

Date of test: 25-Oct-2021

### Reference equipment used in the calibration

Description:	Model:	Serial No.	Expiry Date:	Traceable to:
Lab standard microphone	B&K 4180	2341427	04-May-2022	SCL
Preamplifier	B&K 2673	2239857	31-May-2022	CEPREI
Measuring amplifier	B&K 2610	2346941	01-Jun-2022	CEPREI
Signal generator	DS 360	33873	27-May-2022	CEPREI
Digital multi-meter	34401A	US36087050	27-May-2022	CEPREI
Audio analyzer	8903B	GB41300350	28-May-2022	CEPREI
Universal counter	53132A	MY40003662	02-Jun-2022	CEPREI

### Ambient conditions

Temperature:  $22 \pm 1$  °C  
Relative humidity:  $55 \pm 10$  %  
Air pressure:  $1005 \pm 5$  hPa

### Test specifications

- The Sound Calibrator has been calibrated in accordance with the requirements as specified in IEC 60942 1997 Annex B and the lab calibration procedure SMTP004-CA-156.
- The calibrator was tested with its axis vertical facing downwards at the specific frequency using insert voltage technique.
- The results are rounded to the nearest 0.01 dB and 0.1 Hz and have not been corrected for variations from a reference pressure of 1013.25 hectoPascals as the maker's information indicates that the instrument is insensitive to pressure changes.

### Test results

This is to certify that the sound calibrator conforms to the requirements of annex B of IEC 60942: 1997 for the conditions under which the test was performed. This does not imply that the sound calibrator meets IEC 60942 under any other conditions.

Details of the performed measurements are presented on **page 2** of this certificate.

Approved Signatory:

  
Feng Junqi

Date: 26-Oct-2021

Company Chop:



**Comments:** The results reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long-term stability of the instrument. The results apply to the item as received.



## CERTIFICATE OF CALIBRATION

(Continuation Page)

Certificate No.: 21CA1021 05-02

Page: 2 of 2

## 1, Measured Sound Pressure Level

The output Sound Pressure Level in the calibrator head was measured at the setting and frequency shown using a calibrated laboratory standard microphone and insert voltage technique. The results are given in below with the estimated uncertainties.

Frequency Shown Hz	Output Sound Pressure Level Setting dB	Measured Output Sound Pressure Level dB	(Output level in dB re 20 $\mu$ Pa)
			Estimated Expanded Uncertainty dB
1000	94.00	94.02	0.10

## 2, Sound Pressure Level Stability - Short Term Fluctuations

The Short Term Fluctuations was determined by measuring the maximum and minimum of the fast weighted DC output of the B&K 2610 measuring amplifier over a 20 second time interval as required in the standard. The Short Term Fluctuation was found to be:

At 1000 Hz STF = 0.011 dB

Estimated expanded uncertainty 0.005 dB

## 3, Actual Output Frequency

The determination of actual output frequency was made using a B&K 4180 microphone together with a B&K 2673 preamplifier connected to a B&K 2610 measuring amplifier. The AC output of the B&K 2610 was taken to an universal counter which was used to determine the frequency averaged over 20 second of operation as required by the standard. The actual output frequency at 1 KHz was:

At 1000 Hz Actual Frequency = 998.27 Hz

Estimated expanded uncertainty 0.1 Hz Coverage factor k = 2.2

## 4, Total Noise and Distortion

For the Total Noise and Distortion measurement, the unfiltered AC output of the B&K 2610 measuring amplifier was connected to an Agilent Type 8903 B distortion analyser. The TND result at 1 KHz was:

At 1000 Hz TND = 0.4 %

Estimated expanded uncertainty 0.7 %

The expanded uncertainties have been calculated in accordance with the ISO Publication "Guide to the expression of uncertainty in measurement", and gives an interval estimated to have a level of confidence of 95%. A coverage factor of 2 is assumed unless explicitly stated.

Calibrated by:

Date: 25-Oct-2021

Fung Chi Yip

- End -

Checked by:

Date: 26-Oct-2021

Chan Yuk Yiu

The standard(s) and equipment used in the calibration are traceable to national or international recognised standards and are calibrated on a schedule to maintain the required accuracy level.



***Appendix 4.2***  
***Impact Monitoring Schedule***





Contract No. SD 6/2020  
Construction of San Shek Wan Sewage Treatment Works, Associated Submarine Outfall and Pui O Sewerage Works  
Environmental Team Services (2021 - 2022)  
Impact Monitoring Schedule  
Jan 2022

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
26 Dec	27 Dec	28 Dec	29 Dec	30 Dec	31 Dec	01 Jan
02 Jan	03 Jan	04 Jan Noise Monitoring	05 Jan	06 Jan	07 Jan	08 Jan
09 Jan	10 Jan	11 Jan Noise Monitoring	12 Jan	13 Jan	14 Jan	15 Jan
16 Jan	17 Jan	18 Jan Noise Monitoring	19 Jan	20 Jan	21 Jan	22 Jan
23 Jan	24 Jan	25 Jan Noise Monitoring	26 Jan	27 Jan	28 Jan	29 Jan

Remark:

Noise Monitoring to be conducted at the designated monitoring stations when there are project-related construction activities undertaken within a radius of 300m from the monitoring stations; and  
Water Quality Monitoring to be scheduled upon the commencement of marine construction work site and conducted during marine construction works.








***Appendix 4.3***

***Noise Monitoring Results and Graphical Presentations***



Graphic Presentation of Noise Monitoring Result

Day Time (0700 - 1900hrs on normal weekdays)





**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N12a - Light Pole in front of 47 Lo Uk Tsuen

Date	Weather	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Limit Level
			Leq	L10	L90	Leq	Leq	Leq	Leq
			Unit: dB(A), (5-min)			Unit: dB(A), (30-min)			
4 Jan 2022	Sunny	13:46	69.9	74.3	49.7	70.6	73.3	<Baseline Level	75
		13:51	70.0	73.8	51.3				
		13:56	73.4	76.8	50.8				
		14:01	71.4	73.2	48.6				
		14:06	68.5	71.2	48.9				
		14:11	68.2	72.9	50.3				
11 Jan 2022	Sunny	13:51	70.6	75.1	48.2	70.1	73.3	<Baseline Level	75
		13:56	71.0	75.8	44.5				
		14:01	69.2	74.0	45.6				
		14:06	70.8	75.6	48.0				
		14:11	69.6	73.3	45.1				
		14:16	69.2	72.1	45.8				
18 Jan 2022	Cloudy	10:01	70.9	74.6	43.5	70.9	73.3	<Baseline Level	75
		10:06	70.0	74.3	44.8				
		10:11	67.9	72.4	44.8				
		10:16	69.9	74.4	46.1				
		10:21	73.4	77.1	44.8				
		10:26	71.2	75.4	44.2				
25 Jan 2022	Cloudy	10:41	69.3	73.8	46.6	71.3	73.3	<Baseline Level	75
		10:46	72.6	75.0	47.9				
		10:51	71.1	75.1	52.2				
		10:56	72.4	76.8	52.1				
		11:01	70.1	74.3	48.3				
		11:06	71.2	75.9	49.5				



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N12b - 11B Lo Uk Tsuen

Date	Weather	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Limit Level
			Leq	L10	L90	Leq	Leq	Leq	Leq
			Unit: dB(A), (5-min)			Unit: dB(A), (30-min)			
4 Jan 2022	Sunny	13:11	61.2	64.3	55.0	74.5	76.8	<Baseline Level	75
		13:16	62.8	64.6	55.7				
		13:21	64.2	64.5	54.6				
		13:26	76.4	77.6	74.3				
		13:31	76.6	79.1	63.3				
		13:36	78.7	80.1	76.5				
11 Jan 2022	Sunny	10:06	66.9	69.6	60.3	65.4	76.8	<Baseline Level	75
		10:11	67.0	69.5	61.7				
		10:16	63.7	66.8	58.9				
		10:21	65.7	68.3	59.8				
		10:26	62.8	64.4	58.6				
		10:31	64.8	67.1	58.7				
18 Jan 2022	Cloudy	10:36	61.3	64.3	55.9	63.2	76.8	<Baseline Level	75
		10:41	65.9	69.2	58.6				
		10:46	62.5	65.9	56.4				
		10:51	64.0	65.0	58.0				
		10:56	61.5	63.6	58.0				
		11:01	62.2	64.6	57.7				
25 Jan 2022	Cloudy	14:31	67.4	71.2	57.0	69.5	76.8	<Baseline Level	75
		14:36	74.1	77.1	60.6				
		14:41	66.7	70.3	58.3				
		14:46	67.3	70.9	58.8				
		14:51	66.6	70.5	55.4				
		14:56	68.5	71.0	57.7				



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N13 - 74 Pui O San Wai Tsuen

Date	Weather	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Limit Level
			Leq	L10	L90	Leq	Leq	Leq	Leq
			Unit: dB(A), (5-min)			Unit: dB(A), (30-min)			
4 Jan 2022	Sunny	14:21	64.1	67.9	49.6	62.8	73.6	<Baseline Level	75
		14:26	60.4	64.0	47.6				
		14:31	60.6	63.8	49.0				
		14:36	62.3	66.7	52.0				
		14:41	63.8	67.0	53.5				
		14:46	64.1	67.5	50.4				
11 Jan 2022	Sunny	11:26	63.8	67.1	53.9	64.5	73.6	<Baseline Level	75
		11:31	62.8	66.5	52.9				
		11:36	62.2	66.6	54.3				
		11:41	65.2	68.0	56.8				
		11:46	66.7	68.5	57.2				
		11:51	64.8	67.7	58.4				
18 Jan 2022	Cloudy	13:41	65.1	68.3	55.9	66.3	73.6	<Baseline Level	75
		13:46	65.8	67.9	55.4				
		13:51	66.9	70.1	59.1				
		13:56	64.6	68.5	56.7				
		14:01	68.2	71.2	55.8				
		14:06	65.9	69.1	55.5				
25 Jan 2022	Cloudy	13:56	69.2	72.0	56.3	65.2	73.6	<Baseline Level	75
		14:01	62.7	65.2	53.6				
		14:06	64.9	68.9	54.0				
		14:11	61.4	65.2	53.5				
		14:16	62.8	66.2	53.5				
		14:21	65.4	69.3	53.5				



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N14 - Fence in front of South Lantau Community Centre

Date	Weather	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Limit Level
			Leq	L10	L90	Leq	Leq	Leq	Leq
			Unit: dB(A), (5-min)			Unit: dB(A), (30-min)			
4 Jan 2022	Sunny	11:27	62.9	65.9	52.0	66.4	62.2	64	75
		11:32	63.0	66.4	54.4				
		11:37	71.1	70.3	50.5				
		11:42	67.6	67.5	48.3				
		11:47	61.9	65.2	51.3				
		11:52	63.2	64.9	49.7				
11 Jan 2022	Sunny	13:06	63.9	54.2	46.2	64.5	62.2	61	75
		13:11	63.4	66.8	50.4				
		13:16	61.9	63.9	50.2				
		13:21	63.8	67.9	47.7				
		13:26	62.8	65.4	48.5				
		13:31	68.2	68.3	45.7				
18 Jan 2022	Cloudy	13:06	63.5	64.4	42.6	63.3	62.2	57	75
		13:11	63.1	64.6	44.5				
		13:16	65.7	67.8	48.4				
		13:21	57.9	58.5	46.1				
		13:26	62.8	65.8	46.6				
		13:31	63.5	65.8	46.0				
25 Jan 2022	Cloudy	11:26	64.6	65.8	44.7	62.1	62.2	<Baseline Level	75
		11:31	61.3	66.5	46.1				
		11:36	62.9	66.4	46.6				
		11:41	59.0	60.1	45.1				
		11:46	62.1	65.4	43.7				
		11:51	60.7	59.4	45.5				



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N17 - Bui O Public School

Date	Weather	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Limit Level
			Leq	L10	L90	Leq	Leq	Leq	Leq
			Unit: dB(A), (5-min)			Unit: dB(A), (30-min)			
4 Jan 2022	Sunny	10:46	53.5	56.0	48.3	53.2	62.3	<Baseline Level	70
		10:51	52.0	53.9	46.6				
		10:56	51.0	54.0	46.2				
		11:01	51.0	53.6	46.7				
		11:06	53.4	56.6	47.8				
		11:11	56.0	59.3	49.2				
11 Jan 2022	Sunny	10:46	52.0	53.6	46.3	51.7	62.3	<Baseline Level	65
		10:51	51.2	53.8	47.4				
		10:56	51.5	53.2	47.3				
		11:01	52.1	54.7	47.2				
		11:06	51.5	54.1	47.3				
		11:11	51.6	54.7	46.2				
18 Jan 2022	Cloudy	11:11	51.3	53.0	43.6	49.5	62.3	<Baseline Level	70
		11:16	48.4	50.2	45.3				
		11:21	49.7	52.1	44.3				
		11:26	46.8	50.4	41.4				
		11:31	49.3	52.0	43.7				
		11:36	50.0	52.7	43.0				
25 Jan 2022	Cloudy	13:16	50.8	53.1	43.5	51.1	62.3	<Baseline Level	70
		13:21	48.2	51.0	43.4				
		13:26	49.4	53.0	43.1				
		13:31	47.1	50.5	41.0				
		13:36	55.3	56.6	42.8				
		13:41	50.6	53.9	42.1				





***Appendix 4.4***

***Monthly Summary Waste Flow Table  
&  
Yearly Summary Waste Flow Table***

**Drainage Services Department**  
**Contract No. DC/2020/02**  
**Construction of San Shek Wan Sewage Treatment Works,**  
**Associated Submarine Outfall and Pui O Sewerage Works**

**Monthly Summary Waste Flow Table for 2022**

Month	Actual Quantities if Inert C&D Material Generated Monthly						Actual Quantities of C&D Wastes Generated Monthly				
	Total Quantity Generated (a) (in '000m <sup>3</sup> )	Hard Rocks and Large Broken Concrete (b) (in '000m <sup>3</sup> )	Reused in the Contract (c) (in '000m <sup>3</sup> )	Reused in other Projects (d) (in '000m <sup>3</sup> )	Disposed as Public Fill (a-b-c-d) (in '000m <sup>3</sup> )	Imported Fill (in '000m <sup>3</sup> )	Metals (in '000kg)	Paper/card-board packaging (in '000kg)	Plastics [see Note 3] (in '000kg)	Chemical waste (in '000kg)	Others. e.g. general refuse (in '000kg)
<b>Jan</b>	0.02	0.00	0.00	0.00	0.02	0.00	0.00	0.01	0.00	0.00	58.35
<b>Feb</b>											
<b>Mar</b>											
<b>Apr</b>											
<b>May</b>											
<b>Jun</b>											
<b>Sub-total</b>	0.02	0.00	0.00	0.00	0.02	0.00	0.00	0.01	0.00	0.00	58.35
<b>July</b>											
<b>Aug</b>											
<b>Sept</b>											
<b>Oct</b>											
<b>Nov</b>											
<b>Dec</b>											
<b>Total</b>	0.02	0.00	0.00	0.00	0.02	0.00	0.00	0.01	0.00	0.00	58.35

Notes:

- (1) The inert C&D material except slurry and bentonite are disposed at Mui Wo Temporary Public Fill Bank (MW-PFRF)
- (2) The slurry and bentonite are disposed at Tseung Kwan O Area 137 Fill Bank (TKO137FB)
- (3) The non-inert waste is disposed at NENT or Outlying Islands Transfer Facilities
- (4) The waste flow table shall also include C&D materials that are specified in the Contract to be imported for use at the Site.
- (5) Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging material

**Drainage Services Department**  
**Contract No. DC/2020/02**  
**Construction of San Shek Wan Sewage Treatment Works,**  
**Associated Submarine Outfall and Pui O Sewerage Works**

**Yearly Summary Waste Flow Table**

Year	Actual Quantities if Inert C&D Material Generated Monthly						Actual Quantities of C&D Wastes Generated Monthly				
	Total Quantity Generated (a) (in '000m <sup>3</sup> )	Hard Rocks and Large Broken Concrete (b) (in '000m <sup>3</sup> )	Reused in the Contract (c) (in '000m <sup>3</sup> )	Reused in other Projects (d) (in '000m <sup>3</sup> )	Disposed as Public Fill (a-b-c-d) (in '000m <sup>3</sup> )	Imported Fill (in '000m <sup>3</sup> )	Metals (in '000kg)	Paper/card-board packaging (in '000kg)	Plastics [see Note 3] (in '000kg)	Chemical waste (in '000kg)	Others. e.g. general refuse (in '000kg)
<b>2021</b>	0.85163	0.00000	0.00000	0.00000	0.85163	0.00000	0.00330	0.01178	0.00466	0.00000	120.60000
<b>2022</b>	0.01524	0.00000	0.00000	0.00000	0.01524	0.00000	0.00390	0.01270	0.00230	0.00000	58.35000
<b>2023</b>											
<b>2024</b>											
<b>2025</b>											
<b>2026</b>											
<b>Total</b>	0.86687	0.00000	0.00000	0.00000	0.86687	0.00000	0.00720	0.02448	0.00696	0.00000	178.95000

- Notes:
- (1) The inert C&D material except slurry and bentonite are disposed at Mui Wo Temporary Public Fill Bank (MW-PFRF)
  - (2) The slurry and bentonite are disposed at Tseung Kwan O Area 137 Fill Bank (TKO137FB)
  - (3) The non-inert waste is disposed at NENT or Outlying Islands Transfer Facilities
  - (4) The waste flow table shall also include C&D materials that are specified in the Contract to be imported for use at the Site.
  - (5) Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging material



***Appendix 6.1***

***Three Months Rolling Programme – February 2022 to April 2022***



Contract No. DC/2020/02  
 Construction of San Shek Wan Sewage Treatment Works,  
 Associated Submarine Outfall and Pui O Sewerage Works



Activity ID	Activity Name	Original Duration	Start	Finish	Total Float	January 2022			February 2022				March 2022			April 2022				May 2022			
						09	16	23	30	06	13	20	27	06	13	20	27	03	10	17	24	01	08
<b>Monthly Programme for Jan 2022</b>																							
<b>Project Contractual Dates</b>						1549	19-Mar-21 A	21-Aug-26	-117														
<b>Contractual Dates</b>						11	19-Mar-21 A	30-Mar-21 A															
CD-1000	Contract Date	0	19-Mar-21 A																				
CD-1010	Starting Date	0	30-Mar-21 A																				
<b>Access Date of Each Portion</b>						219	30-Apr-21 A	01-Feb-22	1517														
CD-2000	Contract Access date of Portion A, B1, C1, D1, D3,E1, E2, E3 and W1 (90 days)	0	01-Feb-22*		-219	01-Feb-22, Access Date of Each Portion and W1 (90 days)																	
CD-2010	Contract Access date of Portion B2, C2, D2 and D4 (210 days)	0	04-Oct-21 A																				
CD-2020	Access date of Portion A and B1 (90 days)	0	30-Apr-21 A																				
CD-2030	Access date of Works Area W1 (90 days)	0	17-May-21 A																				
CD-2040	Access date of Works Area C1 & D3 (90days) and B2, C2, & D2 (210 days)	0	30-Jul-21 A																				
CD-2050	Simplified Temporary Land Allocation (STLA) access date of Works Area D1 & E1 (90days)	0	10-Aug-21 A																				
<b>Sectional Completion</b>						1055	08-May-23	28-Mar-26	0														
SC-1000	Section 1 The Trunk Sewers and Rising Mains in Portion A and B1 & B2 in Lo Uk Tsuen (770 days)	0		08-May-23*	0																		
SC-1010	Section 2 Foundation, Substructure and Superstructure of POSPS, Trunk Sewers and Rising Mains in D1&D2 (770 days)	0		08-May-23*	0																		
SC-1020	Section 3 Whole of the works excluding the works in sections 1 and 2(1825 days)	0		28-Mar-26*	0																		
<b>Planned Sectional Completion Date</b>						1088	29-Aug-23	21-Aug-26	-146														
<b>Sectional Completion Dates</b>						1088	29-Aug-23	21-Aug-26	-146														
PC-1000	Planned Section 1 completion date	0		11-Oct-23	-156																		
PC-1010	Planned Section 2 completion date	0		29-Aug-23	-113																		
PC-1020	Planned Section 3 completion date	0		21-Aug-26	-146																		
<b>NCE</b>						247	27-Jun-21 A	30-Apr-22	-70														
NCE-001	No fully access to Portion D1(90 days) [PGLA on 4 Oct 2021]	99	27-Jun-21 A	03-Oct-21 A																			
NCE-002	No fully access to Portion E1 on access date (90 days) [PGLA on 12 Jan 2022]	199	27-Jun-21 A	11-Jan-22 A																			
NCE-003	No fully access to Portion E2 and E3 on access date (90 days)	219	27-Jun-21 A	31-Jan-22 A																			
NCE-008a	Delay and Disruption of Works due to Inclement Weather for Oct 2021 (8-9 Oct 2021)	2	08-Oct-21 A	09-Oct-21 A																			
NCE-008b	Delay and Disruption of Works due to Inclement Weather for Oct 2021 (12-13 Oct 2021)	2	12-Oct-21 A	13-Oct-21 A																			
NCE-010	Extra time for GI works for BH-5 (50m dep. on 13/11 and 100m dep. on 22/11) due to unforeseen deep rockhead in POSPS	9	14-Nov-21 A	22-Nov-21 A		100m dep. on 22/11) due to unforeseen deep rockhead in POSPS																	
<b>NCE for PMI of 12 nos inspection pits at South Lantau Road, Lo Uk Tsuen and Chi Ma Wan Road</b>						195	29-Jun-21 A	30-Apr-22	-70														
NCE-006a	Preparation and Issurance of PMI for 12 nos Inspection pits at South Lantau Road, Lo Uk Tsuen and Chi Ma Wan Road by PM	7	29-Jun-21 A	11-Aug-21 A																			
NCE-006b	Received PMI for 12 nos Inspection pits at South Lantau Road, Lo Uk Tsuen and Chi Ma	0	11-Aug-21 A	11-Aug-21 A																			
NCE-006c	JV prepared XP plans	7	11-Aug-21 A	18-Aug-21 A																			
NCE-006d	JV revised XP plans as per PMs comment	7	18-Aug-21 A	25-Aug-21 A																			
NCE-006e	Confirmation and circulation by PM for XP and TTA application	7	25-Aug-21 A	03-Sep-21 A																			
NCE-006f	Revision & accept XP ID 1300556 application and TTA for South Lantau Road (assume with waiver)	90	04-Sep-21 A	17-Jan-22 A																			
NCE-006f10	Revision & accept XP ID 1300565 application and TTA for Chi Ma Wan Road (assume with waiver)	90	04-Sep-21 A	19-Jan-22 A																			
NCE-006g	Trial run and Inspection pits works at South Lantau Road (TP15 > 14 > 20 > 12 > 10 & 11)	58	18-Feb-22*	30-Apr-22	-129	load (TP15 > 14 > 20 > 12 > 10 & 11)																	
NCE-006h	Trial run and Inspection pits works at Chi Ma Wan Road (TP6 > 7 > 9)	38	16-Feb-22*	31-Mar-22	-107	at Chi Ma Wan Road (TP6 > 7 > 9)																	
NCE-006i	Inspection pits works at Lo Uk Tsuen ( VTP1 & VTP2)	12	29-Sep-21 A	05-Oct-21 A																			
<b>Preliminary Works</b>						443	19-Mar-21 A	31-Mar-24	-3														
PW-1000	Preliminary works	0	19-Mar-21 A	04-May-23	190																		
<b>Subletting of Major Subcontract Package</b>						129	01-Feb-22	09-Jun-22	503														
SUB-1035	Sublet piling works	56	01-Feb-22	28-Mar-22	-109	01-Feb-22, Sublet piling works																	
SUB-1039	Sublet structure works	60	11-Apr-22	09-Jun-22	117	Sublet structure works																	
SUB-1047	Sublet marine diffuser Works	35	01-Feb-22	07-Mar-22	597	marine diffuser Works																	
<b>Submissions for the whole works</b>						443	19-Apr-21 A	31-Mar-24	-3														
SU-1010	Temporary water tapping application & installation	60	19-Apr-21 A	28-Feb-22	-81																		
SU-1020	Temporary power supply tapping & installation	60	19-Apr-21 A	28-Feb-22	-81																		
SU-1030	Prepare, submit, revision & accept Tree Survey, tree preservation , transplant and removal plan	90	05-Jul-21 A	28-Feb-22	-71																		
SU-1043	Prepare, submit, revision & accept XP ID 1303702 application and TTA for SLR Lo Wai Section (assume with waiver)	240	02-Nov-21 A	23-May-22	546																		
SU-1045	Prepare, submit, revision & accept XP ID 1303703 application and TTA for SLR SSWTW Section (assume with waiver)	240	02-Nov-21 A	23-May-22	91																		
SU-1046	Prepare, submit, revision & accept XP ID 1303704 application and TTA for SLR btw SSWSTW and Lo Uk (assume with waiver)	240	24-Jan-22 A	31-Mar-24	-6	waiver)																	

**Project ID: MP202112-5**  
**3 Months Rolling Programme --- Feb 2022 to Apr 2022**  
 Page 1 of 5

**Data Date:** 31-Jan-22  
**Printed:** 11-Feb-22 16:05  
**Layout:** SSW- 3MRP202201  
 TASK filters: 3 months rolling programme-r\_1, Key Dates.

Date	Revision	Checked	Approved
11-Feb-22	r0	JW	CT



Contract No. DC/2020/02  
 Construction of San Shek Wan Sewage Treatment Works,  
 Associated Submarine Outfall and Pui O Sewerage Works



Activity ID	Activity Name	Original Duration	Start	Finish	Total Float	January 2022			February 2022				March 2022			April 2022				May 2022		
						09	16	23	30	06	13	20	27	06	13	20	27	03	10	17	24	01
SU-1047	Prepare, submit, revision & accept XP ID 1307099 application and TTA for SLR San Wai Section (assume with waiver)	240	24-Jan-22 A	22-Nov-23	62																	
SU-1048	Prepare, submit, revision & accept XP ID 1307120 application and TTA for SLR WSD POSP north (assume with waiver)	240	24-Jan-22 A	22-Nov-23	62																	
SU-1049	Prepare, submit, revision & accept XP ID 1307306 application and TTA for SLR SSWTW west (assume with waiver)	240	24-Jan-22 A	22-Nov-23	62																	
<b>Design</b>		<b>286</b>	<b>04-Oct-21 A</b>	<b>24-Nov-22</b>	<b>242</b>																	
<b>Civil</b>		<b>286</b>	<b>04-Oct-21 A</b>	<b>24-Nov-22</b>	<b>242</b>																	
<b>General</b>		<b>21</b>	<b>16-Nov-21 A</b>	<b>11-Feb-22</b>	<b>-67</b>																	
<b>Conforming</b>		<b>21</b>	<b>16-Nov-21 A</b>	<b>11-Feb-22</b>	<b>-67</b>																	
<b>Marine Temp. platform for HDD1</b>		<b>21</b>	<b>16-Nov-21 A</b>	<b>11-Feb-22</b>	<b>-67</b>																	
SU-2230	Approve Marine Temp. support frame for casing	21	16-Nov-21 A	11-Feb-22	-67																	
<b>POSPS</b>		<b>200</b>	<b>04-Oct-21 A</b>	<b>01-Aug-22</b>	<b>43</b>																	
<b>Civil</b>		<b>163</b>	<b>04-Oct-21 A</b>	<b>31-Jul-22</b>	<b>44</b>																	
<b>ELS works - Pump Station</b>		<b>117</b>	<b>01-Dec-21 A</b>	<b>21-Mar-22</b>	<b>95</b>																	
SU-2080	Prepare and submit ELS works - Pump Station	56	01-Dec-21 A	28-Feb-22	95																	
SU-2250	Approve ELS works - Pump Station	21	01-Mar-22	21-Mar-22	95																	
<b>Foundation Checking and revised foundation Plan - Pump Station</b>		<b>51</b>	<b>04-Oct-21 A</b>	<b>05-Mar-22</b>	<b>-109</b>																	
SU-2085	Foundation design review by PM after Management meeting on 1 Dec 2021	35	01-Dec-21 A	12-Feb-22	-109																	
SU-2090	Prepare and submit Foundation Checking and revised foundation Plan - Pump Station	35	04-Oct-21 A	13-Feb-22	-109																	
SU-2260	Approve Foundation Checking and revised foundation Plan - Pump Station	21	13-Feb-22	05-Mar-22	-109																	
<b>Structure - Pump Station</b>		<b>56</b>	<b>04-Oct-21 A</b>	<b>31-Jul-22</b>	<b>44</b>																	
SU-2100	Prepare and submit Structure - Pump Station	56	04-Oct-21 A	31-Jul-22	44																	
<b>E&amp;M</b>		<b>182</b>	<b>01-Feb-22</b>	<b>01-Aug-22</b>	<b>34</b>																	
<b>DDA</b>		<b>182</b>	<b>01-Feb-22</b>	<b>01-Aug-22</b>	<b>34</b>																	
<b>DDA Submission</b>		<b>182</b>	<b>01-Feb-22</b>	<b>01-Aug-22</b>	<b>13</b>																	
EM-1020	Detailed Design Approval (DDA) for E&M works for Pui O Pump Station submission	182	01-Feb-22	01-Aug-22	13																	
<b>Treatment Process (Mechanical, Deodorization and Chemical)</b>		<b>102</b>	<b>01-Feb-22</b>	<b>13-May-22</b>	<b>114</b>																	
EM-1021	DDA for Treatment Process (Mechanical, Deodorization and Chemical) Submission	81	01-Feb-22	22-Apr-22	114																	
EM-3260	DDA for Treatment Process (Mechanical, Deodorization and Chemical) approval	21	23-Apr-22	13-May-22	114																	
<b>Electrical Power Supply System</b>		<b>118</b>	<b>01-Feb-22</b>	<b>29-May-22</b>	<b>98</b>																	
EM-1022	DDA for Electrical Power Supply System Submission	97	01-Feb-22	08-May-22	98																	
EM-3270	DDA for Electrical Power Supply System approval	21	09-May-22	29-May-22	98																	
<b>UPS System</b>		<b>118</b>	<b>01-Feb-22</b>	<b>29-May-22</b>	<b>98</b>																	
EM-1023	DDA for UPS System Submission	97	01-Feb-22	08-May-22	98																	
EM-3280	DDA for UPS System approval	21	09-May-22	29-May-22	98																	
<b>Earthing and Lightning</b>		<b>118</b>	<b>01-Feb-22</b>	<b>29-May-22</b>	<b>98</b>																	
EM-1024	DDA for Earthing and Lightning Submission	97	01-Feb-22	08-May-22	98																	
EM-3290	DDA for Earthing and Lightning approval	21	09-May-22	29-May-22	98																	
<b>System Control Philosophy</b>		<b>118</b>	<b>01-Feb-22</b>	<b>29-May-22</b>	<b>98</b>																	
EM-1025	DDA for System Control Philosophy Submission	97	01-Feb-22	08-May-22	98																	
EM-3300	DDA for System Control Philosophy approval	21	09-May-22	29-May-22	98																	
<b>PLC &amp; SCADA System</b>		<b>118</b>	<b>01-Feb-22</b>	<b>29-May-22</b>	<b>98</b>																	
EM-1026	DDA for PLC & SCADA System Submission	97	01-Feb-22	08-May-22	98																	
EM-3310	DDA for PLC & SCADA System Submission	21	09-May-22	29-May-22	98																	
<b>Building Service (MV, EL, FS, PD, ELV)</b>		<b>118</b>	<b>01-Feb-22</b>	<b>29-May-22</b>	<b>98</b>																	
EM-1027	DDA for Building Service (MV, EL, FS, PD, ELV) Submission	97	01-Feb-22	08-May-22	98																	
EM-3320	DDA for Building Service (MV, EL, FS, PD, ELV) approval	21	09-May-22	29-May-22	98																	
<b>SSWTW</b>		<b>297</b>	<b>01-Feb-22</b>	<b>24-Nov-22</b>	<b>299</b>																	
SU-2170	Obtain revised SSWTW GA, piling schedule, loading plan from PM	0	01-Feb-22		56																	
<b>Civil</b>		<b>98</b>	<b>11-Mar-22</b>	<b>16-Jun-22</b>	<b>18</b>																	
<b>ELS works - Treatment Plant</b>		<b>98</b>	<b>11-Mar-22</b>	<b>16-Jun-22</b>	<b>-34</b>																	
SU-2135	Prepare and submit ELS works - Treatment Plant	98	11-Mar-22	16-Jun-22	-34																	
<b>Foundation Checking and Revised foundation Plan - Treatment Plant</b>		<b>98</b>	<b>11-Mar-22</b>	<b>16-Jun-22</b>	<b>18</b>																	
SU-2140	Prepare and submit Foundation Checking and Revised foundation Plan - Treatment Plant	98	11-Mar-22	16-Jun-22	18																	

Summary  
 Actual LOE  
 Remaining LOE  
 Actual Work  
 Remaining Work  
 Critical Remaining Work  
 Milestone  
 Crit Milestone  
 Actual Milestone  
 Start Constraint  
 Finish Constraint  
 No Predecessors  
 No Successors

**Project ID: MP202112-5**  
**3 Months Rolling Programme --- Feb 2022 to Apr 2022**

**Data Date:** 31-Jan-22  
**Printed:** 11-Feb-22 16:05  
**Layout:** SSW- 3MRP202201  
 TASK filters: 3 months rolling programme-r\_1, Key Dates.

Date	Revision	Checked	Approved
11-Feb-22	r0	JW	CT



Contract No. DC/2020/02  
Construction of San Shek Wan Sewage Treatment Works,  
Associated Submarine Outfall and Pui O Sewerage Works



Activity ID	Activity Name	Original Duration	Start	Finish	Total Float	January 2022				February 2022				March 2022				April 2022				May 2022			
						09	16	23	30	06	13	20	27	06	13	20	27	03	10	17	24	01	08		
<b>E&amp;M</b>																									
<b>DDA</b>																									
DDA Submission																									
EM-3000	DDA for E&Mworks for Treatment Plant submission	297	01-Feb-22	24-Nov-22	190	Plant submission																			
Preliminary Treatment (Mechanical)																									
EM-3010	DDA for Preliminary Treatment (Mechanical) submission	158	01-Feb-22	08-Jul-22	301	Mechanical submission																			
Secondary Treatment & Membrane Filtration (Mechanical)																									
EM-3020	DDA for Secondary Treatment & Membrane Filtration (Mechanical) submission	205	01-Feb-22	24-Aug-22	391	Mechanical submission																			
Sludge Treatment (Mechanical)																									
EM-3030	DDA for Sludge Treatment (Mechanical) submission	263	01-Feb-22	21-Oct-22	333	Mechanical submission																			
Deodorisation (Mechanical)																									
EM-3040	DDA for Deodorisation (Mechanical) submission	235	01-Feb-22	23-Sep-22	361	Mechanical submission																			
Electrical Power Supply System																									
EM-3050	DDA for Electrical Power Supply System submission	158	01-Feb-22	08-Jul-22	187	System submission																			
UPS System																									
EM-3060	DDA for UPS System submission	297	01-Feb-22	24-Nov-22	299	System submission																			
Earthing and Lightning System																									
EM-3070	DDA for Earthing and Lightning System submission	158	01-Feb-22	08-Jul-22	438	System submission																			
System Control Philosophy																									
EM-3080	DDA for System Control Philosophy submission	263	01-Feb-22	21-Oct-22	333	Philosophy submission																			
PLC & SCADA System																									
EM-3090	DDA for PLC & SCADA System submission	263	01-Feb-22	21-Oct-22	333	System submission																			
Building Service (MV)																									
EM-3100	DDA for Building Service (MV) submission	297	01-Feb-22	24-Nov-22	299	Service (MV) submission																			
Building Service (EL)																									
EM-3110	DDA for Building Service (EL) submission	263	01-Feb-22	21-Oct-22	333	Service (EL) submission																			
Building Service (FS)																									
EM-3120	DDA for Building Service (FS) submission	235	01-Feb-22	23-Sep-22	361	Service (FS) submission																			
Building Service (PD)																									
EM-3130	DDA for Building Service (PD) submission	297	01-Feb-22	24-Nov-22	299	Service (PD) submission																			
ELV System (CCTV, Access Control and Burglar)																									
EM-3140	DDA for ELV System (CCTV, Access Control and Burglar) submission	297	01-Feb-22	24-Nov-22	299	Burglar submission																			
<b>Civil Requirement</b>																									
EM-2030	Civil Requirement for SSWTW foundation design (loading distribution, opening for plant mobilization) provided by ATAL	0	01-Feb-22	01-Feb-22	56	01-Feb-22, Civil Requirement provided by ATAL																			
<b>Site Safety and Environmental Management</b>																									
SU-2010	Prepare & Submit Sediment sampling and Test Plan SSTP to EPD-(diffuser works)	120	01-Feb-22	31-May-22	392	D-(diffuser works)																			
SU-2060	Prepare, submit and approval of MDN by Marine Dept-(HDD's steel frame erection works)	60	07-Dec-21 A	10-Feb-22	-28																				
<b>Construction works</b>																									
<b>CLP and UU coordination- by others</b>																									
CLP-0000	CLP works	1090	02-Aug-21 A	19-Sep-25	21																				
CLP-2000	Permanent Electricity coordination with CLP	180	05-Aug-21 A	15-Jul-22	316																				
CLP-3000	Early Liaise with CLP before the procurement of E&M equipment	180	04-Feb-22	09-Sep-22	505	Procurement of E&M equipment																			
CLP-4000	Liaise with CLP to inspection the Transformer room after Related E&M works delivered on site-POSPTS	60	05-Aug-21 A	23-Apr-22	924																				
CLP-4010	Liaise with CLP to inspection the Transformer room after Related E&M works delivered on site-SSWTP	60	05-Aug-21 A	23-Apr-22	932																				
<b>Section 1 Sewerage installation (Portion A, B1 &amp; B2 / Area A, B1 &amp; B2)</b>																									
S1-1000	Section 1 Sewerage installation (Portion A, B1 & B2 / Area A, B1 & B2)	677	30-Jun-21 A	11-Oct-23	-129																				
<b>Trunk Sewers and Rising Mains Outside village and to POSPTS (Area A)</b>																									
A-1030	Construct Sewers, Rising mains at South Lantau Road : 8 no TTA, ~54 working days per TTA, total 432WD	432	03-May-22	11-Oct-23	-129	Construct Sewers, Rising mains at South Lantau Road : 8 no TTA, ~54 working days per TTA, total 432WD																			
A-1040	Construct Sewers, Rising mains at Chi Ma Wan Road : 8 no TTA, ~54 working days per TTA, total 432WD	432	01-Apr-22	13-Sep-23	-107	Rising mains at Chi Ma Wan Road : 8 no TTA, ~54 working days per TTA, total 432WD																			
<b>The village Sewerage in Pui O Lo Uk Tsuen</b>																									
<b>Portion B1</b>																									
B1-1040	Excavation, sewer laying, construction of manhole together with backfill and testing (approx.468m, 48mh, 2wf)	352	18-Nov-21 A	15-Mar-23	10																				

	Summary		Critical Remaining Work		Finish Constraint
	Actual LOE		Milestone		No Predecessors
	Remaining LOE		Crit Milestone		No Successors
	Actual Work		Actual Milestone		
	Remaining Work		Start Constraint		

**Project ID: MP202112-5**  
**3 Months Rolling Programme --- Feb 2022 to Apr 2022**  
Page 3 of 5

**Data Date:** 31-Jan-22  
**Printed:** 11-Feb-22 16:05  
**Layout:** SSW- 3MRP202201  
TASK filters: 3 months rolling programme-r\_1, Key Dates.

Date	Revision	Checked	Approved
11-Feb-22	r0	JW	CT





Contract No. DC/2020/02  
Construction of San Shek Wan Sewage Treatment Works,  
Associated Submarine Outfall and Pui O Sewerage Works



Activity ID	Activity Name	Original Duration	Start	Finish	Total Float	January 2022			February 2022				March 2022				April 2022				May 2022	
						09	16	23	30	06	13	20	27	06	13	20	27	03	10	17	24	01
<b>Portion B2</b>						04-Feb-22																
B2-1020	Trial pits, mobilization and water barrier/ fencing/ all necessary signage	17	04-Feb-22	23-Feb-22	0	all necessary signage																
B2-1040	Excavation, sewer laying, construction of manhole together with backfill and testing (approx.300m, 30mh, 1wf)	326	24-Feb-22	28-Mar-23	0	backfill and testing (approx.300m, 30mh, 1wf)																
<b>Portion B2 / Area B22 (Chi Ma Wan Beach)</b>						07-Dec-21 A																
B22-1005	Obtain LCSD/RC consent	16	04-Feb-22	22-Feb-22	271	obtain LCSD/RC consent																
B22-1010	Trial pit before long trench (3 manholes x 12 days)	36	23-Feb-22	06-Apr-22	273	pit before long trench (3 manholes x 12 days)																
B22-1020	Excavation, sewer laying, construction of manhole together with backfill and testing (approx.100m, 4mh,1wf)	60	23-Mar-22	07-Jun-22	273	ction of manhole together with backfill and testing (approx.100m, 4mh,1wf)																
B22-1040	Obtain PMI for additional GI on Pui O beach road	16	07-Dec-21 A	17-Feb-22	10																	
B22-1050	Mobilization and additional GI (2 nos)	21	18-Feb-22	14-Mar-22	10	Mobilization and additional GI (2 nos)																
B22-1060	GI review, design confirmation, subletting and plants delivery	210	15-Mar-22	25-Nov-22	10	GI review, design confirmation, subletting and plants delivery																
<b>Section 2 Pui O Sewage Pumping Station and nearby Sewage works</b>						05-Jul-21 A																
S2-1000	Pui O sewage Pumping Station and nearby Sewage works (Sectional Completion date 2)	554	05-Jul-21 A	29-Aug-23	-94																	
<b>Construction of Pui O Sewage Pumping Station (Area D, section 2)</b>						25-Dec-21 A																
<b>Stage 1</b>						25-Dec-21 A																
<b>Pump Station</b>						05-Jan-22 A																
SPS-1020	Tree pruning, digging Recipient site preparation and transplanting works for T113 & T114	42	05-Jan-22 A	25-Feb-22	-82																	
SPS-1023	Erection of water barrier and site formation earth works	30	04-Feb-22	10-Mar-22	-73	formation earth works																
SPS-1035	Obtain Gi information to verify foundation design (Log and Testing in Lab)	30	25-Dec-21 A	12-Feb-22	-89																	
SPS-1037	Predrilling works (7 nos, 1wf, 5 days per drill)	35	07-Mar-22	20-Apr-22	-89	Predrilling works (7 nos, 1wf, 5 days per drill)																
SPS-1040	Piling works (26 nos socket-H piles, 4 days/pile, 1 wf)	104	30-Mar-22	05-Aug-22	-89	Piling works (26 nos socket-H piles, 4 days/pile, 1 wf)																
<b>Sewers and Rising Mains</b>						11-Mar-22																
SPS-1070	Excavation, sewer laying, construction of manhole and outfall structure, backfill and testing (approx.147m, 11mh, 1wf)	223	11-Mar-22	07-Dec-22	10	utfall structure, backfill and testing (approx.147m, 11mh, 1wf)																
SPS-1080	Excavation, construction of rising main and optical fibre together with backfill and testing (approx.140m, 1wf)	125	11-Mar-22	11-Aug-22	108	cal fibre together with backfill and testing (approx.140m, 1wf)																
<b>Section 3 SSWSTW, HDD and Submarine outfall &amp; POSPS</b>						01-Sep-21 A																
S3-1000	SPS, SSWSTW and HDD works	1333	23-Dec-21 A	21-Aug-26	-118																	
<b>Remaining Pui O Sewage Pumping Station (Area D, section 3)</b>						04-Mar-22																
<b>Statutory Submission &amp; Approval</b>						04-Mar-22																
SPS-7000	Power Meter Application	140	04-Mar-22	22-Aug-22	1188	Power Meter Application																
<b>SSWSTW</b>						05-Jan-22 A																
<b>Stage 1 Preparation works for HDD and SSWSTW</b>						10-Mar-22																
STW-1010	Mobilization of labours and plants (Existing Open Storage)	6	12-Jan-22 A	18-Jan-22 A		10-Mar-22, Stage 1 Preparation works for HDD and SSWSTW																
STW-1014	Site clearance and existing hoarding dismantle (Existing Open Storage)	12	19-Jan-22 A	12-Feb-22	-116	ge)																
STW-1016	Tree transplant for T742, T751 & T758	63	05-Jan-22 A	25-Feb-22	-83																	
STW-1018	Water barrier and temp. drain (HDD Area)	30	04-Feb-22	10-Mar-22	-49	mp. drain ((HDD Area)																
STW-9930	Obtain Gi information to verify foundation design (Log and Testing in Lab)	30	04-Feb-22	10-Mar-22	-29	og and Testing in Lab)																
<b>Stage 2 Works outside HDD area</b>						11-Mar-22																
STW-1020	Site Clearance, erection of hoarding and tree felling stage 2 (3528m2 on woodland & 239nr tree, 100m2/day and 4 nr/day)	98	11-Mar-22	11-Jul-22	-31	3528m2 on woodland & 239nr tree, 100m2/day and 4 nr/day)																
STW-1030	Tree pruning, digging Recipient site preparation and transplanting woks for T392	21	11-Mar-22	04-Apr-22	46	ing Recipient site preparation and transplanting woks for T392																
<b>Submarine Outfall</b>						01-Sep-21 A																
HDD2-1010	Liaise with existing Shek Pik Supply Tunnel	60	01-Sep-21 A	03-Mar-22	-53																	
<b>HDD</b>						18-Nov-21 A																
<b>Preparation</b>						12-Feb-22																
<b>On Shore [Land]</b>						14-Feb-22																
HDD-1240	Furniture and paving removal	6	14-Feb-22	19-Feb-22	-116	Furniture and paving removal																
HDD-1330	Formation earth works from +50.4mPD to +48mPD (~6000m3), (23 trips x 6m3 24Trucks = 134m3 per day x 45 working days)	45	21-Feb-22	14-Apr-22	-116	s = 134m3 per day x 45 working days)																
HDD-1340	Erection of temporary platform and footing construction for HDD	30	07-Apr-22	16-May-22	-116	Erection of temporary platform and footing construction for HDD																
HDD-1780	Installation of monitoring instrumentation	30	19-Apr-22	24-May-22	-73	Installation of monitoring instrumentation																
<b>Off Shore [Sea]</b>						12-Feb-22																
HDD-1010	Procurement, Prefabrication and delivery of temporary support frame for casing	45	12-Feb-22	06-Apr-22	-67	emporary support frame for casing																
HDD-1020	Mobilization and install silt curtain for temporary marine platform	12	23-Mar-22	06-Apr-22	-67	Mobilization and install silt curtain for temporary marine platform																
HDD-1030	Construction of temporary support frame (after MDN)	15	07-Apr-22	27-Apr-22	-67	Construction of temporary support frame (after MDN)																
<b>Procurement</b>						06-Dec-21 A																

	Summary		Critical Remaining Work		Finish Constraint
	Actual LOE		Milestone		No Predecessors
	Remaining LOE		Crit Milestone		No Successors
	Actual Work		Actual Milestone		
	Remaining Work		Start Constraint		

**Project ID: MP202112-5**  
**3 Months Rolling Programme --- Feb 2022 to Apr 2022**

**Data Date:** 31-Jan-22  
**Printed:** 11-Feb-22 16:05  
**Layout:** SSW- 3MRP202201  
TASK filters: 3 months rolling programme-r\_1, Key Dates.

Date	Revision	Checked	Approved
11-Feb-22	r0	JW	CT



Contract No. DC/2020/02  
 Construction of San Shek Wan Sewage Treatment Works,  
 Associated Submarine Outfall and Pui O Sewerage Works



Activity ID	Activity Name	Original Duration	Start	Finish	Total Float	January 2022				February 2022				March 2022				April 2022				May 2022	
						09	16	23	30	06	13	20	27	06	13	20	27	03	10	17	24	01	08
HDD-1360	HDD plant design, fabrication and modification	40	06-Dec-21 A	31-Mar-22	-96	[Gantt bar: 06-Dec-21 to 31-Mar-22]																	
HDD-1370	HDD material procurement such as casing and betonite, etc	28	06-Dec-21 A	31-Mar-22	-81	[Gantt bar: 06-Dec-21 to 31-Mar-22]																	
HDD-1380	PE pipe manufacturing and delivery to HK	150	01-Apr-22	03-Oct-22	-96	[Gantt bar: 01-Apr-22 to 03-Oct-22]																	
Delivery to HK		87	18-Nov-21 A	21-Apr-22	-81	[Gantt bar: 18-Nov-21 to 21-Apr-22]																	
HDD-1390	Submission to the Ministry of Commerce for HDD equipment	58	18-Nov-21 A	31-Mar-22	-81	[Gantt bar: 18-Nov-21 to 31-Mar-22]																	
HDD-1400	Customs clearance and plant delivery to HK, such as HDD rig, mud tank, drilling fluid processing system, etc	11	01-Apr-22	14-Apr-22	-81	[Gantt bar: 01-Apr-22 to 14-Apr-22]																	
HDD-1410	Customs clearance and plant delivery to HK, such as casing, driller, drill Pipe, reamer, etc	11	06-Apr-22	21-Apr-22	-81	[Gantt bar: 06-Apr-22 to 21-Apr-22]																	
Construction		64	28-Feb-22	18-May-22	-67	[Gantt bar: 28-Feb-22 to 18-May-22]																	
1st tunnel		64	28-Feb-22	18-May-22	-67	[Gantt bar: 28-Feb-22 to 18-May-22]																	
Sea side (HDD Rig 2)		64	28-Feb-22	18-May-22	-67	[Gantt bar: 28-Feb-22 to 18-May-22]																	
HDD-1040	Working barge maintainance & arrival in place	25	28-Feb-22*	28-Mar-22	-45	[Gantt bar: 28-Feb-22 to 28-Mar-22]																	
HDD-1045	Barge HDD preparation work	5	28-Apr-22	04-May-22	-67	[Gantt bar: 28-Apr-22 to 04-May-22]																	
HDD-1046	Mobilization and install silt curtain for casing for HDD works	12	05-May-22	18-May-22	-67	[Gantt bar: 05-May-22 to 18-May-22]																	
Remaining Trunk Sewers, Rising Mains & Emergency Discharge Pipe		1024	02-Nov-21 A	16-May-25	255	[Gantt bar: 02-Nov-21 to 16-May-25]																	
R-1000	Remaining Truck Sewers, Rising Mains & Emergency Discharge Pipe	973	04-Feb-22	16-May-25	255	[Gantt bar: 04-Feb-22 to 16-May-25]																	
Portion C1 / SSWTW Section		240	02-Nov-21 A	21-Jun-22	546	[Gantt bar: 02-Nov-21 to 21-Jun-22]																	
C1-1000	TTA application for Portion C1/ SSWTW Section (Plan ID 1303703) (TTA with 24hrs permit)	240	02-Nov-21 A	21-Jun-22	546	[Gantt bar: 02-Nov-21 to 21-Jun-22]																	
Portion C1 / Lo Wai Tsuen Section		240	02-Nov-21 A	21-Jun-22	442	[Gantt bar: 02-Nov-21 to 21-Jun-22]																	
C3-1000	TTA application for Portion C1/ Lo Wai Tsuen Section (Plan ID 1303702) (TTA with 24hrs permit)	240	02-Nov-21 A	21-Jun-22	442	[Gantt bar: 02-Nov-21 to 21-Jun-22]																	

	Summary		Critical Remaining Work		Finish Constraint
	Actual LOE		Milestone		No Predecessors
	Remaining LOE		Crit Milestone		No Successors
	Actual Work		Actual Milestone		
	Remaining Work		Start Constraint		

**Project ID: MP202112-5**  
**3 Months Rolling Programme --- Feb 2022 to Apr 2022**  
 Page 5 of 5

**Data Date:** 31-Jan-22  
**Printed:** 11-Feb-22 16:05  
**Layout:** SSW- 3MRP202201  
 TASK filters: 3 months rolling programme-r\_1, Key Dates.

Date	Revision	Checked	Approved
11-Feb-22	r0	JW	CT