



**Lam Environmental Services  
Limited**

Contract No. SD 15/2022 – Outlying Island Sewerage  
Stage 2 – South Lantau Sewage Works –  
Environmental Team Services (2023 – 2024)  
Quarterly EM&A Summary Report (November 2023–  
January 2024)

**CONTRACT NO: SD 15/2022**  
**OUTLYING ISLAND SEWERAGE STAGE 2 – SOUTH LANTAU SEWAGE  
WORKS – ENVIRONMENTAL TEAM SERVICES (2023 – 2024)**  
**UNDER ENVIRONMENTAL PERMIT NO. EP-538/2017**  
**QUARTERLY ENVIRONMENTAL MONITORING & AUDIT SUMMARY REPORT**  
**NOVEMBER 2023 TO JANUARY 2024**  
**REVISION 1**

**CLIENTS:**

**Drainage Services Department**

**PREPARED BY:**

**Lam Environmental Services Limited**

19/F Remex Centre,  
42 Wong Chuk Hang Road,  
Hong Kong

Telephone: (852) 2882-3939  
Facsimile: (852) 2882-3331  
E-mail: [info@lamenviro.com](mailto:info@lamenviro.com)  
Website: <http://www.lamenviro.com>

**CERTIFIED BY:**

---

Environmental Team Leader

Derek Lo

**DATE:**

5 April 2024

Our ref: 7076811/L30812/AG/KL/TK/rw

12 April 2024

Drainage Services Department  
Sewage Services Branch  
Special Duty Division Group 3  
42/F Revenue Tower  
5 Gloucester Road  
Wan Chai, Hong Kong

**By Email and Post**  
(kschan04@dsd.gov.hk)

Attention: Mr Silas CHAN

Dear Sir

**Contract No. SD 7/2020  
Independent Environmental Checker (“IEC”) for Environmental Monitoring Work for  
South Lantau Sewerage Works  
Verification of Quarterly EM&A Summary Report (November 2023 – January 2024)**

With reference to the Quarterly EM&A Summary Report (November 2023 – January 2024) Revision 1 certified by the ET Leader on 5 April 2024, please note that we have no adverse comments on the captioned. We herewith verify the captioned in accordance with Section 12.3 of the EM&A Manual (AEIAR-210/2017).

Should you have questions please do not hesitate to contact the undersigned at tel. 3995-8140 or by email to [kitty.lee@smec.com](mailto:kitty.lee@smec.com).

Yours faithfully



**Kitty LEE**  
Independent Environmental Checker

cc	Binnies	-	Mr Kevin CHAN	by email
	Lam	-	Mr Derek LO/ Mr Raymond DAI	by email
	KLCW-JV	-	Mr Charles YEUNG	by email



TABLE OF CONTENTS

1 INTRODUCTION..... 6
1.1 Scope of the Report ..... 6
1.2 Structure of the Report..... 6
2. BASIC PROJECT INFORMATION..... 8
2.1 Project Organization and Key Contact Personnel ..... 8
2.2 Construction Programme..... 8
3. A BRIEF SUMMARY OF EM&A REQUIREMENTS ..... 10
3.1 Monitoring Parameters..... 10
3.2 Environmental Quality Performance Limits ..... 10
4. IMPLEMENTATION STATUS..... 14
4.1 Advice on the implementation status of environmental protection and pollution control/mitigation measures ..... 14
4.2 Environmental Mitigation Measures..... 14
4.3 Environmental monitoring requirements and contractual requirements14
5. MONITORING RESULTS ANALYSIS..... 16
5.1 Noise Monitoring ..... 16
5.2 Water Quality Monitoring ..... 16
5.3 Ecological Impact Monitoring.....18
5.4 Waste Management ..... 18
6. COMPLAINTS, NOTIFICATION OF SUMMONS AND PROSECUTION..... 20
7. COMMENTS AND RECOMMENDATIONS ..... 22
8. CONCLUSION ..... 24



## LIST OF TABLES

**Table 2.1** *Contact Details of Key Personnel*  
**Table 4.1** *Summary of submission status under EP-538/2017*  
**Table 4.2** *Summary of the current status on licences and/or permits on environmental protection pertinent to the Project*  
**Table 5.1** *Summary of Quantities of Waste Material (August, September and October 2023)*  
**Table 6.2** *Cumulative Statistics on Complaints*  
**Table 6.3** *Cumulative Statistics on Successful Prosecutions*  
**Table 7.1** *Construction Activities in Past 3 Months*

## LIST OF FIGURES

[Figure 2.1 Project Organization Chart](#)  
[Figure 2.2 Master Layout Plan](#)  
[Figure 5.1 Locations of Noise Monitoring Station](#)  
[Figure 5.2 Locations of Water Quality Monitoring Stations](#)

## LIST OF APPENDICES

[Appendix 5.1 Noise Monitoring Graphical Presentations](#)  
[Appendix 5.2 Marine Water Quality Monitoring Graphical and Summary of Exceedance Presentations](#)  
[Appendix 5.3 Quarterly Summary Waste Flow Table](#)



**EXECUTIVE SUMMARY**

i. This is the Quarterly Environmental Monitoring and Audit (EM&A) Summary Report – **November 2023 to January 2024** of Outlying Islands Sewerage Stage 2 – South Lantau Sewerage Works under Environmental Permit no. EP-538/2017 (Hereafter as “the Project”). The construction works of the Project was commenced on 3 November 2021 and the tentative completion date is **Q1 2026**. The Quarterly EM&A Summary Report presents the environmental monitoring findings and information recorded during the period of **1 November 2023 to 31 January 2024**.

ii. In the reporting period, the principal work activities conducted are as follow:

November 2023	December 2023	January 2024
<ul style="list-style-type: none"> <li>Excavation, sewer laying, construction of manhole at Pui O Lo Uk Tsuen, South Lantau road, Pui O Beach</li> <li>Excavation and site formation at San Shek Wan Sewage Treatment Works (SSWSTW) and Pui O Sewage Pumping Station (POSPS)</li> <li>Horizontal Directional Drilling (HDD) works at marine and SSWSTW</li> <li>Removal works of Excavation and Lateral Support (ELS)</li> <li>Excavation and Lateral Support (ELS) works</li> <li>Superstructure Reinforced Concrete (RC) Works</li> <li>Marine dredging</li> </ul>	<ul style="list-style-type: none"> <li>Excavation, sewer laying, construction of manhole at Pui O Lo Uk Tsuen, South Lantau road, Pui O Beach</li> <li>Excavation and site formation at San Shek Wan Sewage Treatment Works (SSWSTW) and Pui O Sewage Pumping Station (POSPS)</li> <li>Horizontal Directional Drilling (HDD) works at marine and SSWSTW</li> <li>Removal works of Excavation and Lateral Support (ELS)</li> <li>Excavation and Lateral Support (ELS) works</li> <li>Superstructure Reinforced Concrete (RC) Works</li> </ul>	<ul style="list-style-type: none"> <li>Excavation, sewer laying, construction of manhole at Pui O Lo Uk Tsuen, South Lantau road, Pui O Beach</li> <li>Excavation and site formation at San Shek Wan Sewage Treatment Works (SSWSTW) and Pui O Sewage Pumping Station (POSPS)</li> <li>Horizontal Directional Drilling (HDD) works at marine and SSWSTW</li> <li>Removal works of Excavation and Lateral Support (ELS)</li> <li>Excavation and Lateral Support (ELS) works</li> <li>Superstructure Reinforced Concrete (RC) Works</li> </ul>

Exceedances of Action/Limit Levels

Noise Monitoring

- iii. Noise monitoring was conducted at eight (8) noise monitoring stations (N12a, N12b, N13, N14, N15b, N16a, N16b and N17) once per week in the reporting period.
- iv. **School examination was taken place at N17 – Bui O Public School from 8 to 17 November**



2023 in the reporting period. The limit level of noise monitoring station N17-Bui O Public School was adjusted to 65dB(A) accordingly during the period.

- v. No action and limit level exceedances were recorded in construction noise level in the reporting period.

Water Quality Monitoring

- vi. Marine-based construction works commenced on 19 April 2022. Water quality monitoring was conducted at **nine (9)** monitoring stations (seven impact & two control stations) three days per week in the reporting period starting from 12 April 2022. HDD casing works commenced on 30 May 2022.
- vii. Water quality monitoring on 17 & 24 Nov 2023, 20 & 22 Dec 2023 and 8 (mid-ebb) & 22 (mid-ebb and mid-flood) Jan 2024 were cancelled due to Strong Monsoon Signal. Water quality monitoring on 24 January 2024 (mid ebb and mid-flood) was cancelled due to sea condition taking personnel safety into consideration. No substitution would be arranged for such cancellation since it is impossible to maintain the monitoring frequency as three times a week for the event of marine water quality monitoring cancellation in between time with respect to the fact that not less than 36 hours interval shall be followed for two monitoring days as required by the EM&A Manual Clause 5.1.6 (b) for the Project.
- viii. In accordance with the action level and limit level in Baseline Monitoring Report Rev. 9.2 agreed by EPD on 2 September 2022, 5 action level and 0 limit level exceedances was recorded in the reporting period. 1 action level exceedances on SS at SR9 during flood tide on 15 November 2023 was recorded. 4 action level exceedances on SS at SR9, SR10, SR12 and SR15 during flood tide on 1 December 2023 were recorded. It can be concluded that the SS exceedances were possibly due to natural variation or changes of water quality in the vicinity of water quality monitoring station and considered that the exceedance was not related to Project works.

Ecological Impact Monitoring

- ix. Transplanting works for plant species, *Aquilaris sinensis*, was completed on 26 April 2022. Maintenance works for trees in holding nursery have commenced.
- x. As per latest version of PTP, four tree found (1 no. of *Aquilaria sinensis* and 3 nos. of *Gmelina chinensis*) within the site of SSWSTW which are considered to be the plant species with conservative importance for temporarily transplanted to the nursery at Kam Tin and eventually be transplanted to Pui O Pumping Station.
- xi. The weekly site audit was carried out by ET include checking whether good site practices are being properly implemented by the Contractor.
- xii. The extent of the work site boundaries was checked by the ET during the weekly site audit.

Complaint log



- xiii. No environmental complaint regarding the construction works was recorded in the reporting period.

Notifications of Any Summons and Successful Prosecutions

- xiv. No environmental notification of any summons and successful prosecution regarding the construction works was recorded in present quarter.



## 1 Introduction

### 1.1 Scope of the Report

1.1.1. Lam Environmental Services Limited (LES) has been appointed to work as the Environmental Team (ET) under Environmental Permit (EP) no. EP-538/2017 to implement the Environmental Monitoring and Audit (EM&A) programme as stipulated in the EM&A Manual of the approved Environmental Impact Assessment (EIA) Report for Outlying Islands Sewerage Stage 2 - South Lantau Sewerage Works (Register No.: AEIAR-210/2017).

1.1.2. The Quarterly EM&A Summary Report was prepared according to Section 12.3 of the Project EM&A Manual.

### 1.2 Structure of the Report

**Section 1** *Introduction* – details the scope and structure of the report

**Section 2** *Basic Project Information* – a synopsis of project organization, programme contacts of key management, and a synopsis of work undertaken in the reporting period.

**Section 3** *A Brief Summary of EM&A requirements* – including monitoring parameters, environmental quality performance limits (Action and Limit levels); and environmental mitigation measure, as recommended in the EIA Report.

**Section 4** *Implementation Status* – Advice on the implementation status of environmental protection and pollution control/mitigation measures, as recommended in the EIA Report and summarised in the updated implementation schedule.

**Section 5** *Monitoring Results Analysis* – the trends of the monitoring parameters in present quarter; advice on the solid and liquid waste management status.

**Section 6** *Summary of Non-Compliance (exceedances) of the environmental quality performance limits, Complaints, Notification of Summons and Successful Prosecutions*

A brief review of the reasons for and the implications of non-compliance and a summary description of the actions taken and any follow-up procedures related to earlier non-compliance.

A summary record of all complaints received (written or verbal) for each media,



liaison and consultation undertaken, actions and follow-up procedures taken;

A summary record of notifications of summons and successful prosecutions for breaches of the current environmental protection/pollution control legislations, including locations and nature of the breaches, investigation, follow-up actions taken and results.

**Section 7**      ***Comments and Recommendations*** – such as effectiveness and efficiency of the mitigation measures, improvement in the EM&A programme, if any.

**Section 8**      ***Conclusion and Project Proponent’s contacts and hotline telephone number for the public to make enquiries***



## 2. Basic Project Information

### 2.1 Project Organization and Key Contact Personnel

2.1.1 Drainage Services Department is the overall project controllers for the Project. For the construction phase of the Project, Contractor(s), Environmental Team and Independent Environmental Checker are appointed to manage and control environmental issues. Key personnel and contact particulars are summarised in [Figure 2.1](#) and [Table 2.1](#):

**Table 2.1 Contact Details of Key Personnel**

Party	Role	Post	Name	Contact No.	Contact Fax
Drainage Services Department (DSD)	The Engineer for the Contract	Engineer	Mr. Silas Chan	2594 7272	3104 6426
Binnies Hong Kong Limited	Engineer's Representative	Resident Engineer	Mr. Kevin Chan	3529 3013	-
Kwan Lee – Chun Wo Joint Venture	Contractor	Site Agent	Mr. Charles Yeung	6128 2606	2744 6937
		Environmental Officer	Ms. Shirley Kong	5162 5933	
SMEC Hong Kong	Independent Environmental Checker (IEC)	Independent Environmental Checker (IEC)	Ms. Kitty Lee	3995 8140	3995 8101
Lam Environmental Services Limited	Environmental Team (ET)	Environmental Team Leader (ETL)	Mr. Derek Lo	2882 3939	2882 3331

### 2.2 Construction Programme

2.2.1 The proposed sewerage works will collect the sewage generated from the unsewered areas of Shui Hau, Tong Fuk, Cheung Sha, San Shek Wan, Pui O and Ham Tin in South Lantau (i.e. within the Project Catchment Area) and convey it to a proposed sewage treatment works at San Shek Wan for treatment and disposal into outer bay of Pui O/ Chi Ma Wan via a submarine outfall.

2.2.2 The entire Project are divided into three contracts. Contract No. DC/2020/20 (the Contract) would have the following implementations as demonstrated in [Figure 2.2](#).



- 2.2.3 The major components of the Project under Environmental Permit (EP) (EP No. EP-538/2017) comprises: (i) construction of sewage treatment works at San Shek Wan (SSWSTW) and associated submarine outfall; (ii) construction of sewage pumping station at Pui O (POSPS); (iii) village sewage works at Pui O; and (iv) trunk sewers and rising mains on carriageways.

### 3. A Brief Summary of EM&A Requirements

#### 3.1 Monitoring Parameters

##### Noise Monitoring

- 3.1.1 The construction noise level shall be measured in terms of the A-weighted equivalent continuous sound pressure level ( $L_{eq}$ ).  $L_{eq}$  (30min) should be used as the monitoring parameter. Supplementary information for data auditing, statistical results such as  $L_{10}$  and  $L_{90}$  shall also be obtained for reference.
- 3.1.2 For impact monitoring for construction of village sewers / rising main, noise monitoring should be undertaken on weekly basis. One set of  $L_{eq}$  (30min) noise level as six consecutive  $L_{eq}$  (5min) between 07:00-19:00 hours on normal weekdays.

##### Water Quality Monitoring

- 3.1.3 In construction phase, the levels of dissolved oxygen (DO), temperature, turbidity and salinity should be measured *in-situ* while suspended solids (SS) is determined by laboratory analysis.

##### Ecological Impact Monitoring

- 3.1.4 Monitoring in the form of regular site inspections should be carried out to ensure ecological measures in the form of tree transplantation and establishment are being implemented and effective for plant species of conservation importance (e.g. *Aquilaria sinensis*).

#### 3.2 Environmental Quality Performance Limits

##### Noise Monitoring

- 3.2.1 No action and limit level exceedances were recorded in construction noise level in the reporting period.

##### Water Quality Monitoring

- 3.2.2 Marine-based construction works had been commenced since 19 April 2022, marine water quality monitoring was initialised since 12 April 2022.
- 3.2.3 To support water quality monitoring, the silt curtain deployment plan has minor updates to include an additional brand of geosynthetic material as alternative for selection and adopt underwater robot for inspecting condition of silt curtain.
- 3.2.4 Water quality monitoring on 17 & 24 Nov 2023, 20 & 22 Dec 2023 and 8 (mid-ebb) & 22 (mid-ebb and mid-flood) Jan 2024 were cancelled due to Strong Monsoon Signal. Water quality monitoring on 24 January 2024 (mid ebb and mid-flood) was cancelled due to sea condition taking personnel safety into consideration. No substitution would be arranged for such cancellation since it is impossible to maintain the monitoring frequency as three times a week for the event of marine water quality monitoring cancellation in between time with respect to the



fact that not less than 36 hours interval shall be followed for two monitoring days as required by the EM&A Manual Clause 5.1.6 (b) for the Project.

3.2.5 Water quality monitoring is evaluated against Action and Limit Levels. The derived Action and Limit Level proposed in Baseline Monitoring Report Rev. 9.2 was agreed by EPD on 2 September 2022. Action and Limit Levels of marine water quality monitoring have been set with reference to the derived criteria as shown in **Table 3.1** below.

**Table 3.1 Action and Limit Levels of Water Quality**

Parameters	Action Level	Limit Level
<i>Construction Phase Marine Water Monitoring - derived criteria</i>		
DO in mg/L <sup>B</sup>	Surface and Middle: 5.8 mg/L Bottom: 5.9 mg/L	Surface and Middle: 4 mg/L Bottom: 2 mg/L
Turbidity in NTU (Depth-averaged A) <sup>C</sup>	14.4 NTU <u>and</u> 20% exceedance of value at any impact station compared with corresponding data from control station <sup>D</sup>	23.5 NTU <u>and</u> 30% exceedance of value at any impact station compared with corresponding data from control station <sup>D</sup>
SS in mg/L (Depth-averaged A) <sup>C</sup>	13.1 mg/L <u>and</u> 20% exceedance of value at any impact station compared with corresponding data from control station <sup>D</sup>	30.4 mg/L <u>and</u> 30% exceedance of value at any impact station compared with corresponding data from control station <sup>D</sup>

Notes (with proposed amendments in AL/LL in underlined text):

- A. "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
- B. For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- C. For SS and turbidity, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.
- D. Action Level and Limit Level with 95%-ile / 99%-ile derived from baseline data "and" 20% / 30% exceedance of control station proposed in Baseline Monitoring Report.

3.2.6 In accordance with the action level and limit level in Baseline Monitoring Report Rev. 9.2 agreed by EPD on 2 September 2022, 5 action level and 0 limit level exceedances was recorded in the reporting period. 1 action level exceedances on SS at SR9 during flood tide on 15 November 2023 was recorded. 4 action level exceedances on SS at SR9, SR10, SR12 and SR15 during flood tide on 1 December 2023 were recorded. No action level and limit level exceedance was recorded in January 2024.

3.2.7 It can be concluded that the SS exceedances recorded in November and December 2023 were possibly due to natural variation or changes of water quality in the vicinity of water quality monitoring station and considered that the exceedance was not related to Project works.

3.2.8 Checked with contractors and RSS on the marine works activities in the reporting period, the following activities were recorded:

Date	Marine-based construction activities undertaken	Mitigation measures implemented
1/11/2023	No activity	Nil
3/11/2023	No activity	Nil
6/11/2023	No activity	Nil
8/11/2023	No activity	Nil
10/11/2023	Reparation of Silt Curtain	Remove debris on the barges
13/11/2023	Dredging	Working area was enclosed by silt curtain.
15/11/2023	Borehole Cleaning	Working area was enclosed by silt curtain.



20/11/2023	Borehole Cleaning	Working area was enclosed by silt curtain.
22/11/2023	Borehole Cleaning	Working area was enclosed by silt curtain.
27/11/2023	No Activity	Nil
29/11/2023	Pipe Pulling	Working area was enclosed by silt curtain.
1/12/2023	Pipe Pulling	Working area was enclosed by silt curtain.
5/12/2023	No activities	N/A
7/12/2023	No activities	N/A
9/12/2023	No activities	N/A
11/12/2023	No activities	N/A
13/12/2023	No activities	N/A
15/12/2023	No activities	N/A
18/12/2023	No activities	N/A
20/12/2023	No activities	N/A
22/12/2023	No activities	N/A
25/12/2023	No activities	N/A

3.2.9 For November 2023, borehole cleaning was conducted within fully enclosed silt curtain at around 9:00 - 11:00 and 15:00 - 17:00 on 15 November 2023, despite there was dredging works on 13 Nov 2023 at around 10:10 to 11:30, no exceedances was recorded during mid-ebb (12:18) and mid-flood (17:40) tide on 13 Nov 2023. No dredging works on 15 Nov 2023, no exceedance was recorded on same day during ebb tide from 13:08 to 13:12 at SR9. No exceedances was recorded at the monitoring stations close to the marine works area e.g. SR4, SR5 and SR6, no exceedances was recorded at the monitoring stations closed to SR9 e.g. SR10 and SR12 on 13 and 15 Nov 2023. No exceedances was recorded in the subsequent monitoring on 20 Nov 2023 both ebb and flood tide.

3.2.10 For December 2023, action level exceedances of Depth-averaged on suspended solids (SS) was recorded at SR9, SR10, SR12 and SR15 on 1 Dec 2023 from 09:39 to 10:33 during flood tide on 1 Dec 2023, checking with contractor, pipe pulling was conducted within fully enclosed silt curtain from 07:00 to 23:00, no damage recorded on the silt curtain, no dredging works on 1 Dec 2023. Higher SS during flood tide was recorded from 9.5mg/L (SR6) to 18.3mg/L (CE), no exceedance was recorded on same day during ebb tide from 15:00 to 15:53 at SR9, SR10, SR12 and SR15. No exceedances was recorded at the monitoring stations close to the marine works area e.g. SR4, SR5 and SR6 on 1 Dec 2023.

3.2.11 Reviewed the overall work situation and the mitigation measures implemented by the Contactor, It can be concluded that the SS exceedances were possibly due to natural variation or changes of water quality in the vicinity of water quality monitoring station and considered that the all exceedances were not related to Project works.

Ecological monitoring

3.2.12 Transplanting works for plant species, *Aquilaris sinensis*, was completed on 26 April 2022. Maintenance works for trees in holding nursery have commenced.



- 3.2.13 Monitoring of maintenance works for the transplanted plant species was conducted at the holding nursery while in the reporting period.
- 3.2.14 As per latest version of PTP, four tree found (1 no. of *Aquilaria sinensis* and 3 nos. of *Gmelina chinensis*) within the site of SSWSTW which are considered to be the plant species with conservative importance for temporarily transplanted to the nursery at Kam Tin and eventually be transplanted to Pui O Pumping Station.

#### 4. Implementation Status

##### 4.1 Advice on the implementation status of environmental protection and pollution control/mitigation measures

4.1.1 Mitigation measures according to the environmental mitigation implementation schedule in Annex A of EM&A Manual were generally implemented by the Contractor. Hence, the EM&A programme was considered effective and shall be maintained.

##### 4.2 Environmental Mitigation Measures

4.2.1 Environmental mitigation measures mentioned the EIA Report were weekly reviewed and recorded in Weekly Environmental Site Audit Checklist. Also, a summary of the submission status of the reporting quarter on submissions and measures mentioned in Environmental Permit (EP-538/2017) are shown in **Table 4.1**.

**Table 4.1 Summary of submission status under EP-538/2017**

EP Condition	Submission	Date of Latest Submission to EPD <sup>^</sup> / EPD Approval#
Condition 2.10	Waste Management Plan (Rev. 5) (electronic copy)	4 April 2022 <sup>#</sup>
Condition 2.11	Submission of Preservation and/or Transplantation Plan for Plant Species of Conservation Importance (Rev. 23)	9 September 2022 <sup>#</sup>
Condition 2.12	Submission of Compensatory Woodland Planting Plan (Rev. 23)	15 May 2023 <sup>^</sup>
Condition 2.13	Silt Curtain Deployment Plan (Rev. 11)	1 June 2022 <sup>#</sup>
Condition 2.14	Landscape Mitigation Plan	To be confirmed
Condition 2.15	Construction Noise Mitigation Plan (Rev. 20)	4 August 2022 <sup>#</sup>

##### 4.3 Environmental monitoring requirements and contractual requirements

4.3.1 A summary of the submission status for the reporting period on licences and/or permits on environmental protection pertinent to the Project is shown in **Table 4.2**.

**Table 4.2 Summary of the current status on licences and/or permits on environmental protection pertinent to the Project**



Permits and/or Licences	Permit. No. / Account No.	Issued Date	Valid Period & Expiry Date	Status
Notification of Works Under APCO	466408	14 Apr 2021	N/A	Valid
Wastewater Discharge Licence under <i>Water Pollution Control Ordinance</i>	SSWSTW: WT00039636-2021	30 Dec 2021	30-12-2021 to 31-12-2026	Valid
	POPS: WT00039820-2021	31 Dec 2021	31-12-2021 to 31-12-2026	Valid
	SSWSTW: Gravity Sewer & Raising Main: WT00042613-2022	09 Jan 2023	09-01-2023 to 31-01-2028	Valid
Billing account under Waste Disposal Ordinance	Account No.: 7040411	05 May 2021	N/A	Valid
Registration as a Chemical Waste Producer	0000-931-K3428-01	13 May 2021	N/A	Valid
Construction Noise Permit under Noise Control Ordinance for SSWSTW	GW-RS0657-23	9 Aug 2023	11-08-2023 to 08-02-2024	Valid
Construction Noise Permit under Noise Control Ordinance for POSPS	GW-RS0822-23	25 Sep 2023	27-09-2023 to 26-03-2024	Valid
Marine Dumping Permit (Dredged Sediment Requiring Type 1 – Open Sea Disposal)	EP/MD/23-117	16 Oct 2023	17-10-2023 to 15-11-2023	Expired after 15 Nov 2023
	Ref. no.: 500024	23 Nov 2023	Nil	In progress

Note: Only include those valid or under application; fill in "N/A" for non-applicable item(s).

## **5. Monitoring Results Analysis**

### **5.1 Noise Monitoring**

- 5.1.1 Noise monitoring was conducted at eight (8) noise monitoring stations (*N12a, N12b, N13, N14, N15b, N16a, N16b and N17*) once per week in the reporting period.
- 5.1.2 School examination was taken place at N17 – Bui O Public School from 8 to 17 November 2023 in the reporting period. The limit level of noise monitoring station N17-Bui O Public School was adjusted to 65dB(A) accordingly during the period.
- 5.1.3 Noise monitoring location plans with sensitive receivers are shown in [Figure 5.1](#).
- 5.1.4 Noise monitoring results measured in the reporting period were reviewed and summarised. Noise monitoring graphical presentation can be referred to [Appendix 5.1](#).
- 5.1.5 No action and limit level exceedances were recorded in construction noise level in the reporting period.

### **5.2 Marine Water Quality Monitoring**

- 5.2.1 Marine Water quality monitoring involves **nine (9)** monitoring stations (seven impact & two control stations) three days per week in the reporting period **starting from 12 April 2022**.
- 5.2.2 Marine Water monitoring location plans with sensitive receivers are shown in [Figure 5.2](#).
- 5.2.3 Water quality monitoring is evaluated against Action and Limit Levels. The derived Action and Limit Level proposed in Baseline Monitoring Report Rev. 9.2 was agreed by EPD on 2 September 2022.
- 5.2.4 Water quality monitoring on 17 & 24 Nov 2023, 20 & 22 Dec 2023 and 8 (mid-ebb) & 22 (mid-ebb and mid-flood) Jan 2024 were cancelled due to Strong Monsoon Signal. Water quality monitoring on 24 January 2024 (mid ebb and mid-flood) was cancelled due to sea condition taking personnel safety into consideration. No substitution would be arranged for such cancellation since it is impossible to maintain the monitoring frequency as three times a week for the event of marine water quality monitoring cancellation in between time with respect to the fact that not less than 36 hours interval shall be followed for two monitoring days as required by the EM&A Manual Clause 5.1.6 (b) for the Project.
- 5.2.5 In accordance with the action level and limit level in Baseline Monitoring Report Rev. 9.2 agreed by EPD on 2 September 2022, 5 action level and 0 limit level exceedances was recorded in the reporting period. 1 action level exceedances on SS at SR9 during flood tide on 15 November 2023 was recorded. 4 action level exceedances on SS at SR9, SR10, SR12 and SR15 during flood tide on 1 December 2023 were recorded. It can be concluded that the SS exceedances



were possibly due to natural variation or changes of water quality in the vicinity of water quality monitoring station and considered that the exceedance was not related to Project works.

5.2.6 Checked with contractors and RSS on the marine works activities in the reporting period, the following activities were recorded:

Date	Marine-based construction activities undertaken	Mitigation measures implemented
1/11/2023	No activity	Nil
3/11/2023	No activity	Nil
6/11/2023	No activity	Nil
8/11/2023	No activity	Nil
10/11/2023	Reparation of Silt Curtain	Remove debris on the barges
13/11/2023	Dredging	Working area was enclosed by silt curtain.
15/11/2023	Borehole Cleaning	Working area was enclosed by silt curtain.
20/11/2023	Borehole Cleaning	Working area was enclosed by silt curtain.
22/11/2023	Borehole Cleaning	Working area was enclosed by silt curtain.
27/11/2023	No Activity	Nil
29/11/2023	Pipe Pulling	Working area was enclosed by silt curtain.
1/12/2023	Pipe Pulling	Working area was enclosed by silt curtain.
5/12/2023	No activities	N/A
7/12/2023	No activities	N/A
9/12/2023	No activities	N/A
11/12/2023	No activities	N/A
13/12/2023	No activities	N/A
15/12/2023	No activities	N/A
18/12/2023	No activities	N/A
20/12/2023	No activities	N/A
22/12/2023	No activities	N/A
25/12/2023	No activities	N/A

5.2.7 For November 2023, borehole cleaning was conducted within fully enclosed silt curtain at around 9:00 - 11:00 and 15:00 - 17:00 on 15 November 2023, despite there was dredging works on 13 Nov 2023 at around 10:10 to 11:30, no exceedances was recorded during mid-ebb (12:18) and mid-flood (17:40) tide on 13 Nov 2023. No dredging works on 15 Nov 2023, no exceedance was recorded on same day during ebb tide from 13:08 to 13:12 at SR9. No exceedances was recorded at the monitoring stations close to the marine works area e.g. SR4, SR5 and SR6, no exceedances was recorded at the monitoring stations closed to SR9 e.g. SR10 and SR12 on 13 and 15 Nov 2023. No exceedances was recorded in the subsequent monitoring on 20 Nov 2023 both ebb and flood tide.

5.2.8 For December 2023, action level exceedances of Depth-averaged on suspended solids (SS) was recorded at SR9, SR10, SR12 and SR15 on 1 Dec 2023 from 09:39 to 10:33 during flood tide on 1 Dec 2023, checking with contractor, pipe pulling was conducted within fully enclosed silt curtain from 07:00 to 23:00, no damage recorded on the silt curtain, no dredging works on 1 Dec 2023. Higher SS during flood tide was recorded from 9.5mg/L (SR6) to 18.3mg/L (CE), no exceedance was recorded on same day during ebb tide from 15:00 to 15:53 at SR9, SR10,

SR12 and SR15. No exceedances was recorded at the monitoring stations close to the marine works area e.g. SR4, SR5 and SR6 on 1 Dec 2023.

5.2.9 Reviewed the overall work situation and the mitigation measures implemented by the Contactor, It can be concluded that the SS exceedances were possibly due to natural variation or changes of water quality in the vicinity of water quality monitoring station and considered that the all exceedances were not related to Project works.

5.2.10 Marine water quality monitoring results measured in this reporting period are reviewed and summarized. Details of marine water quality monitoring graphical presentation and the summary of exceedance of action and /limit levels of WQM can be referred to [Appendix 5.2](#).

### 5.3 Ecological Impact Monitoring

5.3.1 Transplanting of the trees of *Aquilaris sinensis* was completed on 26 April 2022. Maintenance works for trees in holding nursery have commenced.

5.3.2 Monitoring of maintenance works for the transplanted plant species was conducted at the holding nursery while in the reporting period.

5.3.3 As per latest version of PTP, four tree found (1 no. of *Aquilaria sinensis* and 3 nos. of *Gmelina chinensis*) within the site of SSWSTW which are considered to be the plant species with conservative importance for temporarily transplanted to the nursery at Kam Tin and eventually be transplanted to Pui O Pumping Station.

### 5.4 Waste Management

5.4.1 The quantities of waste for disposal in present quarter are summarized in **Table 5.1**. The Quarterly Summary Waste Flow Table is shown in [Appendix 5.3](#).

**Table 5.1 Summary of Quantities of Waste Material (November, December 2023, and January 2024)**

Waste Type	Quantity for reporting quarter	Cumulative Quantity-to-Date
Hard Rock and Large Broken Concrete (Inert) (in '000m <sup>3</sup> )	0	0
Reused in this Contract (Inert) (in '000m <sup>3</sup> )	0	0
Reused in other Projects (Inert) (in '000m <sup>3</sup> )	0	0



<b>Waste Type</b>	<b>Quantity for reporting quarter</b>	<b>Cumulative Quantity-to-Date</b>
Disposal as Public Fill (Inert) (in '000m <sup>3</sup> )	2.85	16.62581
Metals (in '000kg)	0.01	7.52830
Paper / Cardboard Packing (in '000kg)	0.07	0.58868
Plastics (in '000kg)	0.01	0.06726
Chemical Wastes (in '000kg)	0	0
General Refuses (in '000kg)	30.93	569.51
Marine Sediment (Type 1 – Open Sea Disposal) , m3	60.2	60.2

\*: Further breakdown into sub-group if considered applicable;



**6. Complaints, Notification of Summons and Prosecution**

6.1.1 No environmental complaint, notification of summons and successful prosecution regarding construction works was recorded in the reporting period. **Table 6.1** summarized the complaints from project commencement till now.

**Table 6.1 Summary of Complaints**

Date of Notification from EPD	Date of Complaint	Description of Complaint	Validity of Complaint	Close-Out Date / Status
26 May 2022	22 May 2022	A complaint is regarding noise nuisance from marine site of San Shek Wan, Lantau Island.	Based on the investigation, the works activities of marine works did not result in any noise nuisance to Noise Sensitive Receivers (NSRs), noise nuisance from the Project is unlikely to be valid.	The interim report was submitted to EPD in June 2022. EPD replied no further comments on the final investigation report on 13 July 2022.
23 Dec 2022	21 Dec 2022	A complaint is regarding to the water quality for Pui O Beach, Lantau Island.	Based on the investigation, the works activities at POPS did not result in any water quality impacts to the Pui O Beach.	The interim report was submitted to EPD on 4 Jan 2023.

6.1.2 No notification of summons and successful prosecution regarding construction works were recorded in the reporting period.

6.1.3 Cumulative statistic on complaints and successful prosecutions are summarized in **Table 6.2** and **Table 6.3** respectively.

**Table 6.2 Cumulative Statistics on Complaints**

Reporting Period	No. of Complaints
Nov 2023 to Jan 2024	0
Project commencement to the end of last reporting quarter	2
<b>Total</b>	<b>2</b>

**Table 6.3 Cumulative Statistics on Successful Prosecutions**



<b>Environmental Parameters</b>	<b>Cumulative No. Brought Forward</b>	<b>No. of Successful Prosecutions this month (Offence Date)</b>	<b>Cumulative No. Project-to-Date</b>
Air	-	0	0
Noise	-	0	0
Water	-	0	0
Waste	-	0	0
Other	-	0	0
<b>Total</b>	<b>-</b>	<b>0</b>	<b>0</b>



**7. Comments and Recommendations**

7.1.1 In the reporting period, the principal work activities conducted are as follow.

**Table 7.1 Construction Activities in Past 3 Months**

November 2023	December 2023	January 2024
<ul style="list-style-type: none"> <li>Excavation, sewer laying, construction of manhole at Pui O Lo Uk Tsuen, South Lantau road, Pui O Beach</li> <li>Excavation and site formation at San Shek Wan Sewage Treatment Works (SSWSTW) and Pui O Sewage Pumping Station (POSPS)</li> <li>Horizontal Directional Drilling (HDD) works at marine and SSWSTW</li> <li>Removal works of Excavation and Lateral Support (ELS)</li> <li>Excavation and Lateral Support (ELS) works</li> <li>Superstructure Reinforced Concrete (RC) Works</li> <li>Marine dredging</li> </ul>	<ul style="list-style-type: none"> <li>Excavation, sewer laying, construction of manhole at Pui O Lo Uk Tsuen, South Lantau road, Pui O Beach</li> <li>Excavation and site formation at San Shek Wan Sewage Treatment Works (SSWSTW) and Pui O Sewage Pumping Station (POSPS)</li> <li>Horizontal Directional Drilling (HDD) works at marine and SSWSTW</li> <li>Removal works of Excavation and Lateral Support (ELS)</li> <li>Excavation and Lateral Support (ELS) works</li> <li>Superstructure Reinforced Concrete (RC) Works</li> </ul>	<ul style="list-style-type: none"> <li>Excavation, sewer laying, construction of manhole at Pui O Lo Uk Tsuen, South Lantau road, Pui O Beach</li> <li>Excavation and site formation at San Shek Wan Sewage Treatment Works (SSWSTW) and Pui O Sewage Pumping Station (POSPS)</li> <li>Horizontal Directional Drilling (HDD) works at marine and SSWSTW</li> <li>Removal works of Excavation and Lateral Support (ELS)</li> <li>Excavation and Lateral Support (ELS) works</li> <li>Superstructure Reinforced Concrete (RC) Works</li> </ul>

7.1.2 The recommended mitigation measures for the past 3 months are listed below:

- Provide caring measures for the health, form and structural conditions for transplant trees including *Aquilaris sinensis* in holding nursery;
- Fully implement tree preservation works on site and holding nursery to ensure compliance of relevant legislation and guidelines stated in EM&A Manual.
- Implementation of noise pollution control in accordance with Construction Noise Mitigation Plan;
- Dust control during dust generating works;
- Adopt surface drainage and sediment control facilities for sewage installation in village and public roads;
- Adopt temporary drainage and sediment control facilities on Site;
- Vehicle wheel-washing and body washing facilities should be provided at the site entrance;
- Regular water spraying on drilling and excavation works for dust control; and



- Proper waste handling, recycling and storage.
- To inspect the condition of silt curtains on regular basis, and after adverse weather including any rainstorms and typhoons in wet season.

The implemented mitigation measures are considered effective.



## **8. Conclusion**

### **8.1 Noise Monitoring.**

- 8.1.1 Noise monitoring was conducted at eight (8) noise monitoring stations (N12a, N12b, N13, N14, N15b, N16a, N16b and N17) once per week in the reporting period.
- 8.1.2 No action or limit level exceedance was recorded in construction noise level in this present quarter.

### **8.2 Water Quality Monitoring**

- 8.2.1 Marine-based construction works commenced on 19 April 2022, water quality monitoring was commenced on 12 April 2022.
- 8.2.2 Water quality monitoring on 17 & 24 Nov 2023, 20 & 22 Dec 2023 and 8 (mid-ebb) & 22 (mid-ebb and mid-flood) Jan 2024 were cancelled due to Strong Monsoon Signal. Water quality monitoring on 24 January 2024 (mid ebb and mid-flood) was cancelled due to sea condition taking personnel safety into consideration.
- 8.2.3 In accordance with the action level and limit level in Baseline Monitoring Report Rev. 9.2 agreed by EPD on 2 September 2022, 5 action level and 0 limit level exceedances was recorded in the reporting period. 1 action level exceedances on SS at SR9 during flood tide on 15 November 2023 was recorded. 4 action level exceedances on SS at SR9, SR10, SR12 and SR15 during flood tide on 1 December 2023 were recorded. It can be concluded that the SS exceedances were possibly due to natural variation or changes of water quality in the vicinity of water quality monitoring station and considered that the exceedance was not related to Project works.

### **8.3 Ecological Impact Monitoring**

- 8.3.1 Transplanting works for plant species, *Aquilaris sinensis*, was completed on 26 April 2022. Maintenance works for trees in holding nursery have commenced.
- 8.3.2 Monitoring of maintenance works for the transplanted plant species was conducted at the holding nursery while in the reporting period.
- 8.3.3 As per latest version of PTP, four tree found (1 no. of *Aquilaria sinensis* and 3 nos. of *Gmelina chinensis*) within the site of SSWSTW which are considered to be the plant species with conservative importance for temporarily transplanted to the nursery at Kam Tin and eventually be transplanted to Pui O Pumping Station.

### **8.4 Review of the Reasons for and the Implications of Non-compliance**

- 8.4.1 No environmental non-compliance was recorded in present quarter.



## **8.5 Summary of action taken in the event of and follow-up on non-compliance**

8.5.1 There was no particular action taken since no non-compliance was recorded in present quarter.



***Figure 2.1***

***Project Organisation Chart***



### Project Organization Chart





Figure 2.1




***Figure 2.2***

***Master Layout Plan***



SITE PLAN  
1:100000



SEWERAGE SYSTEM TO BE CONSTRUCTED UNDER OTHER CONTRACT IN THE FUTURE

SEWERAGE SYSTEM TO BE CONSTRUCTED UNDER OTHER CONTRACT IN THE FUTURE

CONSTRUCTION OF SEWERAGE SYSTEM UNDER CONTRACT DC/2020/02

SEWERAGE SYSTEM TO BE CONSTRUCTED UNDER OTHER CONTRACT IN THE FUTURE (EXCEPT THE PROPOSED SAFETY PIPELINE AS SHOWN IN DRAWING NO. 178711/B&V/POSPS/SR/001 TO BE CONSTRUCTED UNDER THIS CONTRACT.)

Revision	Date	Description	Initial
D	11/20	TENDER ADDENDUM NO.6	BL
C	11/20	TENDER ADDENDUM NO.5	BL
B	11/20	TENDER ADDENDUM NO.4	BL
A	09/20	TENDER ADDENDUM NO.2	TFL
Initial	Designed	Checked	Drawn
	TFL	BL	SZ
Date	04/20	04/20	04/20

Approved: *Christina*

Contract no. DC/2020/02

Contract title  
CONSTRUCTION OF SAN SHEK WAN SEWAGE TREATMENT WORKS, ASSOCIATED SUBMARINE OUTFALL AND PUI O SEWERAGE WORKS


Drawing title  
SOUTH LANTAU SEWERAGE WORKS - MASTER LAYOUT PLAN

Drawing no. 178711/B&V/GN/001  
Revision D

Scale 1 : 15000



BLACK & VEATCH HONG KONG LIMITED  
博威工程顧問有限公司





***Figure 5.1***

***Locations of Noise Monitoring Station***


**圖例 LEGEND:**

-  擬建污水處理廠集水範圍  
CATCHMENT AREA OF PROPOSED SEWAGE TREATMENT WORKS
-  擬建的污水渠  
PROPOSED SEWERS
-  擬建的雙管污水泵喉  
PROPOSED TWIN RISING MAINS
-  擬建的海底排放管  
PROPOSED SUBMARINE OUTFALL
-  擬建的污水處理廠  
PROPOSED SEWAGE TREATMENT WORKS
-  擬建的污水泵房  
PROPOSED SEWAGE PUMPING STATION
-  擬建的鄉村污水收集系統範圍  
PROPOSED AREA FOR VILLAGE SEWERAGE WORKS

-  FINE ADJUSTED NOISE MONITORING LOCATIONS
-  AREA OF A RADIUS OF 300m OFFSET FROM CONSTRUCTION AREA
-  AREA OF A RADIUS OF 300m OFFSET FROM CONSTRUCTION AREA FOR VILLAGE SEWERAGE WORKS

**位置圖 LOCATION PLAN**  
比例 SCALE 1 : 150 000



AREA OF A RADIUS 300m OFFSET FROM CONSTRUCTION AREA FOR PUI O PUMPING STATION


1.1 公里  
1.1 km


1.4 公里  
1.4 km



***Figure 5.2***

***Locations of Water Quality Monitoring Stations***



Title  Locations of Marine Water Quality Monitoring Station	OUTLYING ISLANDS SEWERAGE STAGE 2 SOUTH LANTAU SEWERAGE WORKS - INVESTIGATION		Figure no. Figure 5.1	
			Prepared	Checked
	 BLACK & VEATCH HONG KONG LIMITED 博誠工程顧問有限公司		Date	Scale



***Appendix 5.1***

***Noise Monitoring Graphical Presentations***





**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N12a - Light Pole in front of 47 Lo Uk Tsuen

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Action Level	Major Construction Noise Source(s)*	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)								
3 Nov 2023	Sunny	0.0	94.1	14:15	68.7	71.2	58.7	69.9	73.3	<Baseline Level	75	N/A	Traffic
				14:20	69.7	72.4	59.1						
				14:25	71.1	74.2	59.2						
				14:30	70.5	73.2	60.4						
				14:35	69.2	72.4	57.9						
				14:40	70.0	72.3	60.1						
8 Nov 2023	Sunny	0.0	94.1	14:15	66.8	68.7	53.6	68.0	73.3	<Baseline Level	75	N/A	Traffic
				14:20	69.1	71.5	54.8						
				14:25	68.4	70.5	55.9						
				14:30	69.5	71.8	56.8						
				14:35	64.2	66.9	54.2						
				14:40	68.4	70.4	55.6						
13 Nov 2023	Sunny	0.0	94.1	14:15	67.3	70.1	59.2	67.3	73.3	<Baseline Level	75	N/A	Traffic
				14:20	66.6	69.5	57.8						
				14:25	68.6	71.5	58.4						
				14:30	65.7	68.4	56.4						
				14:35	68.3	71.3	55.4						
				14:40	66.8	69.2	57.4						
22 Nov 2023	Sunny	0.0	94.1	14:15	71.5	74.5	64.6	73.1	73.3	<Baseline Level	75	N/A	Traffic
				14:20	71.3	74.3	64.1						
				14:25	74.8	78.6	63.2						
				14:30	71.8	75.6	64.7						
				14:35	75.1	78.9	62.4						
				14:40	72.6	75.1	65.3						
29 Nov 2023	Sunny	0.0	94.1	14:15	62.7	64.9	52.7	63.2	73.3	<Baseline Level	75	N/A	Traffic, Dogs
				14:20	63.4	65.9	52.6						
				14:25	64.0	66.4	53.5						
				14:30	63.2	65.5	52.9						
				14:35	61.9	64.5	51.3						
				14:40	63.5	65.2	52.8						

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N12b - 11B Lo Uk Tsuen

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level Leq	Baseline Level Leq	Construction Noise Level Leq	Action Level Leq	Major Construction Noise Source(s)*	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)								
3 Nov 2023	Sunny	0.0	94.1	13:40	62.2	66.7	50.0	61.9	76.8	<Baseline Level	75	N/A	Traffic
				13:45	60.3	64.4	47.3						
				13:50	60.6	64.8	48.8						
				13:55	59.3	63.3	48.5						
				14:00	63.0	67.4	51.3						
8 Nov 2023	Sunny	0.0	94.1	13:40	64.0	68.0	48.1	62.9	76.8	<Baseline Level	75	N/A	Traffic
				13:45	59.1	62.0	42.5						
				13:50	58.7	63.7	46.1						
				13:55	59.2	64.0	44.8						
				14:00	64.2	67.9	49.5						
13 Nov 2023	Sunny	0.0	94.1	13:40	56.6	60.9	47.5	58.2	76.8	<Baseline Level	75	N/A	Traffic
				13:45	58.9	63.4	48.9						
				13:50	59.9	62.8	48.9						
				13:55	58.4	61.7	47.4						
				14:00	57.2	61.0	45.3						
22 Nov 2023	Sunny	0.0	94.1	13:40	61.3	66.4	52.6	62.3	76.8	<Baseline Level	75	N/A	Traffic
				13:45	62.5	67.7	52.8						
				13:50	63.5	66.9	52.3						
				13:55	60.3	63.5	52.9						
				14:00	62.8	67.9	53.9						
29 Nov 2023	Sunny	0.0	94.1	13:40	60.9	65.0	48.3	60.7	76.8	<Baseline Level	75	N/A	Traffic
				13:45	59.6	63.3	46.2						
				13:50	59.9	63.9	48.0						
				13:55	59.4	63.5	46.6						
				14:00	61.3	65.1	47.9						
				14:05	62.3	65.8	49.2						

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N13 - 74 Pui O San Wai Tsuen

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level Leq	Baseline Level Leq	Construction Noise Level Leq	Action Level Leq	Major Construction Noise Source(s)*	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)								
3 Nov 2023	Sunny	0.0	94.1	11:30	65.9	68.4	60.6	65.6	73.6	<Baseline Level	75	N/A	Traffic
				11:35	64.6	67.3	60.9						
				11:40	64.5	66.7	60.1						
				11:45	63.9	68.4	61.0						
				11:50	67.5	70.1	61.2						
				11:55	66.0	69.2	60.5						
8 Nov 2023	Sunny	0.0	94.1	11:30	64.3	66.0	61.9	64.2	73.6	<Baseline Level	75	N/A	Traffic
				11:35	62.4	63.4	61.2						
				11:40	61.9	62.7	61.0						
				11:45	63.8	65.2	62.0						
				11:50	66.1	67.9	61.5						
				11:55	65.4	66.8	61.6						
13 Nov 2023	Sunny	0.0	94.1	11:30	61.5	65.2	56.3	61.5	73.6	<Baseline Level	75	N/A	Traffic
				11:35	62.9	66.4	57.0						
				11:40	62.3	65.5	56.0						
				11:45	60.0	65.4	57.0						
				11:50	61.5	63.5	57.2						
				11:55	60.1	62.8	56.4						
22 Nov 2023	Sunny	0.0	94.1	11:30	68.9	72.4	60.6	68.5	73.6	<Baseline Level	75	N/A	Traffic
				11:35	68.3	72.6	61.9						
				11:40	68.6	72.1	60.5						
				11:45	65.4	73.1	61.3						
				11:50	70.4	73.9	62.3						
				11:55	68.0	73.0	60.8						
29 Nov 2023	Sunny	0.0	94.1	11:30	64.2	66.8	60.3	64.1	73.6	<Baseline Level	75	N/A	Traffic
				11:35	63.9	66.2	60.3						
				11:40	63.4	65.4	59.7						
				11:45	63.2	66.2	60.7						
				11:50	65.5	66.1	60.5						
				11:55	64.2	66.1	60.2						

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N14 - South Lantau Community Centre

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Action Level	Major Construction Noise	Other Noise Source(s)
					Leq	L10	L90	Leq	Leq	Leq	Leq		
					Unit: dB(A), (5-min)			Unit: dB(A), (30-min)					
3 Nov 2023	Sunny	0.0	94.1	10:55	57.4	59.1	48.0	60.6	62.2	<Baseline Level	75	N/A	Traffic
				11:00	57.7	59.8	46.2						
				11:05	59.6	56.6	46.8						
				11:10	60.6	62.6	47.3						
				11:15	64.4	66.2	46.6						
				11:20	59.8	62.8	48.4						
8 Nov 2023	Sunny	0.0	94.1	10:55	61.6	61.9	50.8	62.3	62.2	45	75	N/A	Traffic
				11:00	51.6	53.9	47.3						
				11:05	60.2	62.6	49.0						
				11:10	63.4	65.6	48.8						
				11:15	66.2	68.4	47.9						
				11:20	60.7	62.8	49.3						
13 Nov 2023	Sunny	0.0	94.1	10:55	56.8	59.2	47.2	59.8	62.2	<Baseline Level	75	N/A	Traffic
				11:00	63.4	65.2	46.5						
				11:05	59.2	56.7	47.2						
				11:10	59.4	60.4	48.9						
				11:15	57.0	58.7	47.3						
				11:20	59.3	62.2	48.2						
22 Nov 2023	Sunny	0.0	94.1	10:55	53.9	57.0	45.8	61.1	62.2	<Baseline Level	75	N/A	Traffic
				11:00	64.4	66.5	45.3						
				11:05	59.8	51.3	45.2						
				11:10	58.6	60.4	46.4						
				11:15	63.4	64.8	45.8						
				11:20	59.6	63.6	48.0						
29 Nov 2023	Sunny	0.0	94.1	10:55	61.9	63.4	50.4	63.0	62.2	55	75	N/A	Traffic
				11:00	60.0	62.3	48.1						
				11:05	62.5	64.2	49.5						
				11:10	64.4	66.2	50.3						
				11:15	64.6	66.8	48.7						
				11:20	62.8	65.6	50.5						

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N15b - Pole in front of 7A Pui O Lo Wai Tsuen

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Limit Level	Major Construction Noise Source(s)*	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)								
3 Nov 2023	Sunny	0.0	94.1	15:00	66.1	69.2	51.8	66.1	70.7	<Baseline Level	75	N/A	Traffic
				15:05	65.4	68.6	51.4						
				15:10	65.9	69.7	52.1						
				15:15	63.7	66.3	54.3						
				15:20	64.9	67.9	53.2						
15:25	68.8	71.4	53.8										
8 Nov 2023	Sunny	0.0	94.1	15:00	58.4	62.5	54.0	59.6	70.7	<Baseline Level	75	N/A	Traffic, Beverage Factory
				15:05	60.1	63.5	53.8						
				15:10	59.5	63.2	53.4						
				15:15	58.6	62.1	55.6						
				15:20	57.1	61.0	56.4						
15:25	62.1	65.7	57.3										
13 Nov 2023	Sunny	0.0	94.1	15:00	64.7	66.7	49.5	64.0	70.7	<Baseline Level	75	N/A	Traffic
				15:05	63.8	66.6	48.7						
				15:10	66.6	68.6	49.8						
				15:15	60.1	62.7	50.9						
				15:20	62.6	65.1	49.3						
15:25	63.6	66.1	49.5										
22 Nov 2023	Sunny	0.0	94.1	15:00	74.8	76.9	50.3	73.8	70.7	71	75	N/A	Traffic
				15:05	71.6	74.7	49.8						
				15:10	73.2	75.8	51.3						
				15:15	69.8	71.5	53.8						
				15:20	73.7	75.9	50.4						
15:25	76.6	78.1	51.2										
29 Nov 2023	Sunny	0.0	94.1	15:00	62.8	66.0	52.8	62.9	70.7	<Baseline Level	75	N/A	Traffic
				15:05	63.2	66.4	52.3						
				15:10	64.2	67.2	52.6						
				15:15	60.6	63.7	54.4						
				15:20	61.1	64.3	53.9						
15:25	64.1	67.2	54.5										

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N16a - Light pole in front of House E, Southern Comfort, Ham Tin

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Action Level	Major Construction Noise Source(s)*	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)								
3 Nov 2023	Sunny	0.0	94.1	9:45	59.4	62.1	48.3	59.8	68.1	<Baseline Level	75	Crane	Traffic
				9:50	61.4	61.4	47.3						
				9:55	58.9	59.4	47.2						
				10:00	58.5	58.4	50.3						
				10:05	59.1	59.7	49.1						
10:10	60.6	60.5	49.8										
8 Nov 2023	Sunny	0.0	94.1	9:45	54.0	56.3	42.7	62.5	68.1	<Baseline Level	75	N/A	Traffic
				9:50	66.0	63.2	44.9						
				9:55	57.9	55.9	42.7						
				10:00	56.8	53.2	46.5						
				10:05	62.4	59.8	42.3						
10:10	65.5	61.7	43.2										
13 Nov 2023	Sunny	0.0	94.1	9:45	57.6	59.1	48.6	55.6	68.1	<Baseline Level	75	N/A	Traffic
				9:50	54.1	55.8	44.6						
				9:55	56.3	57.7	45.8						
				10:00	53.4	56.0	45.2						
				10:05	56.9	57.4	44.2						
10:10	53.1	53.9	43.2										
22 Nov 2023	Sunny	0.0	94.1	9:45	65.6	68.8	54.7	61.0	68.1	<Baseline Level	75	N/A	Traffic
				9:50	57.7	60.5	50.4						
				9:55	60.8	63.8	52.3						
				10:00	61.1	64.5	54.9						
				10:05	56.6	60.5	50.6						
10:10	56.7	60.3	50.8										
29 Nov 2023	Sunny	0.0	94.1	9:45	56.8	58.7	46.5	59.2	68.1	<Baseline Level	75	N/A	Traffic
				9:50	61.1	60.5	45.6						
				9:55	58.1	57.8	45.1						
				10:00	56.0	55.6	46.7						
				10:05	60.5	59.6	44.2						
10:10	60.3	58.8	44.8										

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N16b - Fence in front of 7E Ham Tin San Tsuen, Ham Tin

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Action Level	Major Construction Noise	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)			Unit: dB(A), (30-min)					
3 Nov 2023	Sunny	0.0	94.1	10:20	49.3	50.6	45.4	50.8	68.5	<Baseline Level	75	N/A	Traffic
				10:25	50.8	52.8	45.9						
				10:30	48.7	50.6	45.3						
				10:35	52.4	54.1	46.8						
				10:40	52.0	53.7	46.6						
10:45	50.2	52.1	46.5										
8 Nov 2023	Sunny	0.0	94.1	10:20	48.0	50.2	44.1	49.5	68.5	<Baseline Level	75	N/A	Traffic
				10:25	49.7	52.3	45.2						
				10:30	46.7	48.9	43.6						
				10:35	48.9	51.2	44.2						
				10:40	51.0	53.2	45.6						
10:45	51.2	53.4	46.1										
13 Nov 2023	Sunny	0.0	94.1	10:20	51.2	52.6	46.8	51.2	68.5	<Baseline Level	75	N/A	Traffic
				10:25	52.1	53.7	46.7						
				10:30	50.7	52.3	46.8						
				10:35	52.1	52.8	46.9						
				10:40	51.6	53.4	46.5						
10:45	48.2	50.2	45.5										
22 Nov 2023	Sunny	0.0	94.1	10:20	54.2	55.5	50.4	57.0	68.5	<Baseline Level	75	N/A	Traffic
				10:25	56.6	58.2	50.5						
				10:30	55.4	56.8	50.8						
				10:35	60.6	61.9	53.3						
				10:40	57.7	59.1	51.5						
10:45	53.6	55.5	50.9										
29 Nov 2023	Sunny	0.0	94.1	10:20	50.1	51.9	45.9	50.7	68.5	<Baseline Level	75	N/A	Traffic
				10:25	51.4	53.5	46.4						
				10:30	49.2	51.2	45.7						
				10:35	51.0	53.2	46.2						
				10:40	51.8	53.9	46.5						
10:45	50.2	52.3	46.3										

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N17 - Bui O Public School

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Limit Level	Major Construction Noise Source(s)*	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)								
3 Nov 2023	Sunny	0.0	94.1	13:00	61.2	63.6	52.5	62.9	62.3	54	70	N/A	Traffic
				13:05	61.7	64.4	52.9						
				13:10	65.5	63.6	52.3						
				13:15	62.8	65.5	52.3						
				13:20	62.8	66.3	52.9						
13:25	61.5	65.0	52.4										
8 Nov 2023	Sunny	0.0	94.1	13:00	61.5	64.9	55.0	63.0	62.3	55	65	N/A	Traffic
				13:05	61.5	64.9	55.7						
				13:10	62.1	66.1	55.1						
				13:15	66.4	69.5	54.6						
				13:20	63.1	68.0	55.9						
13:25	60.4	65.1	55.7										
13 Nov 2023	Sunny	0.0	94.1	13:00	59.9	61.9	49.7	60.7	62.3	<Baseline Level	65	N/A	Traffic
				13:05	60.4	63.0	50.1						
				13:10	63.1	61.1	49.9						
				13:15	58.5	61.2	51.0						
				13:20	60.5	62.6	51.3						
13:25	60.4	63.3	51.2										
22 Nov 2023	Sunny	0.0	94.1	13:00	61.8	63.3	50.7	64.9	62.3	62	70	N/A	Traffic
				13:05	62.8	64.9	50.8						
				13:10	69.9	62.1	50.3						
				13:15	60.2	62.5	50.7						
				13:20	63.4	65.5	50.6						
13:25	63.6	65.8	50.9										
29 Nov 2023	Sunny	0.0	94.1	13:00	61.3	64.0	52.9	62.1	62.3	<Baseline Level	70	N/A	Traffic
				13:05	61.5	64.5	53.4						
				13:10	63.2	64.2	53.0						
				13:15	63.1	66.1	53.3						
				13:20	62.2	66.0	54.1						
13:25	61.0	64.9	54.0										

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N12a - Light Pole in front of 47 Lo Uk Tsuen

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Action Level	Major Construction Noise Source(s)*	Other Noise Source(s)
					Leq	L10	L90	Leq	Leq	Leq			
					Unit: dB(A), (5-min)			Unit: dB(A), (30-min)					
6 Dec 2023	Sunny	0.0	94.1	14:15	63.5	67.8	52.3	66.0	73.3	<Baseline Level	75	N/A	Traffic
				14:20	64.5	67.8	52.8						
				14:25	65.6	69.3	52.1						
				14:30	64.5	67.4	53.2						
				14:35	67.8	71.2	56.7						
				14:40	67.9	71.5	55.0						
11 Dec 2023	Sunny	0.0	94.1	14:15	62.9	67.1	53.7	63.6	73.3	<Baseline Level	75	N/A	Traffic
				14:20	62.1	65.5	53.0						
				14:25	63.2	67.1	53.2						
				14:30	62.8	67.5	53.6						
				14:35	65.4	68.2	55.8						
				14:40	64.2	67.9	54.1						
20 Dec 2023	Sunny	0.0	94.1	14:15	66.2	70.5	58.3	65.3	73.3	<Baseline Level	75	N/A	Traffic
				14:20	63.3	67.5	56.1						
				14:25	64.5	69.1	56.8						
				14:30	65.8	68.4	57.2						
				14:35	66.5	70.2	58.3						
				14:40	64.9	68.2	56.4						
28 Dec 2023	Sunny	0.0	94.1	15:56	65.8	69.1	57.7	64.8	73.3	<Baseline Level	75	N/A	Traffic
				16:01	65.1	66.8	57.6						
				16:06	66.2	69.2	57.6						
				16:11	63.5	67.1	58.3						
				16:16	62.8	66.2	56.5						
				16:21	64.6	68.9	58.5						

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N12b - 11B Lo Uk Tsuen

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Action Level	Major Construction Noise	Other Noise Source(s)			
					Leq	L10	L90							Leq	Leq	Leq
					Unit: dB(A), (5-min)									Unit: dB(A), (30-min)		
6 Dec 2023	Sunny	0.0	94.1	13:40	65.6	69.1	54.5	64.5	76.8	<Baseline Level	75	N/A	Traffic			
				13:45	67.1	70.8	57.6									
				13:50	60.5	62.5	54.8									
				13:55	61.8	65.8	53.2									
				14:00	65.2	69.4	55.3									
				14:05	63.6	67.2	56.4									
11 Dec 2023	Sunny	0.0	94.1	13:40	67.4	72.0	54.6	64.9	76.8	<Baseline Level	75	N/A	Traffic			
				13:45	61.1	64.0	58.1									
				13:50	63.3	66.3	57.3									
				13:55	65.4	68.5	56.4									
				14:00	65.2	68.2	55.9									
				14:05	64.8	67.8	56.7									
20 Dec 2023	Sunny	0.0	94.1	13:40	63.0	66.9	51.7	61.1	76.8	<Baseline Level	75	N/A	Traffic			
				13:45	60.8	63.9	54.8									
				13:50	58.7	61.0	53.1									
				13:55	60.3	63.6	51.9									
				14:00	61.8	65.2	52.7									
				14:05	60.9	64.0	53.6									
28 Dec 2023	Sunny	0.0	94.1	15:10	66.2	71.5	58.4	65.1	76.8	<Baseline Level	75	N/A	Traffic			
				15:15	64.5	68.6	54.2									
				15:20	60.9	66.5	53.6									
				15:25	67.4	69.8	58.6									
				15:30	62.5	66.6	55.8									
				15:35	66.1	68.7	59.6									

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N13 - 74 Pui O San Wai Tsuen

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Action Level	Major Construction Noise Source(s)*	Other Noise Source(s)			
					Leq	L10	L90							Leq	Leq	Leq
					Unit: dB(A), (5-min)									Unit: dB(A), (30-min)		
6 Dec 2023	Sunny	0.0	94.1	11:30	70.0	72.6	65.0	66.2	73.6	<Baseline Level	75	N/A	Traffic			
				11:35	63.1	66.1	67.5									
				11:40	61.9	64.8	66.6									
				11:45	68.9	71.7	64.2									
				11:50	63.8	66.3	68.7									
				11:55	61.9	64.8	66.6									
11 Dec 2023	Sunny	0.0	94.1	11:30	67.9	69.9	65.4	65.9	73.6	<Baseline Level	75	N/A	Traffic			
				11:35	66.3	67.1	65.3									
				11:40	66.0	67.1	65.2									
				11:45	62.3	63.2	66.3									
				11:50	64.5	65.6	64.2									
				11:55	66.7	67.8	64.8									
20 Dec 2023	Sunny	0.0	94.1	11:30	64.4	66.4	60.9	61.4	73.6	<Baseline Level	75	N/A	Traffic			
				11:35	60.5	62.3	62.1									
				11:40	59.8	61.5	61.6									
				11:45	61.3	63.1	61.0									
				11:50	60.2	61.6	62.1									
				11:55	60.2	62.2	61.4									
28 Dec 2023	Sunny	0.0	94.1	9:38	64.2	68.5	57.7	64.9	73.6	<Baseline Level	75	N/A	Traffic			
				9:43	65.5	67.8	56.4									
				9:48	61.7	66.2	53.9									
				9:53	68.6	70.5	60.5									
				9:58	62.1	67.6	54.5									
				10:03	63.3	65.9	54.7									

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N14 - South Lantau Community Centre

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Action Level	Major Construction	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)			Unit: dB(A), (30-min)					
6 Dec 2023	Sunny	0.0	94.1	10:55	54.2	58.3	49.2	56.1	62.2	<Baseline Level	75	N/A	Traffic
				11:00	55.1	59.4	49.8						
				11:05	57.2	61.4	48.2						
				11:10	58.8	63.0	44.9						
				11:15	54.6	58.8	48.5						
				11:20	54.2	57.5	48.4						
11 Dec 2023	Sunny	0.0	94.1	10:55	56.5	59.5	44.6	59.4	62.2	<Baseline Level	75	N/A	Traffic
				11:00	58.5	61.6	46.1						
				11:05	58.2	61.4	48.9						
				11:10	62.4	65.6	48.4						
				11:15	60.6	64.0	48.2						
				11:20	57.3	60.8	48.9						
20 Dec 2023	Sunny	0.0	94.1	10:55	53.7	57.2	46.9	56.0	62.2	<Baseline Level	75	N/A	Traffic
				11:00	55.1	58.8	42.2						
				11:05	56.0	59.6	42.6						
				11:10	58.9	62.5	46.3						
				11:15	55.9	59.6	48.2						
				11:20	54.1	57.4	47.9						
28 Dec 2023	Sunny	0.0	94.1	10:20	56.9	59.4	50.1	56.2	62.2	<Baseline Level	75	N/A	Traffic
				10:25	54.5	60.8	48.2						
				10:30	54.8	59.1	47.6						
				10:35	54.8	59.8	46.5						
				10:40	58.6	61.2	49.9						
				10:45	56.2	58.8	50.3						

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N15b - Pole in front of 7A Pui O Lo Wai Tsuen

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Limit Level	Major Construction Noise Source(s)*	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)								
6 Dec 2023	Sunny	0.0	94.1	15:00	62.9	65.9	59.6	63.6	70.7	<Baseline Level	75	N/A	Traffic
				15:05	62.6	65.7	59.4						
				15:10	66.0	69.3	61.5						
				15:15	65.6	68.8	62.3						
				15:20	60.7	63.8	57.8						
				15:25	61.2	64.3	57.6						
11 Dec 2023	Sunny	0.0	94.1	15:00	69.1	70.7	63.0	67.4	70.7	<Baseline Level	75	N/A	Traffic, Beverage Factory
				15:05	65.4	68.3	52.1						
				15:10	66.6	67.4	62.4						
				15:15	65.4	66.1	60.2						
				15:20	68.7	69.5	64.2						
				15:25	67.6	68.4	63.2						
20 Dec 2023	Sunny	0.0	94.1	15:00	63.5	65.7	58.9	62.6	70.7	<Baseline Level	75	N/A	Traffic
				15:05	61.5	64.4	53.6						
				15:10	63.8	65.7	59.6						
				15:15	62.0	64.8	58.9						
				15:20	62.2	64.2	57.8						
				15:25	61.8	63.8	58.1						
28 Dec 2023	Sunny	0.0	94.1	8:55	65.4	67.4	60.2	66.2	70.7	<Baseline Level	75	N/A	Traffic
				9:00	63.9	66.6	59.8						
				9:05	69.2	71.6	52.3						
				9:10	67.1	69.5	58.2						
				9:15	65.1	68.7	55.5						
				9:20	63.9	66.4	54.8						

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N16a - Light pole in front of House E, Southern Comfort, Ham Tin

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Action Level	Major Construction Noise	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)			Unit: dB(A), (30-min)					
6 Dec 2023	Sunny	0.0	94.1	9:45	51.4	55.3	47.8	53.9	68.1	<Baseline Level	75	Crane	Traffic
				9:50	50.8	54.7	48.8						
				9:55	55.1	58.5	50.9						
				10:00	51.6	55.6	46.9						
				10:05	57.1	51.2	45.3						
				10:10	53.4	57.2	50.6						
11 Dec 2023	Sunny	0.0	94.1	9:45	57.0	61.2	45.2	59.7	68.1	<Baseline Level	75	N/A	Traffic
				9:50	60.3	64.2	48.4						
				9:55	61.3	65.4	49.4						
				10:00	61.2	65.3	49.3						
				10:05	59.8	63.8	47.8						
				10:10	56.2	60.3	45.9						
20 Dec 2023	Sunny	0.0	94.1	9:45	52.5	56.4	40.3	54.1	68.1	<Baseline Level	75	N/A	Traffic
				9:50	53.8	57.7	48.3						
				9:55	56.7	60.3	48.3						
				10:00	54.8	58.6	47.8						
				10:05	51.8	55.8	50.6						
				10:10	53.2	57.2	48.6						
28 Dec 2023	Sunny	0.0	94.1	11:29	61.4	64.6	49.8	57.6	68.1	<Baseline Level	75	N/A	Traffic
				11:34	53.2	58.4	45.7						
				11:39	54.8	57.6	46.7						
				11:44	58.2	62.9	50.2						
				11:49	55.4	60.2	48.5						
				11:54	57.7	60.2	50.2						

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N16b - Fence in front of 7E Ham Tin San Tsuen, Ham Tin

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level Leq	Baseline Level Leq	Construction Noise Level Leq	Action Level Leq	Major Construction	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)								
6 Dec 2023	Sunny	0.0	94.1	10:20	53.2	55.7	42.0	51.7	68.5	<Baseline Level	75	N/A	Traffic
				10:25	48.8	50.8	42.1						
				10:30	49.2	51.2	42.2						
				10:35	51.8	54.5	42.1						
				10:40	53.5	56.1	44.3						
				10:45	51.6	54.3	41.9						
11 Dec 2023	Sunny	0.0	94.1	10:20	51.7	54.6	43.2	54.7	68.5	<Baseline Level	75	N/A	Traffic
				10:25	52.6	55.4	44.1						
				10:30	53.4	56.2	44.8						
				10:35	56.6	59.2	46.7						
				10:40	55.3	58.2	46.9						
				10:45	56.4	59.2	47.8						
20 Dec 2023	Sunny	0.0	94.1	10:20	50.9	53.5	41.3	51.5	68.5	<Baseline Level	75	N/A	Traffic
				10:25	49.2	51.6	41.0						
				10:30	49.7	52.3	42.6						
				10:35	52.6	55.2	43.2						
				10:40	52.8	55.5	44.3						
				10:45	52.4	55.6	43.5						
28 Dec 2023	Sunny	0.0	94.1	10:52	47.6	52.1	44.4	52.3	68.5	<Baseline Level	75	N/A	Traffic
				10:57	50.5	52.9	46.6						
				11:02	53.1	58.4	46.1						
				11:07	55.5	59.4	48.2						
				11:12	50.6	54.8	46.5						
				11:17	52.6	56.4	45.8						

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N17 - Bui O Public School

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Limit Level	Major Construction Noise Source(s)*	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)								
6 Dec 2023	Sunny	0.0	94.1	13:00	51.1	54.3	45.0	51.0	62.3	<Baseline Level	70	N/A	Traffic
				13:05	49.4	52.5	43.2						
				13:10	52.0	55.2	45.9						
				13:15	48.2	56.7	43.4						
				13:20	52.5	55.9	46.5						
				13:25	51.2	54.8	45.8						
11 Dec 2023	Sunny	0.0	94.1	13:00	51.8	54.8	44.5	61.1	62.3	<Baseline Level	65	N/A	Traffic
				13:05	54.4	58.6	46.0						
				13:10	65.0	70.0	44.9						
				13:15	62.3	66.7	45.2						
				13:20	61.6	65.9	45.3						
				13:25	60.2	64.2	46.6						
20 Dec 2023	Sunny	0.0	94.1	13:00	57.8	61.3	50.3	62.6	62.3	51	65	N/A	Traffic
				13:05	58.3	62.4	50.2						
				13:10	65.7	70.5	51.6						
				13:15	62.4	69.2	49.7						
				13:20	64.1	68.4	51.5						
				13:25	62.1	66.1	51.8						
28 Dec 2023	Sunny	0.0	94.1	14:25	60.7	62.3	50.7	58.9	62.3	<Baseline Level	70	N/A	Traffic
				14:30	56.8	60.1	48.7						
				14:35	57.5	60.9	49.6						
				14:40	57.6	61.4	49.1						
				14:45	60.1	62.8	51.5						
				14:50	59.4	61.1	50.8						

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N12a - Light Pole in front of 47 Lo Uk Tsuen

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Action Level	Major Construction Noise Source(s)*	Other Noise Source(s)
					Leq	L10	L90	Leq	Leq	Leq			
					Unit: dB(A), (5-min)			Unit: dB(A), (30-min)					
4 Jan 2024	Sunny	0.0	94.1	14:15	64.8	68.6	53.6	66.6	73.3	<Baseline Level	75	N/A	Traffic
				14:20	64.9	68.7	53.5						
				14:25	66.4	70.2	53.1						
				14:30	65.2	69.0	54.2						
				14:35	68.4	72.2	57.4						
				14:40	68.3	72.1	55.7						
11 Jan 2024	Sunny	0.0	94.1	14:15	63.9	67.3	55.0	64.6	73.3	<Baseline Level	75	N/A	Traffic
				14:20	63.7	67.1	54.7						
				14:25	64.6	68.0	54.6						
				14:30	63.9	67.3	55.2						
				14:35	65.5	68.9	56.7						
				14:40	65.4	68.8	55.8						
17 Jan 2024	Sunny	0.0	94.1	14:15	64.6	68.2	55.5	64.8	73.3	<Baseline Level	75	N/A	Traffic
				14:20	63.8	67.4	54.9						
				14:25	64.9	68.5	54.9						
				14:30	64.2	67.8	55.6						
				14:35	65.6	69.2	56.8						
				14:40	65.4	69.0	56.0						
26 Jan 2024	Sunny	0.0	94.1	15:56	65.6	69.3	54.9	66.0	73.3	<Baseline Level	75	N/A	Traffic
				16:01	66.7	70.4	56.2						
				16:06	67.2	70.9	55.4						
				16:11	64.8	68.5	55.3						
				16:16	65.4	69.1	55.8						
				16:21	65.7	69.4	55.3						

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N12b - 11B Lo Uk Tsuen

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Action Level	Major Construction Noise	Other Noise Source(s)			
					Leq	L10	L90							Leq	Leq	Leq
					Unit: dB(A), (5-min)									Unit: dB(A), (30-min)		
4 Jan 2024	Sunny	0.0	94.1	13:40	68.3	69.9	51.7	66.5	76.8	<Baseline Level	75	N/A	Traffic			
				13:45	63.5	65.1	54.9									
				13:50	66.6	68.2	57.6									
				13:55	65.6	67.2	53.4									
				14:00	68.1	69.7	53.2									
				14:05	65.3	66.9	53.5									
11 Jan 2024	Sunny	0.0	94.1	13:40	63.8	66.9	48.8	63.4	76.8	<Baseline Level	75	N/A	Traffic			
				13:45	61.6	65.3	51.6									
				13:50	64.8	67.5	57.8									
				13:55	61.0	64.7	50.3									
				14:00	65.7	68.8	50.5									
				14:05	61.1	65.0	50.3									
17 Jan 2024	Sunny	0.0	94.1	13:40	65.5	67.1	54.4	64.0	76.8	<Baseline Level	75	N/A	Traffic			
				13:45	64.5	66.1	53.3									
				13:50	61.8	63.4	53.3									
				13:55	63.9	65.5	51.1									
				14:00	63.0	64.6	52.5									
				14:05	64.1	65.7	58.1									
26 Jan 2024	Sunny	0.0	94.1	15:10	63.9	65.4	55.9	63.1	76.8	<Baseline Level	75	N/A	Traffic			
				15:15	64.3	65.8	53.7									
				15:20	61.4	62.9	53.6									
				15:25	63.6	65.1	53.7									
				15:30	60.5	62.0	53.7									
				15:35	63.5	65.0	58.7									

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N13 - 74 Pui O San Wai Tsuen

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level Leq	Baseline Level Leq	Construction Noise Level Leq	Action Level Leq	Major Construction Noise Source(s)*	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)								
4 Jan 2024	Sunny	0.0	94.1	11:30	69.2	70.8	60.0	66.3	73.6	<Baseline Level	75	N/A	Traffic
				11:35	65.6	67.2	59.2						
				11:40	64.7	66.3	59.4						
				11:45	64.1	65.7	59.7						
				11:50	65.6	67.2	58.7						
				11:55	66.8	68.4	58.8						
11 Jan 2024	Sunny	0.0	94.1	11:30	64.8	68.1	54.6	61.9	73.6	<Baseline Level	75	N/A	Traffic
				11:35	60.0	63.6	53.1						
				11:40	58.7	60.4	53.6						
				11:45	61.4	64.7	53.0						
				11:50	61.9	65.3	53.2						
				11:55	61.8	65.0	52.7						
17 Jan 2024	Sunny	0.0	94.1	11:30	65.4	67.0	59.0	63.7	73.6	<Baseline Level	75	N/A	Traffic
				11:35	64.0	65.6	57.9						
				11:40	63.0	64.6	57.3						
				11:45	64.9	66.5	55.9						
				11:50	61.6	63.2	53.3						
				11:55	61.6	63.2	53.7						
26 Jan 2024	Sunny	0.0	94.1	9:38	62.3	63.8	58.7	62.4	73.6	<Baseline Level	75	N/A	Traffic
				9:43	63.6	65.1	57.6						
				9:48	62.4	63.9	56.3						
				9:53	64.6	66.1	57.6						
				9:58	59.6	61.1	53.8						
				10:03	59.5	61.0	54.2						

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N14 - South Lantau Community Centre

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Action Level	Major Construction	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)								
4 Jan 2024	Sunny	0.0	94.1	10:55	57.3	58.9	45.1	58.3	62.2	<Baseline Level	75	N/A	Traffic
				11:00	55.1	56.7	45.9						
				11:05	59.8	61.4	47.5						
				11:10	61.4	63.0	47.1						
				11:15	56.1	57.7	47.2						
				11:20	56.2	57.8	47.5						
11 Jan 2024	Sunny	0.0	94.1	10:55	55.1	58.6	45.5	54.6	62.2	<Baseline Level	75	N/A	Traffic
				11:00	49.2	51.4	45.7						
				11:05	57.9	56.8	46.1						
				11:10	56.5	59.6	45.8						
				11:15	48.8	51.3	46.2						
				11:20	52.3	55.5	46.1						
17 Jan 2024	Sunny	0.0	94.1	10:55	57.3	58.9	47.7	56.8	62.2	<Baseline Level	75	N/A	Traffic
				11:00	56.1	57.7	47.3						
				11:05	56.7	58.3	47.3						
				11:10	58.0	59.6	45.6						
				11:15	55.9	57.5	46.6						
				11:20	56.5	58.1	47.0						
26 Jan 2024	Sunny	0.0	94.1	10:20	57.8	59.3	48.6	55.3	62.2	<Baseline Level	75	N/A	Traffic
				10:25	54.4	55.9	47.7						
				10:30	54.6	56.1	47.6						
				10:35	54.1	55.6	46.0						
				10:40	53.1	54.6	47.8						
				10:45	56.0	57.5	48.2						

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N15b - Pole in front of 7A Pui O Lo Wai Tsuen

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Limit Level	Major Construction Noise Source(s)*	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)								
4 Jan 2024	Sunny	0.0	94.1	15:00	64.5	68.3	61.1	64.8	70.7	<Baseline Level	75	N/A	Traffic
				15:05	63.1	66.9	58.2						
				15:10	67.4	71.2	61.4						
				15:15	66.2	70.0	62.6						
				15:20	62.4	66.2	58.9						
				15:25	62.3	66.1	58.5						
11 Jan 2024	Sunny	0.0	94.1	15:00	64.0	67.4	59.1	63.9	70.7	<Baseline Level	75	N/A	Traffic, Beverage Factory
				15:05	62.9	66.3	56.7						
				15:10	65.4	68.8	58.7						
				15:15	64.5	67.9	59.4						
				15:20	63.0	66.4	57.8						
				15:25	62.8	66.2	57.6						
17 Jan 2024	Sunny	0.0	94.1	15:00	65.2	68.8	60.4	64.8	70.7	<Baseline Level	75	N/A	Traffic
				15:05	63.4	67.0	56.2						
				15:10	66.4	70.0	59.0						
				15:15	65.0	68.6	59.9						
				15:20	64.2	67.8	58.8						
				15:25	63.6	67.2	58.4						
26 Jan 2024	Sunny	0.0	94.1	8:55	66.9	70.6	62.2	65.6	70.7	<Baseline Level	75	N/A	Traffic
				9:00	64.1	67.8	58.4						
				9:05	65.6	69.3	59.6						
				9:10	65.7	69.4	60.3						
				9:15	64.8	68.5	58.7						
				9:20	65.7	69.4	59.4						

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N16a - Light pole in front of House E, Southern Comfort, Ham Tin

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Action Level	Major Construction Noise	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)			Unit: dB(A), (30-min)					
4 Jan 2024	Sunny	0.0	94.1	9:45	61.3	62.9	45.8	61.4	68.1	<Baseline Level	75	Crane	Traffic
				9:50	63.6	65.2	46.8						
				9:55	60.0	61.6	47.6						
				10:00	60.9	62.5	47.8						
				10:05	61.3	62.9	46.7						
				10:10	60.6	62.2	45.8						
11 Jan 2024	Sunny	0.0	94.1	9:45	61.8	62.3	46.3	60.2	68.1	<Baseline Level	75	N/A	Traffic
				9:50	62.6	63.8	45.2						
				9:55	55.1	57.3	45.7						
				10:00	56.8	58.9	46.2						
				10:05	58.9	61.0	45.5						
				10:10	61.2	63.2	45.6						
17 Jan 2024	Sunny	0.0	94.1	9:45	57.6	59.2	48.1	57.2	68.1	<Baseline Level	75	N/A	Traffic
				9:50	56.4	58.0	46.2						
				9:55	58.2	59.8	45.8						
				10:00	58.2	59.8	47.1						
				10:05	56.2	57.8	45.8						
				10:10	55.7	57.3	46.6						
26 Jan 2024	Sunny	0.0	94.1	11:29	59.6	61.1	48.8	57.6	68.1	<Baseline Level	75	N/A	Traffic
				11:34	56.1	57.6	46.2						
				11:39	56.5	58.0	46.2						
				11:44	58.6	60.1	48.3						
				11:49	57.7	59.2	46.9						
				11:54	55.4	56.9	48.0						

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N16b - Fence in front of 7E Ham Tin San Tsuen, Ham Tin

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level Leq	Baseline Level Leq	Construction Noise Level Leq	Action Level Leq	Major Construction	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)								
4 Jan 2024	Sunny	0.0	94.1	10:20	53.7	55.3	42.0	54.8	68.5	<Baseline Level	75	N/A	Traffic
				10:25	53.5	55.1	42.9						
				10:30	51.1	52.7	42.5						
				10:35	53.9	55.5	43.4						
				10:40	54.9	56.5	44.6						
				10:45	58.2	59.8	45.2						
11 Jan 2024	Sunny	0.0	94.1	10:20	53.5	53.3	40.8	52.9	68.5	<Baseline Level	75	N/A	Traffic
				10:25	52.3	53.8	41.6						
				10:30	47.2	50.1	40.2						
				10:35	48.9	50.4	40.1						
				10:40	52.1	53.6	42.3						
				10:45	56.8	58.3	42.6						
17 Jan 2024	Sunny	0.0	94.1	10:20	51.7	53.3	43.5	52.9	68.5	<Baseline Level	75	N/A	Traffic
				10:25	51.8	53.4	44.9						
				10:30	53.4	55.0	45.2						
				10:35	54.4	56.0	42.5						
				10:40	53.1	54.7	42.6						
				10:45	52.1	53.7	41.4						
26 Jan 2024	Sunny	0.0	94.1	10:52	50.3	51.8	43.9	52.3	68.5	<Baseline Level	75	N/A	Traffic
				10:57	52.1	53.6	45.6						
				11:02	54.7	56.2	45.7						
				11:07	53.7	55.2	44.5						
				11:12	50.9	52.4	44.1						
				11:17	49.6	51.1	43.0						

\* N/A refers to no major construction noise observed during noise monitoring



**Noise Monitoring Result**

**Day Time (0700 - 1900hrs on normal weekdays)**

Location: N17 - Bui O Public School

Date	Weather	Wind Speed	Calibration Check	Time	Measurement Noise Level			Average Noise Level	Baseline Level	Construction Noise Level	Limit Level	Major Construction Noise Source(s)*	Other Noise Source(s)
					Leq	L10	L90						
					Unit: dB(A), (5-min)								
4 Jan 2024	Sunny	0.0	94.1	13:00	55.2	57.8	49.4	53.6	62.3	<Baseline Level	70	N/A	Traffic
				13:05	54.1	56.7	48.2						
				13:10	52.5	55.1	47.0						
				13:15	52.4	55.1	47.6						
				13:20	53.5	56.1	48.5						
				13:25	53.2	55.8	48.2						
11 Jan 2024	Sunny	0.0	94.1	13:00	52.7	54.5	49.5	52.5	62.3	<Baseline Level	65	N/A	Traffic
				13:05	53.5	56.0	48.6						
				13:10	51.4	55.1	46.7						
				13:15	51.0	53.2	47.8						
				13:20	52.2	54.5	49.2						
				13:25	53.6	55.8	48.2						
17 Jan 2024	Sunny	0.0	94.1	13:00	58.3	60.7	48.2	57.0	62.3	<Baseline Level	65	N/A	Traffic
				13:05	57.3	59.7	47.9						
				13:10	56.5	58.9	47.5						
				13:15	56.4	58.8	48.1						
				13:20	57.4	59.8	47.8						
				13:25	55.3	57.7	47.2						
26 Jan 2024	Sunny	0.0	94.1	14:25	57.3	59.9	48.2	54.5	62.3	<Baseline Level	70	N/A	Traffic
				14:30	54.2	57.1	46.7						
				14:35	53.1	56.2	46.2						
				14:40	53.4	56.6	46.2						
				14:45	54.5	57.5	46.6						
				14:50	52.6	55.1	47.7						

\* N/A refers to no major construction noise observed during noise monitoring






***Appendix 5.2***

***Marine Water Quality Monitoring Graphical and Summary of Exceedance Presentations***




Graphic Presentation of WQM Result






Graphic Presentation of WQM Result


Station SR4 - DO



Station SR4 - Turbidity (Depth-average)






SR4- Suspended Solid (Depth-average)






Graphic Presentation of WQM Result






Graphic Presentation of WQM Result


Station SR6 - DO



Station SR6 - Turbidity (Depth-average)




Station SR6 - Suspended Solid (Depth-average)






**Graphic Presentation of WQM Result**


**Station SR9 - DO**



**Station SR9 - Turbidity (Depth-average)**




**Station SR9 - Suspended Solid (Depth Average)**






**Graphic Presentation of WQM Result**


**Station SR10 - DO**



**Station SR10 - Turbidity (Depth-average)**






**Station SR10 - Suspended Solid (Depth-average)**








### Graphic Presentation of WQM Result





Graphic Presentation of WQM Result





## Impact Water Quality Monitoring at Station SR4 (surface) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS		
						°C		-		ppt		%		mg/L		NTU		mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR4	1/11/2023	Cloudy	14:13	3.7	1.0	27.27	27.30	8.61	8.60	30.53	30.46	92.90	90.60	6.36	6.22	6.49	6.43	10.0	9.9	
			14:14	3.7	1.0	27.32		8.59		30.38		89.30		6.08		6.36		9.7		
	3/11/2023	Fine	7:19	3.2	1.0	27.11	27.17	8.91	8.86	30.12	30.09	102.10	102.55	6.99	7.03	2.81	3.12	2.97	4.5	
			7:20	3.2	1.0	27.23		8.90		30.06		103.00		7.06		3.12		3.6		
	6/11/2023	Fine	7:23	3.6	1.0	27.62	27.60	8.45	8.43	29.74	29.69	102.40	105.50	7.06	7.16	1.95	1.82	4.8	5.0	
			7:24	3.6	1.0	27.58		8.41		29.63		108.60		7.26		1.68		5.2		
	8/11/2023	Fine	8:15	3.3	1.0	26.52	26.49	7.65	7.67	30.37	30.30	92.00	92.65	6.44	6.50	4.34	4.54	4.4	4.3	
			8:16	3.3	1.0	26.46		7.69		30.23		93.30		6.55		4.73		4.1		
	10/11/2023	Fine	9:58	3.7	1.0	27.40	27.33	8.90	8.86	30.39	30.47	93.30	93.45	6.37	6.39	7.29	7.16	12.2	9.4	
			9:59	3.7	1.0	27.25		9.01		30.54		93.60		6.40		7.02		6.6		
	13/11/2023	Fine	11:50	3.6	1.0	25.04	25.01	9.17	9.10	30.49	30.37	83.90	83.65	6.06	6.05	7.57	7.48	10.9	11.1	
			11:51	3.6	1.0	24.97		9.03		30.25		83.40		6.03		7.38		11.2		
	15/11/2023	Fine	13:41	2.6	1.0	24.87	24.90	8.28	8.29	30.94	30.84	97.10	96.85	6.76	6.74	6.14	6.13	6.3	6.8	
			13:42	2.6	1.0	24.93		8.30		30.73		96.60		6.72		6.11		7.3		
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	20/11/2023	Fine	7:28	3.6	1.0	23.26	23.16	8.55	8.55	30.24	30.22	85.80	85.20	6.39	6.35	7.15	7.20	4.9	4.8	
			7:29	3.5	1.0	23.07		8.55		30.19		84.60		6.30		7.24		4.6		
	22/11/2023	Fine	7:33	3.7	1.0	23.78	23.84	8.27	8.29	30.64	30.75	88.00	87.40	6.34	6.32	8.04	8.09	8.2	8.0	
			7:34	3.7	1.0	23.90		8.31		30.86		86.80		6.29		8.14		7.8		
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	27/11/2023	Fine	11:23	3.8	1.0	24.40	24.26	8.59	8.50	30.99	30.96	95.00	96.35	6.78	6.89	7.59	7.71	7.4	7.2	
			11:24	3.8	1.0	24.12		8.41		30.93		97.70		6.99		7.82		7.0		
	29/11/2023	Fine	13:23	3.7	1.0	23.54	23.64	8.82	8.90	31.16	31.09	95.20	94.80	6.47	6.43	4.74	4.71	5.8	5.9	
			13:24	3.7	1.0	23.73		8.98		31.02		94.40		6.38		4.68		6.0		

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station SR4 (surface) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS		
						°C		-		ppt		%		mg/L		NTU		mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR4	1/11/2023	Cloudy	8:46	3.3	1.0	27.02	27.06	7.93	7.93	30.18	30.20	99.60	96.55	6.86	6.66	7.05	6.95	10.9	10.7	
			8:47	3.3	1.0	27.10		7.92		30.21		93.50		6.46		6.85		10.5		
	3/11/2023	Fine	15:39	3.7	1.0	27.21	27.19	8.99	8.99	30.53	30.49	100.20	100.50	6.74	6.76	3.96	3.84	6.2	5.8	
			15:40	3.7	1.0	27.17		8.98		30.44		100.80		6.78		3.72		5.3		
	6/11/2023	Fine	16:59	2.8	1.0	27.81	27.79	8.37	8.35	29.72	29.79	93.20	93.40	6.33	6.44	0.63	0.89	2.5	2.6	
			17:00	2.8	1.0	27.76		8.33		29.85		93.60		6.54		1.15		2.7		
	8/11/2023	Fine	16:19	3.1	1.0	26.57	26.61	8.13	8.13	29.91	29.85	92.70	91.55	6.44	6.33	3.47	3.55	5.3	5.4	
			16:20	3.1	1.0	26.64		8.12		29.78		90.40		6.22		3.62		5.5		
	10/11/2023	Fine	16:52	3.3	1.0	27.35	27.24	9.12	9.25	29.96	29.98	90.60	90.85	6.23	6.26	2.41	2.64	2.9	2.8	
			16:53	3.3	1.0	27.12		9.37		29.99		91.10		6.28		2.87		2.6		
	13/11/2023	Fine	17:46	3.3	1.0	25.58	25.65	8.18	8.16	30.45	30.52	86.50	87.20	6.17	6.23	6.00	6.06	8.0	8.2	
			17:47	3.3	1.0	25.71		8.13		30.59		87.90		6.28		6.12		8.4		
	15/11/2023	Fine	7:48	3.2	1.0	24.71	24.64	8.23	8.24	30.67	30.74	89.00	90.75	6.36	6.46	7.86	7.79	8.6	8.6	
			7:49	3.2	1.0	24.56		8.24		30.80		92.50		6.55		7.72		8.6		
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	20/11/2023	Fine	14:37	3.3	1.0	23.24	23.35	8.31	8.32	30.79	30.88	95.80	95.00	6.75	6.74	5.64	5.47	4.4	4.6	
			14:38	3.3	1.0	23.45		8.33		30.97		94.20		6.73		5.29		4.8		
	22/11/2023	Fine	15:10	2.4	1.0	24.31	24.19	8.84	8.83	30.98	30.94	91.80	91.05	6.51	6.49	6.62	6.73	5.9	5.7	
			15:11	2.4	1.0	24.06		8.81		30.90		90.30		6.46		6.84		5.5		
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	27/11/2023	Fine	17:31	3.5	1.0	24.51	24.44	8.92	8.84	31.29	31.20	93.40	93.70	6.63	6.65	6.41	6.29	7.8	7.9	
			17:32	3.5	1.0	24.36		8.75		31.11		94.00		6.66		6.17		8.0		
	29/11/2023	Fine	7:56	3.2	1.0	23.81	23.88	9.32	9.23	31.22	31.21	94.00	92.70	6.44	6.34	5.13	5.18	6.8	6.7	
			7:57	3.2	1.0	23.94		9.14		31.19		91.40		6.24		5.23		6.6		

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR4 (Bottom) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
SR4	1/11/2023	Cloudy	14:15	3.7	2.7	27.34	27.31	8.38	8.37	30.63	30.53	97.00	93.30	6.27	6.26	7.01	6.95	10.3	10.6		
			14:16	3.7	2.7	27.27		8.35		30.42		89.60		6.24		6.98		10.8			
	3/11/2023	Fine	7:21	3.2	2.2	27.11	27.17	8.75	8.78	30.20	30.14	100.60	101.35	6.79	6.84	2.67	2.54	4.0	3.9		
			7:22	3.2	2.2	27.23		8.80		30.07		102.10		6.99		2.41		3.8			
	6/11/2023	Fine	7:25	3.6	2.6	27.63	27.60	8.40	8.39	29.79	29.85	106.00	105.60	7.03	7.01	1.92	1.78	6.2	6.5		
			7:26	3.6	2.6	27.57		8.38		29.91		105.20		6.98		1.64		6.7			
	8/11/2023	Fine	8:17	3.7	2.7	26.39	26.46	7.68	7.69	30.46	30.53	87.70	88.45	6.18	6.24	6.03	6.11	5.4	5.2		
			8:18	3.3	2.3	26.53		7.70		30.59		89.20		6.30		6.18		5.0			
	10/11/2023	Fine	10:00	3.7	2.7	27.22	27.17	8.90	8.89	30.40	30.30	99.10	99.45	6.66	6.69	7.37	7.31	7.4	7.9		
			10:01	3.7	2.7	27.12		8.87		30.19		99.80		6.71		7.24		8.4			
	13/11/2023	Fine	11:52	3.6	2.6	25.06	25.13	9.02	9.09	30.37	30.30	88.34	88.57	6.32	6.35	7.37	7.45	9.2	9.0		
			11:53	3.6	2.6	25.19		9.16		30.23		88.80		6.37		7.52		8.8			
	15/11/2023	Fine	13:42	0.0	1.6	24.94	25.01	8.35	8.34	31.11	31.04	90.50	90.00	6.44	6.43	6.02	6.13	7.4	7.8		
			13:43	2.6	1.6	25.08		8.32		30.97		89.50		6.41		6.23		8.1			
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	20/11/2023	Fine	7:30	3.5	2.5	23.29	23.20	8.61	8.62	30.19	30.35	86.90	86.40	6.42	6.45	7.18	7.21	7.0	6.8		
			7:31	3.5	2.5	23.11		8.62		30.50		86.90		6.47		7.23		6.6			
	22/11/2023	Fine	7:35	3.7	2.7	23.86	23.90	8.44	8.43	30.59	30.74	88.10	87.70	6.35	6.32	7.11	7.18	6.9	7.1		
			7:36	3.7	2.7	23.94		8.42		30.89		87.30		6.29		7.25		7.2			
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	27/11/2023	Fine	11:25	3.8	2.8	24.16	24.21	8.50	8.43	30.77	30.90	92.90	92.30	6.67	6.64	7.47	7.67	9.6	9.3		
			11:26	3.8	2.8	24.25		8.36		31.02		91.70		6.61		7.86		9.0			
	29/11/2023	Fine	13:25	3.7	2.7	23.67	23.63	9.00	8.97	31.40	31.35	89.60	90.55	6.19	6.21	4.40	4.39	4.3	4.5		
			13:26	3.7	2.7	23.58		8.94		31.29		91.50		6.23		4.38		4.7			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR4 (Bottom) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG		
SR4	1/11/2023	Cloudy	8:48	3.3	2.3	27.06	27.08	7.91	7.92	30.03	30.10	94.50	94.80	6.56	6.58	7.17	7.25	11.2	11.3		
			8:49	3.3	2.3	27.10		7.92		30.16		95.10		6.60		7.32		11.4			
	3/11/2023	Fine	15:41	3.7	2.7	27.20	27.16	8.91	8.96	30.29	30.23	93.10	92.45	6.40	6.32	3.45	3.37	4.8	5.1		
			15:42	3.7	2.7	27.15		9.00		30.16		91.80		6.23		3.28		5.3			
	6/11/2023	Fine	17:00	2.8	1.8	27.94	27.92	8.39	8.38	30.35	30.26	93.30	93.90	6.43	6.49	0.05	0.15	2.4	2.4		
			17:01	2.8	1.8	27.90		8.37		30.17		94.50		6.54		0.25		2.3			
	8/11/2023	Fine	16:21	3.1	2.1	26.39	26.48	8.14	8.16	29.95	29.89	90.20	91.00	6.35	6.40	3.75	3.63	7.2	7.2		
			16:22	3.1	2.1	26.56		8.17		29.82		91.80		6.45		3.50		7.1			
	10/11/2023	Fine	16:54	3.3	2.3	27.18	27.13	8.20	8.19	30.28	30.22	90.90	91.20	6.22	6.25	2.36	2.45	3.4	3.7		
			16:55	3.3	2.3	27.08		8.18		30.15		91.50		6.27		2.54		4.0			
	13/11/2023	Fine	17:48	3.3	2.3	25.71	25.61	8.24	8.24	30.47	30.42	86.30	87.35	6.33	6.30	6.25	6.34	7.7	7.5		
			17:49	3.3	2.3	25.51		8.20		30.37		86.40		6.27		6.42		7.2			
	15/11/2023	Fine	7:50	3.2	2.2	24.67	24.76	8.36	8.36	31.01	31.16	90.30	89.20	6.43	6.37	7.47	7.32	8.6	8.2		
			7:51	3.2	2.2	24.85		8.35		31.31		88.10		6.30		7.17		7.7			
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	20/11/2023	Fine	14:39	3.3	2.3	23.74	23.62	8.35	8.36	30.00	30.12	83.20	82.50	6.26	6.24	5.63	5.46	5.6	5.8		
			14:40	3.3	2.3	23.49		8.36		30.24		81.80		6.21		5.29		6.0			
	22/11/2023	Fine	15:11	2.4	1.4	24.26	24.16	8.94	8.93	30.75	30.63	88.30	87.50	6.42	6.36	6.24	6.44	6.2	6.4		
			15:12	2.4	1.4	24.05		8.91		30.51		86.70		6.30		6.64		6.5			
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	27/11/2023	Fine	17:33	3.5	2.5	24.28	24.35	8.85	8.81	31.43	31.34	99.90	99.50	7.04	7.02	6.59	6.43	6.6	6.6		
			17:34	3.5	2.5	24.41		8.76		31.24		99.10		7.00		6.27		6.5			
	29/11/2023	Fine	7:58	3.2	2.2	23.72	23.65	9.22	9.19	31.37	31.42	89.60	90.35	6.16	6.19	5.76	5.85	8.8	8.6		
			7:59	3.2	2.2	23.57		9.15		31.46		91.10		6.21		5.94		8.4			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station SR5 (surface) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						WQM was cancelled due to adverse weather															
SR5	1/11/2023	Cloudy	14:04	4.1	1.0	27.42	27.38	8.37	8.36	30.45	30.41	92.00	93.15	6.21	6.29	6.59	6.94	11.1	11.4		
			14:05	4.1	1.0	27.33	8.34	30.37	94.30	6.37	7.29	6.59	6.94	11.1	11.4						
	3/11/2023	Fine	7:27	3.5	1.0	27.24	27.25	8.80	8.85	30.16	30.14	95.70	94.80	6.85	6.52	1.87	1.94	2.5	3.3		
			7:28	3.5	1.0	27.25	8.89	30.10	93.90	6.59	2.01	3.5	3.5								
	6/11/2023	Fine	7:35	3.9	1.0	27.53	27.62	8.37	8.35	29.98	29.90	93.30	93.60	6.33	6.35	1.57	1.77	6.6	6.9		
			7:36	3.9	1.0	27.70	8.32	29.81	93.90	6.37	1.97	7.1	7.1								
	8/11/2023	Fine	10:11	4.0	1.0	25.79	25.68	7.71	7.74	30.21	30.13	96.10	96.60	6.55	6.59	3.86	3.89	3.8	4.0		
			8:27	4.0	1.0	25.56	7.76	30.05	97.10	6.62	3.92	4.2	4.2								
	10/11/2023	Fine	10:11	4.0	1.0	27.39	27.34	8.94	8.97	30.29	30.20	101.70	102.00	6.82	6.84	6.05	6.15	6.9	7.1		
			10:12	4.0	1.0	27.28	9.00	30.10	102.30	6.85	6.24	7.2	7.2								
	13/11/2023	Fine	12:02	3.9	1.0	25.57	25.52	9.08	9.06	30.34	30.24	92.00	92.15	6.39	6.40	6.47	6.35	7.4	7.4		
			12:03	3.9	1.0	25.47	9.04	30.13	92.30	6.41	6.22	7.4	7.4								
	15/11/2023	Fine	13:33	0.0	1.0	24.81	24.91	8.41	8.42	30.90	30.95	98.80	97.90	6.87	6.75	6.24	6.38	5.9	6.0		
			13:34	4.0	1.0	25.00	8.42	30.99	97.00	6.63	6.51	6.0	6.0								
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	20/11/2023	Fine	7:37	3.7	1.0	23.12	23.21	8.65	8.65	30.72	30.84	83.70	83.50	6.21	6.20	6.22	6.23	6.2	6.4		
			7:38	3.7	1.0	23.30	8.65	30.95	83.30	6.18	6.24	6.6	6.6								
	22/11/2023	Fine	7:42	4.0	1.0	24.45	24.33	8.38	8.37	31.81	31.36	94.70	95.80	6.74	6.77	5.29	5.50	5.0	4.9		
			7:43	4.0	1.0	24.20	8.35	30.90	96.90	6.80	5.70	4.8	4.8								
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	27/11/2023	Fine	11:35	3.9	1.0	24.37	24.31	8.71	8.65	31.17	31.10	90.10	90.75	6.48	6.52	7.79	7.52	8.0	7.8		
			11:36	3.9	1.0	24.25	8.59	31.03	91.40	6.55	7.25	7.6	7.6								
	29/11/2023	Fine	13:15	4.2	1.0	23.64	23.76	9.05	9.08	31.27	31.39	95.20	94.80	6.47	6.43	5.84	5.75	4.7	4.8		
13:16			4.2	1.0	23.88	9.11	31.51	94.40	6.38	5.66	4.9	4.9									

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station SR5 (surface) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						WQM was cancelled due to adverse weather															
SR5	1/11/2023	Cloudy	8:58	3.8	1.0	27.13	27.17	7.79	7.78	30.57	30.53	103.50	103.35	7.08	7.08	6.86	6.73	11.9	12.2		
			8:59	3.8	1.0	27.21	7.77	30.49	103.20	7.07	6.59	12.4	12.4								
	3/11/2023	Fine	15:31	3.9	1.0	27.19	27.19	9.05	9.03	30.11	30.06	95.50	94.85	6.31	6.28	3.49	3.31	4.0	4.0		
			15:32	3.9	1.0	27.19	9.00	30.00	94.20	6.24	3.12	3.9	3.9								
	6/11/2023	Fine	16:51	4.1	1.0	27.78	27.82	8.39	8.37	29.49	29.49	91.10	92.35	6.20	6.37	1.79	1.71	2.8	2.7		
			16:52	4.1	1.0	27.85	8.34	29.53	93.60	6.53	1.62	2.6	2.6								
	8/11/2023	Fine	16:11	3.6	1.0	26.72	26.65	8.16	8.15	30.29	30.36	93.60	93.25	6.51	6.45	2.84	2.65	3.9	4.1		
			16:12	3.6	1.0	26.58	8.13	30.43	92.90	6.39	2.46	4.3	4.3								
	10/11/2023	Fine	16:44	3.7	1.0	27.25	27.16	8.12	8.14	29.97	29.91	97.50	98.05	6.59	6.63	1.51	1.75	2.3	2.4		
			16:45	3.7	1.0	27.07	8.15	29.84	98.60	6.66	1.98	2.4	2.4								
	13/11/2023	Fine	17:38	3.5	1.0	25.52	25.51	8.20	8.18	30.44	30.38	96.40	95.25	6.65	6.60	5.03	4.98	7.4	7.2		
			17:39	3.5	1.0	25.49	8.16	30.31	94.10	6.54	4.92	7.0	7.0								
	15/11/2023	Fine	7:55	3.7	1.0	24.74	24.82	8.31	8.32	30.89	30.81	89.20	88.80	6.42	6.34	7.09	7.12	7.0	7.6		
			7:56	3.7	1.0	24.90	8.33	30.73	88.40	6.25	7.15	8.1	8.1								
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	20/11/2023	Fine	14:29	3.5	1.0	23.36	23.50	8.16	8.18	31.30	31.24	88.20	88.00	6.50	6.48	5.94	5.84	4.4	4.5		
			14:30	3.5	1.0	23.64	8.20	31.17	87.80	6.46	5.74	4.6	4.6								
	22/11/2023	Fine	15:02	3.6	1.0	24.35	24.27	8.95	8.88	30.28	30.16	95.50	93.95	6.63	6.51	5.13	5.25	3.0	3.2		
			15:03	3.6	1.0	24.18	8.81	30.03	92.40	6.39	5.37	3.3	3.3								
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	27/11/2023	Fine	17:23	3.7	1.0	24.48	24.55	8.74	8.81	31.17	31.23	98.20	97.20	6.93	6.86	5.48	5.59	5.4	5.6		
			17:24	3.7	1.0	24.61	8.88	31.29	96.20	6.79	5.69	5.8	5.8								
	29/11/2023	Fine	8:04	3.8	1.0	23.60	23.66	9.16	9.19	31.41	31.34	92.10	91.25	6.32	6.26	6.12	6.22	6.4	6.4		
8:05			3.8	1.0	23.72	9.21	31.26	90.40	6.20	6.31	6.3	6.3									

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR5 (Bottom) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS		
						°C		-		ppt		%		mg/L		NTU		mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR5	1/11/2023	Cloudy	14:07	4.1	3.1	27.41	26.47	8.35	8.35	30.32	30.27	89.60	90.65	6.24	6.27	7.12	7.06	10.8	10.8	
			14:08	4.1	3.1	25.53		8.35		30.21		91.70		6.29		7.00		10.7		
	3/11/2023	Fine	7:29	3.5	2.5	27.08	27.13	8.72	8.76	30.31	30.48	99.40	98.60	6.70	6.65	2.65	2.73	4.1	3.8	
			7:30	3.5	2.5	27.16		8.80		30.48		97.80		6.60		2.81		3.4		
	6/11/2023	Fine	7:37	3.9	2.9	27.75	27.71	8.42	8.42	29.83	29.81	102.40	102.50	6.82	6.84	2.95	2.99	8.2	8.0	
			7:38	3.9	2.9	27.67		8.41		29.78		102.60		6.85		3.02		7.8		
	8/11/2023	Fine	8:29	4.0	3.0	26.42	26.52	7.43	7.46	30.08	30.14	90.10	89.15	6.24	6.19	4.01	3.85	5.1	5.0	
			8:30	4.0	3.0	26.61		7.49		30.20		88.20		6.13		3.69		4.8		
	10/11/2023	Fine	10:14	4.0	3.0	27.52	27.45	8.82	8.86	30.56	30.64	90.40	93.40	6.43	6.50	7.25	7.15	6.3	6.2	
			10:15	4.0	3.0	27.38		8.90		30.72		96.40		6.56		7.04		6.0		
	13/11/2023	Fine	12:04	3.9	2.9	25.78	25.71	9.19	9.15	30.42	30.36	99.80	100.35	6.81	6.87	6.27	6.36	8.1	8.0	
			12:05	3.9	3.0	25.64		9.11		30.29		100.90		6.92		6.44		7.8		
	15/11/2023	Fine	13:36	0.0	3.0	24.78	24.86	8.46	8.48	31.21	31.13	97.50	97.00	6.64	6.61	5.34	5.54	6.6	6.4	
			13:37	4.0	3.0	24.94		8.49		31.05		96.50		6.58		5.74		6.1		
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	20/11/2023	Fine	7:39	3.7	2.7	23.51	23.55	8.32	8.35	30.78	30.85	91.10	90.65	6.75	6.73	7.03	7.11	7.2	7.4	
			7:40	3.7	2.7	23.50		8.37		30.92		90.20		6.70		7.19		7.5		
	22/11/2023	Fine	7:45	4.0	3.0	24.38	24.29	8.30	8.32	31.39	31.25	90.00	89.10	6.51	6.47	5.61	5.52	3.9	4.1	
			7:46	4.0	3.0	24.20		8.33		31.10		88.20		6.42		5.43		4.2		
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	27/11/2023	Fine	11:37	3.9	2.9	24.24	24.32	8.62	8.56	31.16	31.27	90.90	91.25	6.63	6.66	7.32	7.56	9.2	8.9	
			11:38	3.9	2.9	24.39		8.49		31.37		91.60		6.69		7.80		8.6		
	29/11/2023	Fine	13:18	4.2	3.2	23.65	23.74	9.11	9.11	31.59	31.36	97.60	98.00	6.48	6.50	5.58	5.76	4.2	4.2	
			13:19	4.2	3.2	23.83		9.14		31.12		98.40		6.51		5.94		4.1		

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR5 (Bottom) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS		
						°C		-		ppt		%		mg/L		NTU		mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR5	1/11/2023	Cloudy	9:00	3.8	2.8	27.20	27.17	7.81	7.83	30.44	30.40	98.40	98.20	6.68	6.67	7.07	6.78	11.3	11.1	
			9:01	3.8	2.8	27.13		7.84		30.35		98.00		6.66		6.49		10.9		
	3/11/2023	Fine	15:33	3.9	2.9	27.21	27.19	8.95	8.96	29.90	29.87	101.10	101.20	6.78	6.80	2.78	2.61	4.0	4.1	
			15:34	3.9	2.9	27.17		8.97		29.84		101.30		6.81		2.44		4.1		
	6/11/2023	Fine	16:54	4.1	3.1	27.74	27.83	8.32	8.36	29.87	29.89	97.30	96.85	6.47	6.42	1.37	1.14	4.1	4.3	
			16:55	4.1	3.1	27.91		8.39		29.91		96.40		6.36		0.91		4.4		
	8/11/2023	Fine	16:13	3.6	2.6	26.63	26.63	8.20	8.21	29.78	29.82	88.70	88.10	6.23	6.16	2.48	2.53	5.2	5.4	
			16:14	3.6	2.6	26.63		8.22		29.86		87.50		6.08		2.57		5.6		
	10/11/2023	Fine	16:46	3.7	2.7	27.36	27.26	8.14	8.13	30.09	30.04	91.90	92.00	6.25	6.28	2.62	2.45	3.2	3.3	
			16:47	3.7	2.7	27.16		8.12		29.98		92.10		6.31		2.27		3.4		
	13/11/2023	Fine	17:40	3.5	2.5	25.47	25.41	8.24	8.21	30.51	30.57	93.40	93.45	6.48	6.49	5.96	5.64	9.5	9.4	
			17:41	3.5	2.5	25.35		8.17		30.62		93.50		6.50		5.32		9.2		
	15/11/2023	Fine	7:57	3.7	2.7	24.69	24.79	8.38	8.38	30.45	30.60	91.60	90.15	6.47	6.37	7.45	7.32	7.3	7.7	
			7:58	3.7	2.7	24.89		8.38		30.75		88.70		6.26		7.19		8.0		
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	20/11/2023	Fine	14:31	3.5	2.5	23.55	23.55	8.25	8.24	30.74	30.85	86.10	87.40	6.28	6.33	5.94	5.89	5.0	5.1	
			14:32	3.5	2.5	23.55		8.22		30.95		88.70		6.37		5.83		5.2		
	22/11/2023	Fine	15:04	3.6	2.6	24.13	24.05	8.98	8.92	30.62	30.76	88.30	89.40	6.34	6.38	6.95	6.78	5.3	5.6	
			15:05	3.6	2.6	23.97		8.86		30.90		90.50		6.41		6.60		5.8		
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	27/11/2023	Fine	17:25	3.7	2.7	24.27	24.32	8.62	8.69	31.19	31.30	89.20	88.95	6.30	6.23	5.38	5.48	7.2	7.4	
			17:26	3.7	2.7	24.36		8.75		31.41		88.70		6.15		5.57		7.5		
	29/11/2023	Fine	8:06	3.8	2.8	23.91	23.89	9.19	9.24	31.11	31.16	93.60	93.20	6.38	6.36	5.76	5.83	5.1	5.3	
			8:07	3.8	2.8	23.87		9.29		31.21		92.80		6.33		5.90		5.5		

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR6 (Middle) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
SR6	1/11/2023	Cloudy	13:55	2.7	1.4	27.41				8.69	8.68	30.35	30.42	96.30	6.47	6.34	6.93	6.90	9.8	10.1	
			13:56	2.7	1.4	27.53	27.47	8.67		30.48		91.50	93.90	6.21		6.87	6.90	10.3			
	3/11/2023	Fine	7:28	2.3	1.2	27.31	27.26	8.80	8.88	30.36	30.41	96.50	95.80	6.69	6.61	1.44	1.71	4.4	3.9		
			7:39	2.3	1.2	27.21		8.95		30.45		95.10		6.53		1.97		3.3			
	6/11/2023	Fine	7:46	2.4	1.2	27.49	27.60	8.49	8.50	29.80	29.89	102.50	100.50	6.84	6.78	2.23	2.15	2.7	2.9		
			7:47	2.4	1.2	27.70		8.51		29.97		98.50		6.72		2.06		3.1			
	8/11/2023	Fine	8:37	2.6	1.3	26.49	26.56	7.82	7.83	30.78	30.84	87.90	89.25	6.18	6.25	2.93	2.87	3.4	3.3		
			8:38	2.6	1.3	26.63		7.84		30.90		90.60		6.32		2.80		3.2			
	10/11/2023	Fine	10:22	2.6	1.3	27.38	27.34	9.02	9.09	30.96	30.99	90.70	92.95	6.43	6.50	6.25	6.17	6.4	6.2		
			10:23	2.6	1.3	27.29		9.15		31.02		95.20		6.56		6.09		6.0			
	13/11/2023	Fine	12:12	2.6	1.3	25.62	25.69	9.12	9.19	30.57	30.48	87.10	87.40	6.18	6.20	5.51	5.62	7.2	7.3		
			12:13	2.6	1.4	25.75		9.26		30.38		87.70		6.22		5.73		7.4			
	15/11/2023	Fine	13:23	0.0	1.4	24.62	24.50	8.38	8.38	31.29	31.35	94.20	95.60	6.59	6.67	5.04	5.14	5.8	5.7		
			13:24	2.7	1.4	24.37		8.37		31.41		97.00		6.74		5.23		5.5			
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	20/11/2023	Fine	7:44	2.4	1.2	23.73	23.63	8.57	8.54	30.71	30.78	86.90	86.05	6.42	6.37	6.38	6.25	5.1	5.2		
			7:45	2.4	1.2	23.52		8.51		30.84		85.20		6.31		6.12		5.2			
	22/11/2023	Fine	7:52	2.6	1.3	24.18	24.30	8.45	8.47	31.22	31.32	90.60	89.65	6.51	6.48	4.92	4.79	3.6	3.4		
			7:53	2.6	1.3	24.42		8.49		31.42		88.70		6.44		4.65		3.2			
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	27/11/2023	Fine	11:45	2.5	1.3	24.50	24.41	8.43	8.53	31.14	31.30	88.40	87.40	6.56	6.45	7.45	7.56	7.1	7.3		
			11:46	2.5	1.3	24.32		8.63		31.45		86.40		6.34		7.67		7.4			
	29/11/2023	Fine	13:06	2.7	1.4	23.87	23.73	9.00	8.99	31.24	31.31	93.90	93.80	6.38	6.38	5.84	5.89	5.2	5.0		
			13:07	2.7	1.4	23.59		8.97		31.37		93.70		6.37		5.93		4.8			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR6 (Middle) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR6	1/11/2023	Cloudy	9:08	2.5	1.3	27.31	27.25	7.84	7.82	30.26	30.32	99.90	99.90	6.78	6.62	6.70	6.93	10.0	10.2	
			9:09	2.5	1.3	27.18		7.80		30.37		93.10	96.50	6.46	6.62	7.15	6.93	10.4		
	3/11/2023	Fine	15:22	2.6	1.3	27.19	27.18	8.87	8.89	30.33	30.26	101.00	101.85	6.75	6.91	1.94	2.10	4.0	3.9	
			15:23	2.6	1.3	27.16		8.91		30.19		102.70		7.07		2.25		3.8		
	6/11/2023	Fine	16:42	2.6	1.3	27.71	27.77	8.26	8.28	29.57	29.65	97.30	96.85	6.49	6.45	2.67	2.86	6.9	6.7	
			16:43	2.6	1.3	27.83		8.30		29.72		96.40	96.85	6.40	6.45	3.05	3.05	6.5		
	8/11/2023	Fine	16:02	2.3	1.2	26.70	26.63	8.39	8.36	30.04	29.99	89.10	88.20	6.30	6.23	2.13	2.25	3.8	3.7	
			16:03	2.3	1.2	26.55		8.32		29.93		87.30		6.16		2.36		3.5		
	10/11/2023	Fine	16:35	2.3	1.2	27.05	27.12	8.08	8.09	29.70	29.81	92.00	91.60	6.28	6.24	4.01	3.65	3.0	2.9	
			16:36	2.3	1.2	27.19		8.10		29.92		91.20		6.20		3.28		2.7		
	13/11/2023	Fine	17:29	2.3	1.2	25.57	25.60	8.20	8.20	30.43	30.51	95.90	96.25	6.54	6.58	5.17	5.30	7.6	7.8	
			17:30	2.3	1.2	25.62		8.20		30.59		96.60		6.62		5.43		8.0		
	15/11/2023	Fine	8:04	2.3	1.2	24.78	24.85	8.37	8.38	30.88	30.84	88.10	89.30	6.45	6.47	6.87	6.83	6.2	5.9	
			8:05	2.3	1.2	24.91		8.38		30.79		90.50		6.48		6.79		5.6		
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	20/11/2023	Fine	14:20	2.3	1.2	23.49	23.38	8.18	8.18	30.67	30.83	88.10	87.30	6.36	6.33	6.70	6.64	4.0	4.2	
			14:21	2.3	1.2	23.26		8.17		30.99		86.50		6.29		6.57		4.4		
	22/11/2023	Fine	14:53	2.3	1.2	24.43	24.32	8.73	8.73	30.73	30.84	97.10	96.30	6.78	6.68	5.27	5.17	3.8	3.9	
			14:54	2.3	1.2	24.20		8.73		30.95		95.50		6.58		5.06		3.9		
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	27/11/2023	Fine	17:14	2.3	1.2	24.57	24.48	8.75	8.80	30.67	30.76	92.70	92.40	6.61	6.59	5.81	5.64	4.8	5.0	
			17:15	2.3	1.2	24.39		8.84		30.85		92.10		6.57		5.47		5.2		
	29/11/2023	Fine	8:13	2.4	1.2	23.63	23.70	9.04	9.08	31.57	31.52	89.80	89.05	6.31	6.27	7.24	7.31	6.5	6.6	
			8:14	2.4	1.2	23.77		9.11		31.46		88.30		6.23		7.37		6.6		

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR9 (surface) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value
SR9	1/11/2023	Cloudy	13:42	4.2	1.0	27.35	27.32	8.45	8.46	30.24	30.28	95.30	93.20	6.44	6.33	5.52	5.71	10.2	10.0	
			13:43	4.2	1.0	27.29		8.46		30.22		91.10		6.21		5.89		9.7		
	3/11/2023	Fine	7:53	3.7	1.0	27.31	27.28	9.04	9.06	30.38	30.33	100.70	98.90	6.72	6.68	5.68	5.58	6.9	6.5	
			7:54	3.7	1.0	27.24		9.07		30.27		97.10		6.63		5.47		6.1		
	6/11/2023	Fine	8:01	3.8	1.0	27.99	27.92	7.98	7.95	29.41	29.46	94.80	94.15	6.47	6.43	2.17	2.04	4.3	4.5	
			8:02	3.8	1.0	27.85		7.92		29.50		93.50		6.38		1.91		4.6		
	8/11/2023	Fine	8:51	4.1	1.0	26.54	26.59	7.49	7.46	29.85	29.80	93.20	93.00	6.41	6.39	3.31	3.44	3.8	3.7	
			8:52	4.1	1.0	26.63		7.42		29.74		92.80		6.37		3.57		3.5		
	10/11/2023	Fine	10:37	4.0	1.0	27.15	27.04	8.92	8.90	30.49	30.38	98.60	98.15	6.38	6.42	3.04	2.82	5.0	4.9	
			10:38	4.0	1.0	26.93		8.87		30.27		97.70		6.46		2.59		4.7		
	13/11/2023	Fine	12:27	4.0	1.0	25.72	25.64	9.36	9.39	30.47	30.40	90.10	91.70	6.33	6.42	6.27	6.42	7.7	7.9	
			12:28	4.0	1.0	25.56		9.42		30.33		93.30		6.51		6.57		8.0		
	15/11/2023	Fine	13:08	0.0	1.0	25.21	25.15	8.57	8.57	31.25	31.14	89.90	89.65	6.28	6.36	7.97	7.91	14.7	14.3	
			13:09	4.2	1.0	25.09		8.56		31.03		89.40		6.43		7.84		13.8		
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	20/11/2023	Fine	7:59	3.7	1.0	23.59	23.69	8.55	8.55	31.25	31.14	89.00	89.75	6.41	6.43	7.24	7.33	6.9	6.7	
			8:00	3.7	1.0	23.79		8.55		31.03		90.50		6.44		7.42		6.4		
	22/11/2023	Fine	8:05	4.2	1.0	24.49	24.40	8.37	8.38	32.27	31.39	92.20	92.60	6.62	6.70	4.27	4.46	3.4	3.2	
			8:06	4.2	1.0	24.31		8.38		30.50		93.00		6.77		4.65		3.0		
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	27/11/2023	Fine	11:59	4.1	1.0	24.27	24.37	8.85	8.82	30.21	30.15	91.40	93.55	6.48	6.55	7.37	7.50	7.3	7.5	
			12:00	4.1	1.0	24.46		8.79		30.09		95.70		6.62		7.62		7.6		
	29/11/2023	Fine	12:53	4.1	1.0	24.04	24.00	9.24	9.19	30.27	30.23	88.00	88.65	6.05	6.07	6.54	6.46	5.5	5.4	
			12:54	4.1	1.0	23.96		9.14		30.19		89.30		6.09		6.38		5.2		

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR9 (surface) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR9	1/11/2023	Cloudy	9:23	3.9	1.0	27.56	27.63	7.44	7.46	30.33	30.38	89.90	91.50	6.09	6.18	6.97	7.03	10.8	10.6	
			9:24	3.9	1.0	27.70		7.47		30.42		93.10		6.27		7.09		10.4		
	3/11/2023	Fine	15:07	4.1	1.0	27.35	27.33	8.84	9.78	29.30	29.63	99.70	99.45	7.45	7.65	4.85	4.54	6.9	6.4	
			15:08	4.1	1.0	27.30		9.71		29.95		99.20		7.85		4.22		5.9		
	6/11/2023	Fine	16:27	4.0	1.0	27.95	27.92	8.27	8.26	29.29	29.22	98.90	99.00	6.59	6.63	1.39	1.42	7.5	7.4	
			16:28	4.0	1.0	27.88		8.25		29.15		99.10		6.66		1.44		7.3		
	8/11/2023	Fine	15:48	3.8	1.0	26.75	26.69	8.48	8.46	30.17	30.11	97.60	97.60	6.61	6.64	2.34	2.49	4.5	4.6	
			15:49	3.8	1.0	26.62		8.44		30.04		98.10		6.67		2.64		4.7		
	10/11/2023	Fine	16:22	3.8	1.0	30.12	30.05	8.11	8.12	30.34	30.24	88.90	88.80	6.16	6.16	2.85	2.73	4.4	4.6	
			16:23	3.8	1.0	29.98		8.12		30.14		88.70		6.15		2.60		4.7		
	13/11/2023	Fine	17:14	3.8	1.0	25.84	25.87	8.22	8.24	30.40	30.36	93.90	93.50	6.37	6.33	5.53	5.63	8.5	8.7	
			17:15	3.8	1.0	25.90		8.25		30.32		93.10		6.29		5.73		8.8		
	15/11/2023	Fine	8:19	3.9	1.0	24.85	24.91	8.29	8.30	30.81	30.74	87.40	89.05	6.28	6.38	7.98	8.04	13.7	13.6	
			8:20	3.9	1.0	24.96		8.30		30.67		90.70		6.48		8.09		13.5		
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	20/11/2023	Fine	14:06	3.5	1.0	23.62	23.75	8.42	8.41	30.52	30.65	86.90	87.65	6.33	6.38	5.62	5.80	6.1	6.3	
			14:07	3.5	1.0	23.88		8.40		30.78		88.40		6.42		5.98		6.4		
	22/11/2023	Fine	14:38	3.8	1.0	24.43	24.36	8.56	8.55	30.94	31.00	90.00	90.10	6.55	6.56	4.05	3.92	4.3	4.2	
			14:39	3.8	1.0	24.28		8.54		31.00		90.20		6.56		3.78		4.0		
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	27/11/2023	Fine	17:00	3.8	1.0	24.26	24.37	8.91	8.97	30.84	30.90	89.60	90.10	6.45	6.48	6.47	6.66	7.6	7.8	
			17:01	3.8	1.0	24.47		9.02		30.95		90.60		6.50		6.84		7.9		
	29/11/2023	Fine	8:26	3.9	1.0	23.83	26.42	9.06	9.00	31.21	31.29	97.00	97.70	6.53	6.54	7.88	7.53	5.9	5.7	
			8:27	3.9	1.0	29.01		8.94		31.36		98.40		6.55		7.98		5.4		

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR9 (Bottom) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
SR9	1/11/2023	Cloudy	13:45	4.2	3.2	27.18	27.24	8.40	8.39	30.76	30.79	92.60	92.60	6.30	6.32	6.30	6.22	10.8	10.6		
			13:46	4.2	3.2	27.29		8.38		30.82		95.40		6.47		6.13		6.22	10.4		
	3/11/2023	Fine	7:55	3.7	2.7	27.28	27.27	9.00	9.05	30.29	30.21	97.60	95.80	6.54	6.48	4.79	4.81	7.2	6.8		
			7:56	3.7	2.7	27.26		9.09		30.13		94.00		6.42		4.83		6.4			
	6/11/2023	Fine	8:03	3.8	2.8	27.84	27.79	8.47	8.45	29.44	29.39	93.20	93.00	6.37	6.35	1.94	1.97	6.2	6.0		
			8:04	3.8	2.8	27.74		8.42		29.34		92.80		6.33		1.99		5.8			
	8/11/2023	Fine	8:54	4.1	3.1	26.73	26.68	7.73	7.72	29.99	29.93	88.70	88.45	6.17	6.15	2.65	2.47	4.5	4.4		
			8:55	4.1	3.1	26.62		7.70		29.87		88.20		6.13		2.28		4.2			
	10/11/2023	Fine	10:40	4.0	3.0	26.87	26.93	9.13	9.07	29.78	29.66	95.30	95.90	6.63	6.66	4.49	4.41	5.5	5.6		
			10:41	4.0	3.0	26.99		9.01		29.54		96.50		6.69		4.32		5.7			
	13/11/2023	Fine	12:30	4.0	3.0	25.73	25.69	9.52	9.47	30.31	30.19	99.10	98.80	6.82	6.79	6.23	6.18	8.8	8.6		
			12:31	4.0	3.2	25.64		9.41		30.06		98.50		6.75		6.12		8.4			
	15/11/2023	Fine	13:11	0.0	3.2	25.13	25.16	8.56	8.55	30.82	30.93	95.50	93.90	6.66	6.58	7.59	7.73	11.6	11.3		
			13:12	4.2	3.2	25.19		8.54		31.04		92.30		6.49		7.86		11.0			
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	20/11/2023	Fine	8:01	3.7	2.7	23.81	23.72	8.62	8.64	30.98	30.85	84.90	84.55	6.19	6.17	6.78	6.65	5.7	5.6		
			8:02	3.7	2.7	23.62		8.65		30.72		84.20		6.15		6.52		5.4			
	22/11/2023	Fine	8:08	4.2	3.2	24.41	24.29	8.42	8.45	30.56	30.71	88.10	87.15	6.47	6.41	4.51	4.38	2.7	2.8		
			8:09	4.2	3.2	24.17		8.48		30.86		86.20		6.35		4.25		2.9			
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	27/11/2023	Fine	12:02	4.1	3.1	24.26	24.41	8.88	8.95	30.04	30.35	86.20	87.00	6.22	6.26	7.82	7.76	8.5	8.4		
			12:03	4.1	3.1	24.56		9.01		30.65		87.80		6.30		7.69		8.3			
	29/11/2023	Fine	12:56	4.1	3.1	23.98	23.96	9.15	9.20	31.65	31.61	91.00	91.70	6.20	6.28	6.20	6.29	7.1	6.9		
			12:57	4.1	3.1	23.93		9.25		31.56		92.40		6.36		6.37		6.7			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR9 (Bottom) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG		
SR9	1/11/2023	Cloudy	9:25	3.9	2.9	27.50	27.47	7.50	7.49	30.28	30.24	99.60	99.90	6.61	6.65	7.00	6.99	13.0	12.8		
			9:26	3.9	2.9	27.43		7.47		30.19		100.20		6.69		6.97		12.6			
	3/11/2023	Fine	15:10	4.1	3.1	27.31	27.29	9.13	9.21	30.15	30.11	100.30	100.25	6.87	6.80	5.02	4.95	6.7	6.4		
			15:11	4.1	3.1	27.27		9.29		30.07		100.20		6.72		4.87		6.1			
	6/11/2023	Fine	16:30	4.0	3.0	27.88	27.85	8.16	8.14	29.47	29.53	90.20	90.05	6.20	6.18	1.73	1.66	6.8	6.7		
			16:31	4.0	3.0	27.81		8.12		29.58		89.90		6.15		1.59		6.5			
	8/11/2023	Fine	15:50	3.8	2.8	26.60	26.61	8.52	8.51	29.87	29.90	92.20	91.25	6.40	6.35	2.12	2.08	3.6	3.5		
			15:51	3.8	2.8	26.62		8.50		29.93		90.30		6.29		2.03		3.4			
	10/11/2023	Fine	16:24	3.8	2.8	30.00	29.94	8.13	8.14	30.00	30.12	88.80	88.55	6.17	6.15	3.42	3.57	6.2	6.0		
			16:25	3.8	2.8	29.88		8.15		30.24		88.30		6.13		3.72		5.8			
	13/11/2023	Fine	17:16	3.8	2.8	25.97	25.89	8.31	8.31	30.37	30.23	90.30	89.35	6.25	6.21	5.81	5.68	9.4	9.5		
			17:17	3.8	2.8	25.80		8.30		30.08		88.40		6.17		5.55		9.6			
	15/11/2023	Fine	8:21	3.9	2.9	24.97	24.99	8.36	8.37	30.96	30.90	90.40	89.15	6.40	6.34	8.01	7.93	12.3	13.0		
			8:22	3.9	2.9	25.00		8.37		30.84		87.90		6.28		7.85		13.7			
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	20/11/2023	Fine	14:08	3.5	2.5	24.08	24.05	8.37	8.40	30.61	30.71	91.20	90.70	6.48	6.45	6.24	6.14	6.9	7.1		
			14:09	3.5	2.5	24.01		8.43		30.81		90.20		6.41		6.04		7.2			
	22/11/2023	Fine	14:40	3.8	2.8	24.26	24.32	8.58	8.58	31.37	31.24	93.00	93.60	6.78	6.80	3.91	4.07	3.5	3.4		
			14:41	3.8	2.8	24.38		8.58		31.10		94.20		6.82		4.23		3.2			
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	27/11/2023	Fine	17:02	3.8	2.8	24.42	24.36	8.95	8.88	31.00	31.04	93.00	94.40	6.62	6.72	6.13	6.08	6.6	6.8		
			17:03	3.8	2.8	24.30		8.80		31.07		95.80		6.81		6.02		7.0			
	29/11/2023	Fine	8:28	3.9	2.9	23.95	23.95	9.05	9.10	31.02	30.96	98.40	98.10	6.72	6.70	7.49	7.66	7.0	6.9		
			8:29	3.9	2.9	23.94		9.14		30.90		97.80		6.68		7.82		6.7			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



Impact Water Quality Monitoring at Station SR10 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						-															
SR10	1/11/2023	Cloudy	13:33	2.6	1.3	27.50	27.46	8.37	8.36	30.31	30.39	90.60	93.40	6.21	6.34	5.37	5.27	9.8	9.9		
			13:34	2.6	1.3	27.42	8.35	30.47	96.20	6.46	5.16	9.9									
	3/11/2023	Fine	8:02	2.3	1.2	27.41	27.37	9.09	9.17	30.39	30.38	97.60	94.80	6.59	6.51	3.87	3.73	5.2	5.3		
			8:03	2.3	1.2	27.32	9.25	30.36	92.00	6.42	3.58	5.4									
	6/11/2023	Fine	8:09	2.5	1.3	28.00	27.98	8.38	8.39	29.37	29.26	97.30	97.95	6.53	6.54	1.37	1.66	5.5	5.4		
			8:10	2.5	1.3	27.95	8.40	29.14	98.60	6.55	1.95	5.2									
	8/11/2023	Fine	8:59	2.6	1.3	26.75	26.68	7.41	7.39	29.60	29.69	90.30	91.45	6.28	6.33	3.20	3.52	4.7	4.7		
			9:00	2.5	1.3	26.61	7.37	29.77	92.60	6.37	3.84	4.6									
	10/11/2023	Fine	10:45	2.6	1.3	26.90	26.83	9.01	9.02	30.25	30.13	92.90	91.90	6.48	6.44	2.55	2.62	3.8	3.7		
			10:46	2.6	1.3	26.75	9.02	30.00	90.90	6.40	2.69	3.5									
	13/11/2023	Fine	12:35	2.5	1.3	25.67	25.60	9.52	9.42	30.57	30.49	90.90	91.65	6.48	6.52	6.51	6.36	8.6	8.8		
			12:36	2.5	1.3	25.52	9.31	30.41	92.40	6.56	6.21	8.9									
	15/11/2023	Fine	12:59	0.0	1.3	25.01	24.95	8.45	8.46	30.72	30.64	89.10	87.50	6.24	6.25	6.34	6.39	7.3	6.8		
			13:00	2.6	1.3	24.89	8.46	30.55	85.90	6.25	6.44	6.2									
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	20/11/2023	Fine	8:07	2.6	1.3	23.78	23.86	8.51	8.64	30.59	30.69	96.10	97.55	6.78	6.86	5.51	5.63	5.2	5.3		
			8:08	2.6	1.3	23.93	8.76	30.78	99.00	6.93	5.74	5.4									
	22/11/2023	Fine	8:13	2.7	1.4	24.36	24.42	8.26	8.26	30.47	30.40	87.40	86.40	6.42	6.46	4.14	4.25	2.6	2.7		
			8:14	2.7	1.4	24.48	8.26	30.33	85.40	6.50	4.35	2.8									
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	27/11/2023	Fine	12:08	2.6	1.3	24.55	24.65	8.75	8.76	31.14	31.25	94.60	95.45	6.67	6.69	8.25	8.50	6.9	6.9		
			12:09	2.6	1.3	24.74	8.76	31.36	96.30	6.71	8.75	6.8									
	29/11/2023	Fine	12:45	2.7	1.4	23.75	23.79	9.30	9.23	31.29	31.20	93.00	93.45	6.34	6.36	5.98	5.94	6.0	6.2		
			12:46	2.7	1.4	23.83	9.16	31.10	93.90	6.38	5.89	6.3									

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



Impact Water Quality Monitoring at Station SR10 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG		
						-															
SR10	1/11/2023	Cloudy	9:31	2.4	1.2	27.40	27.37	7.38	7.40	30.30	30.25	98.00	98.45	6.50	6.55	7.35	7.26	9.8	10.0		
			9:32	2.4	1.2	27.33	7.42	30.19	98.90	6.59	7.16	10.1									
	3/11/2023	Fine	14:58	2.6	1.3	27.51	27.47	9.18	9.13	30.62	30.66	97.30	98.35	6.56	6.66	3.17	3.13	5.4	5.3		
			14:59	2.6	1.3	27.42	9.07	30.70	99.40	6.75	3.09	5.1									
	6/11/2023	Fine	16:18	2.7	1.4	27.96	27.99	8.29	8.28	29.67	29.62	89.60	91.05	6.19	6.23	1.53	1.71	5.3	5.5		
			16:19	2.7	1.4	28.02	8.26	29.56	92.50	6.27	1.89	5.6									
	8/11/2023	Fine	15:39	2.2	1.1	26.62	26.61	8.51	8.52	30.07	29.88	88.40	87.95	6.18	6.12	2.45	2.56	3.6	3.5		
			15:40	2.2	1.1	26.59	8.52	29.69	87.50	6.06	2.66	3.3									
	10/11/2023	Fine	16:13	2.4	1.2	27.05	26.98	8.23	8.23	29.92	29.98	89.80	90.65	6.21	6.24	3.52	3.43	3.6	3.8		
			16:14	2.4	1.2	26.91	8.23	30.04	91.50	6.27	3.33	4.0									
	13/11/2023	Fine	17:07	2.3	1.2	25.69	25.62	8.21	8.23	30.31	30.24	84.00	83.55	6.02	5.99	6.54	6.64	10.9	10.6		
			17:08	2.3	1.2	25.55	8.24	30.17	83.10	5.95	6.74	10.3									
	15/11/2023	Fine	8:28	2.3	1.2	25.21	25.14	8.35	8.35	30.67	30.74	91.20	90.55	6.42	6.37	7.63	7.75	8.7	8.5		
			8:29	2.3	1.2	25.07	8.35	30.80	89.90	6.31	7.86	8.2									
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	20/11/2023	Fine	13:57	2.4	1.2	23.74	23.70	8.43	8.43	30.32	30.51	89.10	86.00	6.65	6.39	4.39	4.64	7.0	7.2		
			13:58	2.4	1.2	23.66	8.43	30.70	82.90	6.13	4.89	7.4									
	22/11/2023	Fine	14:29	2.4	1.2	24.27	24.43	8.45	8.47	31.20	31.24	89.50	88.40	6.51	6.41	3.64	3.44	3.0	2.9		
			14:30	2.4	1.2	24.59	8.49	31.27	87.30	6.31	3.23	2.8									
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	27/11/2023	Fine	16:51	2.3	1.2	24.60	24.50	8.86	8.82	31.27	31.18	89.10	90.25	6.21	6.38	6.97	7.11	7.4	7.3		
			16:52	2.3	1.2	24.39	8.78	31.09	91.40	6.55	7.25	7.1									
	29/11/2023	Fine	8:34	2.2	1.1	23.94	23.90	9.19	9.23	31.17	31.13	93.00	91.65	6.37	6.28	5.24	5.19	5.5	5.4		
			8:35	2.2	1.1	23.85	9.27	31.08	90.30	6.18	5.14	5.2									

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR12 (Middle) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR12	1/11/2023	Cloudy	13:28	2.7	1.4	27.41														
			13:29	2.7	1.4	27.48	27.45	8.52	8.51	30.35	30.41	91.40	93.70	6.24	6.36	5.01	5.00	11.1	10.8	
	3/11/2023	Fine	8:08	2.4	1.2	27.40														
			8:09	2.4	1.2	27.36	27.38	9.19	9.17	30.31	30.36	92.90	90.60	6.34	6.18	4.25	4.13	5.1	4.8	
	6/11/2023	Fine	8:14	2.6	1.3	28.01														
			8:15	2.6	1.3	28.17	28.09	8.45	8.48	29.35	29.39	96.00	95.65	6.53	6.51	0.85	1.07	7.6	7.5	
	8/11/2023	Fine	9:05	2.7	1.4	26.75														
			9:06	2.4	1.2	26.61	26.68	7.44	7.47	29.97	29.99	94.40	93.25	6.54	6.50	2.94	2.89	3.9	3.7	
	10/11/2023	Fine	10:50	2.7	1.4	26.87														
			10:51	2.7	1.4	26.95	26.91	9.12	9.11	30.42	30.28	90.10	91.00	6.31	6.35	2.35	2.27	3.4	3.5	
	13/11/2023	Fine	12:40	2.6	1.3	25.53														
			12:41	2.6	1.4	25.58	25.56	9.21	9.28	30.31	30.22	89.30	88.15	6.30	6.25	6.95	7.04	9.6	9.8	
	15/11/2023	Fine	8:33	0.0	1.4	24.93														
			8:34	2.7	1.4	24.80	24.87	8.39	8.40	30.88	30.81	89.00	87.95	6.36	6.28	5.74	5.57	7.2	7.4	
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	20/11/2023	Fine	8:12	2.5	1.3	23.61														
			8:13	2.5	1.3	23.81	23.71	8.33	8.36	30.42	30.33	83.40	84.25	6.15	6.22	5.38	5.44	4.5	4.4	
	22/11/2023	Fine	8:17	2.6	1.3	24.25														
			8:18	2.6	1.3	24.55	24.40	8.45	8.45	30.72	30.84	90.10	89.50	6.36	6.33	3.95	3.86	2.1	2.2	
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	27/11/2023	Fine	12:14	2.6	1.3	24.48														
			12:15	2.6	1.3	24.52	24.50	8.62	8.69	31.19	31.26	98.60	98.75	6.84	6.87	6.99	6.67	7.2	7.0	
	29/11/2023	Fine	12:39	2.6	1.3	23.92														
			12:40	2.6	1.3	23.98	23.95	9.25	9.15	31.17	31.23	91.00	92.10	6.20	6.27	5.19	5.19	5.4	5.6	

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR12 (Middle) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR12	1/11/2023	Cloudy	9:37	2.5	1.3	27.30														
			9:38	2.5	1.3	27.38	27.34	7.38	7.40	30.31	30.23	99.10	99.05	6.61	6.62	7.05	7.23	12.6	12.9	
	3/11/2023	Fine	14:51	2.6	1.3	27.46														
			14:52	2.6	1.3	27.51	27.49	9.18	9.11	30.49	30.57	99.20	96.90	6.62	6.54	3.69	3.61	5.2	4.8	
	6/11/2023	Fine	16:13	2.7	1.4	27.88														
			16:14	2.7	1.4	27.95	27.92	8.15	8.16	29.25	29.33	94.40	92.95	6.38	6.29	0.73	0.84	3.5	3.7	
	8/11/2023	Fine	15:35	2.2	1.1	26.72														
			15:36	2.2	1.1	26.65	26.69	8.26	8.27	29.83	29.78	90.40	92.45	6.28	6.37	3.11	2.98	3.6	3.9	
	10/11/2023	Fine	16:08	2.4	1.2	26.93														
			16:09	2.4	1.2	26.98	26.96	8.12	8.13	30.26	30.34	89.10	90.20	6.02	6.13	2.82	2.92	3.4	3.6	
	13/11/2023	Fine	17:03	2.4	1.2	25.63														
			17:04	2.4	1.2	25.59	25.61	8.40	8.43	30.21	30.12	91.10	90.15	6.65	6.61	6.12	6.26	9.8	9.8	
	15/11/2023	Fine	8:33	2.4	1.2	24.90														
			8:34	2.4	1.2	24.93	24.92	8.48	8.49	30.79	30.86	92.00	91.80	6.37	6.36	6.93	7.03	9.0	9.2	
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	20/11/2023	Fine	13:51	2.4	1.2	23.62														
			13:52	2.4	1.2	23.48	23.55	8.28	8.27	30.29	30.50	89.90	90.45	6.33	6.37	4.69	4.61	5.7	5.5	
	22/11/2023	Fine	14:24	2.3	1.2	24.70														
			14:25	2.3	1.2	-	24.70	8.36	8.35	31.38	31.28	94.10	95.20	6.59	6.63	3.54	3.69	3.3	3.5	
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	27/11/2023	Fine	16:46	2.4	1.2	24.53														
			16:47	2.4	1.2	24.30	24.42	8.87	8.91	31.05	30.94	90.40	92.80	6.54	6.63	5.99	5.87	8.4	8.2	
	29/11/2023	Fine	8:39	2.3	1.2	23.91														
			8:40	2.3	1.2	24.01	23.96	9.05	9.12	31.36	31.42	96.20	96.90	6.53	6.57	6.56	6.44	5.5	5.7	

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station SR15 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH -		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
SR15	1/11/2023	Cloudy	14:19	2.6	1.3	27.28		8.66	8.63	30.21	30.29	97.90	6.64	6.50	7.08	7.14	9.4	9.1			
			14:20	2.6	1.3	27.32	27.30	8.59	8.63	30.37	30.29	92.70	6.35	6.35	7.19		8.5				
	3/11/2023	Fine	7:11	2.1	1.1	27.12	27.17	8.79	8.80	30.24	30.27	106.50	7.16	7.15	3.50		2.6	2.9			
			7:12	2.1	1.1	27.21		8.82	8.80	30.29	30.27	106.00	7.13		3.95		2.9				
	6/11/2023	Fine	7:17	2.5	1.3	27.54	27.57	8.22	6.74	29.80	29.84	106.60	7.21	7.15	1.77		7.6	7.6			
			7:18	2.5	1.3	27.60		5.25	29.88	29.84	104.60	105.60	7.08	7.15	2.02	1.90	7.3				
	8/11/2023	Fine	8:09	2.5	1.3	26.42	26.47	7.29	7.31	30.11	30.15	106.80	7.26	7.15	4.97		3.6	3.4			
			8:10	2.5	1.3	26.51		7.33		30.19	30.15	100.80	7.03		4.80		3.2				
	10/11/2023	Fine	9:53	2.8	1.4	27.12	27.17	8.92	8.90	30.72	30.64	94.50	6.55	6.58	6.83		6.8	7.0			
			9:54	2.8	1.4	27.21		8.88		30.56	30.64	95.60	6.61	6.58	7.07		7.2				
	13/11/2023	Fine	11:44	2.5	1.3	25.20	25.11	8.94	8.95	30.48	30.40	96.00	6.80	6.83	7.60	7.54	9.5	9.4			
			11:45	2.5	1.3	25.01		8.95		30.31	30.40	96.80	6.85		7.48		9.2				
	15/11/2023	Fine	13:48	2.6	1.3	25.11	25.01	8.34	8.36	31.12	31.03	87.80	6.45	6.40	6.49		7.7	8.2			
			13:49	2.6	1.3	24.91		8.37		30.94	31.03	86.30	6.35		6.80		8.7				
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	20/11/2023	Fine	7:20	2.5	1.3	23.18	23.11	8.25	8.26	30.84	30.71	86.70	6.40	6.37	7.37		8.4	8.3			
			7:21	2.5	1.3	23.03		8.26		30.57	30.71	85.80	6.34		7.07		8.1				
	22/11/2023	Fine	7:20	2.6	1.3	24.15	24.07	8.42	8.43	30.99	30.91	87.70	6.45	6.43	7.83	7.94	4.3	4.2			
			7:21	2.6	1.3	23.99		8.44		30.83	30.91	87.00	6.40		8.04		4.0				
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	27/11/2023	Fine	11:18	2.7	1.4	24.37	24.33	8.37	8.30	30.97	30.90	90.10	6.47	6.49	7.62	7.78	7.8	7.9			
			11:19	2.7	1.4	24.29		8.22		30.83	30.90	92.00	6.51		7.94		8.0				
	29/11/2023	Fine	13:32	2.7	1.4	23.37	23.31	8.95	8.97	31.47	31.42	99.00	6.60	6.60	5.12		5.4	5.5			
			13:33	2.7	1.4	23.25		8.98		31.36	31.42	98.80	6.59		5.49		5.6				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station SR15 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH -		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
SR15	1/11/2023	Cloudy	8:41	2.3	1.2	26.91	26.90	7.95	7.94	30.45	30.32	97.60	6.71	6.41	7.27	7.25	10.6	10.8			
			8:42	2.3	1.2	26.89		7.93		30.18	30.32	89.30	6.10		7.23		11.0				
	3/11/2023	Fine	15:46	2.5	1.3	27.20	27.16	8.93	8.92	29.90	29.93	94.80	6.51	6.49	3.43	3.36	3.6	3.9			
			15:46	2.5	1.3	27.11		8.90		29.95	29.93	94.00	6.47		3.29		4.1				
	6/11/2023	Fine	17:06	2.6	1.3	27.68	27.78	8.17	8.18	30.01	30.06	97.70	6.51	6.43	2.15	2.42	3.6	3.8			
			17:07	2.6	1.3	27.87		8.19		30.11	30.06	93.20	6.34		2.69		4.0				
	8/11/2023	Fine	16:25	2.3	1.2	26.65	26.68	8.28	8.27	30.14	30.20	89.20	6.21	6.12	4.05	3.97	4.0	4.0			
			16:26	2.3	1.2	26.71		8.25		30.26	30.20	87.30	6.03		3.89		3.9				
	10/11/2023	Fine	16:57	2.4	1.2	27.42	27.30	8.22	8.24	29.95	29.92	90.80	6.21	6.30	3.20	3.35	3.2	3.6			
			16:58	2.4	1.2	27.17		8.25		29.89	29.92	93.40	6.38		3.49		3.9				
	13/11/2023	Fine	17:52	2.2	1.1	25.69	25.98	8.41	8.40	30.20	30.30	89.70	6.43	6.38	6.15	6.27	8.1	8.3			
			17:53	2.2	1.1	26.07		8.39		30.39	30.30	88.90	6.33		6.39		8.4				
	15/11/2023	Fine	7:40	2.2	1.1	24.59	24.57	8.41	8.42	30.98	30.90	88.90	6.34	6.22	7.95	7.87	9.2	8.6			
			7:41	2.2	1.1	24.55		8.42		30.82	30.90	84.90	6.10		7.79		7.9				
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	20/11/2023	Fine	14:42	2.4	1.2	23.18	23.33	8.11	8.14	30.99	31.06	84.70	6.23	6.26	5.95	5.93	4.9	4.8			
			14:43	2.4	1.2	23.48		8.16		31.12	31.06	86.20	6.29		5.91		4.6				
	22/11/2023	Fine	15:17	2.3	1.2	30.28	27.16	8.86	8.88	31.41	31.30	88.40	6.36	6.39	5.73	5.61	4.6	4.4			
			15:18	2.3	1.2	24.03		8.89		31.18	31.30	90.30	6.42		5.49		4.2				
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	27/11/2023	Fine	17:37	2.5	1.3	24.38	24.28	8.68	8.71	30.74	30.83	95.10	6.55	6.53	5.94	5.84	5.8	5.5			
			17:38	2.5	1.3	24.17		8.73		30.92	30.83	94.40	6.50		5.73		5.1				
	29/11/2023	Fine	7:49	2.3	1.2	23.92	23.80	9.13	9.17	31.47	31.42	95.00	6.44	6.55	5.01	4.85	6.2	6.1			
			7:50	2.3	1.2	23.68		9.21		31.36	31.42	96.80	6.65		4.68		5.9				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station CE (surface) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L				
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
CE	1/11/2023	Cloudy	13:16	8.7	1.0	27.32	27.26	8.38	8.39	30.12	30.21	92.10	91.60	6.32	6.27	4.67	4.53	7.0	7.2			
			13:17	8.7	1.0	27.20		8.39	8.39	30.29	30.29	91.10	91.60	6.21	6.27	4.30	4.30	7.4	7.4			
	3/11/2023	Fine	8:20	8.3	1.0	27.37	27.30	8.99	9.03	30.33	30.26	96.10	96.65	6.46	6.50	6.02	6.17	7.6	7.2			
			8:21	8.3	1.0	27.41		9.07	9.07	30.18	30.18	97.20	97.20	6.54	6.32	6.32	6.17	6.8	7.2			
	6/11/2023	Fine	8:24	8.4	1.0	27.87	27.83	8.35	8.33	29.97	29.92	99.30	99.20	6.62	6.62	1.39	1.32	5.2	5.1			
			8:25	8.4	1.0	27.79		8.31	8.31	29.86	29.86	99.10	99.10	6.61	6.62	1.25	1.25	4.9	4.9			
	8/11/2023	Fine	9:17	8.5	1.0	26.75	26.72	7.59	7.62	30.25	30.14	95.30	94.65	6.81	6.78	4.25	4.16	3.8	4.0			
			9:18	8.5	1.0	26.69		7.64	7.64	30.03	30.03	94.00	94.00	6.74	6.78	4.07	4.16	4.1	4.0			
	10/11/2023	Fine	11:02	8.7	1.0	27.30	27.15	8.97	8.98	30.46	30.33	93.00	91.15	6.51	6.32	1.48	1.72	1.4	1.5			
			11:03	8.7	1.0	27.00		8.99	8.99	30.19	30.19	89.30	89.30	6.13	6.32	1.95	1.95	1.5	1.5			
	13/11/2023	Fine	12:52	8.5	1.0	26.04	25.90	9.38	9.37	30.69	30.63	94.70	94.10	6.45	6.40	4.91	5.16	5.6	5.8			
			12:53	8.5	1.0	25.93		9.36	9.36	30.56	30.56	93.50	93.50	6.34	6.40	5.40	5.16	6.0	6.0			
	15/11/2023	Fine	12:40	8.5	1.0	24.48	24.38	8.30	8.30	31.30	31.38	92.20	92.45	6.55	6.58	5.58	5.79	7.3	8.0			
			12:41	8.5	1.0	24.28		8.30	8.30	31.45	31.45	92.70	92.70	6.61	6.58	5.99	5.79	8.6	8.6			
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																			
	20/11/2023	Fine	8:24	8.5	1.0	23.49	23.55	8.36	8.38	30.48	30.59	96.00	96.50	6.78	6.80	6.04	6.20	6.4	6.6			
			8:25	8.5	1.0	23.61		8.40	8.40	30.69	30.69	97.00	97.00	6.81	6.80	6.35	6.20	6.8	6.6			
	22/11/2023	Fine	8:27	8.6	1.0	24.42	24.52	8.18	8.19	30.37	30.47	93.00	91.55	6.67	6.63	4.68	4.76	3.2	3.1			
			8:28	8.6	1.0	24.62		8.20	8.20	30.57	30.57	90.10	91.55	6.58	6.63	4.84	4.76	3.0	3.1			
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																			
27/11/2023	Fine	12:26	8.5	1.0	24.42	24.43	8.97	8.99	31.25	31.18	92.30	92.10	6.52	6.56	7.02	7.18	7.9	7.8				
		12:27	8.5	1.0	24.44		8.80	8.80	31.10	31.10	91.90	91.90	6.59	6.56	7.33	7.18	7.6	7.8				
29/11/2023	Fine	12:25	8.5	1.0	24.17	24.21	8.99	8.97	31.45	31.33	93.70	93.45	6.41	6.38	5.04	5.08	5.3	5.2				
		12:26	8.5	1.0	24.24		8.95	8.95	31.20	31.20	93.20	93.20	6.34	6.38	5.12	5.08	5.0	5.0				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station CE (surface) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L				
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
CE	1/11/2023	Cloudy	9:49	8.5	1.0	27.40	27.46	7.33	7.33	30.29	30.22	94.10	94.60	6.39	6.46	4.10	4.20	7.6	7.8			
			9:50	8.5	1.0	27.51		7.32	7.32	30.15	30.15	95.10	95.10	6.53	6.46	4.29	4.20	8.0	8.0			
	3/11/2023	Fine	14:40	8.6	1.0	27.34	27.28	8.90	8.87	30.12	30.06	99.70	99.80	6.45	6.46	3.72	3.86	7.4	7.3			
			14:41	8.6	1.0	27.21		8.84	8.84	30.00	30.00	99.90	99.90	6.46	6.46	3.99	3.86	7.2	7.2			
	6/11/2023	Fine	16:04	8.5	1.0	27.60	27.55	8.02	8.04	29.40	29.62	93.20	94.00	6.45	6.52	1.17	1.33	6.4	6.7			
			16:05	8.5	1.0	27.49		8.05	8.05	29.85	29.85	94.80	94.80	6.58	6.52	1.48	1.33	6.9	6.7			
	8/11/2023	Fine	15:25	8.3	1.0	26.82	26.79	8.50	8.52	29.72	29.79	99.20	99.10	6.70	6.70	2.95	3.02	3.7	3.5			
			15:26	8.3	1.0	26.76		8.54	8.54	29.85	29.85	99.00	99.10	6.69	6.70	3.08	3.02	3.3	3.5			
	10/11/2023	Fine	15:57	8.4	1.0	27.04	27.02	8.15	8.16	30.25	30.13	89.40	90.80	6.15	6.26	0.79	0.96	1.8	1.7			
			15:58	8.4	1.0	27.00		8.16	8.16	30.00	30.00	92.20	90.80	6.36	6.26	1.12	0.96	1.6	1.7			
	13/11/2023	Fine	16:52	8.2	1.0	25.96	25.87	8.38	8.38	30.32	30.36	91.00	92.35	6.22	6.29	4.57	4.66	5.2	5.4			
			16:53	8.2	1.0	25.78		8.37	8.37	30.40	30.36	93.70	92.35	6.36	6.29	4.74	4.66	5.6	5.4			
	15/11/2023	Fine	8:44	8.3	1.0	25.18	25.24	8.56	8.57	30.81	30.74	96.10	96.85	6.57	6.63	7.11	7.07	9.0	8.5			
			8:45	8.3	1.0	25.29		8.58	8.58	30.67	30.74	97.60	96.85	6.69	6.63	7.02	7.07	7.9	8.5			
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																			
	20/11/2023	Fine	13:40	8.3	1.0	23.42	23.28	8.18	8.18	31.52	31.39	93.70	92.35	6.69	6.66	4.24	4.62	5.2	5.3			
			13:41	8.3	1.0	23.13		8.18	8.18	31.25	31.39	91.00	92.35	6.62	6.66	4.99	4.62	5.4	5.3			
	22/11/2023	Fine	14:12	8.2	1.0	24.38	24.29	9.02	8.96	31.12	31.03	88.70	88.55	6.44	6.44	4.17	4.30	4.8	4.9			
			14:13	8.2	1.0	24.20		8.89	8.89	30.93	31.03	88.40	88.55	6.43	6.44	4.43	4.30	4.9	4.9			
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																			
27/11/2023	Fine	16:35	8.3	1.0	25.70	25.62	8.44	8.53	31.14	31.10	101.60	101.35	7.02	7.01	6.33	6.24	6.8	7.0				
		16:36	8.3	1.0	25.53		8.62	8.62	31.05	31.10	101.10	101.35	6.99	7.01	6.14	6.24	7.1	7.0				
29/11/2023	Fine	8:49	8.3	1.0	24.17	24.13	8.95	8.99	31.24	31.40	92.00	92.20	6.26	6.28	7.16	7.09	6.0	6.2				
		8:50	8.3	1.0	24.08		9.02	9.02	31.56	31.40	92.40	92.20	6.29	6.28	7.02	7.09	6.4	6.2				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station CE (Middle) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS			
						°C		-		ppt		%		mg/L		NTU		mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
CE	1/11/2023	Cloudy	13:20	8.7	4.4	27.12	27.10	8.34	8.35	30.32	30.29	87.98	90.39	6.22	4.02	4.19	8.3	8.1			
			13:21	8.7	4.4	27.07		8.36	30.26	92.89	6.33	4.35	7.9								
	3/11/2023	Fine	8:24	8.3	4.2	27.30	27.31	9.12	9.07	30.16	30.21	92.50	93.25	6.15	4.67	4.74	7.6	7.7			
			8:25	8.3	4.2	27.31	9.02	30.25	94.00	6.38	4.80	7.7									
	6/11/2023	Fine	8:28	8.4	4.2	27.64	27.72	8.44	8.43	29.53	29.61	92.40	91.80	6.29	2.16	2.20	5.8	5.7			
			8:29	8.4	4.2	27.79	8.41	29.68	91.20	6.21	2.24	5.6									
	8/11/2023	Fine	9:21	8.5	4.3	26.67	26.66	7.50	7.51	30.18	30.12	90.30	89.95	6.29	3.70	3.82	3.6	3.5			
			9:22	8.5	4.3	26.65	7.51	30.05	89.60	6.15	3.94	3.3									
	10/11/2023	Fine	11:06	8.7	4.4	27.25	27.13	8.95	8.93	30.20	30.18	89.50	91.25	6.21	6.33	1.40	1.35	2.0	2.2		
			11:07	8.7	4.4	27.01	8.90	30.15	93.00	6.45	1.29	2.3									
	13/11/2023	Fine	12:56	8.5	4.3	26.21	26.12	9.56	9.50	30.54	30.51	93.90	94.05	6.35	6.39	4.25	4.42	6.2	6.3		
			12:57	8.5	4.3	26.03	9.44	30.47	94.20	6.43	4.59	6.3									
	15/11/2023	Fine	12:44	8.5	4.3	24.51	24.47	8.44	8.45	31.16	31.26	88.30	88.75	6.27	6.29	5.89	5.97	8.7	9.2		
			12:45	8.5	4.3	24.42	8.45	31.36	89.20	6.31	6.05	9.6									
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	20/11/2023	Fine	8:28	8.5	4.3	23.47	23.52	8.44	8.47	30.47	30.55	89.40	89.10	6.56	6.53	6.59	6.48	7.6	7.5		
			8:29	8.5	4.3	23.57	8.50	30.63	88.90	6.49	6.37	7.4									
	22/11/2023	Fine	8:31	8.6	4.3	24.57	24.48	8.24	8.26	30.75	30.86	84.20	86.65	6.22	6.30	5.43	5.56	4.0	3.9		
			8:32	8.6	4.3	24.39	8.28	30.96	89.10	6.37	5.68	3.7									
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	27/11/2023	Fine	12:30	8.5	4.3	24.49	24.40	8.95	8.90	31.32	31.26	87.20	87.75	6.32	6.34	6.89	7.01	8.2	8.4		
			12:31	8.5	4.3	24.31	8.84	31.19	88.30	6.35	7.13	8.5									
	29/11/2023	Fine	12:29	8.5	4.3	24.16	24.22	9.10	8.56	31.70	31.64	97.60	96.80	6.55	6.52	4.67	4.63	4.3	4.5		
12:30			8.5	4.3	24.27	8.02	31.57	96.00	6.49	4.59	4.6										

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station CE (Middle) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS			
						°C		-		ppt		%		mg/L		NTU		mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG		
CE	1/11/2023	Cloudy	9:53	8.5	4.3	27.30	27.32	7.48	7.47	30.35	30.38	89.80	89.30	6.22	6.19	4.19	4.37	7.1	7.2		
			9:54	8.5	4.3	27.33	7.46	30.40	88.80	6.15	4.55	7.3									
	3/11/2023	Fine	14:44	8.6	4.3	27.00	27.09	9.09	9.04	30.27	30.26	91.40	91.90	6.29	6.34	3.95	4.00	6.8	6.4		
			14:45	8.6	4.3	27.18	8.99	30.25	92.40	6.38	4.05	5.9									
	6/11/2023	Fine	16:08	8.5	4.3	27.49	27.53	8.15	8.13	29.88	29.85	96.90	95.70	6.51	6.45	1.85	1.67	5.7	5.5		
			16:09	8.5	4.3	27.57	8.12	29.82	94.60	6.39	1.49	5.3									
	8/11/2023	Fine	15:29	8.3	4.2	26.58	26.62	8.37	8.38	30.27	30.23	99.40	98.75	6.73	6.69	3.70	3.61	2.9	3.0		
			15:30	8.3	4.2	26.66	8.39	30.18	98.10	6.65	3.52	3.1									
	10/11/2023	Fine	16:01	8.4	4.2	26.95	26.97	8.19	8.18	29.80	29.90	92.10	90.20	6.25	6.18	0.76	0.84	2.6	2.8		
			16:02	8.4	4.2	26.98	8.17	29.99	88.30	6.10	0.92	2.9									
	13/11/2023	Fine	16:56	8.2	4.1	26.01	25.95	8.53	8.49	30.42	30.35	92.50	93.00	6.30	6.34	3.97	3.91	6.5	6.4		
			16:57	8.2	4.1	25.89	8.45	30.27	93.50	6.38	3.85	6.2									
	15/11/2023	Fine	8:48	8.3	4.2	25.41	25.32	8.55	8.55	30.27	30.15	89.20	91.20	6.49	6.58	6.75	6.84	8.0	8.8		
			8:49	8.3	4.2	25.22	8.54	30.03	93.20	6.67	6.93	9.5									
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	20/11/2023	Fine	13:44	8.3	4.2	26.62	24.90	8.54	8.55	30.62	30.75	90.30	90.00	6.61	6.70	4.94	4.99	6.1	5.9		
			13:45	8.3	4.2	23.17	8.56	30.87	89.70	6.78	5.03	5.6									
	22/11/2023	Fine	14:16	8.2	4.1	24.36	24.22	9.00	8.96	30.98	30.91	89.20	88.20	6.55	6.46	5.69	5.58	5.2	5.3		
			14:17	8.2	4.1	24.07	8.92	30.83	87.20	6.37	5.47	5.4									
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	27/11/2023	Fine	16:39	8.3	4.2	25.29	25.18	9.17	9.11	30.86	30.89	96.30	98.05	6.78	6.84	5.92	5.98	6.7	6.6		
			16:40	8.3	4.2	25.07	9.05	30.91	99.80	6.89	6.03	6.4									
	29/11/2023	Fine	8:53	8.3	4.2	24.16	24.15	9.14	9.09	31.27	31.20	89.60	90.80	6.10	6.17	5.92	5.98	5.6	5.5		
8:54			8.3	4.2	24.13	9.03	31.13	92.00	6.24	6.04	5.3										

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CE (Bottom) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG		
CE	1/11/2023	Cloudy	13:23	8.7	7.7	27.04		8.31	8.32	30.35	30.29	98.80	6.65	6.61	3.43	3.38	9.2	9.5			
			13:24	8.7	7.7	26.98		8.32	8.32	30.23	30.23	98.30	6.58	6.58	3.32		9.1				
	3/11/2023	Fine	8:27	8.3	7.3	27.41	27.38	8.79	8.89	30.52	30.46	96.40	6.46	6.47	4.25	4.13	7.6	7.0			
			8:28	8.3	7.3	27.35		8.99	8.99	30.39	30.39	96.60	6.47	6.47	4.01		6.1				
	6/11/2023	Fine	8:31	8.4	7.4	27.48	27.55	8.28	8.24	29.78	29.84	88.60	6.07	6.09	4.09	3.98	6.9	6.7			
			8:32	8.4	7.4	27.61		8.19	8.19	29.90	29.90	89.80	6.10	6.10	3.87		6.5				
	8/11/2023	Fine	9:24	8.5	7.5	26.72	26.70	7.53	7.51	30.81	30.82	87.70	6.17	6.23	3.41	3.56	3.2	3.1			
			9:25	8.5	7.5	26.68		7.49	7.49	30.83	30.83	89.80	6.28	6.28	3.70		2.9				
	10/11/2023	Fine	11:09	8.7	7.7	26.93	27.03	9.01	9.00	30.19	30.26	91.40	6.21	6.26	1.75	1.63	2.7	2.7			
			11:10	8.7	7.7	27.12		8.99	8.99	30.32	30.32	92.40	6.31	6.31	1.51		2.6				
	13/11/2023	Fine	12:59	8.5	7.5	26.06	26.19	9.50	9.61	30.45	30.40	88.20	6.17	6.23	5.75	5.52	7.0	7.2			
			13:00	8.5	7.5	26.31		9.71	9.71	30.34	30.34	89.60	6.29	6.29	5.29		7.3				
	15/11/2023	Fine	12:47	8.5	7.5	24.49	24.55	8.47	8.48	31.38	31.32	89.90	6.35	6.46	6.27	6.22	6.7	6.6			
			12:48	8.5	7.5	24.61		8.48	8.48	31.26	31.26	91.50	6.57	6.57	6.17		6.4				
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	20/11/2023	Fine	8:31	8.5	7.5	23.27	23.38	8.52	8.50	30.51	30.42	83.70	6.25	6.21	6.92	6.73	8.3	8.2			
			8:32	8.5	7.5	23.48		8.48	8.48	30.32	30.32	82.90	6.17	6.17	6.54		8.0				
	22/11/2023	Fine	8:34	8.6	7.6	24.01	24.09	8.32	8.32	31.32	31.16	91.00	6.61	6.70	5.57	5.50	5.0	4.9			
			8:35	8.6	7.6	24.17		8.32	8.32	31.00	31.16	92.80	6.78	6.78	5.42		4.7				
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	27/11/2023	Fine	12:33	8.5	7.5	24.51	24.38	8.98	8.93	31.17	31.10	87.10	6.30	6.33	6.55	6.36	9.1	8.9			
			12:34	8.5	7.5	24.24		8.87	8.87	31.02	31.02	88.50	6.36	6.36	6.17		8.7				
	29/11/2023	Fine	12:32	8.5	7.5	24.14	24.22	9.15	9.09	31.20	31.31	96.40	6.51	6.52	5.11	5.07	3.8	3.6			
			12:33	8.5	7.5	24.30		9.03	9.03	31.42	31.42	97.40	6.53	6.53	5.02		3.4				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CE (Bottom) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG		
CE	1/11/2023	Cloudy	9:56	8.5	7.5	27.36	27.37	7.49	7.48	30.38	30.31	92.60	6.30	6.34	5.22	5.12	6.5	6.7			
			9:57	8.5	7.5	27.38		7.47	7.47	30.24	30.24	93.60	6.38	6.38	5.01		6.9				
	3/11/2023	Fine	14:47	8.6	7.6	27.09	27.14	9.11	9.08	30.13	30.19	94.70	6.47	6.40	4.33	4.24	6.0	6.4			
			14:48	8.6	7.6	27.18		9.04	9.04	30.25	30.25	92.90	6.33	6.33	4.15		6.7				
	6/11/2023	Fine	16:11	8.5	7.5	27.43	27.42	8.22	8.25	30.15	30.09	93.10	6.26	6.33	1.55	1.46	5.0	4.8			
			16:12	8.5	7.5	27.40		8.27	8.27	30.02	30.02	94.90	6.40	6.40	1.37		4.6				
	8/11/2023	Fine	15:32	8.3	7.3	26.50	26.56	8.50	8.53	30.01	29.95	89.00	6.22	6.19	3.41	3.32	2.5	2.6			
			15:33	8.3	7.3	26.62		8.56	8.56	29.89	29.89	88.10	6.15	6.15	3.22		2.7				
	10/11/2023	Fine	16:04	8.4	7.4	26.94	26.85	8.22	8.24	30.18	30.26	91.80	6.29	6.19	0.94	1.20	3.0	3.1			
			16:05	8.4	7.4	26.75		8.25	8.25	30.34	30.34	87.90	6.09	6.09	1.45		3.2				
	13/11/2023	Fine	16:59	8.2	7.2	25.90	25.83	8.44	8.43	30.60	30.69	91.70	6.25	6.18	4.35	4.20	7.1	6.9			
			17:00	8.2	7.2	25.78		8.41	8.41	30.77	30.69	90.30	6.11	6.11	4.05		6.7				
	15/11/2023	Fine	8:51	8.3	7.3	25.36	25.24	8.37	8.38	30.12	30.09	95.20	6.45	6.42	6.69	6.61	9.0	9.1			
			8:52	8.3	7.3	25.11		8.38	8.38	30.06	30.06	92.30	6.38	6.38	6.52		9.2				
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	20/11/2023	Fine	13:47	8.3	7.3	23.40	23.26	8.71	8.68	30.02	30.06	94.90	6.87	6.75	5.39	5.48	6.6	6.4			
			13:48	8.3	7.3	23.12		8.65	8.65	30.10	30.10	93.10	6.62	6.62	5.57		6.2				
	22/11/2023	Fine	14:19	8.2	7.2	24.12	24.05	8.97	8.95	30.72	30.85	83.80	6.18	6.20	6.12	6.07	5.5	5.6			
			14:20	8.2	7.2	23.97		8.92	8.92	30.88	30.88	84.50	6.21	6.21	6.02		5.6				
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	27/11/2023	Fine	16:42	8.3	7.3	24.94	24.86	8.89	8.91	31.25	31.36	102.70	102.40	7.09	7.05	5.55	5.39	5.7	5.9		
			16:43	8.3	7.3	24.78		8.92	8.92	31.47	31.47	102.10	7.00	7.00	5.23		6.0				
	29/11/2023	Fine	8:56	8.3	7.3	24.10	24.12	9.10	9.10	31.13	31.07	88.60	6.07	6.04	6.12	6.05	5.0	4.8			
			8:57	8.3	7.3	24.13		9.09	9.09	31.00	31.00	87.00	6.01	6.01	5.97		4.6				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CF (surface) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						CF	1/11/2023	Cloudy	14:37	8.7	1.0	26.85	26.80	8.18	8.17	29.89	29.95	98.30	91.30	6.23	6.30
			14:38	8.7	1.0	26.74		8.16		30.02		98.30		6.23		5.26		7.3			
	3/11/2023	Fine	6:52	8.1	1.0	27.15	27.19	8.28	8.26	29.71	29.75	126.10	125.35	8.50	8.45	3.00	2.95	4.4	4.5		
			6:53	8.1	1.0	27.22		8.24		29.78		124.60		8.39		2.90		4.6			
	6/11/2023	Fine	6:58	8.5	1.0	27.54	27.57	8.12	8.12	29.49	29.51	111.10	112.55	7.48	7.54	2.06	2.13	9.1	9.3		
			6:59	8.5	1.0	27.59		8.12		29.53		114.00		7.60		2.20		9.4			
	8/11/2023	Fine	7:50	8.6	1.0	26.62	26.60	7.89	7.71	29.58	29.62	96.70	96.45	6.57	6.56	5.27	5.15	6.2	6.1		
			7:51	8.6	1.0	26.58		7.72		29.66		96.20		6.54		5.02		6.0			
	10/11/2023	Fine	9:35	8.8	1.0	27.32	27.37	8.55	8.57	30.07	30.04	100.20	100.85	6.75	6.80	3.22	3.26	3.0	3.2		
			9:36	8.8	1.0	27.41		8.59		30.01		101.50		6.84		3.30		3.3			
	13/11/2023	Fine	11:25	8.4	1.0	25.30	25.24	8.72	8.75	30.40	30.50	102.20	102.80	7.10	7.14	6.94	6.62	9.4	9.3		
			11:26	8.4	1.0	25.17		8.78		30.60		103.40		7.18		6.29		9.2			
	15/11/2023	Fine	14:07	8.5	1.0	25.21	25.15	8.45	8.45	31.39	31.32	90.60	91.00	6.49	6.52	5.78	5.92	6.4	6.1		
			14:08	8.5	1.0	25.09		8.45		31.24		91.40		6.55		6.06		5.7			
	17/11/2023	Strong Monsoon						WQM was cancelled due to adverse weather													
	20/11/2023	Fine	7:01	8.5	1.0	23.17	23.11	8.01	8.00	30.53	30.51	86.30	85.45	6.37	6.30	6.24	6.30	3.3	3.2		
			7:02	8.5	1.0	23.05		7.99		30.49		84.60		6.23		6.35		3.1			
	22/11/2023	Fine	7:05	8.7	1.0	24.59	24.51	8.61	8.64	30.47	30.37	86.60	87.50	6.29	6.33	5.98	6.31	6.4	6.3		
			7:06	8.7	1.0	24.43		8.66		30.27		88.40		6.36		6.63		6.1			
	24/11/2023	Strong Monsoon						WQM was cancelled due to adverse weather													
	27/11/2023	Fine	11:00	8.6	1.0	24.99	24.93	8.01	7.92	30.57	30.66	107.60	108.25	7.57	7.62	6.39	6.63	9.8	9.6		
			11:01	8.6	1.0	24.87		7.83		30.75		108.90		7.66		6.88		9.4			
	29/11/2023	Fine	13:52	8.6	1.0	23.67	23.71	8.87	8.92	31.17	31.23	93.20	94.00	6.28	6.34	4.58	4.46	5.6	5.2		
			13:53	8.6	1.0	23.74		8.96		31.28		94.80		6.40		4.33		4.7			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CF (surface) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L	
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						CF	1/11/2023	Cloudy	8:22	8.3	1.0	27.15	27.05	8.03	8.02	30.02	30.06	111.50	111.35
			8:23	8.3	1.0	26.94		8.01		30.09		111.20		7.48		6.67		8.0	
	3/11/2023	Fine	16:04	8.5	1.0	26.88	26.94	8.98	8.95	29.87	29.94	97.00	96.85	6.94	6.53	3.73	3.67	4.6	4.4
			16:05	8.5	1.0	26.99		8.91		30.01		96.70		6.51		3.60		4.2	
	6/11/2023	Fine	17:24	8.4	1.0	28.09	28.04	8.23	8.33	28.02	28.90	98.40	98.10	6.51	6.50	1.70	1.62	4.6	4.5
			17:25	8.4	1.0	27.99		8.32		29.77		97.80		6.48		1.53		4.4	
	8/11/2023	Fine	16:53	8.3	1.0	25.73	25.68	7.78	7.81	30.03	30.11	90.10	91.15	6.37	6.40	4.37	4.45	3.8	3.9
			16:54	8.3	1.0	25.63		7.83		30.18		92.20		6.43		4.52		4.0	
	10/11/2023	Fine	17:15	8.5	1.0	26.56	26.64	8.20	8.22	30.44	30.52	90.30	90.65	6.27	6.29	5.99	5.91	9.3	8.5
			17:16	8.5	1.0	26.72		8.24		30.59		91.00		6.31		5.82		7.6	
	13/11/2023	Fine	18:12	8.1	1.0	25.87	25.83	8.34	8.36	30.69	30.76	96.60	96.15	6.61	6.57	5.27	5.43	5.2	5.4
			18:13	8.1	1.0	25.79		8.38		30.83		95.70		6.52		5.58		5.6	
	15/11/2023	Fine	7:22	8.1	1.0	24.77	24.89	8.74	8.78	30.86	30.90	110.70	109.60	7.70	7.65	6.29	6.66	9.4	9.2
				8.1	1.0	25.01		8.81		30.94		108.50		7.60		7.03		8.9	
	17/11/2023	Strong Monsoon						WQM was cancelled due to adverse weather											
	20/11/2023	Fine	15:00	8.3	1.0	23.67	23.77	8.31	8.32	31.11	31.05	88.60	88.15	6.18	6.16	5.24	5.37	4.0	4.2
			15:01	8.3	1.0	23.86		8.32		30.98		87.70		6.13		5.49		4.4	
	22/11/2023	Fine	15:36	8.2	1.0	24.11	24.01	8.97	8.91	30.67	30.74	88.90	89.20	6.28	6.30	4.20	4.38	3.8	3.7
			15:37	8.2	1.0	23.90		8.84		30.80		89.50		6.32		4.55		3.6	
	24/11/2023	Strong Monsoon						WQM was cancelled due to adverse weather											
	27/11/2023	Fine	17:56	8.3	1.0	24.48	24.43	8.83	8.79	31.38	31.47	93.70	94.35	6.85	6.83	5.29	5.45	5.3	5.2
			17:57	8.3	1.0	24.37		8.74		31.55		95.00		6.81		5.60		5.0	
	29/11/2023	Fine	7:30	8.2	1.0	24.47	24.41	9.17	9.13	30.83	30.90	99.80	99.15	6.84	6.78	5.02	5.15	3.8	3.7
			7:31	8.2	1.0	24.35		9.09		30.96		98.50		6.72		5.27		3.6	

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CF (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						CF	1/11/2023	Cloudy	14:41 14:42	8.7 8.7	4.4 4.4	26.72 26.65	26.69	8.28 8.22	8.25	30.24 30.33	30.29	93.70 92.50	93.10	6.38 6.29	6.34
	3/11/2023	Fine	6:56 6:57	8.1 8.1	4.1 4.1	27.05 26.90	27.02	8.57 8.53	8.55	29.97 29.90	29.94	111.60 114.50	113.05	7.63 7.79	7.71	4.29 4.61	4.45	6.3 5.4	5.9		
	6/11/2023	Fine	7:02 7:03	8.5 8.5	4.3 4.3	27.53 27.48	27.51	8.14 8.15	8.15	29.68 29.83	29.76	107.20 109.10	108.15	7.22 7.36	7.29	2.17 2.25	2.21	7.7 8.0	7.9		
	8/11/2023	Fine	7:54 7:55	8.6 8.6	4.3 4.3	25.70 25.56	25.63	7.77 7.75	7.76	29.98 30.00	29.99	113.20 113.80	113.50	7.70 7.75	7.73	5.45 5.72	5.59	4.8 5.0	4.9		
	10/11/2023	Fine	9:39 9:40	8.8 8.8	4.4 4.4	27.12 27.20	27.16	8.93 8.80	8.87	30.10 30.02	30.06	98.40 96.30	97.35	6.68 6.56	6.62	4.97 4.47	4.72	4.0 3.6	3.8		
	13/11/2023	Fine	11:29 11:30	8.4 8.4	4.2 4.2	25.47 25.37	25.42	8.95 8.87	8.91	30.76 30.88	30.82	103.20 102.70	102.95	7.17 7.14	7.16	6.37 6.50	6.44	8.9 8.4	8.7		
	15/11/2023	Fine	14:11 14:12	8.5 8.5	4.3 4.3	25.18 25.21	25.20	8.49 8.50	8.50	31.30 31.14	31.22	99.30 99.10	99.20	6.93 6.88	6.91	5.69 5.79	5.74	7.4 4.8	6.1		
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	20/11/2023	Fine	7:05 7:06	8.5 8.5	4.3 4.3	23.19 23.02	23.11	7.72 7.74	7.73	30.61 30.74	30.68	90.70 88.40	89.55	6.49 6.41	6.45	6.16 6.04	6.10	4.9 4.4	4.7		
	22/11/2023	Fine	7:09 7:10	8.7 8.7	4.4 4.4	24.39 24.28	24.34	8.74 8.75	8.75	31.01 31.10	31.06	91.00 90.80	90.90	6.55 6.43	6.49	5.84 6.06	5.95	5.9 5.5	5.7		
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	27/11/2023	Fine	11:04 11:05	8.6 8.6	4.3 4.3	24.78 24.61	24.70	7.86 7.95	7.91	31.09 31.25	31.17	94.80 93.60	94.20	6.63 6.55	6.59	6.78 7.01	6.90	8.7 8.4	8.6		
	29/11/2023	Fine	13:56 13:57	8.6 8.6	4.3 4.3	23.83 23.94	23.89	9.03 8.97	9.00	31.58 31.29	31.44	94.60 93.00	93.80	6.39 6.26	6.33	5.04 5.19	5.12	5.0 5.3	5.2		

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CF (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L	
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						CF	1/11/2023	Cloudy	8:26 8:27	8.3 8.3	4.2 4.2	26.81 26.72	26.77	8.05 8.04	8.05	29.93 30.14	30.04	104.50 105.20	104.85
	3/11/2023	Fine	16:08 16:09	8.5 8.5	4.3 4.3	26.61 26.78	26.70	8.97 8.98	8.98	30.35 30.43	30.39	96.10 96.50	96.30	6.43 6.51	6.47	3.95 3.90	3.93	7.2 6.0	6.6
	6/11/2023	Fine	17:28 17:29	8.4 8.4	4.2 4.2	27.91 27.88	27.90	8.22 8.23	8.23	29.53 29.49	29.51	94.30 93.90	94.10	6.41 6.38	6.40	2.39 2.84	2.62	4.9 5.3	5.1
	8/11/2023	Fine	16:57 16:58	8.3 8.3	4.2 4.2	25.63 25.58	25.61	7.94 7.94	7.94	30.20 30.25	30.23	90.90 90.20	90.55	6.40 6.34	6.37	4.19 4.43	4.31	4.6 5.0	4.8
	10/11/2023	Fine	17:19 17:20	8.5 8.5	4.3 4.3	26.92 26.66	26.79	8.25 8.23	8.24	30.24 30.04	30.14	88.40 89.20	88.80	6.15 6.20	6.18	7.10 7.05	7.08	9.0 6.5	7.8
	13/11/2023	Fine	18:16 18:17	8.1 8.1	4.1 4.1	27.80 25.76	26.78	8.45 8.47	8.46	30.67 30.51	30.59	87.10 87.90	87.50	6.36 6.38	6.37	4.59 4.25	4.42	6.5 6.2	6.4
	15/11/2023	Fine	7:26 7:27	8.1 8.1	4.1 4.1	24.85 24.68	24.77	8.98 9.01	9.00	30.99 30.97	30.98	101.90 104.70	103.30	7.21 7.38	7.30	7.05 7.28	7.17	9.6 9.0	9.3
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																
	20/11/2023	Fine	15:04 15:05	8.3 8.3	4.2 4.2	23.84 23.69	23.77	8.43 8.39	8.41	31.04 31.20	31.12	96.60 97.80	97.20	6.49 6.96	6.53	5.74 5.97	5.86	5.2 5.6	5.4
	22/11/2023	Fine	15:40 15:41	8.2 8.2	4.1 4.1	23.64 23.79	23.72	8.94 8.85	8.90	30.98 31.17	31.08	84.90 86.10	85.45	6.22 6.24	6.23	5.06 4.97	5.02	4.2 4.5	4.4
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																
	27/11/2023	Fine	18:00 18:01	8.3 8.3	4.2 4.2	24.20 24.33	24.27	8.97 8.81	8.89	30.67 30.83	30.75	88.10 90.40	89.25	6.30 6.49	6.40	5.92 5.67	5.80	6.3 6.6	6.5
	29/11/2023	Fine	7:34 7:35	8.2 8.2	4.1 4.1	24.34 24.01	24.18	9.05 9.04	9.05	30.80 30.72	30.76	95.30 96.20	95.75	6.44 6.46	6.45	5.84 5.76	5.80	4.5 4.3	4.4

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CF (Bottom) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L				
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
						CF																
CF	1/11/2023	Cloudy	14:44	8.7	7.7	26.57																
			14:45	8.7	7.7	26.62	26.60	8.23	8.23	29.94	29.88	89.80	89.70	6.31	6.28	5.45	5.42	8.5	8.3			
	3/11/2023	Fine	6:59	8.1	7.1	26.91	26.90	8.69	8.65	30.11	30.17	100.40	99.45	7.05	6.96	3.91	4.08	5.3	6.2			
			7:00	8.1	7.1	26.88		8.61		30.22		98.50		6.97		4.25		7.0				
	6/11/2023	Fine	7:05	8.5	7.5	27.40	27.42	8.16	8.15	29.78	29.72	101.80	101.35	6.94	6.90	1.82	1.91	6.4	6.2			
			7:06	8.5	7.5	27.44		8.14		29.65		100.90		6.86		2.00		6.0				
	8/11/2023	Fine	7:57	8.6	7.6	26.52	26.45	7.84	7.83	29.96	29.98	116.90	117.05	7.95	7.96	5.29	5.30	4.2	4.4			
			7:58	8.6	7.6	26.37		7.82		29.99		117.20		7.97		5.30		4.6				
	10/11/2023	Fine	9:42	8.8	7.8	27.36	27.28	8.89	8.93	30.32	30.39	97.20	96.10	6.57	6.52	5.01	4.93	4.6	4.5			
			9:43	8.8	7.8	27.16		8.97		30.46		95.00		6.46		4.85		4.4				
	13/11/2023	Fine	11:32	8.4	7.4	25.27	25.33	8.94	8.98	30.91	30.95	102.20	101.50	7.10	7.03	6.13	6.25	7.9	8.0			
			11:33	8.4	7.4	25.39		9.01		30.99		100.80		6.96		6.37		8.0				
	15/11/2023	Fine	14:14	8.5	7.5	25.36	25.25	8.56	8.56	31.28	31.28	98.20	98.55	6.75	6.82	6.20	6.11	6.6	6.2			
			14:15	8.5	7.5	25.14		8.56		31.28		98.90		6.78		6.02		5.8				
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																			
	20/11/2023	Fine	7:08	8.5	7.5	22.99	22.94	7.62	7.64	30.51	30.63	86.40	85.55	6.36	6.29	6.23	6.20	5.6	5.5			
			7:09	8.5	7.5	22.88		7.65		30.74		84.70		6.22		6.17		5.3				
	22/11/2023	Fine	7:12	8.7	7.7	24.53	24.40	8.85	8.86	30.83	30.81	93.50	93.90	6.71	6.73	4.92	4.65	5.1	5.0			
			7:13	8.7	7.7	24.28		8.86		30.79		94.30		6.75		4.38		4.9				
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																			
27/11/2023	Fine	11:07	8.6	7.6	24.56	24.46	8.08	8.17	31.38	31.24	95.60	96.60	6.73	6.81	7.25	7.14	7.6	7.8				
		11:08	8.6	7.6	24.35		8.25		31.10		97.60		6.88		7.02		7.9					
29/11/2023	Fine	13:59	8.6	7.6	23.82	23.74	9.01	9.06	31.15	31.28	94.90	95.85	6.40	6.46	5.23	5.33	5.8	5.7				
		14:00	8.6	7.6	23.65		9.04		31.40		96.80		6.51		5.43		5.6					

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CF (Bottom) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L				
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG			
						CF																
CF	1/11/2023	Cloudy	8:29	8.3	7.3	26.62	26.58	8.02	8.02	30.23	30.19	97.50	97.35	6.68	6.67	8.08	7.75	6.5	6.7			
			8:30	8.3	7.3	26.53		8.02		30.14		97.20		6.66		7.41		6.9				
	3/11/2023	Fine	16:11	8.5	7.5	26.71	26.75	9.06	9.03	30.72	30.74	92.60	91.95	6.23	6.20	5.71	5.59	7.2	8.4			
			16:12	8.5	7.5	26.78		9.00		30.76		91.30		6.16		5.47		9.5				
	6/11/2023	Fine	17:31	8.4	7.4	27.82	27.85	8.20	8.24	29.55	29.59	93.70	93.45	6.41	6.38	3.21	3.12	5.6	5.8			
			17:32	8.4	7.4	27.87		8.27		29.63		93.20		6.34		3.02		6.0				
	8/11/2023	Fine	17:00	8.3	7.3	25.36	25.42	8.02	8.04	29.82	29.88	89.50	88.85	6.28	6.26	4.38	4.28	5.2	5.4			
			17:01	8.3	7.3	25.49		8.05		29.93		88.20		6.23		4.17		5.6				
	10/11/2023	Fine	17:22	8.5	7.5	26.85	26.74	8.27	8.26	30.19	30.14	85.30	85.40	5.88	5.88	8.15	8.08	13.2	13.0			
			17:23	8.5	7.5	26.62		8.25		30.08		85.50		5.87		8.01		12.7				
	13/11/2023	Fine	18:19	8.1	7.1	25.58	25.61	8.57	8.59	30.99	30.91	88.10	88.45	6.41	6.44	4.83	4.78	7.1	6.9			
			18:20	8.1	7.1	25.63		8.60		30.82		88.80		6.46		4.72		6.7				
	15/11/2023	Fine	7:29	8.1	7.1	24.40	24.37	8.65	8.65	30.79	30.72	90.20	90.55	6.68	6.70	7.17	7.27	8.4	8.8			
			7:30	8.1	7.1	24.33		8.64		30.65		90.90		6.71		7.37		9.2				
	17/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																			
	20/11/2023	Fine	15:07	8.3	7.3	23.75	23.66	8.54	8.56	31.42	31.31	93.90	93.45	6.39	6.38	5.24	5.14	6.7	6.9			
			15:08	8.3	7.3	23.58		8.58		31.19		93.00		6.36		5.04		7.1				
	22/11/2023	Fine	15:43	8.2	7.2	23.80	23.78	8.90	8.86	31.49	31.41	88.60	88.45	6.26	6.25	4.92	4.75	5.2	5.5			
			15:44	8.2	7.2	23.75		8.81		31.32		88.30		6.24		4.58		5.7				
	24/11/2023	Strong Monsoon	WQM was cancelled due to adverse weather																			
27/11/2023	Fine	18:03	8.3	7.3	24.30	24.21	8.76	8.71	30.19	30.23	93.40	95.15	6.77	6.81	6.07	5.98	7.8	7.6				
		18:04	8.3	7.3	24.11		8.65		30.27		96.90		6.85		5.89		7.3					
29/11/2023	Fine	7:37	8.2	7.2	24.26	24.23	9.07	9.04	31.01	31.07	88.10	92.95	6.32	6.35	4.87	4.70	5.1	5.0				
		7:38	8.2	7.2	24.20		9.01		31.12		93.80		6.37		4.54		4.8					

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station SR4 (surface) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
SR4	1/12/2023	Fine	15:46	3.5	1.0	23.37	23.41	9.24	9.18	31.18	31.09	90.10	90.55	6.62	6.66	10.97	10.99	12.6	12.7		
			15:47	3.5	1.0	23.45		9.12		31.00		91.00		6.70		11.00		12.7			
	5/12/2023	Cloudy	7:13	3.4	1.0	23.67	23.76	9.01	9.04	30.99	30.96	90.60	90.00	6.62	6.56	6.02	6.13	5.6	5.5		
			7:14	3.4	1.0	23.84		9.07		30.92		89.40		6.50		6.23		5.3			
	7/12/2023	Cloudy	7:22	3.6	1.0	23.35	23.27	9.14	9.08	31.18	31.25	93.20	92.75	6.76	6.75	4.89	5.00	2.5	2.4		
			7:23	3.6	1.0	23.18		9.02		31.32		92.30		6.73		5.11		2.2			
	9/12/2023	Fine	9:12	3.7	1.0	23.41	23.37	8.32	8.33	30.88	30.84	96.00	94.70	6.98	7.36	5.74	5.52	5.6	4.7		
			9:13	3.7	1.0	23.32		8.33		30.79		93.40		7.74		5.30		3.7			
	11/12/2023	Cloudy	10:59	3.7	1.0	24.23	24.21	9.10	9.18	30.97	30.89	98.70	96.35	6.97	6.88	2.58	2.64	1.6	1.5		
			11:00	3.7	1.0	24.19		9.26		30.81		94.00		6.79		2.70		1.4			
	13/12/2023	Cloudy	12:39	3.7	1.0	25.21	25.14	8.72	8.78	31.09	31.11	93.50	95.75	6.65	6.76	2.19	2.28	<1.0	1.0		
			12:40	3.7	1.0	25.07		8.84		31.12		98.00		6.87		2.37		<1.0			
	15/12/2023	Fine	14:08	3.4	1.0	24.13	24.16	9.24	9.27	31.13	31.19	90.90	89.70	6.56	6.51	4.24	4.17	2.9	2.8		
			14:09	3.4	1.0	24.18		9.30		31.25		88.50		6.45		4.09		2.7			
	18/12/2023	Cloudy	17:05	3.6	1.0	21.73	21.68	8.28	8.26	31.24	31.19	90.00	91.15	6.64	6.71	8.66	8.59	10.9	10.5		
			17:06	3.6	1.0	21.62		8.24		31.14		92.30		6.77		8.52		10.0			
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	25/12/2023	Fine	11:06	3.6	1.0	18.63	18.74	8.64	8.67	31.48	31.42	89.70	91.05	6.43	6.59	9.29	9.18	5.7	5.6		
			11:07	3.6	1.0	18.85		8.70		31.36		92.40		6.74		9.07		5.4			
	27/12/2023	Cloudy	12:38	3.7	1.0	18.79	18.79	9.31	9.38	32.25	32.15	82.30	84.25	6.47	6.61	6.78	6.68	3.5	3.4		
			12:39	3.7	1.0	18.78		9.44		32.05		86.20		6.75		6.57		3.2			
	29/12/2023	Cloudy	13:47	3.8	1.0	20.27	20.31	8.58	8.64	31.29	31.36	92.40	91.30	6.79	6.76	6.41	6.46	3.0	3.2		
			13:48	3.8	1.0	20.35		8.69		31.42		90.20		6.73		6.51		3.4			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station SR4 (surface) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
SR4	1/12/2023	Fine	9:46	3.2	1.0	23.13	23.16	9.06	9.12	31.33	31.26	90.70	89.70	6.58	6.53	11.80	11.95	11.3	11.2		
			9:47	3.2	1.0	23.18		9.17		31.19		88.70		6.46		12.10		11.1			
	5/12/2023	Cloudy	14:23	3.5	1.0	23.58	23.64	9.25	9.17	31.24	31.35	87.20	87.75	6.39	6.45	6.13	6.06	4.2	4.1		
			14:24	3.5	1.0	23.70		9.08		31.46		88.30		6.50		5.98		4.0			
	7/12/2023	Cloudy	14:57	3.4	1.0	22.98	22.98	9.74	9.48	30.98	30.94	92.10	90.15	6.78	6.62	4.26	4.35	4.6	4.7		
			14:58	3.4	1.0	22.97		9.21		30.90		88.20		6.45		4.43		4.8			
	9/12/2023	Fine	15:39	3.5	1.0	23.73	23.68	8.66	8.61	31.41	31.33	97.00	96.65	6.98	6.93	3.82	3.68	3.3	3.3		
			15:40	3.5	1.0	23.62		8.56		31.24		96.30		6.87		3.53		3.3			
	11/12/2023	Cloudy	16:35	3.5	1.0	24.22	24.20	8.11	8.22	31.26	31.34	97.90	96.05	6.89	6.81	1.96	2.03	1.5	1.4		
			16:36	3.5	1.0	24.18		8.32		31.42		94.20		6.73		2.09		1.2			
	13/12/2023	Cloudy	7:33	3.3	1.0	24.37	24.81	8.79	8.75	31.37	31.22	97.40	95.45	6.84	6.70	2.99	2.98	<1.0	1.0		
			7:34	3.3	1.0	25.24		8.70		31.07		93.50		6.55		2.96		<1.0			
	15/12/2023	Fine	8:41	3.2	1.0	24.17	24.13	9.25	9.20	31.21	31.15	96.30	94.35	6.81	6.72	3.73	3.84	2.2	2.3		
			8:42	3.2	1.0	24.09		9.15		31.09		92.40		6.63		3.95		2.4			
	18/12/2023	Cloudy	11:17	3.3	1.0	21.24	21.28	8.30	8.34	31.18	31.21	88.00	86.50	6.54	6.48	8.61	8.48	8.9	9.0		
			11:18	3.3	1.0	21.32		8.38		31.24		85.00		6.41		8.34		9.1			
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	25/12/2023	Fine	16:43	3.9	1.0	19.04	18.99	8.67	8.76	31.78	31.72	90.60	88.35	6.83	6.69	8.67	8.76	4.5	4.4		
			16:44	3.9	1.0	18.94		8.85		31.66		86.10		6.54		8.85		4.2			
	27/12/2023	Cloudy	7:35	3.2	1.0	18.87	18.91	9.36	9.25	32.01	32.08	84.50	85.85	6.61	6.73	8.37	8.31	5.8	5.7		
			7:36	3.2	1.0	18.94		9.14		32.14		87.20		6.85		8.24		5.5			
	29/12/2023	Cloudy	8:37	3.3	1.0	20.57	20.51	8.67	8.71	31.36	31.29	90.60	92.90	6.56	6.71	5.84	5.91	2.7	2.9		
			8:38	3.3	1.0	20.44		8.75		31.22		95.20		6.85		5.97		3.0			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.

**Impact Water Quality Monitoring at Station SR4 (Bottom) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS		
						°C		-		ppt		%		mg/L		NTU		mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR4	1/12/2023	Fine	15:48	3.5	2.5	23.47	23.38	9.14	9.18	31.05	31.12	86.20	85.90	6.39	6.38	8.11	8.08	13.5	13.7	
			15:49	3.5	2.5	23.29	23.38	9.21	9.18	31.19	31.12	85.60	85.90	6.36	6.38	8.05	8.08	13.8	13.7	
	5/12/2023	Cloudy	7:15	3.4	2.4	23.84	23.84	9.26	9.19	30.98	30.97	88.60	87.95	6.44	6.41	5.29	5.90	4.0	4.2	
			7:16	3.4	2.4	23.84	23.84	9.26	9.19	30.98	30.95	88.60	87.95	6.44	6.41	5.29	5.90	4.0	4.2	
	7/12/2023	Cloudy	7:24	3.6	2.6	23.24	23.37	8.11	8.18	30.79	30.81	89.30	89.70	6.50	6.51	4.72	4.83	3.0	3.1	
			7:25	3.6	2.6	23.50	23.37	8.25	8.18	30.83	30.81	90.10	89.70	6.52	6.51	4.94	4.83	3.2	3.1	
	9/12/2023	Fine	9:14	3.7	2.7	23.41	23.34	8.37	8.29	30.18	30.62	94.10	92.95	6.86	6.75	5.29	5.20	7.9	8.2	
			9:15	3.7	2.7	23.27	23.34	8.20	8.29	31.06	30.62	91.80	92.95	6.63	6.75	5.11	5.20	8.4	8.2	
	11/12/2023	Cloudy	11:01	3.7	2.7	24.12	24.10	9.18	9.27	31.29	31.19	98.10	96.10	7.05	6.91	2.86	2.80	2.1	2.3	
			11:02	3.7	2.7	24.08	24.10	9.36	9.27	31.08	31.19	94.10	96.10	6.77	6.91	2.74	2.80	2.4	2.3	
	13/12/2023	Cloudy	12:41	3.7	2.7	24.97	24.93	8.84	8.80	31.26	31.34	98.30	97.85	6.76	6.79	3.04	3.02	2.1	2.2	
			12:42	3.7	2.7	24.88	24.93	8.76	8.80	31.42	31.34	97.40	97.85	6.81	6.79	2.99	3.02	2.2	2.2	
	15/12/2023	Fine	14:10	3.6	2.4	24.29	24.26	9.22	9.25	30.98	30.91	88.90	89.30	6.32	6.39	3.88	3.93	2.6	2.5	
			14:11	3.4	2.4	24.23	24.26	9.27	9.25	30.84	30.91	89.70	89.30	6.45	6.39	3.98	3.93	2.4	2.5	
	18/12/2023	Cloudy	17:07	3.6	2.6	21.60	21.72	8.30	8.37	31.36	31.34	83.60	84.65	6.24	6.38	8.15	8.10	6.8	6.7	
			17:08	3.6	2.6	21.84	21.72	8.43	8.37	31.31	31.34	85.70	84.65	6.51	6.38	8.04	8.10	6.5	6.7	
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	25/12/2023	Fine	11:08	3.6	2.6	18.99	18.89	8.67	8.72	31.78	31.70	86.00	85.55	6.36	6.32	11.90	12.20	7.1	7.0	
			11:09	3.6	2.6	18.78	18.89	8.77	8.72	31.61	31.70	85.10	85.55	6.28	6.32	12.50	12.20	6.8	7.0	
	27/12/2023	Cloudy	12:40	3.7	2.7	18.70	18.76	9.52	9.51	31.60	31.67	84.50	85.75	6.62	6.77	5.84	5.91	4.0	3.9	
			12:41	3.7	2.7	18.82	18.76	9.50	9.51	31.74	31.67	87.00	85.75	6.91	6.77	5.98	5.91	3.7	3.9	
	29/12/2023	Cloudy	13:49	3.8	2.8	-	20.19	8.72	8.79	31.58	31.68	86.10	86.30	6.49	6.50	7.18	7.27	4.0	4.2	
			13:50	3.8	2.8	20.19	20.19	8.85	8.79	31.77	31.68	86.50	86.30	6.50	6.50	7.36	7.27	4.3	4.2	

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.

**Impact Water Quality Monitoring at Station SR4 (Bottom) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS		
						°C		-		ppt		%		mg/L		NTU		mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR4	1/12/2023	Fine	9:48	3.2	2.2	23.24	23.17	9.15	9.12	31.15	31.30	90.40	91.95	6.55	6.66	9.08	8.92	12.6	12.7	
			9:49	3.2	2.2	23.09	23.17	9.08	9.12	31.45	31.30	93.50	91.95	6.76	6.66	8.75	8.92	12.8	12.7	
	5/12/2023	Cloudy	14:25	3.5	2.5	23.83	23.77	9.43	9.36	31.56	31.35	85.50	84.85	6.28	6.25	5.54	5.44	5.0	4.9	
			14:26	3.5	2.5	23.71	23.77	9.28	9.36	31.14	31.35	84.20	84.85	6.21	6.25	5.34	5.44	4.7	4.9	
	7/12/2023	Cloudy	14:59	3.4	2.4	23.12	23.10	9.36	9.31	31.41	31.34	86.80	86.45	6.40	6.39	3.94	3.90	5.8	5.5	
			15:00	3.4	2.4	23.07	23.10	9.26	9.31	31.27	31.34	86.10	86.45	6.37	6.39	3.85	3.90	5.2	5.5	
	9/12/2023	Fine	15:41	3.5	2.5	23.53	23.59	8.55	8.57	31.24	31.31	91.50	92.95	6.58	6.68	3.46	3.53	5.1	5.0	
			15:42	3.5	2.5	23.65	23.59	8.59	8.57	31.38	31.31	94.40	92.95	6.77	6.68	3.60	3.53	4.8	5.0	
	11/12/2023	Cloudy	16:37	3.5	2.5	24.25	135.70	8.11	8.12	31.25	31.15	97.00	95.40	6.91	6.81	1.95	1.91	1.7	1.7	
			16:38	3.5	2.5	24.14	135.70	8.13	8.12	31.05	31.15	93.80	95.40	6.71	6.81	1.87	1.91	1.7	1.7	
	13/12/2023	Cloudy	7:35	3.3	2.3	24.98	24.96	8.81	8.72	31.12	31.20	94.80	96.35	6.68	6.77	3.12	3.25	1.2	1.3	
			7:36	3.3	2.3	24.94	24.96	8.83	8.72	31.27	31.20	97.90	96.35	6.85	6.77	3.37	3.25	1.3	1.3	
	15/12/2023	Fine	8:43	3.2	2.2	24.23	24.14	9.20	9.31	31.10	31.17	95.00	95.85	6.59	6.64	4.37	4.37	3.1	3.2	
			8:44	3.2	2.2	24.05	24.14	9.41	9.31	31.23	31.17	96.70	95.85	6.69	6.64	4.36	4.37	3.3	3.2	
	18/12/2023	Cloudy	11:19	3.3	2.3	21.28	21.31	8.29	8.32	31.19	31.27	87.80	88.05	6.48	6.52	8.95	8.78	9.4	9.3	
			11:20	3.3	2.3	21.33	21.31	8.34	8.32	31.35	31.27	88.30	88.05	6.55	6.52	8.61	8.78	9.2	9.3	
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	25/12/2023	Fine	16:45	3.9	2.9	19.01	18.97	8.37	8.47	31.67	31.59	85.00	88.30	6.41	6.48	8.37	8.47	3.5	3.4	
			16:46	3.9	2.9	18.92	18.97	8.56	8.47	31.50	31.59	91.60	88.30	6.54	6.48	8.56	8.47	3.3	3.4	
	27/12/2023	Cloudy	7:37	3.2	2.2	18.98	18.95	9.42	9.33	32.34	32.24	83.70	85.65	6.57	6.70	8.67	8.77	5.0	4.8	
			7:38	3.2	2.2	18.91	18.95	9.24	9.33	32.14	32.24	87.60	85.65	6.82	6.70	8.86	8.77	4.6	4.8	
	29/12/2023	Cloudy	8:39	3.3	2.3	20.38	20.63	8.62	8.65	31.35	31.38	90.80	89.50	6.47	6.39	5.68	5.71	4.1	4.0	
			8:40	3.3	2.3	20.67	20.63	8.68	8.65	31.41	31.38	88.20	89.50	6.31	6.39	5.73	5.71	3.8	4.0	

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR5 (surface) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						SR5	1/12/2023	Fine	15:38	4.1	1.0	23.52		9.07	9.10	31.32	31.27	88.30	88.55	6.52	6.54
15:39	4.1	1.0	23.47		9.12					31.26		88.80		6.55		8.99		10.6			
5/12/2023	Cloudy	7:22	3.8	1.0			23.76	9.09	9.09	31.15	31.21	85.30	85.60	6.52	6.54	4.58	4.67	3.5	3.4		
		7:23	3.9	1.0	23.76			9.08		31.15		85.90		6.55		4.76		3.2			
7/12/2023	Cloudy	7:31	4.1	1.0	23.34		23.26	8.36	8.37	30.84	30.78	92.40	93.30	6.74	6.81	4.24	4.13	2.3	2.4		
		7:32	4.1	1.0	23.18			8.37		30.72		94.20		6.68		4.01		2.5			
9/12/2023	Fine	11:08	3.9	1.0	23.41		23.33	8.55	8.56	31.40	31.33	96.10	95.80	6.81	6.80	4.33	4.40	4.2	4.5		
		9:22	4.0	1.0	23.25			8.57		31.26		95.50		6.78		4.47		4.8			
11/12/2023	Cloudy	11:08	3.9	1.0	24.16		24.20	9.04	8.95	31.24	31.15	91.40	94.25	6.65	6.80	2.95	2.86	1.2	1.4		
		11:09	3.9	1.0	24.24			8.85		31.05		97.10		6.94		2.77		1.5			
13/12/2023	Cloudy	12:30	4.0	1.0	25.29		25.20	8.75	8.69	31.26	31.31	91.10	94.05	6.47	6.57	2.01	2.13	1.9	1.8		
		12:31	4.0	1.0	25.11			8.63		31.35		97.00		6.66		2.25		1.6			
15/12/2023	Fine	14:00	4.1	1.0	24.14		24.20	9.30	9.38	30.81	30.83	90.80	91.10	6.49	6.52	3.99	4.02	3.0	3.1		
		14:01	3.9	1.0	24.25			9.45		30.85		91.40		6.55		4.05		3.2			
18/12/2023	Cloudy	16:58	4.1	1.0	21.65		21.61	8.33	8.31	31.35	31.32	90.20	90.35	6.71	6.72	9.17	8.82	8.8	8.8		
		16:59	4.1	1.0	21.56			8.28		31.28		90.50		6.72		8.46		8.7			
20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																			
22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																			
25/12/2023	Fine	11:14	3.8	1.0	18.95		18.92	8.82	8.81	31.93	31.87	95.50	93.75	6.87	6.81	9.08	9.17	6.0	5.8		
		11:15	3.8	1.0	18.88			8.79		31.81		92.00		6.75		9.25		5.6			
27/12/2023	Cloudy	12:31	3.9	1.0	18.72		18.66	9.48	9.40	31.74	31.80	88.40	86.75	6.96	6.83	6.46	6.35	3.3	3.5		
		12:32	3.9	1.0	18.59			9.50		31.85		85.10		6.69		6.24		3.6			
29/12/2023	Cloudy	13:39	3.9	1.0	20.26		20.32	8.68	8.64	31.62	31.68	92.40	91.30	6.79	6.76	5.22	5.20	4.0	4.2		
		13:40	3.9	1.0	20.37			8.60		31.74		90.20		6.73		5.17		4.3			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR5 (surface) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG		
						SR5	1/12/2023	Fine	9:54	3.8	1.0	23.31	23.32	9.27	9.19	31.18	31.14	91.80	92.70	6.43	6.54
9:55	3.8	1.0	23.33		9.11					31.10		93.60		6.65		8.08		9.0			
5/12/2023	Cloudy	14:15	4.0	1.0	23.65		23.72	9.20	9.24	31.47	31.40	94.40	94.75	6.79	6.82	4.57	4.68	3.4	3.3		
		14:16	4.0	1.0	23.79			9.17		31.32		95.10		6.64		4.78		3.2			
7/12/2023	Cloudy	14:50	3.7	1.0	22.97		22.91	9.25	9.38	30.17	30.21	92.60	91.90	6.77	6.74	3.28	3.38	4.6	4.3		
		14:51	3.7	1.0	22.84			9.50		30.25		91.20		6.70		3.47		4.0			
9/12/2023	Fine	15:31	3.8	1.0	23.37		23.42	8.27	8.26	31.21	31.31	93.20	93.45	6.78	6.80	3.15	3.09	3.3	3.5		
		15:32	3.8	1.0	23.46			8.24		31.40		93.70		6.81		3.02		3.7			
11/12/2023	Cloudy	16:29	3.7	1.0	24.13		24.20	8.08	8.09	30.78	30.86	87.30	87.80	6.61	6.16	1.92	2.02	1.3	1.3		
		16:30	3.7	1.0	24.27			8.10		30.94		88.30		6.70		2.12		1.2			
13/12/2023	Cloudy	7:40	3.8	1.0	25.08		25.13	8.61	8.65	31.34	31.36	93.20	94.85	6.55	6.67	1.43	1.59	1.6	1.5		
		7:41	3.8	1.0	25.17			8.69		31.38		96.50		6.78		1.75		1.4			
15/12/2023	Fine	8:50	3.8	1.0	24.10		24.12	9.23	9.20	30.88	30.92	90.10	91.25	6.35	6.38	3.42	3.32	2.1	2.3		
		8:51	3.8	1.0	24.14			9.17		30.95		92.40		6.41		3.21		2.4			
18/12/2023	Cloudy	11:25	3.8	1.0	21.22		21.33	8.41	8.44	31.55	31.49	86.60	86.20	6.54	6.51	8.45	8.41	9.1	9.3		
		11:26	3.8	1.0	21.44			8.47		31.43		85.80		6.47		8.37		9.4			
20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																			
22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																			
25/12/2023	Fine	16:35	4.1	1.0	19.17		19.10	8.65	8.74	31.84	31.80	92.20	91.80	6.73	6.64	8.65	8.74	3.8	3.7		
		16:36	4.1	1.0	19.02			8.83		31.75		91.40		6.54		8.83		3.6			
27/12/2023	Cloudy	7:44	3.6	1.0	18.80		18.83	9.20	9.24	31.86	31.91	86.50	88.35	6.50	6.62	8.94	8.79	3.8	3.9		
		7:45	3.6	1.0	18.86			9.28		31.95		90.20		6.73		8.64		4.0			
29/12/2023	Cloudy	8:46	3.5	1.0	20.49		20.42	8.87	8.81	31.67	31.76	87.00	87.10	6.24	6.25	5.29	5.18	2.4	2.5		
		8:47	3.5	1.0	20.35			8.74		31.85		87.20		6.25		5.07		2.6			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station SR5 (Bottom) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG		
SR5	1/12/2023	Fine	15:41	4.1	3.1	23.32	23.39	9.25	9.18	31.18	31.19	84.10	83.80	6.29	8.97	9.00	11.5	11.8			
			15:42	4.1	3.1	23.46		9.11		31.19		83.50		6.27	9.02		12.0				
	5/12/2023	Cloudy	7:24	3.8	2.8	23.95	23.90	9.23	9.17	31.42	31.38	83.60	83.20	6.39	5.42	5.55	2.8	2.7			
			7:25	3.8	2.8	23.84		9.10		31.34		82.80		6.17	5.67		2.5				
	7/12/2023	Cloudy	7:34	4.1	3.1	23.34	23.28	8.37	8.36	30.84	30.80	87.70	87.50	6.43	5.16	5.24	2.8	3.0			
			7:35	4.1	3.1	23.21		8.35		30.76		87.30		6.41	5.32		3.1				
	9/12/2023	Fine	9:24	4.0	3.0	23.35	23.29	8.33	8.28	31.09	31.04	89.60	89.90	6.55	6.37	6.23	7.3	7.1			
			9:25	4.0	3.0	23.22		8.23		30.99		90.20		6.59	6.08		6.9				
	11/12/2023	Cloudy	11:10	3.9	2.9	24.15	24.18	9.10	9.18	31.09	31.14	98.40	94.70	6.99	6.79	3.09	3.17	1.8	1.7		
			11:11	3.9	2.9	24.20		9.25		31.18		91.00		6.58	3.25		1.6				
	13/12/2023	Cloudy	12:33	4.0	3.0	25.04	24.99	8.92	8.86	31.02	30.98	100.20	98.45	6.92	6.87	2.97	2.89	2.2	2.3		
			12:34	4.0	2.9	24.94		8.80		30.93		96.70		6.81	2.80		2.4				
	15/12/2023	Fine	14:02	4.1	2.9	24.29	24.21	9.30	9.31	31.24	31.13	87.00	86.55	6.28	6.23	3.24	3.19	2.7	2.6		
			14:03	3.9	2.9	24.13		9.32		31.02		86.10		6.18	3.14		2.4				
	18/12/2023	Cloudy	17:01	4.1	3.1	21.58	21.55	8.37	8.32	31.01	30.94	88.80	88.20	6.64	6.61	7.24	7.39	8.3	8.1		
			17:02	4.1	3.1	21.52		8.27		30.87		87.60		6.57	7.53		7.9				
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	25/12/2023	Fine	11:16	3.8	2.8	18.93	18.86	8.86	8.81	31.76	31.85	87.80	89.00	6.38	6.48	9.01	9.00	6.8	7.0		
			11:17	3.8	2.8	18.78		8.75		31.94		90.20		6.58	8.99		7.2				
	27/12/2023	Cloudy	12:33	3.9	2.9	18.67	18.63	9.73	9.69	31.23	31.46	83.70	85.60	6.57	6.74	5.78	5.64	3.8	4.0		
			12:34	3.9	2.9	18.58		9.65		31.69		87.50		6.91	5.49		4.2				
	29/12/2023	Cloudy	13:41	3.9	2.9	20.14	20.18	8.79	8.85	31.85	31.80	88.40	86.70	6.55	6.48	6.07	6.02	7.0	6.9		
			13:42	3.9	2.9	20.21		8.90		31.75		85.00		6.41	5.96		6.7				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station SR5 (Bottom) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG		
SR5	1/12/2023	Fine	9:56	3.8	2.8	23.38	23.34	9.16	9.22	31.13	31.19	86.60	88.45	6.33	6.46	7.89	7.79	10.2	10.3		
			9:57	3.8	2.8	23.32		9.27		31.25		90.30		6.58	6.68		10.4				
	5/12/2023	Cloudy	14:18	4.0	3.0	23.97	23.89	9.45	9.40	31.32	31.38	90.00	90.10	6.54	6.55	4.56	4.47	3.9	3.9		
			14:19	4.0	3.0	23.80		9.35		31.44		90.20		6.55	4.38		3.9				
	7/12/2023	Cloudy	14:52	3.7	2.7	23.10	23.02	9.19	9.22	30.94	30.96	96.90	96.55	6.99	6.96	3.04	2.95	5.0	5.4		
			14:53	3.7	2.7	22.93		9.24		30.97		96.20		6.93	2.85		5.7				
	9/12/2023	Fine	15:33	3.8	2.8	23.51	23.45	8.37	8.33	31.23	31.21	96.70	95.10	6.87	6.80	3.44	3.32	4.2	4.5		
			15:34	3.8	2.8	23.39		8.29		31.18		93.50		6.73	3.19		4.8				
	11/12/2023	Cloudy	16:31	3.7	2.7	24.10	24.21	8.21	8.29	31.33	31.31	93.50	91.75	6.67	6.57	1.67	1.63	1.7	1.8		
			16:32	3.7	2.7	24.32		8.37		31.28		90.00		6.47	1.59		1.9				
	13/12/2023	Cloudy	7:42	3.8	2.8	24.81	24.87	8.63	8.65	31.24	31.18	91.70	93.75	6.49	6.66	2.09	2.16	2.0	2.1		
			7:43	3.8	2.8	24.92		8.67		31.11		95.80		6.82	2.22		2.2				
	15/12/2023	Fine	8:52	3.8	2.8	24.22	24.18	9.40	9.33	31.57	31.51	88.90	89.25	6.28	6.30	4.58	4.63	3.0	2.9		
			8:53	3.8	2.8	24.13		9.26		31.44		89.60		6.31	4.67		2.7				
	18/12/2023	Cloudy	11:27	3.8	2.8	21.20	21.28	8.35	8.37	31.43	31.52	88.20	87.35	6.56	6.53	8.09	8.27	8.5	8.8		
			11:28	3.8	2.8	21.35		8.38		31.60		86.50		6.50	8.44		9.0				
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	25/12/2023	Fine	16:38	4.1	3.1	19.02	18.97	7.32	7.44	31.74	31.70	92.80	92.75	6.91	6.75	7.32	7.44	2.8	3.0		
			16:39	4.1	3.1	18.92		7.55		31.65		92.70		6.58	7.55		3.1				
	27/12/2023	Cloudy	7:46	3.6	2.6	18.90	18.94	9.35	9.27	31.78	31.81	92.20	89.90	6.73	6.67	8.92	8.99	4.4	4.6		
			7:47	3.6	2.6	18.97		9.19		31.84		87.60		6.61	9.05		4.8				
	29/12/2023	Cloudy	8:48	3.5	2.5	20.29	20.28	8.56	8.57	31.40	31.37	90.50	90.95	6.51	6.53	6.68	6.63	2.8	3.0		
			8:49	3.5	2.5	20.27		8.57		31.34		91.40		6.54	6.57		3.1				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR6 (Middle) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
SR6	1/12/2023	Fine	15:29	2.7	1.4	23.52	23.47	9.10	9.06	31.18	31.27	88.30	86.90	6.47	6.36	11.90	12.10	10.3	10.5		
			19:30	2.7	1.4	23.41		9.01		31.35		85.50		6.25		12.30		10.7			
	5/12/2023	Cloudy	7:31	2.5	1.3	23.81	23.77	9.13	9.24	31.22	31.29	88.10	89.05	6.37	6.39	4.29	4.21	3.0	3.0		
			7:32	2.5	1.3	23.72		9.35		31.35		90.00		6.41		4.13		2.9			
	7/12/2023	Cloudy	7:39	2.5	1.3	23.17	23.29	9.17	9.13	30.09	30.17	91.00	91.75	6.64	6.67	3.98	4.04	3.4	3.3		
			7:40	2.5	1.3	23.41		9.09		30.24		92.50		6.70		4.09		3.2			
	9/12/2023	Fine	9:31	2.6	1.3	23.50	23.38	8.45	8.44	31.27	31.23	95.70	93.75	6.88	6.77	5.23	5.41	5.1	5.4		
			9:32	2.6	1.3	23.26		8.43		31.19		91.80		6.65		5.59		5.6			
	11/12/2023	Cloudy	11:17	2.6	1.3	24.30	24.24	9.36	9.26	31.47	31.43	89.20	92.05	6.48	6.69	1.96	2.10	1.5	1.4		
			11:18	2.6	1.3	24.17		9.16		31.38		94.90		6.89		2.23		1.2			
	13/12/2023	Cloudy	12:20	2.7	1.4	25.15	25.24	8.70	8.77	31.17	31.21	92.50	90.90	6.48	6.39	1.93	2.05	1.4	1.4		
			12:21	2.7	1.3	25.32		8.83		31.25		89.30		6.30		2.17		1.4			
	15/12/2023	Fine	13:31	2.7	1.3	24.30	24.23	9.40	9.32	31.27	31.31	90.50	89.25	6.51	6.43	3.07	3.16	2.7	2.7		
			13:32	2.5	1.3	24.16		9.24		31.35		88.00		6.34		3.25		2.6			
	18/12/2023	Cloudy	16:46	2.7	1.4	21.50	21.45	8.40	8.38	31.24	31.34	85.30	86.70	6.40	6.52	7.48	7.37	7.8	7.9		
			16:47	2.7	1.4	21.39		8.35		31.43		88.10		6.64		7.25		8.0			
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	25/12/2023	Fine	11:23	2.5	1.3	18.90	18.96	8.68	8.73	31.75	31.63	92.00	90.60	6.75	6.66	9.14	9.09	5.4	5.6		
			11:24	2.5	1.3	19.01		8.78		31.50		89.20		6.56		9.04		5.8			
	27/12/2023	Cloudy	12:22	2.6	1.3	18.83	18.89	9.55	9.60	32.11	32.06	87.00	85.35	6.87	6.74	6.33	6.25	3.4	3.7		
12:23			2.6	1.3	18.95		9.64		32.01		83.70		6.61		6.17		3.9				
29/12/2023	Cloudy	13:30	2.7	1.4	20.20	20.18	8.98	8.96	31.29	31.31	87.00	86.75	6.52	6.51	5.24	5.14	2.8	2.7			
		13:31	2.7	1.4	20.15		8.93		31.33		86.50		6.50		5.04		2.6				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR6 (Middle) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR6	1/12/2023	Fine	10:03	2.3	1.2	23.47	23.39	9.19	9.22	31.30	31.29	89.30	87.15	6.51	6.37	7.85	7.72	9.7	9.5	
			10:04	2.3	1.2	23.30		9.25		31.27		85.00		6.23		7.59		9.3		
	5/12/2023	Cloudy	14:06	2.7	1.4	23.64	23.76	9.24	9.31	30.94	30.83	84.50	83.30	6.75	6.69	4.59	4.80	3.2	3.4	
			14:07	2.7	1.4	23.87		9.38		30.71		82.10		6.63		5.00		3.6		
	7/12/2023	Cloudy	14:41	2.3	1.2	22.89	22.99	9.32	9.28	31.04	31.02	84.60	87.00	6.24	6.41	3.55	3.60	4.8	4.6	
			14:42	2.3	1.2	23.09		9.23		30.99		89.40		6.58		3.65		4.4		
	9/12/2023	Fine	15:22	2.4	1.2	23.41	23.36	8.36	8.38	31.45	31.39	94.20	93.45	6.77	6.72	3.78	3.90	3.6	3.8	
			15:23	2.4	1.2	23.31		8.40		31.33		92.70		6.66		4.01		4.0		
	11/12/2023	Cloudy	16:18	2.4	1.2	24.15	24.22	8.15	8.17	31.30	31.29	92.50	91.45	6.60	6.54	1.54	1.70	1.5	1.7	
			16:19	2.4	1.2	24.28		8.18		31.27		90.40		6.48		1.85		1.8		
	13/12/2023	Cloudy	7:49	2.5	1.3	25.19	25.23	8.68	8.67	31.14	31.22	91.50	94.25	6.52	6.71	2.61	2.73	<1.0	1.0	
			7:50	2.5	1.3	25.26		8.66		31.29		97.00		6.90		2.85		<1.0		
	15/12/2023	Fine	8:59	2.4	1.2	24.30	24.20	9.74	9.56	31.16	31.24	86.50	87.85	6.21	6.30	2.47	2.56	1.6	1.6	
			9:00	2.4	1.2	24.10		9.37		31.32		89.20		6.39		2.64		1.6		
	18/12/2023	Cloudy	11:35	2.4	1.2	21.24	21.19	8.23	8.27	31.20	31.14	87.60	88.20	6.61	6.65	7.54	7.64	8.1	7.9	
			11:36	2.4	1.2	21.13		8.30		31.07		88.80		6.68		7.74		7.6		
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	25/12/2023	Fine	16:26	2.7	1.4	19.20	19.29	8.59	8.79	29.11	29.68	92.50	91.55	6.61	6.59	8.59	8.79	4.4	4.2	
			16:27	2.7	1.4	19.37		8.98		30.24		90.60		6.56		8.98		4.0		
	27/12/2023	Cloudy	7:53	2.4	1.2	18.76	18.80	9.53	9.49	31.98	31.98	85.00	85.55	6.41	6.48	8.04	8.08	4.2	4.3	
7:54			2.4	1.2	18.84		9.45		31.97		86.10		6.54		8.12		4.3			
29/12/2023	Cloudy	8:55	2.3	1.2	20.21	20.29	8.73	8.74	31.58	31.64	92.20	91.35	6.58	6.55	5.74	5.70	2.8	2.8		
		8:56	2.3	1.2	20.37		8.74		31.69		90.50		6.51		5.65		2.7			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR9 (surface) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L				
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR9	1/12/2023	Fine	15:15	4.2	1.0	23.12		9.20		31.32		88.40	87.50	6.47	6.42	13.00		17.8		17.6		
			15:16	4.2	1.0	23.04	23.08	9.17		31.27	31.30	86.60		6.36		14.60		17.4				
	5/12/2023	Cloudy	7:46	3.9	1.0	24.00	23.95	9.17	9.26	31.37	31.33	90.70	92.65	6.49	6.62	4.52		4.0		3.8		
			7:47	3.9	1.0	23.89		9.35		31.29		94.60		6.74		4.39		3.6				
	7/12/2023	Cloudy	7:54	4.0	1.0	23.07	23.02	9.08	9.11	31.14	31.08	92.40	92.50	6.72	6.73	3.89		3.0		2.8		
			7:55	4.0	1.0	22.98		9.13		31.02		92.60		6.73		3.76		2.5				
	9/12/2023	Fine	9:46	4.0	1.0	23.22	23.32	8.57	8.53	31.01	30.95	96.10	95.15	6.58	6.54	3.29	3.19	5.2		4.6		
			9:47	4.0	1.0	23.42		8.48		30.88		94.20		6.49		3.08		4.0				
	11/12/2023	Cloudy	11:32	3.9	1.0	24.32	24.30	9.18	9.10	31.34	31.24	91.70	93.50	6.54	6.70	2.47	2.41	<1.0		1.0		
			11:33	3.9	1.0	24.27		9.01		31.14		95.30		6.85		2.34		<1.0				
	13/12/2023	Cloudy	12:06	4.1	1.0	25.07	25.00	8.88	8.90	30.69	30.83	91.40	93.25	6.45	6.59	1.25	1.15	<1.0		1.0		
			12:07	4.1	1.0	24.92		8.92		30.97		95.10		6.72		1.04		<1.0				
	15/12/2023	Fine	13:36	4.1	1.0	24.27	24.25	9.50	9.48	31.40	31.38	91.60	93.55	6.54	6.64	3.73	3.66	2.3		2.4		
			13:37	4.0	1.0	24.22		9.45		31.35		95.50		6.73		3.59		2.5				
	18/12/2023	Cloudy	16:35	4.1	1.0	21.94	21.88	8.17	8.19	31.41	31.37	86.30	86.70	6.55	6.58	7.98	8.00	7.8		7.6		
			16:36	4.1	1.0	21.81		8.21		31.32		87.10		6.61		8.02		7.4				
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																			
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																			
	25/12/2023	Fine	11:38	3.9	1.0	19.53	19.77	8.83	8.78	31.45	31.51	89.40	89.80	6.58	6.61	9.22	9.30	6.1		6.0		
			11:39	3.9	1.0	20.01		8.73		31.57		90.20		6.63		9.37		5.9				
27/12/2023	Cloudy	12:08	4.0	1.0	18.73	18.69	9.53	9.58	31.32	31.40	83.80	85.00	6.58	6.70	6.06	5.98	4.4		4.3			
		12:09	4.0	1.0	18.64		9.63		31.48		86.20		6.82		5.89		4.1					
29/12/2023	Cloudy	13:16	4.2	1.0	20.31	20.22	8.74	8.80	31.24	31.18	90.70	90.45	6.79	6.77	5.92	5.96	4.9		4.8			
		13:17	4.2	1.0	20.12		8.86		31.11		90.20		6.74		5.99		4.6					

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR9 (surface) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L				
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR9	1/12/2023	Fine	10:18	3.9	1.0	23.21	23.19	9.12	9.09	31.25	31.16	92.30	90.50	6.77	6.63	12.00	12.30	16.4		16.6		
			10:19	3.9	1.0	23.17		9.05		31.07		88.70		6.48		12.60		16.8				
	5/12/2023	Cloudy	13:51	4.1	1.0	23.97	23.94	9.23	9.20	30.97	30.93	87.20	87.60	6.32	6.36	4.25	4.15	2.6		2.7		
			13:52	4.1	1.0	23.90		9.17		30.89		88.00		6.40		4.05		2.8				
	7/12/2023	Cloudy	14:27	3.8	1.0	23.37	23.29	9.18	9.21	31.18	31.39	91.40	90.95	6.65	6.63	3.64	3.56	2.8		2.9		
			14:28	3.8	1.0	23.21		9.23		31.60		90.50		6.61		3.47		3.0				
	9/12/2023	Fine	15:07	3.9	1.0	23.51	23.44	8.37	8.31	31.37	31.27	93.30	94.65	6.71	6.82	3.51	3.32	3.6		3.9		
			15:08	3.9	1.0	23.37		8.24		31.17		96.00		6.93		3.12		4.1				
	11/12/2023	Cloudy	16:03	3.7	1.0	24.37	24.32	8.17	8.19	31.68	31.62	95.20	95.55	6.75	6.77	2.35	2.31	1.6		1.5		
			16:04	3.7	1.0	24.26		8.20		31.56		95.90		6.78		2.26		1.4				
	13/12/2023	Cloudy	8:04	3.9	1.0	25.41	25.33	8.69	8.77	31.39	31.43	93.00	94.60	6.50	6.59	1.25	1.36	<1.0		1.0		
			8:05	3.9	1.0	25.25		8.65		31.47		96.20		6.68		1.47		<1.0				
	15/12/2023	Fine	9:14	3.7	1.0	24.35	24.31	9.17	9.20	31.21	31.15	89.20	88.10	6.37	6.28	2.89	2.83	2.2		2.3		
			9:15	3.7	1.0	24.27		9.23		31.08		87.00		6.18		2.76		2.4				
	18/12/2023	Cloudy	11:50	3.9	1.0	21.58	21.66	8.28	8.25	31.37	31.27	88.80	89.95	6.60	6.64	7.24	7.37	9.2		9.1		
			11:51	3.9	1.0	21.73		8.22		31.16		91.10		6.68		7.49		8.9				
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																			
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																			
	25/12/2023	Fine	16:11	4.2	1.0	19.47	19.43	9.09	9.04	31.84	31.86	90.30	91.35	6.49	6.52	8.35	8.47	6.0		6.1		
			16:12	4.2	1.0	19.39		8.98		31.87		92.40		6.55		8.59		6.2				
27/12/2023	Cloudy	8:08	3.8	1.0	18.89	18.84	9.47	9.44	31.87	31.87	88.80	87.10	6.91	6.80	6.21	6.13	3.8		4.0			
		8:09	3.8	1.0	18.79		9.40		31.86		85.40		6.89		6.04		4.2					
29/12/2023	Cloudy	9:09	3.9	1.0	20.37	20.29	8.68	8.69	31.75	31.74	91.40	91.65	6.45	6.47	5.84	5.77	2.6		2.7			
		9:10	3.9	1.0	20.20		8.70		31.72		91.90		6.46		5.69		2.8					

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station SR9 (Bottom) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR9	1/12/2023	Fine	15:18	4.2	3.2	22.84	22.91	9.10	9.14	31.25	31.23	85.90	84.70	6.25	6.25	13.50	13.35	15.4	15.2	
			15:19	4.2	3.2	22.87		9.17	31.20	83.50		6.19		13.20		15.0				
	5/12/2023	Cloudy	7:48	3.9	2.9	23.79	23.73	9.36	9.31	31.24	31.35	88.60	87.35	6.59	6.43	3.71	3.87	3.0	2.8	
			7:49	3.9	2.9	23.67		9.25	31.45	86.10		6.33		4.02		2.6				
	7/12/2023	Cloudy	7:57	4.0	3.0	23.17	23.12	9.02	9.03	31.07	31.04	87.20	87.90	6.44	6.47	4.10	4.14	3.0	3.2	
			7:58	4.0	3.0	23.06		9.03	31.00	88.60		6.50		4.17		3.4				
	9/12/2023	Fine	9:49	4.0	3.0	23.35	23.36	8.32	8.26	31.41	31.38	96.50	94.60	6.97	6.85	3.06	3.27	2.7	3.0	
			9:50	4.0	3.0	23.37		8.19	31.35	92.70		6.72		3.47		3.2				
	11/12/2023	Cloudy	11:34	3.9	2.9	24.17	24.14	9.08	9.17	31.01	31.12	90.20	87.80	6.54	6.34	1.80	1.91	<1.0	<1.0	
			11:35	3.9	2.9	24.10		9.25	31.22	85.40		6.13		2.01		<1.0				
	13/12/2023	Cloudy	12:09	4.1	3.1	24.99	25.06	8.91	8.96	31.36	31.28	96.70	95.30	6.85	6.73	1.60	1.78	1.2	1.2	
			12:10	4.1	3.0	25.12		9.01	31.19	93.90		6.61		1.95		1.1				
	15/12/2023	Fine	13:39	4.1	3.0	24.20	24.26	9.55	9.55	31.14	31.18	87.00	89.20	6.22	6.38	2.58	2.59	1.8	1.7	
			13:40	4.0	3.0	24.31		9.54	31.21	91.40		6.54		2.60		1.6				
	18/12/2023	Cloudy	16:38	4.1	3.1	21.78	21.72	8.24	8.26	31.29	31.32	83.80	86.05	6.28	6.44	8.43	8.34	8.7	8.5	
			16:39	4.1	3.1	21.65		8.28	31.34	88.30		6.59		8.24		8.2				
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	25/12/2023	Fine	11:40	3.9	2.9	19.76	19.61	8.86	8.91	31.74	31.70	84.60	85.70	6.24	6.32	9.14	9.09	7.0	6.9	
			11:41	3.9	2.9	19.45		8.95	31.66	86.80		6.40		9.03		6.8				
	27/12/2023	Cloudy	12:11	4.0	3.0	18.77	18.78	9.65	9.65	31.52	31.47	86.20	84.40	6.77	6.63	5.67	5.60	3.9	3.7	
12:12			4.0	3.0	18.79	9.64		31.42	82.60	6.49		5.53		3.5						
29/12/2023	Cloudy	13:19	4.2	3.2	20.02	20.08	8.80	8.74	31.84	31.76	87.60	88.90	6.57	6.64	7.53	7.41	5.4	5.7		
		13:20	4.2	3.2	20.14		8.68	31.68	90.20		6.70		7.28		5.9					

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station SR9 (Bottom) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR9	1/12/2023	Fine	10:20	3.9	2.9	23.16	23.16	9.11	9.17	31.17	31.21	86.20	88.05	6.31	6.45	13.40	13.15	18.9	18.6	
			10:21	3.9	2.9	23.20		9.23	31.25	89.90		6.58		12.90		18.3				
	5/12/2023	Cloudy	13:54	4.1	3.1	23.98	23.91	9.37	9.45	30.78	30.86	85.40	85.15	6.30	6.28	3.67	3.78	2.4	2.3	
			13:55	4.1	3.1	23.83		9.53	30.94	84.90		6.25		3.89		2.1				
	7/12/2023	Cloudy	14:29	3.8	2.8	23.16	23.12	9.14	9.24	31.15	31.25	88.40	88.30	6.48	6.48	3.32	3.45	4.0	3.8	
			14:30	3.8	2.8	23.08		9.34	31.34	88.20		6.47		3.57		3.6				
	9/12/2023	Fine	15:09	3.9	2.9	23.36	23.38	8.19	8.21	31.25	31.39	89.30	91.25	6.49	6.69	4.08	4.18	4.6	4.8	
			15:10	3.9	2.9	23.40		8.22	31.52	93.20		6.88		4.27		5.0				
	11/12/2023	Cloudy	16:05	3.7	2.7	24.24	24.22	8.23	8.25	31.39	31.42	88.80	89.95	6.43	6.47	1.36	1.44	1.0	1.1	
			16:06	3.7	2.7	24.20		8.26	31.45	91.10		6.51		1.52		1.2				
	13/12/2023	Cloudy	8:06	3.9	2.9	24.92	24.86	8.77	8.78	30.82	30.79	96.20	97.95	6.80	6.87	1.89	1.76	1.5	1.7	
			8:07	3.9	2.9	24.79		8.79	30.82	99.70		6.93		1.62		1.9				
	15/12/2023	Fine	9:16	3.7	2.7	24.20	24.21	9.35	9.33	31.28	31.25	92.60	92.35	6.37	6.35	3.56	3.65	1.9	1.8	
			9:17	3.7	2.7	24.22		9.30	31.22	92.10		6.33		3.74		1.7				
	18/12/2023	Cloudy	11:52	3.9	2.9	21.80	21.77	8.28	8.22	31.62	31.61	88.20	87.25	6.58	6.56	7.54	7.46	10.6	10.9	
			11:53	3.9	2.9	21.74		8.16	31.60	86.30		6.54		7.37		11.1				
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	25/12/2023	Fine	16:14	4.2	3.2	19.56	19.50	8.82	8.84	32.01	32.04	85.10	86.75	6.14	6.24	8.87	8.96	6.0	5.9	
			16:15	4.2	3.2	19.43		8.85	32.07	88.40		6.34		9.04		5.8				
	27/12/2023	Cloudy	8:10	3.8	2.8	18.91	18.93	9.56	9.58	31.80	31.74	83.80	85.45	6.60	6.73	6.37	6.22	5.1	4.9	
8:11			3.8	2.8	18.95	9.59		31.67	87.10	6.85		6.07		4.7						
29/12/2023	Cloudy	9:11	3.9	2.9	20.09	20.11	8.79	8.76	31.46	31.54	91.00	91.25	6.44	6.46	7.13	7.08	3.0	3.2		
		9:12	3.9	2.9	20.12		8.73	31.59	91.50		6.48		7.02		3.4					

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR10 (Middle) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
SR10	1/12/2023	Fine	15:06	2.7	1.4	23.43	23.38	9.12	9.11	31.25	31.18	86.80	85.85	6.45	6.42	10.80	10.90	15.3	15.2		
			15:07	2.7	1.4	23.32		9.09		31.11		84.90		6.39		11.00		15.0			
	5/12/2023	Cloudy	7:54	2.6	1.3	24.25	24.16	9.36	9.31	31.58	31.51	97.70	98.60	6.86	6.90	5.47	5.49	4.8	4.7		
			7:55	2.6	1.3	24.06		9.25		31.43		99.50		6.93		5.50		4.6			
	7/12/2023	Cloudy	8:02	2.7	1.4	22.97	22.91	8.53	8.56	31.45	31.38	88.00	89.15	6.52	6.58	4.02	3.93	3.2	3.3		
			8:03	2.7	1.4	22.85		8.58		31.30		90.30		6.63		3.83		3.4			
	9/12/2023	Fine	9:55	2.5	1.3	23.52	23.47	8.23	8.21	31.17	31.12	92.80	94.20	6.68	6.82	4.00	4.16	2.2	2.4		
			9:56	2.7	1.4	23.41		8.18		31.06		95.60		6.95		4.31		2.6			
	11/12/2023	Cloudy	11:40	2.5	1.3	24.25	24.29	9.04	9.02	31.09	31.18	88.30	90.45	6.38	6.44	2.37	2.45	<1.0	1.0		
			11:41	2.5	1.3	24.33		8.99		31.27		92.60		6.49		2.52		<1.0			
	13/12/2023	Cloudy	11:58	2.7	1.4	25.19	25.27	9.05	9.03	31.35	31.31	90.60	92.70	6.43	6.58	2.12	2.05	<1.0	1.0		
			11:59	2.7	1.3	25.35		9.01		31.27		94.80		6.72		1.98		<1.0			
	15/12/2023	Fine	13:28	2.6	1.3	24.42	24.36	9.59	9.56	31.18	31.21	88.70	90.00	6.34	6.44	3.13	3.03	3.7	3.5		
			13:29	2.6	1.3	24.30		9.53		31.24		91.30		6.53		2.93		3.3			
	18/12/2023	Cloudy	16:26	2.6	1.3	21.68	21.74	8.37	8.36	31.30	31.28	89.90	89.50	6.64	6.62	7.08	7.17	11.2	10.9		
			16:27	2.6	1.3	21.80		8.34		31.25		89.10		6.59		7.25		10.5			
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	25/12/2023	Fine	11:47	2.6	1.3	19.25	19.28	8.67	8.71	31.18	31.19	91.50	91.75	6.67	6.71	8.64	8.70	6.0	5.9		
			11:48	2.6	1.3	19.30		8.75		31.20		92.00		6.75		8.75		5.7			
	27/12/2023	Cloudy	11:58	2.6	1.3	18.45	18.42	9.43	9.40	31.39	31.45	85.00	86.80	6.67	6.83	7.29	7.39	6.3	6.6		
			11:59	2.6	1.3	18.39		9.36		31.50		88.60		6.99		7.48		6.8			
	29/12/2023	Cloudy	13:07	2.7	1.4	20.29	20.27	8.57	8.55	31.67	31.71	85.30	84.45	6.40	6.32	6.21	6.12	3.0	2.9		
			13:08	2.7	1.4	20.24		8.52		31.74		83.60		6.24		6.02		2.7			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR10 (Middle) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR10	1/12/2023	Fine	10:27	2.4	1.2	23.25	23.22	9.03	9.09	31.21	31.29	88.40	86.50	6.44	6.32	12.90	12.35	15.4	15.4	
			10:28	2.4	1.2	23.19		9.14		31.36		84.60		6.19		11.80		15.4		
	5/12/2023	Cloudy	13:43	2.7	1.4	23.90	23.88	9.24	9.20	30.87	30.79	92.00	93.65	6.62	6.75	4.98	4.92	4.9	4.7	
			13:44	2.7	1.4	23.86		9.16		30.71		95.30		6.88		4.85		4.4		
	7/12/2023	Cloudy	14:18	2.4	1.2	22.87	22.91	9.58	9.68	31.09	31.05	95.30	95.75	6.78	6.82	2.94	2.84	3.6	4.1	
			14:19	2.4	1.2	22.94		9.78		31.00		96.20		6.85		2.73		4.6		
	9/12/2023	Fine	14:58	2.5	1.3	23.41	23.37	8.18	8.21	31.29	31.26	96.60	95.40	6.99	6.90	3.49	3.30	3.5	3.7	
			14:59	2.5	1.3	23.33		8.24		31.23		94.20		6.80		3.11		3.9		
	11/12/2023	Cloudy	15:54	2.3	1.2	24.71	24.61	8.00	8.04	31.24	31.20	91.70	90.30	6.56	6.52	1.65	1.80	1.1	1.2	
			15:55	2.3	1.2	24.50		8.07		31.15		88.90		6.48		1.95		1.2		
	13/12/2023	Cloudy	8:13	2.5	1.3	25.41	25.34	8.71	8.78	31.02	31.10	90.60	92.55	6.34	6.51	2.14	2.20	1.2	1.4	
			8:14	2.5	1.3	25.27		8.84		31.17		94.50		6.68		2.25		1.6		
	15/12/2023	Fine	9:23	2.4	1.2	24.27	24.24	9.30	9.36	31.38	31.30	88.20	88.25	6.31	6.31	3.89	3.89	2.3	2.5	
			9:24	2.4	1.2	24.20		9.42		31.21		88.30		6.31		3.88		2.6		
	18/12/2023	Cloudy	11:59	2.4	1.2	21.73	21.78	8.34	8.30	30.44	30.37	82.80	83.50	6.19	6.24	8.27	8.33	11.0	11.1	
			12:00	2.4	1.2	21.82		8.26		30.29		84.20		6.28		8.39		11.2		
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																	
	25/12/2023	Fine	16:02	2.8	1.4	19.32	19.36	8.74	8.76	31.84	31.90	91.60	93.55	6.54	6.64	7.84	7.90	6.0	5.9	
			16:03	2.8	1.4	19.40		8.77		31.96		95.50		6.73		7.96		5.7		
	27/12/2023	Cloudy	8:16	2.5	1.3	18.73	18.65	9.36	9.46	31.65	31.59	81.80	83.75	6.48	6.62	7.86	7.78	6.2	6.2	
			8:17	2.5	1.3	18.57		9.55		31.53		85.70		6.75		7.69		6.1		
	29/12/2023	Cloudy	9:17	2.4	1.2	20.34	20.31	8.57	8.55	31.19	31.26	96.70	96.60	6.89	6.87	5.29	5.19	3.2	3.0	
			9:18	2.4	1.2	20.27		8.53		31.32		96.50		6.85		5.09		2.8		

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.

**Impact Water Quality Monitoring at Station SR12 (Middle) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
SR12	1/12/2023	Fine	15:00	2.7	1.4	23.34	23.32	9.16	9.12	31.06	31.12	88.10	90.20	6.43	6.59	8.27	8.15	14.8	14.7		
			15:01	2.7	1.4	23.30		9.08		31.17		92.30		6.75		8.03		14.6			
	5/12/2023	Cloudy	8:00	2.5	1.3	24.17	24.10	9.23	9.21	30.97	30.91	88.10	87.90	6.43	6.42	5.16	5.27	4.3	4.2		
			8:01	2.5	1.3	24.02		9.09		30.84		87.70		6.40		5.38		4.0			
	7/12/2023	Cloudy	8:06	2.6	1.3	22.95	22.92	8.42	8.37	31.00	30.94	84.70	85.40	6.36	6.43	3.98	3.95	3.3	3.2		
			8:07	2.6	1.3	22.89		8.32		30.88		86.10		6.49		3.92		3.0			
	9/12/2023	Fine	10:01	2.6	1.3	23.38	23.40	9.22	9.17	31.30	31.24	97.20	96.45	7.00	6.94	3.70	3.51	4.0	3.8		
			10:02	2.6	1.3	23.41		9.12		31.17		95.70		6.88		3.32		3.5			
	11/12/2023	Cloudy	11:46	2.6	1.3	24.51	24.41	9.31	9.21	30.99	30.98	92.60	90.05	6.62	6.45	1.52	1.68	1.6	1.5		
			11:47	2.6	1.3	24.31		9.10		30.97		87.50		6.28		1.84		1.3			
	13/12/2023	Cloudy	11:52	2.6	1.3	25.37	25.33	8.40	8.65	31.26	31.28	93.30	91.65	6.54	6.44	1.77	1.89	<1.0	1.0		
			11:53	2.6	1.3	25.29		8.91		31.30		90.00		6.34		2.00		<1.0			
	15/12/2023	Fine	13:22	2.6	1.3	24.27	24.29	9.47	9.49	30.99	31.02	90.60	92.90	6.56	6.71	3.46	3.48	3.2	3.1		
			13:23	2.5	1.3	24.30		9.50		31.04		95.20		6.85		3.50		3.0			
	18/12/2023	Cloudy	16:20	2.6	1.3	21.69	21.71	8.40	8.39	31.30	31.27	90.90	89.35	6.79	6.70	7.06	7.04	10.0	10.4		
			16:21	2.6	1.3	21.73		8.38		31.24		87.80		6.61		7.01		10.7			
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	25/12/2023	Fine	11:53	2.5	1.3	19.17	19.13	8.74	8.80	31.34	31.30	91.20	91.60	6.70	6.73	8.54	8.46	6.0	5.8		
			11:54	2.5	1.3	19.09		8.85		31.25		92.00		6.75		8.37		5.6			
	27/12/2023	Cloudy	11:52	2.6	1.3	18.42	18.39	9.73	9.69	31.47	31.40	85.20	83.35	6.76	6.61	7.92	7.88	7.3	7.5		
			11:53	2.6	1.3	18.35		9.64		31.32		81.50		6.46		7.83		7.6			
	29/12/2023	Cloudy	13:02	2.6	1.3	20.37	20.42	8.40	8.39	31.49	31.55	88.00	88.85	6.72	6.75	5.67	5.73	2.4	2.6		
13:03			2.6	1.3	20.47		8.37		31.60		89.70		6.78		5.79		2.7				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.

**Impact Water Quality Monitoring at Station SR12 (Middle) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG		
SR12	1/12/2023	Fine	10:32	2.5	1.3	23.05	23.08	9.12	9.16	31.11	31.18	86.00	87.25	6.30	6.38	10.20	10.45	14.6	14.6		
			10:33	2.5	1.3	23.11		9.20		31.24		88.50		6.46		10.70		14.6			
	5/12/2023	Cloudy	13:37	2.7	1.4	23.68	23.70	9.28	9.23	30.95	30.91	98.90	97.70	6.90	6.88	3.95	3.76	4.8	4.5		
			13:38	2.7	1.4	23.72		9.17		30.86		96.50		6.86		3.56		4.2			
	7/12/2023	Cloudy	14:13	2.4	1.2	22.96	22.96	9.37	9.48	31.40	31.33	91.00	88.65	6.76	6.68	3.00	3.13	2.7	3.1		
			14:14	2.4	1.2	22.95		9.58		31.25		86.30		6.59		3.25		3.4			
	9/12/2023	Fine	14:52	2.4	1.2	23.31	23.30	8.38	8.37	31.32	31.23	92.20	94.05	6.68	6.80	3.52	3.68	4.4	4.3		
			14:53	2.4	1.2	23.28		8.36		31.13		95.90		6.92		3.84		4.1			
	11/12/2023	Cloudy	15:46	2.3	1.2	24.39	24.30	8.20	8.31	30.79	30.82	94.70	95.25	6.70	6.73	2.23	2.07	<1.0	1.0		
			15:47	2.3	1.2	24.20		8.41		30.84		95.80		6.75		1.91		<1.0			
	13/12/2023	Cloudy	8:16	2.4	1.2	25.46	25.36	8.95	8.88	30.89	30.93	98.20	96.25	6.76	6.72	1.89	1.34	1.1	1.2		
			8:19	2.4	1.2	25.26		8.80		30.96		94.30		6.68		0.79		1.3			
	15/12/2023	Fine	9:28	2.3	1.2	24.32	24.31	9.17	9.27	31.25	31.21	90.20	88.25	6.52	6.41	3.33	3.38	2.7	2.5		
			9:29	2.3	1.2	24.30		9.37		31.16		86.30		6.30		3.42		2.3			
	18/12/2023	Cloudy	12:03	2.5	1.3	21.64	21.70	8.30	8.28	31.17	31.13	91.40	90.35	6.78	6.70	8.67	8.62	10.6	11.1		
			12:04	2.5	1.3	21.76		8.25		31.09		89.30		6.62		8.57		11.6			
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	25/12/2023	Fine	15:56	2.6	1.3	19.27	19.23	9.09	9.17	31.59	31.48	88.70	90.00	6.34	6.44	7.57	7.47	5.6	5.5		
			15:57	2.6	1.3	19.18		9.25		31.37		91.30		6.53		7.37		5.4			
	27/12/2023	Cloudy	8:22	2.4	1.2	18.45	18.55	9.62	9.68	31.63	31.68	83.30	84.00	6.62	6.66	8.67	8.61	6.0	6.2		
			8:23	2.4	1.2	18.64		9.73		31.72		84.70		6.69		8.54		6.4			
	29/12/2023	Cloudy	9:23	2.3	1.2	20.34	20.40	8.64	8.59	31.25	31.31	90.60	91.95	6.43	6.54	5.28	5.35	2.6	2.8		
9:24			2.3	1.2	20.45		8.54		31.37		93.30		6.64		5.41		2.9				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station SR15 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						SR15	1/12/2023	Fine	15:52	2.5	1.3	23.48	23.45	9.21	9.19	31.35	31.31	90.50	91.00	6.88	6.69
			15:53	2.5	1.3	23.42		9.17		31.27		91.50		6.70		8.02		12.3			
	5/12/2023	Cloudy	7:06	2.5	1.3	23.89	23.84	8.99	8.96	31.27	31.23	87.30	88.30	6.26	6.32	5.67	5.71	3.8	3.9		
			7:07	2.5	1.3	23.78		8.94		31.18		89.30		6.38		5.74		4.0			
	7/12/2023	Cloudy	7:14	2.7	1.4	23.06	26.56	8.97	8.93	30.74	30.66	96.30	95.25	6.89	6.85	5.69	5.64	3.2	3.0		
			7:15	2.7	1.4	30.06		8.88		30.58		94.20		6.81		5.58		2.8			
	9/12/2023	Fine	9:05	2.6	1.3	23.17	23.11	9.08	9.12	31.21	31.13	95.60	94.40	6.95	6.84	5.42	5.46	5.2	5.4		
			9:06	2.6	1.3	23.04		9.16		31.04		93.20		6.72		5.50		5.6			
	11/12/2023	Cloudy	10:52	2.6	1.3	24.34	24.29	9.27	9.20	31.21	31.15	95.40	93.55	6.81	6.68	2.84	2.65	<1.0	1.0		
			10:53	2.6	1.3	24.23		9.13		31.08		91.70		6.54		2.46		<1.0			
	13/12/2023	Cloudy	12:37	2.7	1.4	25.36	25.32	8.57	8.60	30.98	30.98	92.60	90.85	6.60	6.42	2.95	2.88	1.0	1.2		
			12:38	2.7	1.4	25.28		8.63		30.97		89.10		6.24		2.81		1.3			
	15/12/2023	Fine	14:14	2.5	1.3	24.25	24.21	9.25	9.20	31.40	31.28	89.40	88.65	6.39	6.31	4.53	4.43	3.0	3.1		
			14:15	2.5	1.3	24.17		9.14		31.15		87.90		6.22		4.32		3.2			
	18/12/2023	Cloudy	17:11	2.6	1.3	21.49	21.53	8.17	8.19	31.39	31.46	85.20	84.65	6.40	6.37	5.31	5.64	9.9	10.2		
			17:12	2.6	1.3	21.57		8.20		31.52		84.10		6.33		5.97		10.4			
	20/12/2023	Strong Monsoon																			
	22/12/2023	Strong Monsoon																			
	25/12/2023	Fine	10:58	2.4	1.2	18.73	18.63	8.56	8.59	32.24	32.12	95.70	94.00	6.93	6.83	11.00	11.35	5.8	5.7		
			10:59	2.4	1.2	18.53		8.61		32.00		92.30		6.73		11.70		5.5			
	27/12/2023	Cloudy	12:45	2.6	1.3	18.85	18.78	9.25	9.28	31.59	31.60	87.30	86.15	6.85	6.85	6.84	6.78	3.3	3.2		
			0:00	2.6	1.3	18.70		9.30		31.60		85.00		6.85		6.72		3.0			
	29/12/2023	Cloudy	13:55	2.7	1.4	20.54	20.47	8.67	8.69	31.60	31.64	88.00	86.50	6.61	6.51	5.93	5.89	2.6	2.8		
			13:56	2.7	1.4	20.39		8.70		31.67		85.00		6.41		5.84		2.9			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station SR15 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						SR15	1/12/2023	Fine	9:39	2.2	1.1	23.35	23.23	9.05	9.00	30.98	30.97	91.50	88.90	6.69	6.53
			9:40	2.2	1.1	23.11		8.95		30.96		86.30		6.36		12.80		13.9			
	5/12/2023	Cloudy	14:31	2.7	1.4	23.84	23.79	9.25	9.19	31.30	31.21	87.70	88.10	6.49	6.52	6.22	6.13	3.6	3.4		
			14:32	2.7	1.4	23.73		9.13		31.11		89.50		6.54		6.04		3.2			
	7/12/2023	Cloudy	15:05	2.4	1.2	23.04	22.97	9.29	9.17	30.97	30.91	88.00	87.60	6.50	6.47	4.95	4.87	5.0	4.9		
			15:06	2.4	1.2	22.90		9.11		30.85		87.20		6.43		4.78		4.7			
	9/12/2023	Fine	15:46	2.4	1.2	23.54	23.63	8.20	8.19	31.11	31.18	95.40	94.15	6.85	6.76	4.69	4.85	4.5	4.8		
			15:47	2.4	1.2	23.72		8.17		31.25		92.90		6.66		5.00		5.0			
	11/12/2023	Cloudy	16:41	2.4	1.2	24.35	24.30	8.07	8.05	31.37	31.30	95.80	93.80	6.72	6.66	2.88	2.84	1.4	1.4		
			16:42	2.4	1.2	24.25		8.03		31.22		91.80		6.60		2.79		1.3			
	13/12/2023	Cloudy	7:29	2.4	1.2	25.26	25.33	8.62	8.71	31.23	31.32	94.10	96.30	6.62	6.79	2.83	2.93	<1.0	1.0		
			7:30	2.4	1.2	25.40		8.80		31.41		98.50		6.95		3.02		<1.0			
	15/12/2023	Fine	8:34	2.3	1.2	24.08	24.13	9.03	9.12	31.22	28.29	92.80	91.10	6.57	6.48	4.73	4.81	1.6	1.6		
			8:35	2.3	1.2	24.18		9.20		31.35		89.40		6.39		4.89		1.5			
	18/12/2023	Cloudy	11:10	2.3	1.2	21.43	21.37	8.28	8.31	31.50	31.20	92.40	91.55	6.79	6.75	9.01	8.92	7.3	7.5		
			11:11	2.3	1.2	21.30		8.33		30.90		90.70		6.70		8.82		7.7			
	20/12/2023	Strong Monsoon																			
	22/12/2023	Strong Monsoon																			
	25/12/2023	Fine	16:50	2.7	1.4	19.25	19.13	9.01	8.98	31.94	31.89	86.50	88.35	6.50	6.62	9.01	8.98	4.3	4.1		
			16:51	2.7	1.4	19.01		8.94		31.83		90.20		6.73		8.94		3.9			
	27/12/2023	Cloudy	7:28	2.3	1.2	18.73	18.76	9.35	9.31	32.25	32.22	88.00	86.95	6.96	6.86	8.58	8.65	4.3	4.6		
			7:29	2.3	1.2	18.79		9.26		32.19		85.90		6.76		8.71		4.8			
	29/12/2023	Cloudy	8:29	2.3	1.2	20.48	20.51	8.65	8.61	31.63	31.61	88.70	90.00	6.34	6.44	5.37	5.32	2.2	2.3		
			8:30	2.3	1.2	20.54		8.56		31.58		91.30		6.53		5.27		2.4			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.

**Impact Water Quality Monitoring at Station CE (surface) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
CE	1/12/2023	Fine	14:48	8.7	1.0	23.52		9.25		31.32		90.90	6.87	12.10		17.8		17.6			
			14:49	8.7	1.0	23.47	23.50	9.19	31.23	31.28	89.20	90.05	6.59	6.59	12.20	17.3					
	5/12/2023	Cloudy	8:11	8.5	1.0	23.87	23.82	9.38	9.31	31.09	31.30	95.80	94.40	6.82	6.78	4.28	4.36	2.6	2.7		
			8:12	8.5	1.0	23.76		9.23		31.50		93.00		6.73		4.43		2.8			
	7/12/2023	Cloudy	8:18	8.6	1.0	22.74	22.84	8.47	8.43	31.25	31.32	94.10	95.20	6.87	6.90	3.17	3.12	2.1	2.0		
			8:19	8.6	1.0	22.93		8.39		31.39		96.30		6.92		3.06		1.9			
	9/12/2023	Fine	10:13	8.6	1.0	23.20	23.18	9.12	9.16	31.32	31.31	90.80	93.20	6.62	6.80	3.09	3.11	3.2	3.1		
			10:14	8.6	1.0	23.15		9.19		31.30		95.60		6.98		3.12		3.0			
	11/12/2023	Cloudy	11:58	8.5	1.0	24.27	24.22	9.25	9.14	31.36	31.28	92.30	94.25	6.63	6.69	1.67	1.60	<1.0	1.0		
			11:59	8.5	1.0	24.17		9.02		31.20		96.20		6.75		1.53		<1.0			
	13/12/2023	Cloudy	11:40	8.7	1.0	24.25	24.46	8.96	8.90	31.21	31.13	93.30	91.00	6.64	6.49	2.15	2.24	1.5	1.4		
			11:41	8.7	1.0	24.66		8.84		31.04		88.70		6.34		2.32		1.3			
	15/12/2023	Fine	13:11	8.6	1.0	24.23	24.25	9.23	9.30	30.91	30.89	92.80	92.75	6.59	6.59	2.32	2.42	2.4	2.3		
			13:11	8.6	1.0	24.26		9.37		30.87		92.70		6.58		2.51		2.1			
	18/12/2023	Cloudy	16:10	8.6	1.0	21.93	21.95	8.18	8.19	31.43	31.40	84.50	85.80	6.30	6.37	12.90	13.35	18.9	16.2		
			16:11	8.6	1.0	21.96		8.19		31.36		87.10		6.43		13.80		13.5			
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	25/12/2023	Fine	12:05	8.5	1.0	19.28	19.21	8.25	8.20	32.24	32.18	87.80	89.00	6.38	6.48	8.27	8.38	4.7	4.5		
			12:06	8.5	1.0	19.13		8.33		32.11		90.20		6.58		8.48		4.3			
	27/12/2023	Cloudy	11:41	8.5	1.0	18.47	18.39	9.74	9.72	31.64	31.70	79.10	80.85	6.29	6.44	6.37	6.49	6.0	5.9		
			11:42	8.5	1.0	18.30		9.69		31.75		82.60		6.59		6.61		5.8			
	29/12/2023	Cloudy	12:50	8.7	1.0	20.47	20.42	8.58	8.61	31.28	31.23	83.60	83.80	6.24	6.27	4.79	4.85	2.8	2.7		
			12:51	8.7	1.0	20.36		8.64		31.17		84.00		6.29		4.91		2.5			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.

**Impact Water Quality Monitoring at Station CE (surface) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG		
CE	1/12/2023	Fine	10:44	8.4	1.0	23.60	23.53	9.25	9.17	31.62	31.60	91.30	89.05	6.56	6.48	11.90	12.05	19.2	19.1		
			10:45	8.4	1.0	23.45		9.09		31.57		86.80		6.39		12.20		19.0			
	5/12/2023	Cloudy	13:27	8.6	1.0	23.73	23.65	9.16	9.11	31.12	31.21	93.70	92.40	6.92	6.86	3.65	3.62	4.3	4.1		
			13:28	8.6	1.0	23.57		9.05		31.29		91.10		6.79		3.58		3.8			
	7/12/2023	Cloudy	14:00	8.4	1.0	23.17	23.25	9.32	9.37	31.51	31.50	89.50	88.90	6.56	6.59	2.38	2.30	2.8	2.6		
			14:01	8.4	1.0	23.32		9.41		31.49		89.30		6.62		2.21		2.4			
	9/12/2023	Fine	14:41	8.4	1.0	23.20	23.31	8.34	8.33	31.41	31.46	88.70	89.95	6.50	6.58	2.32	2.40	2.4	2.3		
			14:42	8.4	1.0	23.41		8.31		31.50		91.20		6.66		2.47		2.1			
	11/12/2023	Cloudy	15:35	8.3	1.0	24.17	24.12	8.25	8.25	30.94	30.87	90.40	92.30	6.54	6.68	1.65	1.75	<1.0	1.0		
			15:36	8.3	1.0	24.07		8.24		30.80		94.20		6.82		1.85		<1.0			
	13/12/2023	Cloudy	8:29	8.5	1.0	24.99	24.90	8.80	8.89	30.34	30.24	90.10	91.35	6.33	6.41	1.30	1.27	1.1	1.3		
			8:30	8.5	1.0	24.81		8.97		30.14		92.60		6.49		1.23		1.4			
	15/12/2023	Fine	9:40	8.4	1.0	24.24	24.30	9.19	9.28	31.01	31.12	84.10	86.25	6.08	6.21	3.09	3.14	3.4	3.2		
			9:41	8.4	1.0	24.35		9.37		31.23		88.40		6.34		3.18		3.0			
	18/12/2023	Cloudy	12:14	8.5	1.0	21.64	21.70	8.28	8.29	31.32	31.40	83.40	85.50	6.30	6.39	15.40	15.15	15.7	15.3		
			12:15	8.5	1.0	21.76		8.30		31.47		87.60		6.47		14.90		14.8			
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	25/12/2023	Fine	15:45	8.7	1.0	19.69	19.63	8.90	8.92	31.88	31.79	87.00	89.20	6.22	6.38	7.42	7.55	4.5	4.4		
			15:46	8.7	1.0	19.56		8.94		31.69		91.40		6.54		7.67		4.3			
	27/12/2023	Cloudy	8:34	8.3	1.0	18.43	18.41	9.52	9.57	32.25	32.18	88.60	89.10	6.88	6.90	7.02	7.06	4.3	4.6		
			8:35	8.3	1.0	18.39		9.62		32.10		89.60		6.91		7.10		4.8			
	29/12/2023	Cloudy	9:33	8.4	1.0	20.29	20.23	8.75	8.77	31.37	31.43	94.80	94.05	6.65	6.60	6.06	5.98	2.3	2.4		
			9:34	8.4	1.0	20.17		8.78		31.48		93.30		6.54		5.89		2.5			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CE (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
CE	1/12/2023	Fine	14:52	8.7	4.4	23.41	23.40	9.17	9.21	30.96	31.00	86.50	85.40	6.40	6.36	12.20	12.55	16.7	16.7		
			14:53	8.7	4.4	23.38	23.40	9.24	9.21	31.04	31.00	84.30	85.40	6.31	6.36	12.90	12.55	16.6	16.6		
	5/12/2023	Cloudy	8:15	8.5	4.3	23.84	23.75	9.12	9.18	31.32	31.22	90.00	89.80	6.49	6.47	4.75	4.65	2.3	2.3		
			8:16	8.5	4.3	23.65	23.75	9.23	9.18	31.11	31.22	89.60	89.80	6.44	6.47	4.54	4.65	2.2	2.2		
	7/12/2023	Cloudy	8:22	8.6	4.3	23.12	23.06	8.84	8.80	31.48	31.55	89.10	90.50	6.44	6.62	2.65	2.58	1.9	1.9		
			8:23	8.6	4.3	23.00	23.06	8.76	8.80	31.61	31.55	91.90	90.50	6.79	6.62	2.50	2.58	1.8	1.8		
	9/12/2023	Fine	10:17	8.6	4.3	23.10	23.09	9.26	9.23	31.28	31.30	88.70	90.55	6.51	6.64	3.08	3.17	2.6	2.7		
			10:18	8.6	4.3	23.08	23.09	9.19	9.23	31.32	31.30	92.40	90.55	6.76	6.64	3.25	3.17	2.8	2.7		
	11/12/2023	Cloudy	12:02	8.5	4.3	24.06	24.16	9.11	9.15	30.88	30.99	91.30	94.70	6.70	6.82	1.86	1.92	1.1	1.3		
			12:03	8.5	4.3	24.26	24.16	9.18	9.15	31.09	30.99	98.10	94.70	6.93	6.82	1.98	1.92	1.4	1.3		
	13/12/2023	Cloudy	11:44	8.7	4.4	24.67	24.61	8.84	8.85	31.11	31.06	91.10	93.90	6.63	6.76	2.30	2.32	1.7	1.6		
			11:45	8.7	4.4	24.54	24.61	8.86	8.85	31.00	31.06	96.70	93.90	6.89	6.76	2.33	2.32	1.5	1.6		
	15/12/2023	Fine	13:14	8.6	4.3	24.23	24.20	9.28	9.24	31.14	31.20	92.10	91.50	6.53	6.51	2.41	2.32	1.9	1.8		
			13:15	8.6	4.3	24.17	24.20	9.20	9.24	31.25	31.20	90.90	91.50	6.49	6.51	2.23	2.32	1.8	1.8		
	18/12/2023	Cloudy	16:14	8.6	4.3	21.73	21.77	8.33	8.30	31.24	31.19	82.60	84.60	6.23	6.40	12.80	12.45	12.8	13.3		
			16:15	8.6	4.3	21.81	21.77	8.26	8.30	31.14	31.19	86.60	84.60	6.57	6.40	12.10	12.45	13.7	13.3		
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	25/12/2023	Fine	12:09	8.5	4.3	19.11	19.12	8.54	8.58	31.59	31.53	95.50	94.80	6.87	6.82	8.67	8.78	5.0	4.9		
			12:10	8.5	4.3	19.12	19.12	8.61	8.58	31.46	31.53	94.10	94.80	6.77	6.82	8.88	8.78	4.8	4.9		
	27/12/2023	Cloudy	11:45	8.5	4.3	18.24	18.22	9.86	9.85	31.83	31.89	85.70	84.00	6.85	6.68	7.26	7.19	6.8	6.7		
			11:46	8.5	4.3	18.20	18.22	9.84	9.85	31.94	31.89	82.30	84.00	6.51	6.68	7.12	7.19	6.6	6.7		
	29/12/2023	Cloudy	12:54	8.7	4.4	20.35	20.30	8.87	8.89	31.54	31.49	87.30	88.20	6.75	6.79	5.35	5.28	2.3	2.4		
			12:55	8.7	4.4	20.24	20.30	8.90	8.89	31.44	31.49	89.10	88.20	6.82	6.79	5.21	5.28	2.5	2.4		

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CE (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG		
CE	1/12/2023	Fine	10:48	8.4	4.2	23.52	23.52	9.17	9.13	31.62	31.58	86.00	87.05	6.31	6.36	12.90	12.95	18.4	18.2		
			10:49	8.4	4.2	23.51	23.52	9.08	9.13	31.54	31.58	88.10	87.05	6.41	6.36	13.00	12.95	18.0	18.2		
	5/12/2023	Cloudy	13:31	8.6	4.3	23.46	23.50	9.20	9.26	31.03	31.10	85.20	86.75	6.30	6.35	2.85	2.92	3.7	3.6		
			13:32	8.6	4.3	23.54	23.50	9.31	9.26	31.17	31.10	85.30	86.75	6.39	6.35	2.98	2.92	3.4	3.6		
	7/12/2023	Cloudy	14:04	8.4	4.2	23.37	23.32	9.37	9.29	31.69	31.58	96.70	96.15	6.94	6.90	2.04	1.87	3.5	3.8		
			14:05	8.4	4.2	23.27	23.32	9.21	9.29	31.56	31.58	96.60	96.15	6.86	6.90	1.70	1.87	4.0	3.8		
	9/12/2023	Fine	14:45	8.4	4.2	23.09	23.10	8.40	8.38	31.37	31.48	94.30	93.50	6.90	6.86	2.35	2.21	2.7	2.6		
			14:46	8.4	4.2	23.11	23.10	8.36	8.38	31.59	31.48	92.70	93.50	6.82	6.86	2.07	2.21	2.5	2.6		
	11/12/2023	Cloudy	15:39	8.3	4.2	24.00	24.11	8.39	8.42	31.18	31.22	90.60	91.15	6.58	6.62	1.46	1.52	1.4	1.3		
			15:40	8.3	4.2	24.21	24.11	8.44	8.42	31.25	31.22	91.70	91.15	6.66	6.62	1.57	1.52	1.2	1.3		
	13/12/2023	Cloudy	8:33	8.5	4.3	24.73	24.64	8.83	8.84	31.20	31.07	91.70	92.00	6.43	6.48	2.49	2.43	2.2	2.3		
			8:34	8.5	4.3	24.55	24.64	8.85	8.84	30.94	31.07	92.30	92.00	6.53	6.48	2.37	2.43	2.4	2.3		
	15/12/2023	Fine	9:44	8.4	4.2	24.13	24.16	9.36	9.38	31.29	31.31	90.30	91.35	6.42	6.46	3.50	3.39	2.6	2.4		
			9:45	8.4	4.2	24.19	24.16	9.39	9.38	31.32	31.31	92.40	91.35	6.49	6.46	3.27	3.39	2.2	2.4		
	18/12/2023	Cloudy	12:18	8.5	4.3	21.79	21.82	8.38	8.41	30.89	30.94	86.10	88.30	6.55	6.65	12.90	13.00	16.3	16.6		
			12:19	8.5	4.3	21.85	21.82	8.44	8.41	30.98	30.94	90.50	88.30	6.75	6.65	13.10	13.00	16.9	16.6		
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	25/12/2023	Fine	15:49	8.7	4.4	19.74	19.64	8.98	8.95	31.90	31.86	96.70	95.30	6.85	6.73	7.82	7.92	4.6	4.5		
			15:50	8.7	4.4	19.53	19.64	8.92	8.95	31.81	31.86	93.90	95.30	6.61	6.73	8.02	7.92	4.4	4.5		
	27/12/2023	Cloudy	8:38	8.3	4.2	18.57	18.49	9.64	9.68	31.98	31.96	87.20	86.50	6.71	6.66	6.92	6.87	7.0	7.3		
			8:39	8.3	4.2	18.41	18.49	9.71	9.68	31.94	31.96	85.80	86.50	6.61	6.66	6.81	6.87	7.5	7.3		
	29/12/2023	Cloudy	9:37	8.4	4.2	20.19	20.28	8.82	8.85	31.63	31.69	94.70	95.70	6.63	6.76	4.54	4.60	2.8	2.7		
			9:38	8.4	4.2	20.37	20.28	8.87	8.85	31.74	31.69	96.70	95.70	6.89	6.76	4.66	4.60	2.6	2.7		

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station CE (Bottom) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						CE	1/12/2023	Fine	14:55	8.7	7.7	23.35	23.37	9.20	9.18	31.14	31.20	83.50	83.80	6.22	6.25
	5/12/2023	Cloudy	14:56	8.7	7.7	23.39	25.12	9.16	9.15	31.26	31.33	84.10	95.00	6.27	6.71	12.00	4.21	15.5	1.9		
	7/12/2023	Cloudy	8:19	8.5	7.5	26.58	23.23	9.21	9.08	31.29	31.36	95.00	95.25	6.71	6.73	4.21	4.25	1.9	1.9		
	9/12/2023	Fine	8:25	8.6	7.6	23.12	23.03	8.62	9.29	31.11	31.46	85.00	93.75	6.29	6.82	2.58	2.64	1.7	2.4		
	11/12/2023	Cloudy	8:26	8.6	7.6	23.34	24.12	8.63	9.25	31.36	31.21	84.20	93.60	6.23	6.71	2.74	2.47	1.4	1.6		
	13/12/2023	Cloudy	10:20	8.6	7.6	23.05	24.54	9.30	9.21	31.42	31.28	92.30	93.45	6.70	6.54	2.84	1.82	2.55	2.1		
	15/12/2023	Fine	11:47	8.7	7.7	24.49	24.12	8.88	9.30	31.19	30.88	96.40	91.80	6.84	6.56	2.47	2.29	1.7	1.6		
	18/12/2023	Cloudy	11:48	8.7	7.7	24.58	21.70	8.90	8.58	31.28	31.30	91.00	90.05	6.72	6.64	1.82	14.30	2.0	20.8		
	20/12/2023	Strong Monsoon																			
	22/12/2023	Strong Monsoon																			
	25/12/2023	Fine	12:05	8.5	7.5	24.01	19.09	9.16	8.65	31.23	31.74	90.80	80.65	6.57	6.18	2.62	7.65	1.5	5.2		
	27/12/2023	Cloudy	12:06	8.5	7.5	24.23	18.22	9.25	9.60	31.19	31.97	96.40	82.60	6.84	6.59	2.47	7.84	1.7	7.1		
	29/12/2023	Cloudy	11:48	8.5	7.5	18.32	20.17	9.58	8.93	31.96	31.86	80.40	84.00	6.42	6.28	6.59	7.54	7.2	1.8		
			11:49	8.5	7.5	18.12		9.62		31.98	31.80	84.80		6.76		7.62	7.54	6.9			
			12:57	8.7	7.7	20.09		8.91		31.86	31.80	83.60		6.23		5.29	6.28	1.9			
			12:58	8.7	7.7	20.24		8.94		31.74	31.80	84.40		6.33		5.41	6.28	1.7			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station CE (Bottom) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L	
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						CE	1/12/2023	Fine	10:51	8.4	7.4	23.49	23.52	9.10	9.18	30.75	30.81	87.40	86.70
	5/12/2023	Cloudy	10:52	8.4	7.4	23.54	23.39	9.25	9.24	30.87	30.97	86.00	85.50	6.35	6.32	14.60	2.60	17.5	2.9
	7/12/2023	Cloudy	13:34	8.6	7.6	23.37	23.30	9.21	9.46	30.95	31.27	85.80	85.20	6.34	6.29	2.52	2.68	3.0	2.8
	9/12/2023	Fine	14:07	8.4	7.4	23.25	23.30	9.46	9.42	31.27	31.29	84.90	84.50	6.29	6.24	2.04	2.15	7.2	6.9
	11/12/2023	Cloudy	14:08	8.4	7.4	23.35	22.94	9.38	8.25	31.30	31.46	84.20	88.30	6.19	6.52	2.25	2.41	6.5	3.1
	13/12/2023	Cloudy	14:48	8.4	7.4	22.98	24.03	8.28	8.68	31.51	31.27	86.80	94.50	6.40	6.77	2.14	2.01	3.0	1.7
	15/12/2023	Fine	14:49	8.4	7.4	22.90	24.51	8.22	8.95	31.40	30.27	89.80	96.40	6.64	6.84	2.41	1.92	3.2	2.6
	18/12/2023	Cloudy	8:36	8.5	7.5	24.53	24.14	8.97	9.45	30.31	31.36	94.50	90.60	6.70	6.36	2.42	3.29	2.4	1.7
	20/12/2023	Strong Monsoon	8:37	8.5	7.5	24.48	21.81	8.92	8.40	30.22	31.40	98.30	84.40	6.97	6.46	2.25	3.12	2.7	18.3
	22/12/2023	Strong Monsoon	9:47	8.4	7.4	24.09	21.81	9.48	8.43	31.31	31.29	90.50	85.00	6.36	6.49	3.29	17.90	1.8	15.0
	25/12/2023	Fine	9:48	8.4	7.4	24.18	19.54	9.42	9.00	31.40	31.68	90.70	91.05	6.36	6.36	3.12	7.90	1.8	4.8
	27/12/2023	Cloudy	12:21	8.5	7.5	21.75	18.42	8.37	9.82	31.29	31.53	83.80	82.05	6.43	6.54	15.90	6.68	21.6	8.2
	29/12/2023	Cloudy	12:22	8.5	7.5	21.87	20.23	8.43	8.79	31.37	31.78	85.00	90.45	6.49	6.43	17.90	4.69	15.0	3.2
			15:52	8.7	7.7	19.60		8.99		31.59	31.68	91.10		6.36		7.90		4.8	
			15:53	8.7	7.7	19.47		9.01		31.77	31.68	91.00		6.35		7.57		4.8	
			8:41	8.3	7.3	18.39		9.74		31.42	31.53	82.20		6.49		6.68		8.4	
			8:42	8.3	7.3	18.44		9.89		31.64	31.53	81.90		6.58		6.39		8.0	
			9:40	8.4	7.4	20.18		8.74		31.72	31.78	91.00		6.46		4.80		3.0	
			9:41	8.4	7.4	20.28		8.84		31.84	31.84	89.90		6.39		4.69		3.3	

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CF (surface) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
CF	1/12/2023	Fine	16:06	8.6	1.0	23.52	23.48	8.18	9.13	31.45	31.41	90.00	90.30	6.89	6.71	10.20	10.50	14.1	14.2		
			16:07	8.6	1.0	23.44		9.09		31.37		90.60		6.72		10.80		14.3			
	5/12/2023	Cloudy	6:51	8.4	1.0	23.61	23.69	8.38	8.41	30.72	30.86	97.20	96.40	6.93	6.88	4.39	4.98	3.6	3.6		
			6:52	8.4	1.0	23.77		8.44		30.99		95.60		6.82		4.98		3.5			
	7/12/2023	Cloudy	6:55	8.7	1.0	22.98	22.97	8.14	8.11	31.44	31.41	92.50	92.55	6.76	6.76	4.07	4.11	2.7	3.0		
			6:56	8.7	1.0	22.96		8.07		31.37		92.60		6.76		4.15		3.2			
	9/12/2023	Fine	8:46	8.7	1.0	23.85	23.79	8.84	8.78	30.95	30.90	91.60	93.40	6.65	6.76	3.57	3.78	3.2	3.4		
			8:47	8.7	1.0	23.72		8.72		30.84		95.20		6.86		3.98		3.6			
	11/12/2023	Cloudy	10:33	8.5	1.0	24.45	24.41	8.84	8.82	30.97	30.90	96.30	97.25	6.84	6.91	3.04	3.12	1.8	1.9		
			10:34	8.5	1.0	24.37		8.79		30.82		98.20		6.97		3.19		1.9			
	13/12/2023	Cloudy	12:57	8.7	1.0	24.88	24.70	8.85	8.91	31.21	31.30	95.50	93.25	6.67	6.61	2.03	2.07	1.6	1.5		
			12:58	8.7	1.0	24.70		8.97		31.38		91.00		6.54		2.10		1.4			
	15/12/2023	Fine	14:32	8.5	1.0	24.31	24.21	9.22	9.16	31.01	30.95	91.00	92.65	6.44	6.64	2.83	2.91	2.6	2.5		
			14:33	8.5	1.0	24.11		9.10		30.88		94.30		6.84		2.99		2.4			
	18/12/2023	Cloudy	17:30	8.6	1.0	21.56	21.64	8.33	8.40	31.30	31.39	89.10	88.20	6.82	6.79	14.80	15.15	11.0	10.8		
			17:31	8.6	1.0	21.72		8.47		31.47		87.90		6.75		15.50		10.5			
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	25/12/2023	Fine	10:39	8.4	1.0	19.37	19.28	8.03	8.02	21.27	26.30	95.20	93.80	6.99	6.87	8.79	8.91	4.7	4.5		
			10:40	8.4	1.0	19.18		8.00		31.33		92.40		6.74		9.02		4.3			
	27/12/2023	Cloudy	13:04	8.6	1.0	18.90	18.81	9.57	9.63	32.41	32.35	82.80	84.50	6.64	6.79	6.79	6.69	3.0	2.8		
			13:05	8.6	1.0	18.71		9.69		32.29		86.20		6.93		6.59		2.6			
	29/12/2023	Cloudy	14:15	8.7	1.0	20.64	20.56	8.38	8.40	31.30	31.32	93.00	91.85	6.96	6.88	6.34	6.29	2.6	2.5		
			14:16	8.7	1.0	20.47		8.42		31.33		90.70		6.80		6.23		2.3			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CF (surface) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG		
CF	1/12/2023	Fine	9:15	8.2	1.0	23.32	23.27	8.57	8.65	30.83	30.89	93.90	94.55	6.76	6.82	8.00	7.95	12.3	12.5		
			9:16	8.2	1.0	23.21		8.72		30.94		95.20		6.87		7.89		12.7			
	5/12/2023	Cloudy	14:50	8.5	1.0	23.72	23.67	9.21	9.16	31.41	31.31	90.40	90.90	6.86	6.83	3.59	3.71	2.9	3.0		
			14:51	8.5	1.0	23.62		9.10		31.21		91.40		6.79		3.82		4.0			
	7/12/2023	Cloudy	15:24	8.4	1.0	23.17	23.11	9.17	9.24	30.84	30.77	87.90	89.00	6.58	6.48	3.57	3.41	4.0	4.1		
			15:25	8.4	1.0	23.05		9.30		30.70		90.20		6.58		3.25		4.2			
	9/12/2023	Fine	16:04	8.3	1.0	22.85	22.82	8.15	8.17	31.37	31.34	90.00	91.85	6.57	6.72	4.24	4.40	5.0	5.2		
			16:05	8.3	1.0	22.79		8.18		31.31		93.70		6.87		4.55		5.3			
	11/12/2023	Cloudy	17:01	8.2	1.0	24.21	24.15	8.27	8.19	31.25	31.29	92.60	94.15	6.48	6.59	2.17	2.23	1.6	1.5		
			17:02	8.2	1.0	24.08		8.11		31.33		95.70		6.69		2.29		1.4			
	13/12/2023	Cloudy	7:05	8.4	1.0	25.60	25.56	8.60	8.51	30.78	30.71	97.90	99.55	6.85	6.92	1.89	1.82	2.2	2.2		
			7:06	8.4	1.0	25.52		8.41		30.64		101.20		6.99		1.74		2.1			
	15/12/2023	Fine	8:15	8.3	1.0	24.15	24.20	8.37	8.29	30.98	30.97	97.60	98.15	6.91	6.94	3.29	3.39	3.2	3.1		
			8:15	8.3	1.0	24.25		8.21		30.95		98.70		6.97		3.48		3.0			
	18/12/2023	Cloudy	10:52	8.3	1.0	31.74	26.69	8.00	7.97	31.44	31.37	95.00	94.00	6.88	6.85	12.00	12.90	15.2	14.8		
			10:53	8.3	1.0	21.63		7.94		31.30		93.00		6.81		13.80		14.3			
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	25/12/2023	Fine	17:08	8.7	1.0	19.06	19.12	7.66	7.63	32.60	32.64	94.50	94.75	6.94	6.97	8.10	8.21	5.3	5.2		
			17:09	8.7	1.0	19.17		7.59		32.67		95.00		6.99		8.32		5.0			
	27/12/2023	Cloudy	7:10	8.3	1.0	18.70	18.62	8.47	8.39	32.24	32.15	90.10	91.40	6.56	6.57	8.21	8.31	5.0	4.8		
			7:11	8.3	1.0	18.53		8.31		32.05		92.70		6.58		8.41		4.6			
	29/12/2023	Cloudy	8:10	8.2	1.0	21.04	21.02	8.26	8.27	31.02	31.00	92.20	91.90	6.65	6.60	5.42	5.49	2.8	2.9		
			8:11	8.2	1.0	20.99		8.27		30.98		91.60		6.54		5.55		2.9			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CF (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L	
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						CF	1/12/2023	Fine	16:10	8.6	4.3	23.37	23.42	9.17	9.15	31.20	31.19	86.00	85.85
			16:11	8.6	4.3	23.46		9.12		31.17		85.70		6.31		14.40		18.0	
	5/12/2023	Cloudy	6:55	8.4	4.2	23.75	23.72	8.94	9.00	31.09	31.06	92.40	94.45	6.69	6.82	5.25	5.21	4.1	4.3
			6:56	8.4	4.2	23.69		9.06		31.03		96.50		6.94		5.16		4.5	
	7/12/2023	Cloudy	6:59	8.7	4.4	23.04	23.08	8.37	8.31	31.40	31.39	91.20	91.60	6.64	6.70	4.35	4.44	2.5	2.4
			7:00	8.7	4.4	23.12		8.25		31.37		92.00		6.75		4.52		2.3	
	9/12/2023	Fine	8:50	8.7	4.4	23.41	23.47	8.97	8.95	31.37	31.31	97.50	95.80	6.88	6.82	4.17	4.34	4.1	4.0
			8:51	8.7	4.4	23.52		8.92		31.25		94.10		6.76		4.50		3.8	
	11/12/2023	Cloudy	10:37	8.5	4.3	24.25	24.28	8.94	8.96	30.37	30.40	94.50	95.90	6.74	6.83	2.89	2.73	2.1	2.2
			10:38	8.5	4.3	24.30		8.97		30.42		97.30		6.92		2.56		2.2	
	13/12/2023	Cloudy	13:01	8.7	4.4	24.43	24.47	8.98	8.95	31.23	31.16	90.80	92.15	6.51	6.56	1.72	1.65	1.1	1.2
			13:02	8.7	4.4	24.51		8.92		31.08		93.50		6.61		1.57		1.2	
	15/12/2023	Fine	14:36	8.5	4.3	24.25	24.19	8.99	8.93	31.18	31.14	88.00	88.45	6.34	6.51	3.01	2.98	2.1	2.2
			14:37	8.5	4.3	24.13		8.86		31.09		88.90		6.67		2.94		2.3	
	18/12/2023	Cloudy	17:34	8.6	4.3	21.59	21.56	8.22	8.29	31.29	31.24	86.30	85.45	6.55	6.52	13.50	13.65	13.7	13.2
			17:35	8.6	4.3	21.52		8.35		31.19		84.60		6.48		13.80		12.6	
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																
	25/12/2023	Fine	10:43	8.4	4.2	19.18	19.10	8.13	8.13	21.35	26.28	91.00	89.35	6.64	6.54	9.13	9.04	5.0	4.9
			10:44	8.4	4.2	19.02		8.12		31.21		87.70		6.43		8.95		4.8	
	27/12/2023	Cloudy	13:08	8.6	4.3	18.80	18.83	9.76	9.75	32.52	32.44	76.90	78.00	6.17	6.24	6.59	6.57	3.1	3.0
			13:09	8.6	4.3	18.85		9.73		32.35		79.10		6.31		6.55		2.8	
	29/12/2023	Cloudy	14:19	8.7	4.4	20.39	20.43	8.55	8.57	31.47	31.51	87.80	90.40	6.68	6.82	5.88	5.99	3.3	3.2
			14:20	8.7	4.4	20.47		8.59		31.54		93.00		6.96		6.09		3.1	

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CF (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L	
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						CF	1/12/2023	Fine	9:19	8.2	4.1	23.22	23.17	8.79	8.71	30.87	30.79	93.40	92.35
			9:20	8.2	4.1	23.11		8.63		30.71		91.30		6.60		7.94		11.0	
	5/12/2023	Cloudy	14:54	8.5	4.3	23.67	23.62	9.17	9.16	31.16	31.21	87.20	86.45	6.41	6.37	4.03	4.01	3.4	3.5
			14:55	8.5	4.3	23.56		9.14		31.25		85.70		6.32		3.98		3.6	
	7/12/2023	Cloudy	15:28	8.4	4.2	23.18	23.28	9.39	9.45	31.12	31.12	95.50	94.80	6.87	6.82	3.30	3.43	3.3	3.5
			15:29	8.4	4.2	23.38		9.50		31.11		94.10		6.77		3.55		3.7	
	9/12/2023	Fine	16:08	8.3	4.2	22.88	22.84	8.37	8.29	31.58	31.51	91.00	93.00	6.68	6.81	3.80	3.53	4.9	4.7
			16:09	8.3	4.2	22.79		8.21		31.44		95.00		6.94		3.25		4.5	
	11/12/2023	Cloudy	17:05	8.2	4.1	24.02	24.10	8.50	8.49	31.02	30.93	94.60	93.80	6.61	6.59	2.39	2.32	1.8	1.8
			17:06	8.2	4.1	24.17		8.48		30.84		93.00		6.56		2.25		1.7	
	13/12/2023	Cloudy	7:09	8.4	4.2	25.25	25.31	8.59	8.65	30.68	30.62	99.00	98.20	6.90	6.84	2.04	2.18	2.4	2.5
			7:10	8.4	4.2	25.37		8.70		30.56		97.40		6.77		2.32		2.6	
	15/12/2023	Fine	8:19	8.3	4.2	24.09	24.16	8.53	8.52	30.65	30.60	96.00	94.60	6.89	6.78	5.04	4.96	3.7	3.6
			8:20	8.3	4.2	24.23		8.50		30.54		93.20		6.66		4.87		3.4	
	18/12/2023	Cloudy	10:56	8.3	4.2	21.69	21.64	8.09	8.10	31.20	31.24	88.40	87.70	6.55	6.50	16.50	15.70	16.5	16.2
			10:57	8.3	4.2	21.58		8.11		31.28		87.00		6.44		14.90		15.8	
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																
	25/12/2023	Fine	17:12	8.7	4.4	19.10	19.08	7.12	7.20	31.75	31.67	88.40	88.00	6.69	6.65	7.12	7.20	4.8	4.7
			17:13	8.7	4.4	19.05		7.28		31.59		87.60		6.61		7.28		4.5	
	27/12/2023	Cloudy	7:14	8.3	4.2	18.72	18.78	8.75	8.80	32.06	32.12	95.20	94.00	6.85	6.72	8.77	8.66	6.5	6.5
			7:15	8.3	4.2	18.84		8.84		32.17		92.80		6.59		8.54		6.4	
	29/12/2023	Cloudy	8:14	8.2	4.1	20.84	20.81	8.25	8.27	31.17	31.12	91.40	93.45	6.54	6.64	6.80	6.59	3.3	3.2
			8:15	8.2	4.1	20.77		8.29		31.06		95.50		6.73		6.37		3.1	

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station CF (Bottom) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						°C															
CF	1/12/2023	Fine	16:13	8.6	7.6	23.44	23.42	9.15	9.13	30.71	30.72	84.30	84.00	6.21	6.18	13.20	13.05	20.3	20.6	20.5	
			16:14	8.6	7.6	23.39															9.15
	5/12/2023	Cloudy	6:58	8.4	7.4	23.37	23.48	9.02	9.04	31.32	31.30	89.30	88.65	6.48	6.44	5.80	5.76	4.8	5.2	5.0	
			6:59	8.4	7.4	23.59															9.06
	7/12/2023	Cloudy	7:02	8.7	7.7	23.00	23.06	8.49	8.51	31.25	31.33	86.00	85.75	6.36	6.34	5.41	5.32	4.60	4.42	2.0	2.1
			7:03	8.7	7.7	23.12															
	9/12/2023	Fine	8:53	8.7	7.7	23.60	23.54	9.03	9.08	31.21	31.14	93.80	95.05	6.75	6.85	4.60	4.42	4.2	4.6	4.4	4.4
			8:54	8.7	7.7	23.47															
	11/12/2023	Cloudy	10:40	8.5	7.5	24.23	24.27	9.07	9.10	31.26	31.32	95.20	93.55	6.87	6.71	2.74	2.62	2.6	2.7	2.7	2.7
			10:41	8.5	7.5	24.31															
	13/12/2023	Cloudy	13:04	8.7	7.7	24.53	24.48	8.95	8.97	31.40	31.38	91.10	90.05	6.45	6.38	1.80	1.76	<1.0	<1.0	1.0	1.0
			13:05	8.7	7.7	24.42															
	15/12/2023	Fine	14:39	8.5	7.5	24.08	24.03	9.05	9.11	31.38	31.30	84.90	84.25	6.26	6.22	3.29	3.23	1.8	1.7	1.8	1.8
			14:40	8.5	7.5	23.97															
	18/12/2023	Cloudy	17:37	8.6	7.6	21.70	21.60	8.19	8.27	31.36	31.26	85.00	84.85	6.50	6.48	15.30	15.10	16.9	16.2	16.6	16.6
			17:38	8.6	7.6	21.50															
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	25/12/2023	Fine	10:46	8.4	7.4	19.00	18.88	8.46	8.42	32.67	32.58	84.80	85.10	6.26	6.29	9.17	9.10	5.2	5.4	5.3	5.3
			10:47	8.4	7.4	18.76															
	27/12/2023	Cloudy	13:11	8.6	7.6	19.03	18.98	9.74	9.80	31.74	31.79	81.10	83.35	6.48	6.67	6.68	6.63	3.3	3.6	3.3	3.5
			13:12	8.6	7.6	18.92															
	29/12/2023	Cloudy	14:22	8.7	7.7	20.64	20.51	8.53	8.54	31.59	31.54	91.80	91.20	6.94	6.89	5.32	5.25	3.2	3.4	3.3	3.3
			14:23	8.7	7.7	20.37															

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station CF (Bottom) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG		
						°C															
CF	1/12/2023	Fine	9:22	8.2	7.2	23.02	23.01	8.85	8.81	30.72	30.86	84.60	83.35	6.25	6.21	7.88	7.73	9.3	9.0	9.2	
			9:23	8.2	7.2	22.99															8.77
	5/12/2023	Cloudy	14:57	8.5	7.5	23.49	23.25	9.10	9.21	31.07	31.03	86.00	86.85	6.35	6.38	4.36	4.27	4.1	3.7	3.9	
			14:58	8.5	7.5	23.00															9.32
	7/12/2023	Cloudy	15:31	8.4	7.4	23.17	23.21	9.43	9.35	31.80	31.53	84.50	83.80	6.15	6.11	3.07	3.16	3.3	3.5	3.4	
			15:32	8.4	7.4	23.25															9.27
	9/12/2023	Fine	16:11	8.3	7.3	22.93	22.82	8.30	8.27	30.84	30.76	88.10	89.95	6.52	6.66	4.48	4.38	6.2	5.9	6.1	
			16:12	8.3	7.3	22.71															8.24
	11/12/2023	Cloudy	17:08	8.2	7.2	23.98	24.03	8.56	8.57	31.25	31.34	85.20	84.80	6.20	6.16	2.64	2.59	2.1	2.0	2.1	
			17:09	8.2	7.2	24.07															8.58
	13/12/2023	Cloudy	7:12	8.4	7.4	25.36	25.28	8.57	8.51	31.26	31.20	95.60	97.35	6.70	6.79	2.26	2.32	2.6	2.7	2.7	
			7:13	8.4	7.4	25.20															8.44
	15/12/2023	Fine	8:22	8.3	7.3	24.01	24.07	8.77	8.79	30.88	30.74	95.50	94.10	6.82	6.72	4.66	4.59	4.0	4.2	4.1	
			8:23	8.3	7.3	24.12															8.81
	18/12/2023	Cloudy	10:59	8.3	7.3	21.55	21.51	8.43	8.44	31.36	31.39	90.40	91.60	6.62	6.68	17.40	16.30	18.0	18.5	18.3	
			11:00	8.3	7.3	21.47															8.45
	20/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	22/12/2023	Strong Monsoon	WQM was cancelled due to adverse weather																		
	25/12/2023	Fine	17:15	8.7	7.7	19.21	19.11	7.67	7.78	31.24	31.46	88.40	87.70	6.55	6.50	7.67	7.78	4.2	4.2	4.2	
			17:16	8.7	7.7	19.00															7.89
	27/12/2023	Cloudy	7:17	8.3	7.3	18.95	18.84	9.17	9.11	31.94	31.90	85.00	85.70	6.19	6.22	9.08	8.99	7.8	8.1	8.0	
			7:18	8.3	7.3	18.73															9.05
	29/12/2023	Cloudy	8:17	8.2	7.2	20.54	20.57	8.29	8.32	31.15	31.21	92.10	91.75	6.63	6.59	7.70	7.49	3.9	3.6	3.8	
			8:18	8.2	7.2	20.59															8.34

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station SR4 (surface) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS		
						°C		-		ppt		%		mg/L		NTU		mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value
SR4	2/1/2024	Fine	16:19	3.6	1.0	20.51		7.90	7.93	31.54	31.61	88.40	89.40	6.75	6.78	8.58	8.45	6.6	6.4	
			16:20	3.6	1.0	20.38		7.95		31.68		90.40		6.81		8.32		6.2		
	4/1/2024	Fine	18:40	3.7	1.0	20.37	20.42	8.06	8.06	31.19	31.22	87.00	86.05	6.87	6.78	4.31	4.16	4.9	4.8	
			18:41	3.7	1.0	20.47		8.05		31.25		85.10		6.69		4.01		4.6		
	6/1/2024	Fine	7:28	3.3	1.0	20.58	20.64	7.81	7.85	30.67	30.78	87.90	88.45	6.60	6.66	4.41	4.46	2.6	2.4	
			7:29	3.3	1.0	20.70		7.88		30.88		89.00		6.71		4.51		2.2		
	8/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																	
	10/1/2024	Fine	10:54	3.2	1.0	21.25	21.20	7.25	7.28	31.35	31.31	92.40	93.15	6.84	6.87	4.79	4.69	1.3	1.2	
			10:55	3.2	1.0	21.14		7.31		31.26		93.90		6.89		4.58		1.0		
	12/1/2024	Fine	12:55	3.5	1.0	20.59	20.56	9.69	9.64	31.50	31.44	84.40	84.65	6.45	6.47	7.59	7.67	3.7	3.6	
			12:56	3.5	1.0	20.52		9.58		31.37		84.90		6.48		7.74		3.5		
	15/1/2024	Fine	15:43	3.8	1.0	20.76	20.74	8.39	8.42	31.04	31.15	85.60	85.55	6.51	6.51	4.99	5.05	1.8	3.1	
			15:44	3.8	1.0	20.71		8.45		31.25		85.50		6.50		5.11		4.3		
	17/1/2024	Cloudy	17:29	3.6	1.0	20.43	20.41	9.76	9.77	31.06	31.09	90.50	90.55	6.86	6.86	5.10	5.06	2.6	2.4	
			17:30	3.6	1.0	20.39		9.78		31.12		90.60		6.86		5.02		2.2		
	19/1/2024	Cloudy	7:04	3.3	1.0	21.42	21.40	9.14	9.16	30.39	30.41	85.80	85.55	6.44	6.43	4.56	4.62	2.4	2.5	
			7:05	3.3	1.0	21.37		9.18		30.43		85.30		6.41		4.67		2.5		
	22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																	
	24/1/2024	Strong wind	WQM was cancelled due to adverse weather																	
	26/1/2024	Cloudy	13:00	3.7	1.0	17.34	17.25	8.00	7.95	30.79	30.74	80.60	79.50	6.56	6.43	2.99	2.85	2.1	2.2	
			13:01	3.7	1.0	17.15		7.89		30.68		78.40		6.30		2.70		2.3		
	29/1/2024	Cloudy	15:31	3.7	1.0	17.67	17.69	7.92	7.94	31.84	31.82	86.90	87.15	6.87	6.89	4.89	4.80	4.0	4.3	
			15:32	3.7	1.0	17.70		7.95		31.79		87.40		6.91		4.71		4.5		
	31/1/2024	Cloudy	15:34	3.4	1.0	19.32	19.31	7.72	7.71	31.59	31.57	84.90	85.55	6.48	6.52	5.37	5.47	4.2	4.3	
			15:35	3.4	1.0	19.30		7.70		31.55		86.20		6.55		5.57		4.4		

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station SR4 (surface) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS		
						°C		-		ppt		%		mg/L		NTU		mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value
SR4	2/1/2024	Fine	11:19	3.3	1.0	20.47	20.49	7.93	7.94	31.66	31.71	91.10	90.00	6.83	6.79	7.72	7.67	4.8	4.6	
			11:20	3.3	1.0	20.50		7.95		31.75		88.90		6.74		7.62		4.4		
	4/1/2024	Fine	11:54	3.3	1.0	20.33	20.36	8.34	8.37	31.12	31.30	89.50	89.55	6.80	6.81	3.88	3.84	3.9	3.8	
			11:55	3.3	1.0	20.39		8.40		31.47		89.60		6.82		3.79		3.7		
	6/1/2024	Fine	13:46	3.5	1.0	20.50	20.53	7.60	7.63	31.48	31.50	82.50	81.95	6.28	6.25	3.57	3.48	2.5	2.4	
			13:47	3.5	1.0	20.55		7.65		31.52		81.40		6.22		3.38		2.2		
	8/1/2024	Cloudy	14:48	3.4	1.0	20.57	20.66	8.79	8.79	31.27	31.14	91.80	91.75	6.80	6.79	4.45	4.35	3.2	3.4	
			14:49	3.4	1.0	20.74		8.78		31.01		91.70		6.78		4.25		3.5		
	10/1/2024	Fine	16:09	3.4	1.0	20.70	20.64	8.24	8.30	31.55	31.51	85.20	85.05	6.44	6.43	3.84	3.79	1.6	1.6	
			16:10	3.4	1.0	20.57		8.36		31.46		84.90		6.41		3.73		1.6		
	12/1/2024	Fine	7:41	3.3	1.0	20.54	20.53	8.64	8.61	31.50	31.40	87.90	89.15	6.65	6.76	5.98	6.01	2.4	2.3	
			7:42	3.3	1.0	20.52		8.58		31.30		90.40		6.87		6.04		2.1		
	15/1/2024	Fine	9:27	3.2	1.0	20.51	20.49	9.74	9.69	31.09	31.07	85.00	86.50	6.48	6.60	5.34	5.25	1.9	1.9	
			9:28	3.2	1.0	20.46		9.64		31.05		88.00		6.71		5.15		1.5		
	17/1/2024	Cloudy	10:57	3.3	1.0	20.47	20.52	9.72	9.77	30.92	30.89	89.60	88.50	6.62	6.74	7.08	7.16	4.1	3.9	
			10:58	3.3	1.0	20.57		9.82		30.85		87.40		6.65		7.24		3.7		
	19/1/2024	Cloudy	12:46	3.5	1.0	21.30	21.31	10.10	10.12	30.96	30.98	87.50	89.25	6.59	6.72	4.52	4.49	2.2	2.4	
			12:47	3.5	1.0	21.31		10.13		30.99		91.00		6.84		4.46		2.5		
	22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																	
	24/1/2024	Strong wind	WQM was cancelled due to adverse weather																	
	26/1/2024	Cloudy	7:22	3.3	1.0	16.89	16.83	7.92	7.91	31.67	31.62	84.60	84.70	6.76	6.78	3.18	3.43	3.3	3.5	
			7:23	3.3	1.0	16.76		7.90		31.56		84.80		6.79		3.67		3.6		
	29/1/2024	Cloudy	15:22	3.7	1.0	17.67	17.69	7.92	7.94	31.84	31.82	86.90	87.15	6.87	6.89	4.89	4.80	9.1	9.2	
			15:23	3.7	1.0	17.70		7.95		31.79		87.40		6.81		4.71		9.3		
	31/1/2024	Cloudy	9:14	3.2	1.0	19.75	19.71	7.90	7.89	32.54	32.51	86.10	88.60	6.61	6.69	4.51	4.43	4.4	4.3	
			9:15	3.2	1.0	19.66		7.88		32.47		89.10		6.77		4.34		4.1		

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR4 (Bottom) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
SR4	2/1/2024	Fine	16:21	3.6	2.6	20.57		7.90	7.92	31.78	31.89	88.40	89.25	6.74	6.76	7.17	7.28	5.2	5.1		
			16:22	3.6	2.6	20.55		7.93		31.99		90.10		6.77		7.39		5.0			
	4/1/2024	Fine	18:42	3.7	2.7	20.31	20.40	8.37	8.31	31.40	31.39	82.30	82.45	6.47	6.49	3.95	3.99	5.1	5.2		
			18:43	3.7	2.7	20.49		8.25		31.37		82.60		6.50		4.02		5.2			
	6/1/2024	Fine	7:30	3.3	2.3	20.63	20.61	7.86	7.84	31.27	31.29	89.40	88.20	6.69	6.63	4.05	4.10	3.8	3.6		
			7:31	3.3	2.3	20.59		7.82		31.31		87.00		6.57		4.14		3.4			
	8/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																		
	10/1/2024	Fine	10:56	3.2	2.2	21.04	21.14	7.37	7.33	31.29	31.30	89.40	90.15	6.67	6.72	4.26	4.37	1.6	1.7		
			10:57	3.2	2.2	21.24		7.29		31.30		90.90		6.77		4.47		1.8			
	12/1/2024	Fine	12:57	3.5	2.5	20.59	20.66	9.73	9.68	31.51	31.59	86.00	86.35	6.54	6.57	6.37	6.29	2.7	2.9		
			12:58	3.5	2.5	20.72		9.63		31.67		86.70		6.59		6.21		3.0			
	15/1/2024	Fine	15:45	3.6	2.8	20.75	20.82	8.38	8.37	31.11	31.20	81.70	82.20	6.26	6.30	5.24	5.15	4.7	4.0		
			15:46	3.8	2.8	20.89		8.36		31.29		82.70		6.34		5.05		3.2			
	17/1/2024	Cloudy	17:31	3.6	2.6	20.29	20.35	9.62	9.70	30.88	30.80	86.10	87.65	6.62	6.71	5.48	5.49	3.0	3.2		
			17:32	3.6	2.6	20.40		9.78		30.72		89.20		6.90		5.50		3.3			
	19/1/2024	Cloudy	7:06	3.3	2.3	21.30	21.23	9.34	9.35	30.82	30.90	85.00	84.55	6.39	6.36	4.09	4.11	2.1	2.2		
			7:07	3.3	2.3	21.16		9.36		30.97		84.10		6.33		4.12		2.2			
	22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																		
	24/1/2024	Strong wind	WQM was cancelled due to adverse weather																		
	26/1/2024	Cloudy	13:02	3.7	2.7	17.25	17.21	7.78	7.78	31.67	31.77	79.80	82.00	6.55	6.71	2.96	3.02	3.2	3.0		
			13:03	3.7	2.7	17.16		7.77		31.87		84.20		6.87		3.07		2.8			
	29/1/2024	Cloudy	15:33	3.7	2.7	17.70	17.72	7.99	7.95	30.19	30.15	83.80	82.60	6.65	6.56	4.14	4.26	5.2	5.3		
			15:34	3.7	2.7	17.74		7.90		30.10		81.40		6.47		4.37		5.4			
31/1/2024	Cloudy	15:36	3.4	2.4	19.42	19.39	7.80	7.75	32.08	32.11	82.00	81.50	6.42	6.39	5.17	5.22	3.1	3.3			
		15:37	3.4	2.4	19.35		7.70		32.14		81.00		6.35		5.27		3.4				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR4 (Bottom) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR4	2/1/2024	Fine	11:21	3.3	2.3	20.50	20.51	7.99	7.97	31.69	31.64	90.80	89.35	6.86	6.79	8.37	8.47	6.4	6.1	
			11:22	3.3	2.3	20.52		7.95		31.58		87.90		6.71		8.57		5.8		
	4/1/2024	Fine	11:56	3.3	2.3	20.27	20.33	8.15	8.20	31.19	31.23	84.70	82.45	6.48	6.38	4.47	4.41	3.7	3.7	
			11:57	3.3	2.3	20.39		8.25		31.27		80.20		6.27		4.35		3.6		
	6/1/2024	Fine	13:48	3.5	2.5	20.54	20.57	7.27	7.29	31.36	31.30	84.90	84.40	6.51	6.48	3.65	3.52	1.7	1.6	
			13:49	3.5	2.5	20.60		7.30		31.24		83.90		6.45		3.39		1.5		
	8/1/2024	Cloudy	14:50	3.4	2.4	20.61	20.67	8.62	8.69	31.59	31.68	88.00	88.20	6.67	6.68	4.88	4.99	4.5	4.7	
			14:51	3.4	2.4	20.73		8.76		31.77		88.40		6.69		5.09		4.8		
	10/1/2024	Fine	16:11	3.4	2.4	20.39	20.58	8.42	8.36	31.67	31.58	83.30	82.90	6.32	6.30	3.73	3.66	2.3	2.5	
			16:12	3.4	2.4	20.76		8.30		31.46		82.50		6.27		3.59		2.6		
	12/1/2024	Fine	7:43	3.3	2.3	20.63	20.72	8.69	8.72	31.23	31.21	91.10	90.00	6.63	6.79	6.34	6.31	3.2	3.0	
			7:44	3.3	2.3	20.81		8.74		31.19		88.90		6.74		6.27		2.8		
	15/1/2024	Fine	9:29	3.2	2.2	20.38	20.41	9.73	9.70	31.37	31.32	89.40	87.55	6.86	6.72	4.70	4.83	2.5	2.6	
			9:30	3.2	2.2	20.43		9.67		31.26		85.70		6.57		4.95		2.7		
	17/1/2024	Cloudy	10:59	3.3	2.3	20.53	20.51	9.83	9.82	31.23	31.27	87.50	89.25	6.69	6.81	6.33	6.31	3.4	3.3	
			11:00	3.3	2.3	20.49		9.80		31.31		91.00		6.92		6.29		3.1		
	19/1/2024	Cloudy	12:48	3.5	2.5	21.44	21.42	10.25	10.21	31.34	31.27	87.20	89.05	6.55	6.67	4.57	4.50	3.2	3.0	
			12:49	3.5	2.5	21.39		10.16		31.20		90.90		6.79		4.42		2.8		
	22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																	
	24/1/2024	Strong wind	WQM was cancelled due to adverse weather																	
	26/1/2024	Cloudy	7:24	3.3	2.3	16.90	16.84	7.80	7.83	31.85	31.82	86.60	86.00	6.91	6.88	3.62	3.52	4.2	4.1	
			7:25	3.3	2.3	16.77		7.85		31.79		86.40		6.94		3.41		3.8		
	29/1/2024	Cloudy	15:24	3.7	2.7	17.70	17.72	7.99	7.95	30.19	30.15	83.90	82.60	6.65	6.56	4.14	4.26	7.4	7.3	
15:25			3.7	2.7	17.74		7.90		30.10		81.40		6.47		4.37		7.1			
31/1/2024	Cloudy	9:16	3.2	2.2	19.72	19.70	7.82	7.84	32.50	32.34	90.20	90.50	6.80	6.82	4.81	4.88	5.0	5.2		
		9:17	3.2	2.2	19.67		7.86		32.18		90.80		6.83		4.94		5.4			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station SR5 (surface) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						WQM was cancelled due to adverse weather															
SR5	2/1/2024	Fine	16:10	4.1	1.0	20.37		20.44	7.98	7.97	31.85	31.84	87.00	88.65	6.65	6.73	8.15	8.08	4.6	4.5	
			16:11	4.1	1.0	20.50			7.95		31.83		90.30		6.80		8.01		4.4		
	4/1/2024	Fine	18:32	4.2	1.0	20.18		20.28	8.44	8.45	31.45	31.53	81.10	81.85	6.38	6.42	4.25	4.21	3.4	3.7	
			18:33	4.2	1.0	20.37			8.45		31.61		83.60		6.45		4.17		3.9		
	6/1/2024	Fine	7:37	4.1	1.0	20.49		20.54	7.57	7.55	31.29	31.32	85.10	86.60	6.48	6.56	3.74	3.80	3.5	3.3	
			7:38	4.1	1.0	20.59			7.52		31.34		88.10		6.63		3.86		3.1		
	8/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																		
	10/1/2024	Fine	11:02	3.5	1.0	21.36		21.21	7.34	7.38	31.29	31.27	89.60	90.55	6.72	6.79	4.25	4.08	2.2	2.4	
			11:03	3.5	1.0	21.05			7.42		31.25		91.50		6.86		3.90		2.6		
	12/1/2024	Fine	12:46	4.1	1.0	20.53		20.48	9.73	9.70	31.32	31.29	95.70	96.20	6.72	6.79	6.58	6.64	3.0	3.2	
			12:47	4.1	1.0	20.42			9.67		31.25		96.70		6.85		6.70		3.3		
	15/1/2024	Fine	15:35	4.3	1.0	20.63		20.56	8.44	8.42	31.32	31.41	81.80	82.25	6.19	6.24	5.80	5.77	3.6	3.5	
			15:36	4.2	1.0	20.49			8.39		31.49		82.70		6.28		5.73		3.3		
	17/1/2024	Cloudy	17:20	4.3	1.0	20.30		20.29	9.83	9.81	30.70	30.63	84.20	86.00	6.47	6.60	4.73	4.79	1.6	1.7	
			17:21	4.3	1.0	20.27			9.79		30.56		87.80		6.72		4.84		1.8		
	19/1/2024	Cloudy	7:13	3.9	1.0	21.14		21.17	9.14	9.12	30.78	30.69	88.30	88.15	6.74	6.73	4.19	4.25	1.6	1.6	
			7:14	3.9	1.0	21.19			9.09		30.59		88.00		6.71		4.30		1.6		
	22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																		
	24/1/2024	Strong wind	WQM was cancelled due to adverse weather																		
	26/1/2024	Cloudy	12:52	4.1	1.0	17.08		17.09	7.84	7.81	32.19	32.11	75.80	76.40	6.12	6.26	2.84	2.81	2.9	2.8	
			12:53	4.1	1.0	17.10			7.78		32.02		77.00		6.40		2.77		2.6		
	29/1/2024	Cloudy	15:22	4.1	1.0	17.71		17.70	7.92	7.90	31.63	31.72	81.70	83.25	6.58	6.72	4.86	4.80	4.2	4.1	
			15:23	4.1	1.0	17.68			7.87		31.80		84.80		6.85		4.74		3.9		
	31/1/2024	Cloudy	15:25	4.0	1.0	19.28		19.29	7.75	7.72	32.58	32.68	85.80	85.95	6.60	6.61	5.28	5.24	4.0	3.8	
			15:26	4.0	1.0	19.30			7.68		32.77		86.10		6.62		5.19		3.6		

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station SR5 (surface) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						WQM was cancelled due to adverse weather															
SR5	2/1/2024	Fine	11:27	3.8	1.0	20.44		20.36	7.83	7.81	31.94	31.91	84.90	86.35	6.45	6.55	7.62	7.66	3.8	3.9	
			11:28	3.8	1.0	20.27			7.78		31.87		87.90		6.65		7.69		4.0		
	4/1/2024	Fine	12:03	3.9	1.0	20.33		20.40	8.22	8.26	31.04	31.14	88.40	87.90	6.78	6.74	5.01	4.95	3.3	3.1	
			12:04	3.9	1.0	20.47			8.29		31.24		87.40		6.70		4.89		2.9		
	6/1/2024	Fine	13:38	4.2	1.0	20.34		20.27	7.65	7.62	31.19	31.22	84.30	84.00	6.53	6.48	2.83	2.89	3.5	3.6	
			13:39	4.2	1.0	20.19			7.58		31.25		83.70		6.42		2.94		3.7		
	8/1/2024	Cloudy	14:40	4.0	1.0	20.81		20.80	8.66	8.62	31.98	31.89	88.60	88.20	6.72	6.66	4.31	4.41	3.3	3.6	
			14:41	4.0	1.0	20.79			8.58		31.79		87.80		6.59		4.50		3.8		
	10/1/2024	Fine	16:01	3.8	1.0	20.66		20.65	8.24	8.30	31.39	31.44	84.10	83.95	6.44	6.43	3.42	3.53	3.0	3.2	
			16:02	3.8	1.0	20.64			8.35		31.48		83.80		6.42		3.64		3.4		
	12/1/2024	Fine	7:50	3.8	1.0	20.63		20.61	8.82	8.76	31.42	31.35	83.30	84.25	6.33	6.39	6.01	6.11	2.7	2.5	
			7:51	3.8	1.0	20.59			8.70		31.28		85.20		6.44		6.21		2.3		
	15/1/2024	Fine	9:36	3.7	1.0	20.24		20.31	9.65	9.67	31.15	31.24	85.20	86.95	6.53	6.65	5.03	4.98	2.5	2.5	
			9:37	3.7	1.0	20.37			9.68		31.32		88.70		6.77		4.92		2.4		
	17/1/2024	Cloudy	11:06	3.9	1.0	20.23		20.23	9.56	9.66	31.20	31.14	85.90	87.45	6.54	6.67	6.27	6.18	3.0	3.2	
			11:07	3.9	1.0	20.23			9.75		31.08		89.10		6.80		6.08		3.4		
	19/1/2024	Cloudy	12:36	4.0	1.0	21.39		21.40	10.01	10.04	31.28	31.19	84.60	86.50	6.37	6.51	3.84	3.69	2.5	2.4	
			12:37	4.0	1.0	21.41			10.07		31.10		88.40		6.64		3.53		2.2		
	22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																		
	24/1/2024	Strong wind	WQM was cancelled due to adverse weather																		
	26/1/2024	Cloudy	7:32	3.7	1.0	16.84		16.77	7.84	7.82	32.25	32.34	86.40	85.90	6.92	6.89	4.01	3.91	4.7	4.9	
			7:33	3.7	1.0	16.70			7.80		32.43		85.40		6.85		3.81		5.0		
	29/1/2024	Cloudy	15:22	4.1	1.0	17.71		17.70	7.92	7.90	31.63	31.72	81.70	83.25	6.58	6.72	4.86	4.80	4.5	4.5	
			15:23	4.1	1.0	17.68			7.87		31.80		84.80		6.85		4.74		4.5		
	31/1/2024	Cloudy	9:23	3.7	1.0	19.62		19.61	7.88	7.85	32.24	32.16	86.40	87.10	6.59	6.64	3.93	3.99	3.7	3.9	
			9:24	3.7	1.0	19.60			7.82		32.08		87.90		6.68		4.04		4.0		

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.

**Impact Water Quality Monitoring at Station SR5 (Bottom) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L				
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
						WQM was cancelled due to adverse weather																
SR5	2/1/2024	Fine	16:13	4.1	3.1	20.62		7.97	7.94	31.57	31.57	89.00	6.78	6.63	7.92	7.80	5.7	5.9				
			16:14	4.1	3.1	20.59	20.61	7.91		31.57	31.57	85.40	6.49				6.1					
			18:35	4.2	3.2	20.27	20.29	8.12	8.15	31.19	31.23	79.10	6.21	6.25	4.07			5.8	5.5			
	4/1/2024	Fine	18:36	4.2	3.2	20.30		8.17		31.27		80.30	6.29		4.17	4.12			5.2			
			7:40	4.1	3.1	20.24	20.34	7.40	7.43	31.51	31.48	88.70	6.78	6.81	4.37			4.2	4.0			
			7:41	4.1	3.1	20.43		7.46		31.45		92.40	6.84		4.55			3.8				
	8/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																			
	10/1/2024	Fine	11:04	3.5	2.5	21.28	21.20	7.77	7.71	31.47	31.49	89.40	6.70	6.76	4.06	4.17	1.7	1.7				
			11:05	3.5	2.5	21.11		7.65		31.51		91.70	6.82		4.27		1.6					
			12:49	4.1	3.1	20.39	20.46	9.78	9.77	31.50	31.48	90.60	6.43	6.37	6.17	6.20	2.4	2.3				
	12/1/2024	Fine	12:50	4.1	3.2	20.52		9.76		31.45		88.70	6.31		6.22		2.1					
			15:38	4.3	3.2	20.47	20.53	8.58	8.58	31.02	30.94	86.30	6.64	6.68	5.46	5.53	4.8	4.7				
			15:39	4.2	3.2	20.59		8.57		30.86		87.00	6.71		5.59		4.5					
	17/1/2024	Cloudy	17:22	4.3	3.3	20.45	20.43	9.57	9.63	30.67	30.74	85.80	6.57	6.44	4.68	4.75	2.0	2.2				
			17:23	4.3	3.3	20.41		9.68		30.90		82.00	6.31		4.62		2.4					
			7:15	3.9	2.9	21.11	21.18	9.11	9.14	30.78	30.89	88.00	6.70	6.68	3.95	3.90	2.6	2.5				
	19/1/2024	Cloudy	7:16	3.9	2.9	21.25		9.17		30.99		87.50	6.66		3.84	3.90	2.4	2.4				
			22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																	
			24/1/2024	Strong wind	WQM was cancelled due to adverse weather																	
	26/1/2024	Cloudy	12:55	4.1	3.1	16.80	16.89	7.69	7.73	31.59	31.66	84.60	6.59	6.59	3.23	3.30	2.3	2.2				
			12:56	4.1	3.1	16.97		7.76		31.72		84.50	6.58		3.36		2.1					
			15:25	4.1	3.1	17.63	17.66	8.01	7.99	32.25	32.21	86.50	6.83	6.82	4.02	3.98	6.4	6.3				
	29/1/2024	Cloudy	15:26	4.1	3.1	17.69		7.97		32.16		86.10	6.80		3.94		6.1					
			15:28	4.0	3.0	19.40	19.33	7.81	7.73	32.68	32.67	83.10	6.49	6.53	4.64	4.61	4.7	4.5				
15:29			4.0	3.0	19.26		7.85		32.65		84.50	6.56		4.57		4.3						

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.

**Impact Water Quality Monitoring at Station SR5 (Bottom) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
						WQM was cancelled due to adverse weather														
SR5	2/1/2024	Fine	11:29	3.8	2.8	20.45	20.37	7.97	7.97	31.67	31.63	85.10	6.47	6.51	8.57	8.46	6.2	6.5		
			11:30	3.8	2.8	20.29		7.96		31.59		88.60	6.75		8.34		6.8			
			12:05	3.9	2.9	20.37	20.32	8.26	8.27	31.67	31.77	84.50	6.53	6.52	5.06	5.12	2.7	2.6		
	4/1/2024	Fine	12:06	3.9	2.9	20.27		8.27		31.87		84.00	6.50		5.17		2.5			
			13:41	4.2	3.2	20.52	20.50	7.81	7.81	31.42	31.41	84.90	6.50	6.51	2.71	2.86	4.6	4.4		
			13:42	4.2	3.2	20.48		7.80		31.40		85.10	6.51		3.01		4.1			
	8/1/2024	Cloudy	14:43	4.0	3.0	20.74	20.80	8.62	8.64	31.62	31.61	84.70	6.36	6.40	4.43	4.54	6.2	6.4		
			14:44	4.0	3.0	20.86		8.66		31.59		85.40	6.43		4.64		6.6			
			16:03	3.8	2.8	20.73	20.69	8.30	8.29	31.58	31.54	87.90	6.73	6.67	3.47	3.35	3.8	3.7		
	10/1/2024	Fine	16:04	3.8	2.8	20.64		8.27		31.50		86.80	6.60		3.23		3.6			
			7:52	3.9	2.9	20.55	20.63	8.67	8.69	31.17	31.22	87.50	6.66	6.60	6.43	6.36	3.5	3.4		
			7:53	3.8	2.8	20.71		8.71		31.27		85.60	6.54		6.29		3.3			
	15/1/2024	Fine	9:38	3.7	2.7	20.27	20.30	9.52	9.62	31.48	31.51	91.00	6.93	6.81	5.02	5.08	3.5	3.3		
			9:39	3.7	2.7	20.33		9.72		31.54		88.70	6.69		5.13		3.1			
			11:08	3.9	2.9	20.59	20.63	9.58	9.66	31.27	31.23	89.00	6.72	6.70	6.09	6.04	3.8	4.0		
	17/1/2024	Cloudy	11:09	3.9	2.9	20.67		9.74		31.19		86.80	6.67		5.98		4.2			
			12:39	4.0	3.0	21.28	21.27	10.19	10.15	31.20	31.17	87.50	6.55	6.64	3.98	3.86	2.8	2.9		
			12:40	4.0	3.0	21.25		10.10		31.14		90.10	6.73		3.74		3.0			
	22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																	
	24/1/2024	Strong wind	WQM was cancelled due to adverse weather																	
	26/1/2024	Cloudy	7:34	3.7	2.7	16.74	16.67	7.95	7.91	31.70	31.65	86.70	6.94	6.91	3.86	3.91	4.3	4.3		
			7:35	3.7	2.7	16.59		7.96		31.59		86.90	6.98		3.96		4.2			
			15:25	4.1	3.1	17.62	17.66	8.01	7.99	32.25	32.21	86.50	6.83	6.82	4.02	3.98	4.1	4.0		
	29/1/2024	Cloudy	15:26	4.1	3.1	17.69		7.97		32.16		86.10	6.80		3.94		3.8			
9:25			3.7	2.7	19.58	19.51	7.86	7.87	32.73	32.64	83.60	6.48	6.50	4.37	4.33	3.2	3.3			
9:26			3.7	2.7	19.43		7.87		32.54		84.40	6.51		4.29		3.4				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



Impact Water Quality Monitoring at Station SR6 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS			
						°C		-		ppt		%		mg/L		NTU		mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG		
SR6	2/1/2024	Fine	16:01	2.8	1.4	20.29		7.87		31.98		81.80		6.26		6.12		5.1		5.0	
			16:02	2.8	1.4	20.50	20.40	8.00	7.99	31.81	31.90	85.50	83.65	6.49	6.38	6.27	6.20	4.5			
	4/1/2024	Fine	18:23	2.7	1.4	20.18		8.46		31.56		82.20		6.49		4.00		5.4		5.3	
			18:24	2.7	1.4	20.09	20.14	8.41	8.44	31.47	31.52	85.90	84.05	6.78	6.64	3.99	4.04	5.1			
	6/1/2024	Fine	7:46	2.6	1.3	20.50		7.62		31.46		83.30		6.36		3.91		2.5		2.5	
			7:47	2.6	1.3	20.37	20.44	7.58	7.60	31.50	31.48	82.70	83.00	6.32	6.34	3.87	3.89	2.4			
	8/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																		
	10/1/2024	Fine	11:11	2.4	1.2	21.41		7.46		31.42		92.00		6.91		4.13		3.2		3.4	
			11:12	2.4	1.2	21.30	21.36	7.39	7.43	31.39	31.41	90.10	91.05	6.75	6.83	3.98	4.06	3.6			
	12/1/2024	Fine	12:38	2.7	1.4	20.37		9.58		31.62		93.30		6.64		5.69		2.1		2.2	
			12:39	2.7	1.4	20.32	20.35	9.79	9.69	31.40	31.51	93.00	93.15	6.62	6.63	5.22	5.46	2.2			
	15/1/2024	Fine	15:26	2.8	1.4	20.53		8.57		31.08		84.70		6.44		6.02		4.3		4.2	
			15:27	2.8	1.4	20.50	20.52	8.48	8.53	31.17	31.13	81.90	83.30	6.26	6.35	6.12	6.07	4.1			
	17/1/2024	Cloudy	17:10	2.8	1.4	20.47		9.80		30.72		84.90		6.49		5.16		1.8		1.8	
			17:11	2.8	1.4	20.36	20.42	9.77	9.79	30.76	30.74	86.30	86.60	6.76	6.63	5.34	5.26	1.5			
	19/1/2024	Cloudy	7:22	2.4	1.2	21.27		9.57		30.80		90.80		6.62		4.09		2.6		2.6	
			7:23	2.4	1.2	21.49	21.38	9.55	9.56	30.79	30.80	88.10	89.45	6.59	6.61	4.69	4.39	2.9			
	22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																		
	24/1/2024	Strong wind	WQM was cancelled due to adverse weather																		
	26/1/2024	Cloudy	12:42	2.6	1.3	16.79		7.75		32.49		84.00		6.77		2.84		2.2		2.3	
12:43			2.6	1.3	16.90	16.85	7.79	7.77	32.60	32.55	82.20	83.10	6.57	6.67	2.67	2.76	2.4				
29/1/2024	Cloudy	15:15	2.7	1.4	17.66		7.93		32.68		87.10		6.90		4.47		6.8		6.8		
		15:16	2.7	1.4	17.70	17.68	8.04	7.99	32.79	32.74	85.80	86.45	6.77	6.84	4.34	4.41	6.8				
31/1/2024	Cloudy	15:15	2.6	1.3	19.36		7.79		31.94		83.40		6.54		4.73		5.4		5.2		
		15:16	2.6	1.3	19.20	19.28	7.80	7.80	31.86	31.90	82.80	83.10	6.49	6.52	4.96	4.85	5.0				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



Impact Water Quality Monitoring at Station SR6 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS			
						°C		-		ppt		%		mg/L		NTU		mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG		
SR6	2/1/2024	Fine	11:37	2.5	1.3	20.67		7.99		31.87		87.30		6.64		7.52		3.2		3.2	
			11:38	2.5	1.3	20.51	20.59	7.98	7.99	31.94	31.91	91.30	89.30	6.95	6.80	7.62	7.57	3.2			
	4/1/2024	Fine	12:12	2.4	1.2	20.19		9.60		31.37		81.60		6.37		4.33		3.8		3.6	
			12:13	2.4	1.2	20.20	20.20	9.59	9.60	31.26	31.32	80.80	81.20	6.29	6.33	4.25	4.29	3.4			
	6/1/2024	Fine	13:28	2.7	1.4	20.41		7.71		31.41		85.70		6.65		3.23		3.1		3.3	
			13:29	2.7	1.4	20.39	20.40	7.67	7.69	31.30	31.36	85.30	85.50	6.62	6.64	3.57	3.40	3.5			
	8/1/2024	Cloudy	14:31	2.6	1.3	20.87		8.79		31.43		86.90		6.55		3.84		2.6		2.8	
			14:32	2.6	1.3	20.96	20.92	8.81	8.80	31.50	31.47	88.10	87.50	6.66	6.61	3.97	3.91	3.0			
	10/1/2024	Fine	15:52	2.5	1.3	20.87		8.27		31.27		89.10		6.80		3.27		4.6		4.5	
			15:53	2.5	1.3	20.95	20.91	8.36	8.32	31.13	31.20	90.80	89.95	6.89	6.85	3.39	3.39	4.4			
	12/1/2024	Fine	8:00	2.5	1.3	20.52		8.45		31.36		83.90		6.49		5.37		2.5		2.6	
			8:01	2.5	1.3	20.49	20.51	8.50	8.48	31.10	31.23	86.90	85.40	6.63	6.56	5.54	5.46	2.6			
	15/1/2024	Fine	9:44	2.4	1.2	20.42		9.47		31.59		85.10		6.48		4.83		3.9		3.7	
			9:45	2.4	1.2	20.30	20.36	9.53	9.50	31.64	31.62	88.40	86.75	6.74	6.61	4.61	4.72	3.5			
	17/1/2024	Cloudy	11:15	2.5	1.3	20.34		9.78		31.19		88.20		6.75		6.04		3.8		3.7	
			11:16	2.5	1.3	20.30	20.32	9.87	9.83	31.06	31.13	84.50	86.35	6.53	6.64	6.33	6.19	3.5			
	19/1/2024	Cloudy	12:27	2.6	1.3	21.30		10.21		31.24		88.70		6.65		3.98		2.1		2.2	
			12:28	2.6	1.3	21.34	21.32	10.19	10.20	31.03	31.14	91.90	90.30	6.75	6.70	3.83	3.91	2.2			
	22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																		
	24/1/2024	Strong wind	WQM was cancelled due to adverse weather																		
26/1/2024	Cloudy	7:41	2.3	1.2	16.50		7.80		32.80		85.10		6.92		3.62		3.4		3.3		
		7:42	2.3	1.2	16.77	16.64	7.82	7.86	32.76	32.78	85.40	85.25	6.94	6.83	3.47	3.55	3.2				
29/1/2024	Cloudy	15:15	3.7	1.9	17.66		7.93		32.68		87.10		6.90		4.47		2.5		2.9		
		15:16	3.7	1.9	17.70	17.68	8.04	7.99	32.79	32.74	85.80	86.45	6.77	6.84	4.34	4.41	3.0				
31/1/2024	Cloudy	9:32	2.4	1.2	19.56		7.90		32.65		85.40		6.74		3.76		3.7		3.9		
		9:33	2.4	1.2	19.66	19.61	7.80	7.85	32.54	32.60	83.50	84.45	6.62	6.68	3.65	3.71	4.0				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



Impact Water Quality Monitoring at Station SR9 (surface) - Ebb Tide

Table with columns: Station Reference, Sampling Date, Weather, Sampling Time, Water Depth, Sampling Depth, Temperature (Value, AVG), pH (Value, AVG), Salinity (Value, AVG), DO Saturation (Value, AVG), DO (Value, AVG), Turbidity (Value, AVG), SS (Value, AVG). Rows include dates from 2/1/2024 to 31/1/2024 with various weather conditions and data points.

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



Impact Water Quality Monitoring at Station SR9 (surface) - Flood Tide

Table with columns: Station Reference, Sampling Date, Weather, Sampling Time, Water Depth, Sampling Depth, Temperature (Value, AVG), pH (Value, AVG), Salinity (Value, AVG), DO Saturation (Value, AVG), DO (Value, AVG), Turbidity (Value, AVG), SS (Value, AVG). Rows include dates from 2/1/2024 to 31/1/2024 with various weather conditions and data points.

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



Impact Water Quality Monitoring at Station SR9 (Bottom) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						WQM was cancelled due to adverse weather															
SR9	2/1/2024	Fine	15:50	4.2	3.2	20.65		7.88	7.87	31.89	31.85	88.80	89.85	6.70	6.73	6.57	6.48	3.6	3.8		
			15:51	4.2	3.2	20.60	20.63	7.86		31.80		90.90		6.76		6.38		3.9			
	4/1/2024	Fine	18:10	4.3	3.3	20.19	20.23	8.17	8.20	31.36	31.31	85.90	84.85	6.78	6.69	6.02	6.00	5.5	5.3		
			18:11	4.3	3.3	20.27		8.22		31.25		83.80		6.60		5.97		5.1			
	6/1/2024	Fine	8:04	3.9	2.9	20.37	20.34	7.72	7.70	31.63	31.60	81.90	82.35	6.24	6.28	4.10	4.06	4.4	4.2		
			8:05	3.9	2.9	20.30		7.68		31.56		82.80		6.31		4.02		3.9			
	8/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																		
	10/1/2024	Fine	11:28	3.7	2.7	20.88	20.83	7.20	7.19	31.09	31.17	86.60	88.10	6.54	6.63	3.85	3.91	2.7	2.9		
			11:29	3.7	2.7	20.78		7.17		31.24		89.60		6.72		3.97		3.0			
	12/1/2024	Fine	12:40	4.1	3.1	20.39	20.39	9.57	9.62	31.29	31.27	85.40	82.90	6.69	6.56	5.89	5.99	2.8	2.7		
			12:41	4.1	3.3	20.38		9.67		31.24		80.40		6.42		6.09		2.6			
	15/1/2024	Fine	15:15	4.3	3.3	20.41	20.35	8.38	8.38	31.40	31.33	83.60	85.25	6.38	6.57	4.81	4.87	4.6	4.5		
			15:16	4.3	3.3	20.29		8.37		31.25		86.90		6.76		4.93		4.3			
	17/1/2024	Cloudy	16:58	4.3	3.3	20.21	20.25	9.70	9.72	30.90	30.95	86.10	87.55	6.59	6.69	4.18	4.24	2.4	2.5		
			16:59	4.3	3.3	20.28		9.73		30.99		89.00		6.78		4.30		2.6			
	19/1/2024	Cloudy	7:40	3.8	2.8	21.07	21.13	9.17	9.11	30.84	30.93	85.40	86.15	6.51	6.56	4.99	5.01	1.7	1.8		
			7:41	3.8	2.8	21.19		9.05		31.01		86.90		6.61		5.02		1.9			
	22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																		
	24/1/2024	Strong wind	WQM was cancelled due to adverse weather																		
	26/1/2024	Cloudy	12:30	4.3	3.3	17.32	17.29	7.70	7.83	31.43	31.41	78.20	78.45	6.20	6.22	3.88	3.92	2.5	2.6		
12:31			4.3	3.3	17.25		7.95		31.39		78.70		6.24		3.95		2.7				
29/1/2024	Cloudy	15:04	4.3	3.3	17.71	17.65	7.95	7.93	32.30	32.30	82.30	81.60	6.54	6.48	3.24	3.27	8.4	8.2			
		15:05	4.3	3.3	17.59		7.90		32.29		80.90		6.42		3.29		8.0				
31/1/2024	Cloudy	15:04	4.1	3.1	19.42	19.40	7.82	7.84	32.25	32.21	86.70	87.00	6.85	6.86	5.13	5.20	6.0	5.4			
		15:05	4.1	3.1	19.37		7.86		32.17		87.30		6.87		5.27		4.8				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



Impact Water Quality Monitoring at Station SR9 (Bottom) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
						WQM was cancelled due to adverse weather														
SR9	2/1/2024	Fine	11:54	3.9	2.9	20.60	20.56	7.94	7.95	31.34	31.44	83.30	85.10	6.33	6.48	6.66	6.55	5.2	5.3	
			11:55	3.9	2.9	20.51		7.95		31.53		86.90		6.63		6.43		5.4		
	4/1/2024	Fine	12:30	4.0	3.0	19.99	20.01	8.57	8.59	30.87	30.90	83.80	82.90	6.49	6.44	6.22	6.16	5.3	5.5	
			12:31	4.0	3.0	20.02		8.60		30.93		82.00		6.39		6.09		5.7		
	6/1/2024	Fine	13:17	4.1	3.1	20.51	20.44	7.85	7.85	31.69	31.72	82.80	81.65	6.34	6.26	3.87	3.94	5.0	4.8	
			13:18	4.1	3.1	20.36		7.85		31.74		80.50		6.18		4.00		4.6		
	8/1/2024	Cloudy	14:19	4.1	3.1	21.18	21.19	8.86	8.86	31.96	31.93	87.90	88.25	6.61	6.67	4.58	4.66	4.8	4.7	
			14:20	4.1	3.1	21.20		8.85		31.90		88.60		6.72		4.74		4.5		
	10/1/2024	Fine	15:40	3.9	2.9	20.79	20.82	8.32	8.34	31.37	31.39	85.00	83.65	6.49	6.36	3.56	3.68	4.0	3.9	
			15:41	3.9	2.9	20.84		8.35		31.40		82.30		6.23		3.80		3.7		
	12/1/2024	Fine	8:17	3.8	2.8	20.49	20.50	8.64	8.61	31.43	31.48	90.20	89.70	6.64	6.52	6.19	6.34	3.1	3.0	
			8:18	3.8	2.8	20.50		8.57		31.52		89.20		6.59		6.48		2.8		
	15/1/2024	Fine	10:01	3.8	2.8	20.27	20.31	9.70	9.71	31.19	31.26	88.00	86.05	6.72	6.59	4.53	4.60	4.2	4.0	
			10:02	3.8	2.8	20.34		9.72		31.32		84.10		6.46		4.67		3.8		
	17/1/2024	Cloudy	11:32	4.0	3.0	20.50	20.49	9.69	9.58	31.03	31.06	89.00	87.45	6.77	6.68	5.18	5.14	2.7	2.9	
			11:33	4.0	3.0	20.47		9.47		31.09		85.90		6.58		5.09		3.0		
	19/1/2024	Cloudy	12:15	4.0	3.0	21.15	21.18	10.21	10.24	30.90	30.84	86.30	88.10	6.58	6.65	3.37	3.47	3.5	3.4	
			12:16	4.0	3.0	21.21		10.27		30.78		89.90		6.71		3.56		3.2		
	22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																	
	24/1/2024	Strong wind	WQM was cancelled due to adverse weather																	
26/1/2024	Cloudy	7:59	3.9	2.9	17.28	17.31	7.78	7.81	32.42	32.40	77.00	77.85	6.17	6.27	2.55	2.60	2.4	2.3		
		8:00	3.9	2.9	17.34		7.84		32.38		78.70		6.36		2.64		2.1			
29/1/2024	Cloudy	9:02	3.9	2.9	17.66	17.67	7.90	7.93	32.60	32.62	82.70	82.15	6.52	6.55	3.42	3.54	4.0	3.9		
		9:03	3.9	2.9	17.67		7.95		32.63		81.60		6.52		3.65		3.8			
31/1/2024	Cloudy	9:49	3.8	2.8	19.62	19.56	7.76	7.75	32.37	32.44	91.60	90.85	6.99	6.94	4.98	5.04	4.3	4.4		
		9:50	3.8	2.8	19.49		7.74		32.51		90.10		6.88		5.09		4.5			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR10 (Middle) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L										
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG							
						WQM was cancelled due to adverse weather																						
SR10	2/1/2024	Fine	15:38	2.6	1.3	20.38	20.46	7.57	7.54	31.27	31.29	81.50	83.45	6.20	6.36	6.98	7.02	4.6	4.5									
			15:39	2.6	1.3	20.54		7.50	31.30	85.40		6.51		7.05		4.3												
			17:57	2.8	1.4	20.37		8.29	31.09	82.20		6.49		5.86		4.6												
	4/1/2024	Fine	17:58	2.8	1.4	20.28	20.33	8.28	8.29	31.21	31.15	87.70	84.95	6.65	6.67	5.73	5.80	5.0	4.8									
			8:10	2.5	1.3	20.41		7.55	31.04	84.70		6.55		3.56		2.4												
			8:11	2.5	1.3	20.26		7.61	31.27	85.20		6.59		3.76		2.6												
	8/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																									
	10/1/2024	Fine	11:34	2.4	1.2	20.81	20.75	7.65	7.64	31.10	31.11	81.60	82.40	6.25	6.29	3.27	3.21	1.6	1.7									
			11:35	2.4	1.2	20.68		7.63	31.11	83.20		3.15		1.8														
			12:28	2.7	1.4	20.57		9.58	31.81	83.90		6.60		5.21		2.4												
	12/1/2024	Fine	12:29	2.7	1.4	20.61	20.59	9.47	9.53	31.72	31.77	84.20	84.05	6.77	6.69	5.36	5.29	2.2	2.3									
			15/1/2024	Fine	15:03	2.8		1.4	20.67	20.60		8.47		8.42		31.27		31.21		83.70	85.50	6.37	6.57	4.66	4.57	3.6		
			15:04		2.7	1.4		20.53	8.36			31.14		87.30		6.77				4.47		3.4						
	17/1/2024	Cloudy	16:48		2.8	1.4	20.23	20.21	9.62		9.60	30.73	30.71	89.50	87.90	6.90	6.76		4.08	4.10		2.4						
	16:49		2.8	1.4	20.18	9.57	30.68		86.30	6.82	4.12	2.2																
	7:48		2.5	1.3	21.37	9.18	31.04		84.10	6.37	4.18	2.8																
	19/1/2024	Cloudy	7:49	2.5	1.3	21.22	21.29	9.26	9.22	30.91	30.98	83.70	83.90	6.35	6.36	4.01	4.10	3.1	3.0									
			22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																							
			24/1/2024	Strong wind	WQM was cancelled due to adverse weather																							
	26/1/2024	Cloudy	12:18	2.7	1.4	17.24	17.15	7.73	7.70	31.89	31.82	83.50	82.80	6.66	6.61	3.59	3.54	1.9	1.8									
			12:19	2.7	1.4	17.05		7.67	31.74	82.10		6.56		3.48		1.7												
			14:53	2.6	1.3	17.52		7.96	32.17	82.90		6.62		3.17		6.1												
	29/1/2024	Cloudy	14:54	2.6	1.3	17.46	17.49	7.93	7.95	32.36	32.27	84.50	83.70	6.73	6.68	3.04	3.11	6.3	6.2									
14:52			2.7	1.4	19.56	7.81		32.24	79.60	6.34		3.84		4.4														
14:53			2.7	1.4	19.68	7.79		32.40	79.40	6.33		3.76		4.0														

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station SR10 (Middle) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L									
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG								
						WQM was cancelled due to adverse weather																					
SR10	2/1/2024	Fine	12:00	2.4	1.2	20.73	20.66	7.81	7.79	31.52	31.61	82.20	83.70	6.23	6.34	7.80	7.71	4.5	4.3								
			12:01	2.4	1.2	20.59		7.76	31.70	85.20		6.44		7.62		4.1											
			12:35	2.5	1.3	20.21		8.33	31.31	80.50		6.18		5.97		6.03											
	4/1/2024	Fine	12:36	2.5	1.3	20.00	20.11	8.36	8.35	31.30	31.31	83.60	82.05	6.30	6.24	6.09	6.03	4.5	4.7								
			13:05	2.7	1.4	20.37		7.67	31.24	82.80		6.34		3.89		3.4											
			13:06	2.7	1.4	20.26		7.74	31.11	83.60		6.42		3.99		3.0											
	6/1/2024	Fine	13:05	2.7	1.4	20.37	20.32	7.67	7.71	31.24	31.18	83.20	83.20	6.34	6.38	3.89	3.94	3.4	3.2								
			13:06	2.7	1.4	20.26		7.74	31.11	83.60		6.42		3.99		3.0											
			14:07	2.5	1.3	21.18		8.68	31.40	89.10		6.66		4.85		4.0											
	8/1/2024	Cloudy	14:08	2.5	1.3	21.08	21.13	8.70	8.69	31.40	31.47	91.90	90.50	6.79	6.73	4.71	4.78	4.3	4.2								
			15:28	2.5	1.3	20.99		8.48	31.40	86.80		6.55		4.37		2.4											
			15:29	2.5	1.3	21.11		8.42	31.37	86.60		6.60		4.15		2.5											
	12/1/2024	Fine	8:23	2.5	1.3	20.37	20.41	8.67	8.69	31.73	31.66	87.60	88.35	6.57	6.66	5.47	5.34	2.7	2.9								
			8:24	2.5	1.3	20.44		8.70	31.58	89.10		6.75		5.21		3.0											
			10:07	2.4	1.2	20.35		9.64	31.50	87.00		6.65		5.09		2.8											
	15/1/2024	Fine	10:08	2.4	1.2	20.30	20.33	9.57	9.61	31.61	31.56	90.20	88.60	6.85	6.75	4.90	5.00	2.4	2.6								
			11:38	2.6	1.3	20.49		9.60	30.63	89.10		6.78		4.37		2.1											
			11:39	2.6	1.3	20.45		9.57	30.52	88.40		6.72		4.19		2.3											
	17/1/2024	Cloudy	11:38	2.6	1.3	20.49	20.47	9.60	9.59	30.63	30.58	89.10	88.75	6.78	6.75	4.37	4.28	2.1	2.2								
			11:39	2.6	1.3	20.45		9.57	30.52	88.40		6.72		4.19		2.3											
			12:03	2.6	1.3	21.36		10.19	31.12	89.30		6.68		3.37		3.3											
	19/1/2024	Cloudy	12:04	2.6	1.3	21.20	21.28	10.02	10.11	31.27	31.20	91.20	90.25	6.75	6.72	3.16	3.27	3.5	3.4								
			22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																						
24/1/2024			Strong wind	WQM was cancelled due to adverse weather																							
26/1/2024	Cloudy	8:05	2.4	1.2	17.38	17.33	7.79	7.75	31.25	31.30	75.00	76.15	6.02	6.12	3.55	3.34	1.7	1.8									
		8:06	2.4	1.2	17.27		7.71	31.36	77.20		6.22		3.13		1.9												
		9:08	2.4	1.2	17.62		7.91	31.89	86.60		6.86		3.74		5.2												
29/1/2024	Cloudy	9:09	2.4	1.2	17.57	17.60	7.96	7.94	31.87	31.88	85.40	86.00	6.74	6.80	3.62	3.68	4.7	5.0									
		9:56	2.4	1.2	19.40		7.74	32.40	88.70		6.75		4.73		3.4												
		9:57	2.4	1.2	19.46		7.70	32.32	87.70		6.67		4.86		3.6												

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.

**Impact Water Quality Monitoring at Station SR12 (Middle) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						SR12	2/1/2024	Fine	15:33	2.7	1.4	20.29		7.48	7.51	31.80	31.77	82.90	84.70	6.33	6.45
			15:34	2.7	1.4	20.31	20.30	7.53		31.74		86.50		6.57		6.17		6.33	5.4		
	4/1/2024	Fine	17:51	2.8	1.4	20.45	20.56	8.47	8.49	31.25	31.31	83.90	84.75	6.61	6.68	5.09	5.13	5.0	4.9		
			17:52	2.8	1.4	20.67		8.50		31.37		85.70		6.75		5.17		4.5			
	6/1/2024	Fine	8:15	2.6	1.3	20.17	20.19	7.77	7.81	31.11	31.21	83.30	84.00	6.42	6.46	3.32	3.46	2.8	3.0		
			8:16	2.6	1.3	20.21		7.84		31.31		84.70		6.50		3.59		3.2			
	8/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																		
	10/1/2024	Fine	11:39	2.5	1.3	20.82	20.78	7.23	7.31	31.29	31.32	85.00	86.80	6.43	6.58	2.94	3.01	<1.0	1.0		
			11:40	2.5	1.3	20.74		7.38		31.34		88.60		6.72		3.08		<1.0			
	12/1/2024	Fine	12:21	2.7	1.4	20.57	20.49	9.67	9.74	31.65	31.61	87.10	86.40	6.85	6.80	5.09	4.99	2.4	2.4		
			12:22	2.7	1.3	20.40		9.80		31.56		85.70		6.75		4.89		2.3			
	15/1/2024	Fine	14:58	2.7	1.3	20.42	20.37	8.68	8.70	31.55	31.62	86.70	85.40	6.57	6.48	4.28	4.14	4.3	4.2		
			14:59	2.6	1.3	20.32		8.72		31.69		84.10		6.38		3.99		4.1			
	17/1/2024	Cloudy	16:44	2.7	1.4	20.32	20.37	9.39	9.44	30.42	30.50	86.10	88.20	6.59	6.73	4.08	4.04	2.9	2.8		
			16:44	2.7	1.4	20.42		9.48		30.57		90.30		6.97		3.99		2.5			
	19/1/2024	Cloudy	7:52	2.4	1.2	21.40	21.40	9.09		31.14		86.20		6.50		4.56		2.3			
			7:53	2.4	1.2	21.39	21.40	9.13	9.11	31.25	31.20	87.00	86.60	6.55	6.53	4.62	4.59	2.1	2.2		
	22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																		
	24/1/2024	Strong wind	WQM was cancelled due to adverse weather																		
	26/1/2024	Cloudy	12:12	2.6	1.3	17.28	17.18	7.59	7.53	32.17	32.10	77.20	78.45	6.20	6.29	4.78	4.89	1.6	1.7		
			12:13	2.6	1.3	17.08		7.47		32.02		79.70		6.38		4.99		1.7			
	29/1/2024	Cloudy	14:47	2.7	1.4	17.50	17.56	7.97	7.94	32.34	32.30	79.80	78.95	6.40	6.31	3.15	3.20	7.7	7.5		
			14:48	2.7	1.4	17.62		7.91		32.26		78.10		6.21		3.24		7.3			
	31/1/2024	Cloudy	14:46	2.6	1.3	19.47	19.54	7.84	7.82	32.33	32.39	85.80	86.55	6.70	6.79	4.01	3.96	3.1	3.3		
			14:47	2.6	1.3	19.60		7.80		32.45		87.30		6.87		3.90		3.4			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.

**Impact Water Quality Monitoring at Station SR12 (Middle) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						SR12	2/1/2024	Fine	12:06	2.5	1.3	20.50	20.46	7.90	7.93	31.93	31.86	86.20	84.30	6.55	6.40
			12:07	2.5	1.3	20.42		7.95		31.79		82.40		6.25		7.67		5.7			
	4/1/2024	Fine	12:41	2.6	1.3	19.98	19.95	8.67	8.66	31.33	31.31	91.80	89.35	6.97	6.87	6.16	6.12	3.0	3.2		
			12:42	2.6	1.3	19.91		8.65		31.29		86.90		6.77		6.07		3.4			
	6/1/2024	Fine	12:59	2.7	1.4	20.31	20.25	7.85	7.88	31.36	31.42	80.50	82.15	6.18	6.24	4.25	4.13	4.0	3.8		
			13:00	2.7	1.4	20.19		7.90		31.48		83.80		6.29		4.01		3.6			
	8/1/2024	Cloudy	14:02	2.6	1.3	21.09	21.04	7.91	7.95	31.79	31.89	91.80	91.15	6.81	6.77	4.91	4.95	5.3	5.4		
			14:03	2.6	1.3	20.99		7.99		31.99		90.50		6.72		4.98		5.4			
	10/1/2024	Fine	15:22	2.6	1.3	20.97	20.91	8.43	8.47	31.47	31.52	89.60	90.10	6.79	6.83	3.77	3.83	2.4	2.3		
			15:23	2.6	1.3	20.84		8.50		31.56		90.60		6.96		3.99		2.2			
	12/1/2024	Fine	8:29	2.6	1.3	20.37	20.32	8.60	8.61	31.56	31.52	90.20	88.70	6.82	6.74	5.47	5.43	3.0	3.2		
			8:30	2.6	1.3	20.27		8.62		31.47		87.20		6.65		5.39		3.3			
	15/1/2024	Fine	10:12	2.3	1.2	20.19	20.24	9.57	9.64	31.34	31.29	85.60	86.60	6.54	6.66	4.52	4.62	2.0	2.1		
			10:13	2.3	1.2	20.28		9.70		31.24		87.60		6.77		4.72		2.2			
	17/1/2024	Cloudy	11:42	2.5	1.3	20.32	20.26	9.42	9.47	30.47	30.43	83.70	84.90	6.41	6.50	4.42	4.35	2.2	2.2		
			11:43	2.5	1.3	20.20		9.51		30.39		86.10		6.59		4.28		2.1			
	19/1/2024	Cloudy	11:57	2.6	1.3	21.19	21.20	10.21	10.16	31.10	31.10	89.30	90.25	6.74	6.82	3.49	3.57	<1.0	1.0		
			11:58	2.6	1.3	21.20		10.11		31.09		91.20		6.89		3.64		<1.0			
	22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																		
	24/1/2024	Strong wind	WQM was cancelled due to adverse weather																		
	26/1/2024	Cloudy	8:12	2.3	1.2	17.19	17.20	7.77	7.78	32.39	32.29	81.50	81.15	6.60	6.57	4.01	4.07	2.4	2.4		
			8:13	2.3	1.2	17.20		7.79		32.18		80.80		6.54		4.12		2.3			
	29/1/2024	Cloudy	9:13	2.5	1.3	17.62	17.60	7.97	7.93	32.57	32.52	83.70	82.95	6.62	6.57	2.70	2.78	4.2	4.1		
			9:14	2.5	1.3	17.58		7.98		32.47		82.20		6.52		2.85		3.9			
	31/1/2024	Cloudy	10:01	2.4	1.2	19.57	19.51	7.80	7.81	32.14	32.10	80.90	81.75	6.42	6.44	4.61	4.71	3.3	3.2		
			10:02	2.4	1.2	19.44		7.81		32.06		82.60		6.46		4.80		3.0			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



Impact Water Quality Monitoring at Station SR15 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS				
						°C		-		ppt		%		mg/L		NTU		mg/L				
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG			
SR15	2/1/2024	Fine	16:26	2.7	1.4	20.31	20.40	7.80	7.82	31.27	31.31	83.90	84.15	6.47	6.49	7.57	7.67	5.0	5.2			
			16:27	2.7	1.4	20.45		7.84		31.35		84.40		6.50		7.77		5.3				
			18:47	2.8	1.4	20.29	20.23	8.09	8.07	31.34	31.31	83.70	83.55	6.61	6.59	4.17	4.21	6.8	6.7			
	4/1/2024	Fine	18:48	2.8	1.4	20.17		8.05		31.27		83.40		6.57		4.25		6.5				
			7:20	2.5	1.3	20.92	20.80	8.09	8.09	30.92	30.90	93.00	92.15	6.96	6.92	4.05	4.01	3.8	4.0			
			7:21	2.5	1.3	20.67		8.08		30.87		91.30		6.87		3.97		4.1				
	8/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																			
	10/1/2024	Fine	10:48	2.3	1.2	21.35	21.39	7.36	7.40	31.17	31.13	94.10	93.15	6.96	6.92	3.67	3.62	2.1	2.2			
			10:49	2.3	1.2	21.42		7.44		31.08		92.20		6.87		3.56		2.2				
			13:01	2.7	1.4	20.59	20.52	9.38	9.49	31.37	31.31	83.70	84.40	6.57	6.63	7.02	7.07	2.7	2.8			
	12/1/2024	Fine	13:02	2.7	1.4	20.44		9.59		31.25		85.10		6.69		7.12		2.8				
			15:50	2.7	1.4	20.45	20.53	8.25	8.29	31.17	31.09	82.10	82.35	6.30	6.33	5.08	5.14	4.7	4.6			
			15:51	2.7	1.4	20.60		8.33		31.00		82.60		6.35		5.19		4.4				
	17/1/2024	Cloudy	17:37	2.8	1.4	20.19	20.27	9.52	9.61	30.78	30.85	91.40	90.05	6.97	6.88	5.42	5.59	2.7	2.9			
			17:38	2.8	1.4	20.35		9.69		30.92		88.70		6.78		5.75		3.0				
			6:56	2.3	1.2	21.18	21.14	9.03	9.05	30.47	30.54	89.30	81.95	6.12	6.22	3.87	3.93	1.4	1.3			
	19/1/2024	Cloudy	6:57	2.3	1.2	21.10		9.06		30.61		83.60		6.31		3.98		1.2				
			22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																	
			24/1/2024	Strong wind	WQM was cancelled due to adverse weather																	
	26/1/2024	Cloudy	13:06	2.5	1.3	17.08	17.04	8.02	7.97	32.18	32.21	86.20	84.80	6.99	6.86	3.24	3.16	2.1	2.2			
			0:00	2.5	1.3	16.99		7.92		32.23		83.40		6.73		3.08		2.3				
			15:37	2.8	1.4	17.80	17.77	8.03	8.01	31.48	31.50	88.50	88.20	6.99	6.97	4.95	4.91	5.9	6.1			
	29/1/2024	Cloudy	15:38	2.8	1.4	17.73		7.99		31.51		87.90		6.94		4.87		6.2				
			15:42	2.6	1.3	19.39	19.32	7.73	7.76	31.62	31.59	84.00	83.85	6.59	6.57	5.94	5.89	3.6	3.8			
			15:43	2.6	1.3	19.24		7.78		31.56		83.70		6.54		5.83		4.0				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



Impact Water Quality Monitoring at Station SR15 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS		
						°C		-		ppt		%		mg/L		NTU		mg/L		
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
SR15	2/1/2024	Fine	11:11	2.5	1.3	20.38	20.44	7.74	7.78	31.27	31.29	86.70	88.55	6.87	6.77	8.57	8.65	4.9	5.1	
			11:12	2.5	1.3	20.49		7.81		31.31		90.40		6.87		8.73		5.2		
			11:47	2.4	1.2	20.51	20.50	8.45	8.42	31.25	31.18	87.70	87.10	6.49	6.45	4.67	4.62	3.9	4.1	
	4/1/2024	Fine	11:48	2.4	1.2	20.48		8.39		31.10		86.50		6.41		4.57		4.2		
			13:53	2.7	1.4	20.54	20.59	7.66	7.62	31.05	31.15	89.20	87.50	6.74	6.64	3.67	3.60	3.1	3.0	
			13:54	2.7	1.4	20.64		7.58		31.24		85.80		6.53		3.52		2.8		
	6/1/2024	Fine	14:56	2.5	1.3	20.30	20.28	8.50	8.60	31.50	31.52	85.50	87.05	6.43	6.57	4.73	4.71	4.5	4.4	
			14:57	2.5	1.3	20.26		8.69		31.54		88.60		6.70		4.68		4.2		
			16:17	2.5	1.3	20.84	20.79	8.27	8.22	31.48	31.52	82.90	82.50	6.31	6.28	4.01	4.13	4.4	4.3	
	10/1/2024	Fine	16:18	2.5	1.3	20.74		8.17		31.56		82.10		6.25		4.25		4.2		
			7:34	2.5	1.3	20.59	20.60	8.37	8.44	31.42	31.47	85.10	86.00	6.47	6.53	5.27	5.20	2.5	2.7	
			7:35	2.5	1.3	20.61		8.50		31.52		86.90		6.58		5.13		2.8		
	15/1/2024	Fine	9:19	2.3	1.2	20.18	25.27	9.37	9.46	31.52	31.49	87.20	86.55	6.60	6.54	5.37	5.25	2.4	2.3	
			9:20	2.3	1.2	30.35		9.54		31.46		85.90		6.48		5.12		2.2		
			10:49	2.5	1.3	20.35	20.38	9.59	9.68	31.27	31.23	86.10	87.35	6.59	6.67	7.09	7.19	3.2	3.4	
	17/1/2024	Cloudy	10:50	2.5	1.3	20.40		9.77		31.18		88.60		6.74		7.29		3.6		
			12:53	2.5	1.3	21.35	21.31	10.05	10.12	31.42	31.38	90.10	88.25	6.73	6.62	5.57	5.63	1.6	1.5	
			12:54	2.5	1.3	21.26		10.19		31.34		86.40		6.50		5.69		1.4		
	22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																	
	24/1/2024	Strong wind	WQM was cancelled due to adverse weather																	
	26/1/2024	Cloudy	7:15	2.2	1.1	17.00	16.89	7.95	7.93	32.11	32.06	85.40	85.70	6.84	6.87	3.99	3.95	2.8	2.8	
			7:16	2.2	1.1	16.78		7.90		32.01		86.00		6.89		3.90		2.8		
			15:37	2.8	1.4	17.80	17.77	8.03	8.01	31.48	31.50	88.50	88.20	6.99	6.97	4.95	4.91	3.7	3.6	
	29/1/2024	Cloudy	15:38	2.8	1.4	17.73		7.99		31.51		87.90		6.94		4.87		3.4		
			9:07	2.3	1.2	19.79	19.81	7.84	7.79	32.40	32.39	90.40	91.05	6.81	6.89	4.59	4.63	3.8	3.7	
			9:08	2.3	1.2	19.82		7.73		32.37		91.70		6.97		4.67		3.6		

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CE (surface) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L				
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	
CE	2/1/2024	Fine	15:20	8.7	1.0	20.37	20.30	7.81	7.86	32.00	32.01	85.00	83.20	6.48	6.37	7.60	7.60	5.4	5.6			
			15:21	8.7	1.0	20.22		7.90		32.00		81.40		6.26		7.59		5.7				
			17:40	8.8	1.0	20.18	20.28	8.41	8.43	31.46	31.52	87.60	86.50	6.88	6.79	4.57	4.47	5.2	5.2			
	4/1/2024	Fine	17:41	8.8	1.0	20.37		8.44		31.57		85.40		6.69		4.36		5.1				
			8:26	8.5	1.0	20.46	20.54	7.54	7.55	31.37	31.32	88.50	87.90	6.70	6.66	3.18	3.19	3.2	3.0			
			8:27	8.5	1.0	20.61		7.56		31.27		87.30		6.62		3.20		2.8				
	8/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																			
	10/1/2024	Fine	11:50	8.4	1.0	20.94	20.90	7.54	7.59	31.35	31.33	89.00	90.45	6.78	6.86	3.37	3.30	2.3	2.3			
			11:51	8.4	1.0	20.85		7.63		31.31		91.90		6.94		3.22		2.2				
			12:10	8.6	1.0	20.49	20.48	9.37	9.40	31.74	31.82	81.50	81.90	6.46	6.49	4.56	4.65	2.4	2.3			
	12/1/2024	Fine	12:11	8.6	1.0	20.47		9.42		31.89		82.30		6.51		4.73		2.2				
			14:45	8.8	1.0	19.93	20.01	8.28	8.31	31.53	31.48	83.70	84.50	6.50	6.56	4.87	4.94	7.3	7.2			
			14:46	8.8	1.0	20.09		8.33		31.42		85.30		6.81		5.01		7.0				
	17/1/2024	Cloudy	16:30	8.7	1.0	20.50	20.54	9.98	9.60	30.52	30.47	88.40	89.85	6.80	6.87	5.98	5.12	4.2	4.4			
			16:31	8.7	1.0	20.58		9.61		30.41		91.30		6.94		5.15		4.6				
			8:03	8.3	1.0	21.60	21.44	9.18	9.15	30.41	30.24	88.20	87.10	6.78	6.75	5.09	5.18	2.3	2.2			
	19/1/2024	Cloudy	8:04	8.3	1.0	21.27		9.12		30.06		86.00		6.71		5.27		2.1				
			22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																	
			24/1/2024	Strong wind	WQM was cancelled due to adverse weather																	
	26/1/2024	Cloudy	12:00	8.7	1.0	17.89	17.86	7.70	7.70	32.25	32.20	82.90	84.50	6.66	6.80	3.37	3.39	2.5	2.4			
			12:01	8.7	1.0	17.82		7.69		32.14		86.10		6.93		3.41		2.2				
			14:35	8.8	1.0	18.73	18.78	8.04	8.02	32.37	32.41	81.40	82.05	6.47	6.51	5.87	5.95	11.2	10.1			
	29/1/2024	Cloudy	14:36	8.8	1.0	18.82		8.00		32.45		82.70		6.55		6.02		8.9				
			14:35	8.7	1.0	19.80	19.80	7.90	7.93	32.01	32.13	87.00	86.15	6.93	6.87	4.62	4.56	5.2	5.4			
			14:36	8.7	1.0	19.79		7.95		32.24		85.30		6.80		4.50		5.5				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CE (surface) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
CE	2/1/2024	Fine	12:08	8.5	1.0	20.17	20.26	7.71	7.72	31.74	31.79	81.60	83.75	6.26	6.41	7.43	7.33	3.8	3.6		
			12:09	8.5	1.0	20.35		7.73		31.84		85.90		6.96		7.23		3.4			
			12:52	8.5	1.0	20.20	20.26	8.45	8.42	31.10	31.18	86.70	86.00	6.74	6.70	4.92	4.82	2.4	2.5		
	4/1/2024	Fine	12:53	8.5	1.0	20.31		8.39		31.25		85.30		6.66		4.72		2.6			
			12:48	8.7	1.0	20.41	20.38	7.47	7.49	31.99	31.35	88.10	88.85	6.70	6.76	3.17	3.09	3.0	2.9		
			12:49	8.7	1.0	20.35		7.51		31.30		89.60		6.82		3.00		2.7			
	8/1/2024	Cloudy	13:50	8.5	1.0	19.60	19.72	7.85	7.80	31.55	31.52	89.10	88.60	6.88	6.88	5.50	5.56	5.1	5.0		
			13:51	8.5	1.0	19.84		7.75		31.48		88.10		6.87		5.61		4.9			
			15:10	8.6	1.0	21.08	21.02	8.37	8.35	31.50	31.50	85.70	86.50	6.45	6.53	2.50	2.44	3.1	3.4		
	10/1/2024	Fine	15:11	8.6	1.0	20.95		8.33		31.49		87.30		6.60		2.38		3.6			
			8:41	8.4	1.0	20.27	20.31	8.42	8.45	31.69	31.66	85.20	84.40	6.40	6.32	5.09	5.21	2.7	2.8		
			8:42	8.4	1.0	20.34		8.48		31.62		83.60		6.24		5.33		2.9			
	15/1/2024	Fine	10:24	8.4	1.0	20.41	20.36	9.56	9.62	31.21	31.14	85.10	86.70	6.50	6.63	4.11	4.13	2.8	2.7		
			10:25	8.4	1.0	20.30		9.67		31.07		88.30		6.75		4.15		2.5			
			11:54	8.5	1.0	20.30	20.36	9.61	9.56	30.98	30.93	88.80	87.20	6.78	6.67	5.42	5.51	2.9	3.1		
	17/1/2024	Cloudy	11:55	8.5	1.0	20.41		9.50		30.97		85.60		6.59		5.59		3.3			
			11:45	8.4	1.0	21.19	21.15	10.37	10.41	31.00	31.00	86.20	86.10	6.57	6.56	4.51	4.44	2.6	2.5		
			11:46	8.4	1.0	21.10		10.44		30.99		86.00		6.55		4.37		2.4			
	22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																		
	24/1/2024	Strong wind	WQM was cancelled due to adverse weather																		
	26/1/2024	Cloudy	8:24	8.3	1.0	17.60	17.57	7.68	7.77	33.12	33.10	82.00	84.20	6.55	6.75	3.64	3.69	3.1	3.1		
			8:25	8.3	1.0	17.53		7.85		33.08		86.40		6.94		3.74		3.0			
			9:24	8.5	1.0	18.27	18.33	8.17	8.11	32.24	32.27	83.50	82.95	6.62	6.57	6.09	6.17	8.8	12.6		
	29/1/2024	Cloudy	9:25	8.5	1.0	18.38		8.05		32.30		82.40		6.51		6.24		16.4			
			10:13	8.4	1.0	19.64	19.61	7.85	7.91	31.98	31.99	88.20	87.85	6.97	6.95	5.41	5.35	3.7	3.9		
			10:14	8.4	1.0	19.57		7.95		31.99		87.50		6.93		5.28		4.0			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



Impact Water Quality Monitoring at Station CE (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						WGM was cancelled due to adverse weather															
CE	2/1/2024	Fine	15:24	8.7	4.4	20.96															
			15:25	8.7	4.4	20.18	20.56	7.94	8.96	31.57	31.52	87.10	85.40	6.67	6.54	7.37	7.28	5.0	4.8		
	4/1/2024	Fine	17:44	8.8	4.4	20.21															
			17:45	8.8	4.4	20.09	20.15	8.59	8.62	31.36	31.42	87.20	87.40	6.71	6.80	4.08	4.11	4.6	4.7		
	6/1/2024	Fine	8:30	8.5	4.3	20.54															
			8:31	8.5	4.3	20.60	20.57	7.74	7.75	31.45	31.52	86.20	85.85	6.56	6.53	2.82	2.75	3.2	3.3		
	8/1/2024	Strong monsoon	WGM was cancelled due to adverse weather																		
	10/1/2024	Fine	11:54	8.4	4.2	20.77															
			11:55	8.4	4.2	20.84	20.81	7.33	7.35	31.48	31.52	87.30	88.45	6.61	6.70	3.64	3.73	2.6	2.7		
	12/1/2024	Fine	12:14	8.6	4.3	20.59															
			12:15	8.6	4.3	20.67	20.63	9.62	9.64	31.74	31.72	82.60	83.15	6.49	6.52	4.37	4.32	2.1	2.2		
	15/1/2024	Fine	14:49	8.8	4.4	20.27															
			14:50	8.8	4.4	20.09	20.18	8.30	8.34	31.27	31.35	84.30	83.85	6.56	6.51	5.12	5.18	7.8	7.9		
	17/1/2024	Cloudy	16:32	8.7	4.4	20.60															
			16:33	8.7	4.4	20.53	20.57	9.69	9.71	30.72	30.64	82.70	84.25	6.32	6.44	4.67	4.76	3.5	3.7		
	19/1/2024	Cloudy	8:07	8.3	4.2	21.12															
			8:08	8.3	4.2	21.09	21.11	9.73	9.24	31.18	31.14	85.90	89.25	6.56	6.84	4.85	4.96	3.6	2.4		
	22/1/2024	Strong monsoon	WGM was cancelled due to adverse weather																		
	24/1/2024	Strong wind	WGM was cancelled due to adverse weather																		
	26/1/2024	Cloudy	12:04	8.7	4.4	17.73															
			12:05	8.7	4.4	17.59	17.66	7.53	7.57	31.89	31.94	77.60	79.00	6.27	6.43	3.54	3.49	2.6	2.8		
29/1/2024	Cloudy	14:39	8.8	4.4	18.75																
		14:40	8.8	4.4	18.62	18.69	7.90	7.86	32.46	32.49	78.40	78.90	6.39	6.42	5.89	5.87	10.0	9.9			
31/1/2024	Cloudy	14:39	8.7	4.4	19.84																
		14:40	8.7	4.4	19.85	19.85	7.95	7.97	32.37	32.31	79.80	80.30	6.34	6.37	4.53	4.45	4.0	3.9			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



Impact Water Quality Monitoring at Station CE (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						WGM was cancelled due to adverse weather															
CE	2/1/2024	Fine	12:12	8.5	4.3	20.28															
			12:13	8.5	4.3	20.41	20.35	7.90	7.93	31.70	31.69	82.80	83.35	6.42	6.46	7.69	7.81	4.6	4.5		
	4/1/2024	Fine	12:56	8.5	4.3	20.27															
			12:57	8.5	4.3	20.16	20.22	8.57	8.54	31.17	31.11	82.90	84.30	6.49	6.49	4.65	4.75	3.4	3.6		
	6/1/2024	Fine	12:52	8.7	4.4	20.20															
			12:53	8.7	4.4	20.29	20.25	7.65	7.64	31.47	31.49	86.40	86.55	6.57	6.56	2.67	2.77	2.4	2.5		
	8/1/2024	Cloudy	13:54	8.5	4.3	19.40															
			13:55	8.5	4.3	19.34	19.37	7.98	7.96	31.61	31.65	83.40	84.15	6.47	6.52	5.16	5.27	4.7	4.6		
	10/1/2024	Fine	15:14	8.6	4.3	20.87															
			15:15	8.6	4.3	20.85	20.86	8.25	8.25	31.67	31.60	89.70	90.90	6.75	6.84	2.47	2.35	2.8	2.7		
	12/1/2024	Fine	8:45	8.4	4.2	20.42															
			8:46	8.4	4.2	20.35	20.39	8.69	8.70	31.51	31.48	88.00	88.05	6.72	6.73	4.67	4.74	2.3	2.2		
	15/1/2024	Fine	10:28	8.4	4.2	20.33															
			10:29	8.4	4.2	20.39	20.36	9.80	9.77	31.60	31.55	87.50	89.25	6.66	6.79	4.03	4.13	2.1	2.2		
	17/1/2024	Cloudy	11:56	8.5	4.3	20.57															
			11:57	8.5	4.3	20.40	20.49	9.57	9.63	31.09	31.11	85.10	86.65	6.52	6.59	5.01	5.15	2.6	2.7		
	19/1/2024	Cloudy	11:49	8.4	4.2	21.08															
			11:50	8.4	4.2	21.15	21.12	10.42	10.46	31.18	31.10	87.40	89.25	6.66	6.74	4.81	4.75	3.4	3.3		
	22/1/2024	Strong monsoon	WGM was cancelled due to adverse weather																		
	24/1/2024	Strong wind	WGM was cancelled due to adverse weather																		
	26/1/2024	Cloudy	8:28	8.3	4.2	17.65															
8:29			8.3	4.2	17.70	17.68	7.80	7.81	32.56	32.49	77.50	78.85	6.34	6.39	4.00	3.98	2.8	2.7			
29/1/2024	Cloudy	9:28	8.5	4.3	18.63																
		9:29	8.5	4.3	18.59	18.61	7.97	8.02	32.89	32.89	84.80	86.25	6.77	6.88	4.85	4.79	17.6	12.6			
31/1/2024	Cloudy	10:17	8.4	4.2	19.64																
		10:18	8.4	4.2	19.74	19.69	7.89	7.89	32.42	32.38	82.20	82.55	6.52	6.55	5.34	5.27	3.4	3.5			

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CE (Bottom) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS	
						°C		-		ppt		%		mg/L		NTU		mg/L	
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
CE	2/1/2024	Fine	15:27	8.7	7.7	20.18	20.49	7.97	7.97	31.79	31.70	84.30	83.85	6.54	6.52	6.03	6.14	4.4	4.3
			15:28	8.7	7.7	20.81		7.97		31.79		83.40		6.49		6.25		4.2	
			17:47	8.8	7.8	20.27	20.32	8.71	8.69	31.24	31.22	82.60	83.70	6.59	6.68	3.98	3.86	4.0	4.2
	4/1/2024	Fine	17:48	8.8	7.8	20.36		8.66		31.19		84.80		6.76		3.74		4.4	
			8:33	8.5	7.5	20.55	20.46	7.72	7.76	31.49	31.55	83.90	83.30	6.43	6.40	3.25	3.14	4.1	3.9
	6/1/2024	Fine	8:34	8.5	7.5	20.37		7.80		31.60		82.70		6.36		3.02		3.7	
			8/1/2024	Strong monsoon	WQM was cancelled due to adverse weather														
	10/1/2024	Fine	11:57	8.4	7.4	20.64	20.67	7.42	7.41	31.17	31.09	88.70	86.75	6.70	6.69	3.05	2.99	3.0	3.2
			11:58	8.4	7.4	20.70		7.40		31.01		84.80		6.47		2.93		3.3	
	12/1/2024	Fine	12:17	8.6	7.6	20.81	20.74	9.89	9.81	31.62	31.61	79.10	79.65	6.19	6.21	4.08	4.14	1.7	1.9
			12:18	8.6	7.6	20.67		9.73		31.59		80.20		6.22		4.19		2.0	
	15/1/2024	Fine	14:52	8.8	7.8	20.15	20.23	8.39	8.42	31.65	31.52	88.20	87.90	6.75	6.73	6.05	5.97	8.6	8.8
			14:53	8.8	7.8	20.31		8.45		31.39		87.60		6.70		5.88		9.0	
	17/1/2024	Cloudy	16:34	8.7	7.7	20.69	20.63	9.80	9.76	30.78	30.70	84.10	86.60	6.62	6.70	4.77	4.68	2.8	3.0
			16:35	8.7	7.7	20.57		9.71		30.61		89.10		6.78		4.59		3.2	
	19/1/2024	Cloudy	8:10	8.3	7.3	21.09	21.11	9.37	9.41	31.25	31.31	83.70	83.30	6.38	6.35	5.38	5.46	2.6	2.8
			8:11	8.3	7.3	21.12		9.44		31.37		82.90		6.32		5.53		2.9	
	22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																
	24/1/2024	Strong wind	WQM was cancelled due to adverse weather																
	26/1/2024	Cloudy	12:07	8.7	7.7	17.59	17.50	7.48	7.54	32.02	32.10	87.10	86.15	6.98	6.90	4.17	4.13	3.6	3.8
			12:08	8.7	7.7	17.41		7.59		32.18		85.20		6.82		4.09		4.0	
	29/1/2024	Cloudy	14:42	8.8	7.8	18.70	18.70	7.92	7.85	32.16	32.12	82.60	84.20	6.46	6.58	7.43	7.28	9.1	8.9
			14:43	8.8	7.8	18.69		7.78		32.08		85.80		6.70		7.12		8.6	
	31/1/2024	Cloudy	14:42	8.7	7.7	19.90	19.95	7.98	8.00	32.34	32.41	84.40	83.65	6.69	6.66	4.32	4.39	3.2	3.4
			14:43	8.7	7.7	19.99		8.02		32.48		82.90		6.62		4.46		3.6	

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CE (Bottom) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS	
						°C		-		ppt		%		mg/L		NTU		mg/L	
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
CE	2/1/2024	Fine	12:15	8.5	7.5	20.24	20.29	7.91	7.89	31.53	31.48	82.70	84.15	6.43	6.49	7.03	7.12	5.4	5.2
			12:16	8.5	7.5	20.34		7.87		31.42		85.60		6.94		7.21		5.0	
			12:59	8.5	7.5	20.08	20.17	8.55	8.60	31.19	31.11	86.40	84.85	6.77	6.59	4.03	4.02	4.1	4.0
	4/1/2024	Fine	13:00	8.5	7.5	20.25		8.65		31.02		83.30		6.41		4.00		3.8	
			12:55	8.7	7.7	20.11	20.17	7.77	7.81	31.67	31.62	83.50	83.40	6.41	6.41	3.19	3.11	2.0	2.2
	6/1/2024	Fine	12:56	8.7	7.7	20.23		7.84		31.56		83.30		6.40		3.02		2.3	
			13:57	8.5	7.5	19.28	19.29	7.95	7.96	31.74	31.69	83.70	83.90	6.52	6.55	5.08	5.03	4.2	4.0
	8/1/2024	Cloudy	13:58	8.5	7.5	19.30		7.97		31.64		84.10		6.58		4.97		3.7	
			15:17	8.6	7.6	20.95	20.81	8.40	8.38	31.59	31.53	88.80	88.15	6.70	6.66	2.47	2.53	2.1	2.3
	10/1/2024	Fine	15:18	8.6	7.6	20.67		8.36		31.46		87.50		6.62		2.58		2.4	
			8:48	8.4	7.4	20.30	20.34	8.72	8.77	31.50	31.56	81.60	82.85	6.26	6.30	4.89	4.96	1.8	1.7
	12/1/2024	Fine	8:49	8.4	7.4	20.37		8.81		31.62		84.10		6.33		5.03		1.5	
			10:31	8.4	7.4	20.41	20.38	9.79	9.80	31.64	31.62	89.60	87.25	6.89	6.73	3.94	3.97	1.6	1.6
	15/1/2024	Fine	10:32	8.4	7.4	20.34		9.81		31.59		84.90		6.56		4.00		1.5	
			11:58	8.5	7.5	20.61	20.53	9.81	9.76	31.07	31.03	83.40	84.90	6.41	6.49	5.49	5.57	2.4	2.3
	17/1/2024	Cloudy	11:59	8.5	7.5	20.45		9.70		30.99		86.40		6.57		5.65		2.2	
			11:52	8.4	7.4	21.09	21.07	10.48	10.47	31.40	31.38	84.60	86.95	6.44	6.59	4.90	4.89	3.8	3.7
	19/1/2024	Cloudy	11:53	8.4	7.4	21.05		10.45		31.35		89.30		6.74		4.88		3.6	
			22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather														
	24/1/2024	Strong wind	WQM was cancelled due to adverse weather																
	26/1/2024	Cloudy	8:31	8.3	7.3	17.81	17.74	7.81	7.75	32.28	32.34	77.00	77.85	6.22	6.29	4.09	4.18	2.3	2.4
			8:32	8.3	7.3	17.67		7.69		32.40		78.70		6.36		4.26		2.4	
	29/1/2024	Cloudy	9:31	8.5	7.5	18.70	18.72	7.97	8.89	32.96	32.98	81.00	82.65	6.49	6.61	6.24	6.34	14.5	14.2
			9:32	8.5	7.5	18.73		9.80		32.99		84.30		6.73		6.43		13.9	
	31/1/2024	Cloudy	10:20	8.4	7.4	19.70	19.74	7.95	7.90	32.08	32.03	80.70	80.05	6.49	6.47	4.84	4.94	3.2	3.0
			10:21	8.4	7.4	19.78		7.84		31.98		79.40		6.45		5.03		2.7	

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station CF (surface) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L						
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG			
						WGM was cancelled due to adverse weather																		
CF	2/1/2024	Fine	16:44	8.7	1.0	20.31	20.28	7.84	7.83	31.67	31.69	86.33	86.40	6.89	6.70	7.50	7.57	5.4	5.3					
			16:45	8.7	1.0	20.25		7.82		31.67		86.50		6.79		7.63		5.2						
			19:07	8.8	1.0	20.56	20.60	7.67	7.62	31.21	31.14	82.80	84.20	6.38	6.46	4.01	4.05	3.4	3.2					
	4/1/2024	Fine	19:08	8.8	1.0	20.64		7.56		31.07		85.60		6.53		4.08		3.0						
			7:01	8.5	1.0	20.55	20.47	7.64	7.62	30.91	30.89	85.30	85.65	6.55	6.58	2.98	3.06	2.4	2.5					
			7:02	8.5	1.0	20.39		7.60		30.86		86.00		6.61		3.14		2.6						
	8/1/2024	Strong monsoon	WGM was cancelled due to adverse weather																					
	10/1/2024	Fine	10:28	8.3	1.0	21.18	21.24	7.40	7.39	30.93	30.99	89.70	91.15	6.73	6.85	3.47	3.50	2.4	2.5					
			10:29	8.3	1.0	21.29		7.37		31.05		92.60		6.96		3.53		2.6						
			13:20	8.6	1.0	20.99	20.91	9.31	9.23	31.20	31.20	85.90	86.45	6.54	6.60	4.80	4.85	2.4	2.6					
	12/1/2024	Fine	13:21	8.6	1.0	20.83		9.14		31.19		87.00		6.66		4.89		2.7						
			16:08	8.7	1.0	20.68	20.69	8.67	8.74	30.76	30.79	96.60	95.85	6.72	6.70	4.16	4.10	2.6	2.5					
			16:09	8.7	1.0	20.70		8.80		30.81		95.10		6.68		4.04		2.3						
	17/1/2024	Cloudy	17:55	8.7	1.0	20.40	20.38	9.40	9.43	31.39	31.43	88.60	87.10	6.74	6.64	5.97	6.03	3.2	4.0					
			17:56	8.7	1.0	20.35		9.46		31.46		86.60		6.54		6.09		4.1						
			6:38	8.4	1.0	21.80	21.76	9.31	9.42	30.95	30.90	91.00	92.00	6.82	6.86	4.27	4.41	<1.0	1.0					
	22/1/2024	Strong monsoon	WGM was cancelled due to adverse weather																					
			24/1/2024	Strong wind	WGM was cancelled due to adverse weather																			
					26/1/2024	Cloudy	13:25	8.6	1.0	17.60	17.70	7.68	7.69	31.95	31.94	87.20	87.10	6.89	6.86	3.97	4.02	2.7	2.6	
	13:26	8.6					1.0	17.80		7.70		31.92		87.00		6.82		4.07		2.5				
	15:52	8.7	1.0	18.73			18.69	8.13	8.09	32.39	32.38	89.10	87.25	6.92	6.80	6.08	5.74	7.0	7.2					
	29/1/2024	Cloudy	15:53	8.7	1.0	18.65		8.04		32.37		85.40		6.67		5.40		7.4						
			16:00	8.6	1.0	19.60	19.65	7.87	7.84	32.78	32.76	86.50	86.10	6.77	6.75	3.67	3.61	4.0	3.9					
			16:01	8.6	1.0	19.70		7.80		32.73		85.70		6.73		3.54		3.7						

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station CF (surface) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L				
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG			
						WGM was cancelled due to adverse weather																
CF	2/1/2024	Fine	9:52	8.5	1.0	20.64	20.55	8.00	7.99	31.41	31.37	92.80	92.00	6.98	6.93	6.99	6.86	5.4	5.2			
			9:53	8.5	1.0	20.45		7.97		31.32		91.20		6.98		6.73		5.0				
			11:28	8.3	1.0	22.26	22.31	8.26	8.22	29.65	29.76	83.20	83.45	6.26	6.28	4.26	4.22	2.9	2.8			
	4/1/2024	Fine	11:29	8.3	1.0	22.35		8.17		29.87		83.70		6.30		4.17		2.7				
			14:11	8.7	1.0	20.76	20.80	7.57	7.61	31.65	31.76	80.20	80.75	6.29	6.31	2.69	2.67	1.8	1.7			
			14:12	8.7	1.0	20.84		7.65		31.87		81.30		6.33		2.74		1.6				
	6/1/2024	Fine	15:15	8.6	1.0	21.31	21.26	8.82	8.81	30.91	30.88	94.20	94.05	6.99	6.98	4.53	4.64	3.9	4.1			
			15:16	8.6	1.0	21.20		8.79		30.84		93.90		6.97		4.74		4.2				
			16:36	8.5	1.0	20.87	20.90	8.27	8.32	31.08	31.12	86.70	88.30	6.57	6.68	3.80	3.39	3.2	3.1			
	10/1/2024	Fine	16:37	8.5	1.0	20.92		8.36		31.15		89.90		6.78		2.98		2.9				
			7:15	8.4	1.0	21.18	21.22	8.86	8.88	29.55	29.58	91.30	90.80	6.77	6.74	5.37	5.46	3.5	3.4			
			7:16	8.4	1.0	21.25		8.90		29.61		90.30		6.70		5.54		3.2				
	12/1/2024	Fine	9:00	8.3	1.0	20.25	20.37	8.72	8.78	30.53	30.49	83.40	82.75	6.36	6.33	5.29	5.19	2.9	3.1			
			8:3	1.0	20.48		8.83		30.45		82.10		6.30		5.08		3.2					
			10:30	8.4	1.0	20.93	20.87	8.95	8.85	31.28	31.34	86.00	87.50	6.99	6.69	6.78	6.84	4.4	4.3			
	17/1/2024	Cloudy	10:31	8.4	1.0	20.81		8.75		31.40		89.00		6.78		6.89		4.2				
			13:11	8.6	1.0	21.45	21.49	9.80	9.90	30.94	30.87	87.60	89.15	6.55	6.67	3.87	3.91	2.0	2.2			
			13:12	8.6	1.0	21.53		9.99		30.80		90.70		6.79		3.94		2.3				
	22/1/2024	Strong monsoon	WGM was cancelled due to adverse weather																			
	24/1/2024	Strong wind	WGM was cancelled due to adverse weather																			
	26/1/2024	Cloudy	6:57	8.1	1.0	17.32	17.38	8.04	8.02	31.93	31.88	88.90	87.95	6.91	6.90	3.75	3.65	3.6	3.8			
			6:58	8.1	1.0	17.40		8.00		31.82		87.00		6.89		3.54		3.9				
			15:52	8.7	1.0	18.73	18.69	8.13	8.09	32.39	32.38	89.10	87.25	6.92	6.80	6.08	6.03	7.6	6.6			
	29/1/2024	Cloudy	15:53	8.7	1.0	18.65		8.04		32.37		85.40		6.67		5.97		5.6				
8:48			8.3	1.0	19.69	19.63	7.90	7.87	32.74	32.70	89.80	89.10	6.97	6.93	5.07	5.11	3.6	3.8				
8:49			8.3	1.0	19.57		7.83		32.65		88.40		6.88		5.15		4.0					

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station CF (Middle) - Ebb Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
CF	2/1/2024	Fine	16:48	8.7	4.4	20.47	20.43	7.98	7.95	31.79	31.74	88.30	88.95	6.86	6.92	7.03	6.99	5.0	4.8		
			16:49	8.7	4.4	20.36	7.91	7.97	31.76	89.60	6.97	6.94	6.94	4.6							
			19:11	8.8	4.4	20.74	20.70	7.71	7.73	31.19	31.14	85.60	87.25	6.52	6.64	3.72	3.69	3.6	3.7		
	4/1/2024	Fine	19:12	8.8	4.4	20.66	7.74	7.74	31.08	31.08	88.90	87.25	6.76	6.64	3.65	3.65	3.5	3.5			
			7:05	8.5	4.3	20.50	20.47	7.50	7.55	31.24	31.36	86.60	86.80	6.65	6.67	3.53	3.45	3.0	3.2		
	6/1/2024	Fine	7:06	8.5	4.3	20.43	7.59	7.59	31.48	31.36	87.00	86.80	6.68	6.67	3.37	3.37	3.3	3.3			
			WGM was cancelled due to adverse weather																		
	8/1/2024	Strong monsoon	WGM was cancelled due to adverse weather																		
	10/1/2024	Fine	10:32	8.3	4.2	21.12	21.06	7.36	7.36	31.29	31.24	89.00	90.10	6.69	6.77	3.19	3.21	3.3	3.1		
			10:33	8.3	4.2	21.00	7.35	7.35	31.18	31.24	91.20	89.00	6.84	6.77	3.22	3.21	2.9	2.9			
			13:24	8.6	4.3	20.50	20.58	9.28	9.24	31.48	31.51	91.00	92.35	6.77	6.81	4.66	4.60	3.0	3.2		
	12/1/2024	Fine	13:25	8.6	4.3	20.65	9.19	9.19	31.53	31.53	93.70	92.35	6.84	6.81	4.53	4.60	3.4	3.4			
			16:12	8.7	4.4	20.68	20.64	8.78	8.76	31.24	31.28	89.30	89.10	6.42	6.38	4.53	4.58	3.1	3.0		
	15/1/2024	Fine	16:13	8.7	4.4	20.59	8.74	8.74	31.32	31.32	88.90	88.90	6.34	6.34	4.63	4.63	2.8	2.8			
			17:57	8.7	4.4	20.18	20.24	9.59	9.48	31.37	31.33	89.00	87.50	6.72	6.66	5.07	5.12	0.6	2.5		
	17/1/2024	Cloudy	17:58	8.7	4.4	20.30	9.37	9.37	31.28	31.28	86.00	86.00	6.59	6.59	5.17	5.17	4.4	4.4			
			6:42	8.4	4.2	21.59	21.67	9.68	9.58	30.58	30.65	86.30	85.70	6.58	6.55	4.18	4.24	1.5	1.5		
			6:43	8.4	4.2	21.75	9.47	9.47	30.71	30.65	85.10	85.70	6.51	6.55	4.30	4.24	1.4	1.4			
	22/1/2024	Strong monsoon	WGM was cancelled due to adverse weather																		
	24/1/2024	Strong wind	WGM was cancelled due to adverse weather																		
	26/1/2024	Cloudy	13:29	8.6	4.3	17.80	17.83	7.42	7.41	31.58	31.64	84.00	85.10	6.60	6.71	4.02	4.12	2.3	2.4		
			13:30	8.6	4.3	17.85	7.39	7.39	31.70	31.64	86.20	85.10	6.81	6.81	4.21	4.21	2.4	2.4			
	29/1/2024	Cloudy	15:56	8.7	4.4	18.75	18.78	7.99	7.97	32.65	32.69	79.40	80.60	6.22	6.30	5.94	5.89	7.8	7.7		
			15:57	8.7	4.4	18.80	7.95	7.95	32.73	32.73	81.80	81.80	6.37	6.37	5.83	5.83	7.5	7.5			
			16:04	8.6	4.3	19.72	19.72	7.85	7.84	32.57	32.60	89.00	88.20	6.86	6.79	4.12	4.07	4.6	4.4		
31/1/2024	Cloudy	16:05	8.6	4.3	19.72	7.82	7.82	32.62	32.60	87.40	87.40	6.72	6.72	4.02	4.02	4.2	4.2				

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



**Impact Water Quality Monitoring at Station CF (Middle) - Flood Tide**

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG		
CF	2/1/2024	Fine	9:56	8.5	4.3	20.39	20.48	8.17	8.16	31.63	31.61	91.40	91.35	6.91	6.91	6.72	6.77	4.5	4.4		
			9:57	8.5	4.3	20.56	8.14	8.14	31.63	91.30	6.90	6.82	6.82	4.2							
	4/1/2024	Fine	11:32	8.3	4.2	20.34	20.29	8.54	8.55	30.02	30.06	85.90	86.25	6.39	6.42	4.25	4.29	3.0	3.2		
			11:33	8.3	4.2	20.24	8.55	8.55	30.09	86.60	6.45	6.42	4.32	4.29	3.3	3.3					
	6/1/2024	Fine	14:15	8.7	4.4	20.65	20.60	7.80	7.79	31.59	31.50	90.70	89.55	6.94	6.91	2.87	2.72	2.5	2.4		
			14:16	8.7	4.4	20.55	7.78	7.78	31.40	88.40	6.87	6.87	2.57	2.57	2.2	2.2					
	8/1/2024	Cloudy	15:19	8.6	4.3	20.93	20.95	9.09	9.12	31.24	31.20	91.20	91.65	6.81	6.84	4.95	4.85	4.5	4.7		
			15:20	8.6	4.3	20.97	9.15	9.15	31.16	92.10	6.87	6.87	4.75	4.75	4.9	4.9					
	10/1/2024	Fine	16:40	8.5	4.3	20.86	20.91	8.45	8.42	31.34	31.30	89.20	88.95	6.86	6.76	3.17	3.21	2.7	2.6		
			16:41	8.5	4.3	20.95	8.38	8.38	31.25	88.70	6.66	6.66	3.24	3.24	2.5	2.5					
	12/1/2024	Fine	7:19	8.4	4.2	20.83	20.88	8.83	8.82	31.25	31.17	90.20	90.50	6.68	6.72	5.48	5.44	2.9	2.8		
			7:20	8.4	4.2	20.92	8.80	8.80	31.09	90.80	6.75	6.75	5.40	5.40	2.6	2.6					
	15/1/2024	Fine	9:04	8.3	4.2	20.35	20.27	8.97	8.98	30.66	30.70	89.60	88.35	6.71	6.67	5.10	5.12	2.4	2.4		
			9:05	8.3	4.2	20.19	8.99	8.99	30.74	87.10	6.62	6.62	5.13	5.13	2.3	2.3					
	17/1/2024	Cloudy	10:32	8.4	4.2	20.49	20.54	9.04	9.14	31.41	31.40	85.80	84.25	6.56	6.44	6.76	6.64	4.0	3.9		
			10:33	8.4	4.2	20.58	9.24	9.24	31.39	82.70	6.32	6.32	6.52	6.52	3.7	3.7					
	19/1/2024	Cloudy	13:15	8.6	4.3	21.60	21.67	9.78	9.88	30.75	30.80	91.40	92.15	6.75	6.83	3.99	3.97	1.7	1.8		
			13:16	8.6	4.3	21.73	9.98	9.98	30.84	92.90	6.90	6.90	3.94	3.94	1.9	1.9					
	22/1/2024	Strong monsoon	WGM was cancelled due to adverse weather																		
	24/1/2024	Strong wind	WGM was cancelled due to adverse weather																		
	26/1/2024	Cloudy	7:01	8.1	4.1	17.39	17.37	8.12	8.07	32.25	32.20	80.60	79.80	6.53	6.54	3.60	3.66	3.4	3.0		
			7:02	8.1	4.1	17.34	8.01	8.01	32.15	79.00	6.55	6.55	3.72	3.72	2.5	2.5					
	29/1/2024	Cloudy	15:56	8.7	4.4	18.75	18.78	7.99	7.97	32.65	32.69	79.40	80.60	6.22	6.30	5.94	5.89	4.6	4.8		
			15:57	8.7	4.4	18.80	7.95	7.95	32.73	81.80	6.37	6.37	5.83	5.83	4.9	4.9					
	31/1/2024	Cloudy	8:52	8.3	4.2	19.63	19.59	7.85	7.83	32.40	32.32	85.40	84.75	6.70	6.63	5.02	5.08	3.6	3.5		
8:53			8.3	4.2	19.55	7.80	7.80	32.23	84.10	6.56	6.56	5.13	5.13	3.4	3.4						

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CF (Bottom) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						2/1/2024	Fine	16:51	8.7	7.7	20.36	20.39	7.95	7.95	31.21	31.20	87.80	86.55	6.62	6.57	7.85
4/1/2024	Fine	16:52	8.7	7.7	20.41	20.46	7.95	7.77	31.19	31.04	85.30	88.30	6.51	6.71	7.71	3.52	4.5	4.2			
		19:14	8.8	7.8	20.37		7.79	31.00	87.50		6.63		3.47		4.0						
6/1/2024	Fine	19:15	8.8	7.8	20.54	20.26	7.76	7.67	31.08	31.41	89.10	84.30	6.79	6.43	3.57	3.10	4.4	3.7			
		7:08	8.5	7.5	20.34		7.62	31.41	84.70		6.48		3.04		3.8						
8/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																			
10/1/2024	Fine	10:35	8.3	7.3	20.97	20.91	7.72	7.63	31.42	31.40	86.30	86.90	6.49	6.69	4.26	4.26	3.9	3.8			
		10:36	8.3	7.3	20.84		7.53	31.37	88.30		6.69		4.25		3.6						
12/1/2024	Fine	13:27	8.6	7.6	20.60	20.67	9.43	9.40	31.50	31.57	86.70	87.10	6.63	6.66	4.59	4.67	3.7	3.9			
		13:28	8.6	7.6	20.73		9.37	31.63	87.50		6.68		4.75		4.1						
15/1/2024	Fine	16:15	8.7	7.7	20.78	20.74	8.90	8.93	31.19	31.27	86.60	87.10	6.26	6.30	4.73	4.55	3.3	3.3			
		16:16	8.7	7.7	20.70		8.96	31.34	87.60		6.34		4.37		3.2						
17/1/2024	Cloudy	17:59	8.7	7.7	20.10	20.12	9.51	9.60	31.56	31.51	89.00	89.65	6.75	6.76	5.09	4.99	5.0	5.2			
		18:00	8.7	7.7	20.14		9.69	31.46	90.30		6.77		4.89		5.1						
19/1/2024	Cloudy	6:45	8.4	7.4	21.69	21.59	9.66	9.75	30.88	30.92	84.40	83.95	6.46	6.43	4.37	4.47	1.7	1.7			
		6:46	8.4	7.4	21.48		9.84	30.95	83.50		6.39		4.57		1.6						
22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																			
24/1/2024	Strong wind	WQM was cancelled due to adverse weather																			
26/1/2024	Cloudy	13:32	8.6	7.6	17.69	17.77	7.78	7.72	31.58	31.63	87.30	86.10	6.85	6.79	3.47	3.49	2.2	2.2			
		13:33	8.6	7.6	17.85		7.65	31.68	84.90		6.72		3.50		2.1						
29/1/2024	Cloudy	15:59	8.7	7.7	18.73	18.80	7.93	7.92	32.68	32.71	81.70	81.40	6.38	6.37	4.85	4.80	8.2	8.3			
		16:00	8.7	7.7	18.86		7.90	32.74	81.10		6.35		4.74		8.4						
31/1/2024	Cloudy	16:07	8.6	7.6	19.80	19.86	7.76	7.75	32.49	32.51	86.20	86.40	6.55	6.58	4.04	4.01	5.2	5.0			
		16:08	8.6	7.6	19.91		7.73	32.53	86.60		6.60		3.97		4.8						

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



## Impact Water Quality Monitoring at Station CF (Bottom) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Depth m	Temperature °C		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L			
						Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG	Value	AVG
						2/1/2024	Fine	9:59	8.5	7.5	20.29	20.37	8.28	8.31	31.32	31.46	88.20	89.50	6.68	6.73	6.35
4/1/2024	Fine	10:00	8.5	7.5	20.44	20.89	8.33	8.59	31.59	31.04	90.80	86.15	6.78	6.40	6.19	4.11	-	4.1			
		11:35	8.3	7.3	20.87		8.61	31.00	86.00		6.39		4.13		3.8						
6/1/2024	Fine	11:36	8.3	7.3	20.91	20.47	8.56	7.72	31.07	31.28	86.30	79.80	6.41	6.25	4.08	3.15	4.1	2.9			
		14:18	8.7	7.7	20.54		7.70	31.36	80.20		6.27		3.01		3.0						
8/1/2024	Cloudy	14:19	8.7	7.7	20.39	20.63	7.73	9.35	31.20	31.19	79.40	90.00	6.23	6.74	3.29	5.22	2.7	5.4			
		15:22	8.6	7.6	20.80		9.32	31.21	90.90		6.69		5.28		5.6						
10/1/2024	Fine	16:43	8.5	7.5	20.77	20.83	8.56	8.52	31.27	31.21	89.50	85.80	6.79	6.49	5.16	3.29	5.2	2.4			
		16:44	8.5	7.5	20.88		8.47	31.15	86.50		6.56		3.31		2.5						
12/1/2024	Fine	7:22	8.4	7.4	20.83	20.79	9.00	9.01	31.31	31.39	89.40	88.80	6.72	6.70	4.53	4.60	2.3	2.2			
		7:23	8.4	7.4	20.74		9.02	31.47	88.20		6.68		4.66		2.0						
15/1/2024	Fine	9:07	8.3	7.3	20.42	20.37	9.16	9.22	31.12	31.06	84.50	85.55	6.44	6.53	4.68	4.58	1.7	1.8			
		9:08	8.3	7.3	20.31		9.28	31.00	86.60		6.62		4.47		1.8						
17/1/2024	Cloudy	10:34	8.4	7.4	20.49	20.46	9.36	9.32	31.18	31.10	89.00	88.50	6.72	6.74	5.98	6.03	3.0	3.2			
		10:35	8.4	7.4	20.42		9.27	31.02	88.00		6.75		6.07		3.4						
19/1/2024	Cloudy	13:18	8.6	7.6	21.59	21.67	9.80	9.81	30.59	30.62	87.50	88.95	6.55	6.66	4.02	4.09	1.4	1.5			
		13:19	8.6	7.6	21.74		9.82	30.64	90.40		6.77		4.15		1.6						
22/1/2024	Strong monsoon	WQM was cancelled due to adverse weather																			
24/1/2024	Strong wind	WQM was cancelled due to adverse weather																			
26/1/2024	Cloudy	7:04	8.1	7.1	17.25	17.18	7.82	7.88	32.40	32.37	87.60	87.70	6.98	6.99	3.77	3.70	3.2	3.1			
		7:05	8.1	7.1	17.10		7.84	32.34	87.80		6.99		3.62		2.9						
29/1/2024	Cloudy	15:59	8.7	7.7	18.73	18.80	7.93	7.92	32.68	32.71	81.70	81.90	6.38	6.38	4.85	4.80	6.8	7.3			
		16:00	8.7	7.7	18.86		7.90	32.74	82.10		6.40		4.74		7.8						
31/1/2024	Cloudy	8:55	8.3	7.3	19.46	19.50	7.74	7.72	33.16	33.24	82.40	82.10	6.51	6.49	4.02	3.98	3.1	3.2			
		8:56	8.3	7.3	19.53		7.70	33.31	81.80		6.47		3.94		3.2						

General Note: For calculation of average concentration of SS, the minimum value for "NOT DETECTED" is treated as 1.0mg/L according to reporting limit.



***Appendix 5.3***

***Quarterly Summary Waste Flow Table***

**Drainage Services Department**  
**Contract No. DC/2020/02**  
**Construction of San Shek Wan Sewage Treatment Works,**  
**Associated Submarine Outfall and Pui O Sewerage Works**

**Quarterly Summary Waste Flow Table for Nov, Dec 2023 and Jan 2024**

Month	Actual Quantities of Inert C&D Material Generated Monthly						Actual Quantities of C&D Wastes Generated Monthly				
	Total Quantity Generated (a)	Hard Rocks and Large Broken Concrete (b)	Reused in the Contract (c)	Reused in other Projects (d)	Disposed as Public Fill (a-b-c-d)	Imported Fill	Metals	Paper/card-board packaging	Plastics [see Note 3]	Chemical waste	Others. e.g. general refuse
	(in '000m <sup>3</sup> )	(in '000m <sup>3</sup> )	(in '000m <sup>3</sup> )	(in '000m <sup>3</sup> )	(in '000m <sup>3</sup> )	(in '000m <sup>3</sup> )	(in '000kg)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000kg)
<b>Nov</b>	0.74	0.00	0.00	0.00	0.74	0.00	0.00	0.00	0.00	0.00	8.65
<b>Dec</b>	0.43	0.00	0.00	0.00	0.43	0.00	0.01	0.07	0.01	0.00	13.65
<b>Jan</b>	1.68	0.00	0.00	0.00	1.68	0.00	0.00	0.00	0.00	0.00	8.63
<b>Total</b>	2.85	0.00	0.00	0.00	2.85	0.00	0.01	0.07	0.01	0.00	30.93

- Notes:
- (1) The inert C&D material except slurry and bentonite are disposed at Mui Wo Temporary Public Fill Bank (MW-PFRF) or Tuen Mun Area 38 Fill Bank (TM38-FB)
  - (2) The slurry and bentonite are disposed at Tseung Kwan O Area 137 Fill Bank (TKO137FB)
  - (3) The non-inert waste is disposed at NENT or Outlying Islands Transfer Facilities
  - (4) The waste flow table shall also include C&D materials that are specified in the Contract to be imported for use at the Site.
  - (5) Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging material
  - (6) Assume the density of fill material is 2 tonne/m<sup>3</sup>.