

Calculation of Construction Noise Levels for "RYTE1"

Job Title: Yau Tong Bay Reclamation
 Job No.: 21253
 Date: 28-11-00

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Reclamation	Demolition	TOTAL
2-01-04	50.2	54.4	0.0	0.0	0.0	0.0	55.8	0.0	55.8
1-02-04	50.2	54.4	0.0	0.0	0.0	0.0	55.8	0.0	55.8
1-03-04	57.5	54.4	0.0	0.0	0.0	0.0	59.2	0.0	59.2
1-04-04	59.4	54.4	0.0	0.0	0.0	0.0	60.6	0.0	60.6
2-04-04	59.4	54.4	0.0	0.0	0.0	0.0	60.6	0.0	60.6
3-04-04	56.1	54.4	0.0	0.0	0.0	50.9	59.1	0.0	59.1
4-04-04	56.1	54.4	0.0	0.0	0.0	50.9	59.1	0.0	59.1
1-05-04	56.1	54.4	0.0	0.0	0.0	50.9	59.1	0.0	59.1
1-06-04	56.1	55.7	0.0	0.0	0.0	50.9	59.5	0.0	59.5
1-07-04	56.1	55.7	0.0	0.0	0.0	50.9	59.5	0.0	59.5
2-07-04	0.0	55.0	56.7	0.0	0.0	50.9	59.6	0.0	59.6
3-07-04	0.0	55.0	56.7	0.0	0.0	61.3	63.3	0.0	63.3
4-07-04	0.0	55.7	60.3	0.0	0.0	61.3	64.4	0.0	64.4
1-08-04	0.0	55.7	60.3	0.0	0.0	61.3	64.4	0.0	64.4
2-08-04	0.0	55.7	60.3	0.0	0.0	61.3	64.4	0.0	64.4
3-08-04	0.0	55.0	60.3	0.0	0.0	61.3	64.4	0.0	64.4
4-08-04	0.0	55.0	59.7	0.0	0.0	61.3	64.2	0.0	64.2
1-09-04	0.0	55.0	59.7	0.0	0.0	61.3	64.2	0.0	64.2
2-09-04	0.0	55.0	59.7	0.0	0.0	61.3	64.2	0.0	64.2
3-09-04	0.0	55.0	59.7	0.0	0.0	61.3	64.2	0.0	64.2
4-09-04	0.0	55.0	61.5	0.0	0.0	61.3	64.9	0.0	64.9
1-10-04	0.0	62.3	61.5	0.0	0.0	61.3	66.5	0.0	66.5
2-10-04	0.0	60.0	61.5	0.0	0.0	61.3	65.7	0.0	65.7
3-10-04	0.0	54.4	56.7	0.0	0.0	61.3	63.2	0.0	63.2
4-10-04	0.0	54.4	56.7	0.0	0.0	61.3	63.2	0.0	63.2
1-11-04	0.0	54.4	56.7	0.0	0.0	61.3	63.2	0.0	63.2
2-11-04	0.0	54.4	56.7	0.0	0.0	61.3	63.2	0.0	63.2
3-11-04	0.0	54.4	56.7	0.0	0.0	61.3	63.2	0.0	63.2
4-11-04	0.0	54.4	56.7	0.0	0.0	61.3	63.2	0.0	63.2
1-12-04	0.0	54.4	56.7	0.0	0.0	61.3	63.2	0.0	63.2
1-01-05	0.0	54.4	72.1	0.0	0.0	61.3	72.5	0.0	72.5
1-02-05	0.0	54.4	0.0	0.0	0.0	61.3	62.1	0.0	62.1
2-02-05	0.0	54.4	0.0	0.0	0.0	61.3	62.1	0.0	62.1
3-02-05	0.0	54.4	0.0	51.4	0.0	61.3	62.5	0.0	62.5
4-02-05	0.0	54.4	0.0	51.4	0.0	61.3	62.5	0.0	62.5
1-03-05	0.0	54.4	0.0	54.9	0.0	61.3	62.9	0.0	62.9
1-04-05	0.0	54.4	0.0	54.4	0.0	61.3	62.8	0.0	62.8
1-05-05	0.0	54.4	0.0	56.1	0.0	61.3	63.1	0.0	63.1
1-06-05	0.0	54.4	0.0	51.4	0.0	61.3	62.5	0.0	62.5
1-07-05	0.0	54.4	0.0	51.4	0.0	61.3	62.5	71.1	71.7
1-08-05	0.0	54.4	0.0	51.4	0.0	61.3	62.5	71.1	71.7
2-08-05	0.0	54.4	0.0	51.4	0.0	61.3	62.5	71.1	71.7
3-08-05	0.0	54.4	0.0	66.7	0.0	61.3	68.0	71.1	72.8
4-08-05	0.0	54.4	0.0	66.7	0.0	61.3	68.0	71.1	72.8
1-09-05	0.0	54.4	0.0	66.7	0.0	61.3	68.0	0.0	68.0
1-10-05	0.0	54.4	0.0	0.0	0.0	61.3	62.1	0.0	62.1
2-10-05	0.0	54.4	0.0	0.0	0.0	61.3	62.1	0.0	62.1
3-10-05	0.0	54.4	0.0	0.0	0.0	61.3	62.1	0.0	62.1
4-10-05	0.0	54.4	0.0	0.0	0.0	61.3	62.1	0.0	62.1
1-11-05	0.0	54.4	0.0	0.0	48.3	61.3	62.3	0.0	62.3
2-11-05	0.0	54.4	0.0	0.0	51.9	61.3	62.5	0.0	62.5
3-11-05	0.0	54.4	0.0	0.0	51.9	61.3	62.5	0.0	62.5
4-11-05	0.0	54.4	0.0	0.0	51.9	61.3	62.5	0.0	62.5
1-12-05	0.0	54.4	0.0	0.0	51.3	61.3	62.5	0.0	62.5
2-12-05	0.0	54.4	0.0	0.0	51.3	61.3	62.5	0.0	62.5
3-12-05	0.0	54.4	0.0	0.0	51.3	61.3	62.5	0.0	62.5
4-12-05	0.0	54.4	0.0	0.0	51.3	61.3	62.5	0.0	62.5
1-01-06	0.0	54.4	0.0	0.0	51.3	61.3	62.5	0.0	62.5
2-01-06	0.0	54.4	0.0	0.0	51.3	50.9	57.3	0.0	57.3
3-01-06	0.0	54.4	0.0	0.0	53.1	50.9	57.8	0.0	57.8
4-01-06	0.0	54.4	0.0	0.0	53.1	50.9	57.8	0.0	57.8
1-02-06	0.0	54.4	0.0	0.0	48.3	50.9	56.7	0.0	56.7
1-03-06	0.0	54.4	0.0	0.0	48.3	50.9	56.7	0.0	56.7
1-04-06	0.0	54.4	0.0	0.0	48.3	50.9	56.7	0.0	56.7
1-05-06	0.0	54.4	0.0	0.0	63.7	50.9	64.4	0.0	64.4
1-06-06	0.0	54.4	0.0	0.0	0.0	52.3	56.5	0.0	56.5
1-07-06	0.0	54.4	0.0	0.0	0.0	53.6	57.0	0.0	57.0
1-08-06	0.0	54.4	0.0	0.0	0.0	53.3	56.9	0.0	56.9
1-09-06	0.0	54.4	0.0	0.0	0.0	53.3	56.9	0.0	56.9
1-10-06	0.0	54.4	0.0	0.0	0.0	53.3	56.9	0.0	56.9
1-11-06	0.0	54.4	0.0	0.0	0.0	52.3	56.5	0.0	56.5
1-12-06	0.0	54.4	0.0	0.0	0.0	52.3	56.5	0.0	56.5
1-01-07	0.0	54.4	0.0	0.0	0.0	52.3	56.5	0.0	56.5
1-02-07	0.0	0.0	0.0	0.0	0.0	62.4	62.4	0.0	62.4
1-03-07	0.0	0.0	0.0	0.0	0.0	50.9	50.9	0.0	50.9
1-04-07	0.0	0.0	0.0	0.0	0.0	50.9	50.9	0.0	50.9
1-05-07	0.0	0.0	0.0	0.0	0.0	50.9	50.9	0.0	50.9
1-06-07	0.0	0.0	0.0	0.0	0.0	50.9	50.9	0.0	50.9
1-07-07	0.0	0.0	0.0	0.0	0.0	50.9	50.9	0.0	50.9
1-08-07	0.0	0.0	0.0	0.0	0.0	50.9	50.9	0.0	50.9
1-09-07	0.0	0.0	0.0	0.0	0.0	50.9	50.9	0.0	50.9
1-10-07	0.0	0.0	0.0	0.0	0.0	50.9	50.9	0.0	50.9

Calculation of Construction Noise Levels for "RYTE2"

Job Title.: Yau Tong Bay Reclamation
 Job No.: 21253
 Date: 28-11-00

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Reclamation	Demolition	TOTAL
2-01-04	50.1	54.3	0.0	0.0	0.0	0.0	55.7	0.0	55.7
1-02-04	50.1	54.3	0.0	0.0	0.0	0.0	55.7	0.0	55.7
1-03-04	57.4	54.3	0.0	0.0	0.0	0.0	59.1	0.0	59.1
1-04-04	59.3	54.3	0.0	0.0	0.0	0.0	60.5	0.0	60.5
2-04-04	59.3	54.3	0.0	0.0	0.0	0.0	60.5	0.0	60.5
3-04-04	56.0	54.3	0.0	0.0	0.0	51.4	59.1	0.0	59.1
4-04-04	56.0	54.3	0.0	0.0	0.0	51.4	59.1	0.0	59.1
1-05-04	56.0	54.3	0.0	0.0	0.0	51.4	59.1	0.0	59.1
1-06-04	56.0	55.6	0.0	0.0	0.0	51.4	59.5	0.0	59.5
1-07-04	56.0	55.6	0.0	0.0	0.0	51.4	59.5	0.0	59.5
2-07-04	0.0	54.9	56.8	0.0	0.0	51.4	59.7	0.0	59.7
3-07-04	0.0	54.9	56.8	0.0	0.0	61.8	63.6	0.0	63.6
4-07-04	0.0	55.6	60.4	0.0	0.0	61.8	64.7	0.0	64.7
1-08-04	0.0	55.6	60.4	0.0	0.0	61.8	64.7	0.0	64.7
2-08-04	0.0	55.6	60.4	0.0	0.0	61.8	64.7	0.0	64.7
3-08-04	0.0	54.9	60.4	0.0	0.0	61.8	64.6	0.0	64.6
4-08-04	0.0	54.9	59.8	0.0	0.0	61.8	64.5	0.0	64.5
1-09-04	0.0	54.9	59.8	0.0	0.0	61.8	64.5	0.0	64.5
2-09-04	0.0	54.9	59.8	0.0	0.0	61.8	64.5	0.0	64.5
3-09-04	0.0	54.9	59.8	0.0	0.0	61.8	64.5	0.0	64.5
4-09-04	0.0	54.9	61.6	0.0	0.0	61.8	65.1	0.0	65.1
1-10-04	0.0	62.2	61.6	0.0	0.0	61.8	66.7	0.0	66.7
2-10-04	0.0	59.9	61.6	0.0	0.0	61.8	65.9	0.0	65.9
3-10-04	0.0	54.3	56.8	0.0	0.0	61.8	63.6	0.0	63.6
4-10-04	0.0	54.3	56.8	0.0	0.0	61.8	63.6	0.0	63.6
1-11-04	0.0	54.3	56.8	0.0	0.0	61.8	63.6	0.0	63.6
2-11-04	0.0	54.3	56.8	0.0	0.0	61.8	63.6	0.0	63.6
3-11-04	0.0	54.3	56.8	0.0	0.0	61.8	63.6	0.0	63.6
4-11-04	0.0	54.3	56.8	0.0	0.0	61.8	63.6	0.0	63.6
1-12-04	0.0	54.3	56.8	0.0	0.0	61.8	63.6	0.0	63.6
1-01-05	0.0	54.3	72.2	0.0	0.0	61.8	72.7	0.0	72.7
1-02-05	0.0	54.3	0.0	0.0	0.0	61.8	62.5	0.0	62.5
2-02-05	0.0	54.3	0.0	0.0	0.0	61.8	62.5	0.0	62.5
3-02-05	0.0	54.3	0.0	51.4	0.0	61.8	62.8	0.0	62.8
4-02-05	0.0	54.3	0.0	51.4	0.0	61.8	62.8	0.0	62.8
1-03-05	0.0	54.3	0.0	55.0	0.0	61.8	63.2	0.0	63.2
1-04-05	0.0	54.3	0.0	54.4	0.0	61.8	63.1	0.0	63.1
1-05-05	0.0	54.3	0.0	56.2	0.0	61.8	63.4	0.0	63.4
1-06-05	0.0	54.3	0.0	51.4	0.0	61.8	62.8	0.0	62.8
1-07-05	0.0	54.3	0.0	51.4	0.0	61.8	62.8	70.8	71.4
1-08-05	0.0	54.3	0.0	51.4	0.0	61.8	62.8	70.8	71.4
2-08-05	0.0	54.3	0.0	51.4	0.0	61.8	62.8	70.8	71.4
3-08-05	0.0	54.3	0.0	66.8	0.0	61.8	68.2	70.8	72.7
4-08-05	0.0	54.3	0.0	66.8	0.0	61.8	68.2	70.8	72.7
1-09-05	0.0	54.3	0.0	66.8	0.0	61.8	68.2	0.0	68.2
1-10-05	0.0	54.3	0.0	0.0	0.0	61.8	62.5	0.0	62.5
2-10-05	0.0	54.3	0.0	0.0	0.0	61.8	62.5	0.0	62.5
3-10-05	0.0	54.3	0.0	0.0	0.0	61.8	62.5	0.0	62.5
4-10-05	0.0	54.3	0.0	0.0	0.0	61.8	62.5	0.0	62.5
1-11-05	0.0	54.3	0.0	0.0	48.1	61.8	62.7	0.0	62.7
2-11-05	0.0	54.3	0.0	0.0	51.6	61.8	62.9	0.0	62.9
3-11-05	0.0	54.3	0.0	0.0	51.6	61.8	62.9	0.0	62.9
4-11-05	0.0	54.3	0.0	0.0	51.6	61.8	62.9	0.0	62.9
1-12-05	0.0	54.3	0.0	0.0	51.1	61.8	62.8	0.0	62.8
2-12-05	0.0	54.3	0.0	0.0	51.1	61.8	62.8	0.0	62.8
3-12-05	0.0	54.3	0.0	0.0	51.1	61.8	62.8	0.0	62.8
4-12-05	0.0	54.3	0.0	0.0	51.1	61.8	62.8	0.0	62.8
1-01-06	0.0	54.3	0.0	0.0	51.1	61.8	62.8	0.0	62.8
2-01-06	0.0	54.3	0.0	0.0	51.1	51.4	57.3	0.0	57.3
3-01-06	0.0	54.3	0.0	0.0	52.8	51.4	57.8	0.0	57.8
4-01-06	0.0	54.3	0.0	0.0	52.8	51.4	57.8	0.0	57.8
1-02-06	0.0	54.3	0.0	0.0	48.1	51.4	56.8	0.0	56.8
1-03-06	0.0	54.3	0.0	0.0	48.1	51.4	56.8	0.0	56.8
1-04-06	0.0	54.3	0.0	0.0	48.1	51.4	56.8	0.0	56.8
1-05-06	0.0	54.3	0.0	0.0	63.5	51.4	64.2	0.0	64.2
1-06-06	0.0	54.3	0.0	0.0	0.0	52.8	56.6	0.0	56.6
1-07-06	0.0	54.3	0.0	0.0	0.0	54.1	57.2	0.0	57.2
1-08-06	0.0	54.3	0.0	0.0	0.0	53.8	57.1	0.0	57.1
1-09-06	0.0	54.3	0.0	0.0	0.0	53.8	57.1	0.0	57.1
1-10-06	0.0	54.3	0.0	0.0	0.0	53.8	57.1	0.0	57.1
1-11-06	0.0	54.3	0.0	0.0	0.0	52.8	56.6	0.0	56.6
1-12-06	0.0	54.3	0.0	0.0	0.0	52.8	56.6	0.0	56.6
1-01-07	0.0	54.3	0.0	0.0	0.0	52.8	56.6	0.0	56.6
1-02-07	0.0	0.0	0.0	0.0	0.0	62.9	62.9	0.0	62.9
1-03-07	0.0	0.0	0.0	0.0	0.0	51.4	51.4	0.0	51.4
1-04-07	0.0	0.0	0.0	0.0	0.0	51.4	51.4	0.0	51.4
1-05-07	0.0	0.0	0.0	0.0	0.0	51.4	51.4	0.0	51.4
1-06-07	0.0	0.0	0.0	0.0	0.0	51.4	51.4	0.0	51.4
1-07-07	0.0	0.0	0.0	0.0	0.0	51.4	51.4	0.0	51.4
1-08-07	0.0	0.0	0.0	0.0	0.0	51.4	51.4	0.0	51.4
1-09-07	0.0	0.0	0.0	0.0	0.0	51.4	51.4	0.0	51.4
1-10-07	0.0	0.0	0.0	0.0	0.0	51.4	51.4	0.0	51.4

Ends

Calculation of Construction Noise Levels for "RYCT"

Job Title.: Yau Tong Bay Reclamation
 Job No.: 21253
 Date: 28-11-00

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Reclamation	Demolition	TOTAL
2-01-04	39.5	44.7	0.0	0.0	0.0	0.0	45.8	0.0	45.8
1-02-04	39.5	44.7	0.0	0.0	0.0	0.0	45.8	0.0	45.8
1-03-04	46.7	44.7	0.0	0.0	0.0	0.0	48.8	0.0	48.8
1-04-04	48.7	44.7	0.0	0.0	0.0	0.0	50.2	0.0	50.2
2-04-04	48.7	44.7	0.0	0.0	0.0	0.0	50.2	0.0	50.2
3-04-04	45.7	44.7	0.0	0.0	0.0	40.6	48.9	0.0	48.9
4-04-04	45.7	44.7	0.0	0.0	0.0	40.6	48.9	0.0	48.9
1-05-04	45.7	44.7	0.0	0.0	0.0	40.6	48.9	0.0	48.9
1-06-04	45.7	45.9	0.0	0.0	0.0	40.6	49.4	0.0	49.4
1-07-04	45.7	45.9	0.0	0.0	0.0	40.6	49.4	0.0	49.4
2-07-04	0.0	45.2	43.5	0.0	0.0	40.6	48.3	0.0	48.3
3-07-04	0.0	45.2	43.5	0.0	0.0	51.0	52.6	0.0	52.6
4-07-04	0.0	45.9	47.1	0.0	0.0	51.0	53.3	0.0	53.3
1-08-04	0.0	45.9	47.1	0.0	0.0	51.0	53.3	0.0	53.3
2-08-04	0.0	45.9	47.1	0.0	0.0	51.0	53.3	0.0	53.3
3-08-04	0.0	45.2	47.1	0.0	0.0	51.0	53.2	0.0	53.2
4-08-04	0.0	45.2	46.6	0.0	0.0	51.0	53.1	0.0	53.1
1-09-04	0.0	45.2	46.6	0.0	0.0	51.0	53.1	0.0	53.1
2-09-04	0.0	45.2	46.6	0.0	0.0	51.0	53.1	0.0	53.1
3-09-04	0.0	45.2	46.6	0.0	0.0	51.0	53.1	0.0	53.1
4-09-04	0.0	45.2	48.3	0.0	0.0	51.0	53.6	0.0	53.6
1-10-04	0.0	52.5	48.3	0.0	0.0	51.0	55.7	0.0	55.7
2-10-04	0.0	50.2	48.3	0.0	0.0	51.0	54.7	0.0	54.7
3-10-04	0.0	44.7	43.5	0.0	0.0	51.0	52.5	0.0	52.5
4-10-04	0.0	44.7	43.5	0.0	0.0	51.0	52.5	0.0	52.5
1-11-04	0.0	44.7	43.5	0.0	0.0	51.0	52.5	0.0	52.5
2-11-04	0.0	44.7	43.5	0.0	0.0	51.0	52.5	0.0	52.5
3-11-04	0.0	44.7	43.5	0.0	0.0	51.0	52.5	0.0	52.5
4-11-04	0.0	44.7	43.5	0.0	0.0	51.0	52.5	0.0	52.5
1-12-04	0.0	44.7	43.5	0.0	0.0	51.0	52.5	0.0	52.5
1-01-05	0.0	44.7	58.9	0.0	0.0	51.0	59.7	0.0	59.7
1-02-05	0.0	44.7	0.0	0.0	0.0	51.0	51.9	0.0	51.9
2-02-05	0.0	44.7	0.0	0.0	0.0	51.0	51.9	0.0	51.9
3-02-05	0.0	44.7	0.0	41.2	0.0	51.0	52.3	0.0	52.3
4-02-05	0.0	44.7	0.0	41.2	0.0	51.0	52.3	0.0	52.3
1-03-05	0.0	44.7	0.0	44.8	0.0	51.0	52.7	0.0	52.7
1-04-05	0.0	44.7	0.0	44.2	0.0	51.0	52.6	0.0	52.6
1-05-05	0.0	44.7	0.0	46.0	0.0	51.0	52.9	0.0	52.9
1-06-05	0.0	44.7	0.0	41.2	0.0	51.0	52.3	0.0	52.3
1-07-05	0.0	44.7	0.0	41.2	0.0	51.0	52.3	57.5	58.6
1-08-05	0.0	44.7	0.0	41.2	0.0	51.0	52.3	57.5	58.6
2-08-05	0.0	44.7	0.0	41.2	0.0	51.0	52.3	57.5	58.6
3-08-05	0.0	44.7	0.0	56.6	0.0	51.0	57.9	57.5	60.7
4-08-05	0.0	44.7	0.0	56.6	0.0	51.0	57.9	57.5	60.7
1-09-05	0.0	44.7	0.0	56.6	0.0	51.0	57.9	0.0	57.9
1-10-05	0.0	44.7	0.0	0.0	0.0	51.0	51.9	0.0	51.9
2-10-05	0.0	44.7	0.0	0.0	0.0	51.0	51.9	0.0	51.9
3-10-05	0.0	44.7	0.0	0.0	0.0	51.0	51.9	0.0	51.9
4-10-05	0.0	44.7	0.0	0.0	0.0	51.0	51.9	0.0	51.9
1-11-05	0.0	44.7	0.0	0.0	39.2	51.0	52.1	0.0	52.1
2-11-05	0.0	44.7	0.0	0.0	42.7	51.0	52.4	0.0	52.4
3-11-05	0.0	44.7	0.0	0.0	42.7	51.0	52.4	0.0	52.4
4-11-05	0.0	44.7	0.0	0.0	42.7	51.0	52.4	0.0	52.4
1-12-05	0.0	44.7	0.0	0.0	42.2	51.0	52.3	0.0	52.3
2-12-05	0.0	44.7	0.0	0.0	42.2	51.0	52.3	0.0	52.3
3-12-05	0.0	44.7	0.0	0.0	42.2	51.0	52.3	0.0	52.3
4-12-05	0.0	44.7	0.0	0.0	42.2	51.0	52.3	0.0	52.3
1-01-06	0.0	44.7	0.0	0.0	42.2	51.0	52.3	0.0	52.3
2-01-06	0.0	44.7	0.0	0.0	42.2	40.6	47.6	0.0	47.6
3-01-06	0.0	44.7	0.0	0.0	43.9	40.6	48.2	0.0	48.2
4-01-06	0.0	44.7	0.0	0.0	43.9	40.6	48.2	0.0	48.2
1-02-06	0.0	44.7	0.0	0.0	39.2	40.6	46.9	0.0	46.9
1-03-06	0.0	44.7	0.0	0.0	39.2	40.6	46.9	0.0	46.9
1-04-06	0.0	44.7	0.0	0.0	39.2	40.6	46.9	0.0	46.9
1-05-06	0.0	44.7	0.0	0.0	54.5	40.6	55.1	0.0	55.1
1-06-06	0.0	44.7	0.0	0.0	0.0	42.0	46.5	0.0	46.5
1-07-06	0.0	44.7	0.0	0.0	0.0	43.3	47.0	0.0	47.0
1-08-06	0.0	44.7	0.0	0.0	0.0	43.1	46.9	0.0	46.9
1-09-06	0.0	44.7	0.0	0.0	0.0	43.1	46.9	0.0	46.9
1-10-06	0.0	44.7	0.0	0.0	0.0	43.1	46.9	0.0	46.9
1-11-06	0.0	44.7	0.0	0.0	0.0	42.0	46.5	0.0	46.5
1-12-06	0.0	44.7	0.0	0.0	0.0	42.0	46.5	0.0	46.5
1-01-07	0.0	44.7	0.0	0.0	0.0	42.0	46.5	0.0	46.5
1-02-07	0.0	0.0	0.0	0.0	0.0	52.1	52.1	0.0	52.1
1-03-07	0.0	0.0	0.0	0.0	0.0	40.6	40.6	0.0	40.6
1-04-07	0.0	0.0	0.0	0.0	0.0	40.6	40.6	0.0	40.6
1-05-07	0.0	0.0	0.0	0.0	0.0	40.6	40.6	0.0	40.6
1-06-07	0.0	0.0	0.0	0.0	0.0	40.6	40.6	0.0	40.6
1-07-07	0.0	0.0	0.0	0.0	0.0	40.6	40.6	0.0	40.6
1-08-07	0.0	0.0	0.0	0.0	0.0	40.6	40.6	0.0	40.6
1-09-07	0.0	0.0	0.0	0.0	0.0	40.6	40.6	0.0	40.6
1-10-07	0.0	0.0	0.0	0.0	0.0	40.6	40.6	0.0	40.6

-End-

Calculation of Construction Noise Levels for "RCKL"

Job Title: Yau Tong Bay Reclamation
 Job No.: 21253
 Date: 28-11-00

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Reclamation	Demolition	TOTAL
2-01-04	55.9	51.1	0.0	0.0	0.0	0.0	57.2	0.0	57.2
1-02-04	55.9	51.1	0.0	0.0	0.0	0.0	57.2	0.0	57.2
1-03-04	63.1	51.1	0.0	0.0	0.0	0.0	63.4	0.0	63.4
1-04-04	65.2	51.1	0.0	0.0	0.0	0.0	65.3	0.0	65.3
2-04-04	65.2	51.1	0.0	0.0	0.0	0.0	65.3	0.0	65.3
3-04-04	62.1	51.1	0.0	0.0	0.0	49.1	62.6	0.0	62.6
4-04-04	62.1	51.1	0.0	0.0	0.0	49.1	62.6	0.0	62.6
1-05-04	62.1	51.1	0.0	0.0	0.0	49.1	62.6	0.0	62.6
1-06-04	62.1	52.3	0.0	0.0	0.0	49.1	62.7	0.0	62.7
1-07-04	62.1	52.3	0.0	0.0	0.0	49.1	62.7	0.0	62.7
2-07-04	0.0	51.7	39.8	0.0	0.0	49.1	53.8	0.0	53.8
3-07-04	0.0	51.7	39.8	0.0	0.0	59.5	60.2	0.0	60.2
4-07-04	0.0	52.3	43.4	0.0	0.0	59.5	60.4	0.0	60.4
1-08-04	0.0	52.3	43.4	0.0	0.0	59.5	60.4	0.0	60.4
2-08-04	0.0	52.3	43.4	0.0	0.0	59.5	60.4	0.0	60.4
3-08-04	0.0	51.7	43.4	0.0	0.0	59.5	60.3	0.0	60.3
4-08-04	0.0	51.7	42.8	0.0	0.0	59.5	60.3	0.0	60.3
1-09-04	0.0	51.7	42.8	0.0	0.0	59.5	60.3	0.0	60.3
2-09-04	0.0	51.7	42.8	0.0	0.0	59.5	60.3	0.0	60.3
3-09-04	0.0	51.7	42.8	0.0	0.0	59.5	60.3	0.0	60.3
4-09-04	0.0	51.7	44.6	0.0	0.0	59.5	60.3	0.0	60.3
1-10-04	0.0	59.0	44.6	0.0	0.0	59.5	62.3	0.0	62.3
2-10-04	0.0	56.6	44.6	0.0	0.0	59.5	61.4	0.0	61.4
3-10-04	0.0	51.1	39.8	0.0	0.0	59.5	60.1	0.0	60.1
4-10-04	0.0	51.1	39.8	0.0	0.0	59.5	60.1	0.0	60.1
1-11-04	0.0	51.1	39.8	0.0	0.0	59.5	60.1	0.0	60.1
2-11-04	0.0	51.1	39.8	0.0	0.0	59.5	60.1	0.0	60.1
3-11-04	0.0	51.1	39.8	0.0	0.0	59.5	60.1	0.0	60.1
4-11-04	0.0	51.1	39.8	0.0	0.0	59.5	60.1	0.0	60.1
1-12-04	0.0	51.1	39.8	0.0	0.0	59.5	60.1	0.0	60.1
1-01-05	0.0	51.1	55.2	0.0	0.0	59.5	61.3	0.0	61.3
1-02-05	0.0	51.1	0.0	0.0	0.0	59.5	60.1	0.0	60.1
2-02-05	0.0	51.1	0.0	0.0	0.0	59.5	60.1	0.0	60.1
3-02-05	0.0	51.1	0.0	42.9	0.0	59.5	60.2	0.0	60.2
4-02-05	0.0	51.1	0.0	42.9	0.0	59.5	60.2	0.0	60.2
1-03-05	0.0	51.1	0.0	46.5	0.0	59.5	60.3	0.0	60.3
1-04-05	0.0	51.1	0.0	45.9	0.0	59.5	60.3	0.0	60.3
1-05-05	0.0	51.1	0.0	47.7	0.0	59.5	60.3	0.0	60.3
1-06-05	0.0	51.1	0.0	42.9	0.0	59.5	60.2	0.0	60.2
1-07-05	0.0	51.1	0.0	42.9	0.0	59.5	60.2	58.1	60.2
1-08-05	0.0	51.1	0.0	42.9	0.0	59.5	60.2	58.1	60.2
2-08-05	0.0	51.1	0.0	42.9	0.0	59.5	60.2	58.1	60.2
3-08-05	0.0	51.1	0.0	58.3	0.0	59.5	62.3	58.1	62.3
4-08-05	0.0	51.1	0.0	58.3	0.0	59.5	62.3	58.1	62.3
1-09-05	0.0	51.1	0.0	58.3	0.0	59.5	62.3	0.0	62.3
1-10-05	0.0	51.1	0.0	0.0	0.0	59.5	60.1	0.0	60.1
2-10-05	0.0	51.1	0.0	0.0	0.0	59.5	60.1	0.0	60.1
3-10-05	0.0	51.1	0.0	0.0	0.0	59.5	60.1	0.0	60.1
4-10-05	0.0	51.1	0.0	0.0	0.0	59.5	60.1	0.0	60.1
1-11-05	0.0	51.1	0.0	0.0	42.3	59.5	60.2	0.0	60.2
2-11-05	0.0	51.1	0.0	0.0	45.9	59.5	60.3	0.0	60.3
3-11-05	0.0	51.1	0.0	0.0	45.9	59.5	60.3	0.0	60.3
4-11-05	0.0	51.1	0.0	0.0	45.9	59.5	60.3	0.0	60.3
1-12-05	0.0	51.1	0.0	0.0	45.3	59.5	60.2	0.0	60.2
2-12-05	0.0	51.1	0.0	0.0	45.3	59.5	60.2	0.0	60.2
3-12-05	0.0	51.1	0.0	0.0	45.3	59.5	60.2	0.0	60.2
4-12-05	0.0	51.1	0.0	0.0	45.3	59.5	60.2	0.0	60.2
1-01-06	0.0	51.1	0.0	0.0	45.3	59.5	60.2	0.0	60.2
2-01-06	0.0	51.1	0.0	0.0	45.3	49.1	53.9	0.0	53.9
3-01-06	0.0	51.1	0.0	0.0	47.1	49.1	54.2	0.0	54.2
4-01-06	0.0	51.1	0.0	0.0	47.1	49.1	54.2	0.0	54.2
1-02-06	0.0	51.1	0.0	0.0	42.3	49.1	53.5	0.0	53.5
1-03-06	0.0	51.1	0.0	0.0	42.3	49.1	53.5	0.0	53.5
1-04-06	0.0	51.1	0.0	0.0	42.3	49.1	53.5	0.0	53.5
1-05-06	0.0	51.1	0.0	0.0	57.7	49.1	59.0	0.0	59.0
1-06-06	0.0	51.1	0.0	0.0	0.0	50.5	53.8	0.0	53.8
1-07-06	0.0	51.1	0.0	0.0	0.0	51.8	54.5	0.0	54.5
1-08-06	0.0	51.1	0.0	0.0	0.0	51.6	54.3	0.0	54.3
1-09-06	0.0	51.1	0.0	0.0	0.0	51.6	54.3	0.0	54.3
1-10-06	0.0	51.1	0.0	0.0	0.0	51.6	54.3	0.0	54.3
1-11-06	0.0	51.1	0.0	0.0	0.0	50.5	53.8	0.0	53.8
1-12-06	0.0	51.1	0.0	0.0	0.0	50.5	53.8	0.0	53.8
1-01-07	0.0	51.1	0.0	0.0	0.0	50.5	53.8	0.0	53.8
1-02-07	0.0	0.0	0.0	0.0	0.0	60.6	60.6	0.0	60.6
1-03-07	0.0	0.0	0.0	0.0	0.0	49.1	49.1	0.0	49.1
1-04-07	0.0	0.0	0.0	0.0	0.0	49.1	49.1	0.0	49.1
1-05-07	0.0	0.0	0.0	0.0	0.0	49.1	49.1	0.0	49.1
1-06-07	0.0	0.0	0.0	0.0	0.0	49.1	49.1	0.0	49.1
1-07-07	0.0	0.0	0.0	0.0	0.0	49.1	49.1	0.0	49.1
1-08-07	0.0	0.0	0.0	0.0	0.0	49.1	49.1	0.0	49.1
1-09-07	0.0	0.0	0.0	0.0	0.0	49.1	49.1	0.0	49.1
1-10-07	0.0	0.0	0.0	0.0	0.0	49.1	49.1	0.0	49.1

Calculation of Construction Noise Levels for "REHC1"

Job Title: Yau Tong Bay Reclamation
 Job No.: 21253
 Date: 28/11/2000

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Reclamation	Demolition	TOTAL
2/01/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/02/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/03/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/04/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/04/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/04/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/04/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/05/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/06/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/07/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/07/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/07/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/07/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/08/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/08/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/08/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/08/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/09/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/09/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/09/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/09/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/10/04	0.0	62.7	60.1	0.0	0.0	63.8	67.2	0.0	67.2
2/10/04	0.0	60.4	60.1	0.0	0.0	63.8	66.5	0.0	66.5
3/10/04	0.0	54.9	55.3	0.0	0.0	63.8	64.8	0.0	64.8
4/10/04	0.0	54.9	55.3	0.0	0.0	63.8	64.8	0.0	64.8
1/11/04	0.0	54.9	55.3	0.0	0.0	63.8	64.8	0.0	64.8
2/11/04	0.0	54.9	55.3	0.0	0.0	63.8	64.8	0.0	64.8
3/11/04	0.0	54.9	55.3	0.0	0.0	63.8	64.8	0.0	64.8
4/11/04	0.0	54.9	55.3	0.0	0.0	63.8	64.8	0.0	64.8
1/12/04	0.0	54.9	55.3	0.0	0.0	63.8	64.8	0.0	64.8
1/01/05	0.0	54.9	70.7	0.0	0.0	63.8	71.6	0.0	71.6
1/02/05	0.0	54.9	0.0	0.0	0.0	63.8	64.3	0.0	64.3
2/02/05	0.0	54.9	0.0	0.0	0.0	63.8	64.3	0.0	64.3
3/02/05	0.0	54.9	0.0	51.6	0.0	63.8	64.5	0.0	64.5
4/02/05	0.0	54.9	0.0	51.6	0.0	63.8	64.5	0.0	64.5
1/03/05	0.0	54.9	0.0	55.2	0.0	63.8	64.8	0.0	64.8
1/04/05	0.0	54.9	0.0	54.7	0.0	63.8	64.7	0.0	64.7
1/05/05	0.0	54.9	0.0	56.4	0.0	63.8	64.9	0.0	64.9
1/06/05	0.0	54.9	0.0	51.6	0.0	63.8	64.5	0.0	64.5
1/07/05	0.0	54.9	0.0	51.6	0.0	63.8	64.5	67.9	69.5
1/08/05	0.0	54.9	0.0	51.6	0.0	63.8	64.5	67.9	69.5
2/08/05	0.0	54.9	0.0	51.6	0.0	63.8	64.5	67.9	69.5
3/08/05	0.0	54.9	0.0	67.0	0.0	63.8	68.9	67.9	71.4
4/08/05	0.0	54.9	0.0	67.0	0.0	63.8	68.9	67.9	71.4
1/09/05	0.0	54.9	0.0	67.0	0.0	63.8	68.9	0.0	68.9
1/10/05	0.0	54.9	0.0	0.0	0.0	63.8	64.3	0.0	64.3
2/10/05	0.0	54.9	0.0	0.0	0.0	63.8	64.3	0.0	64.3
3/10/05	0.0	54.9	0.0	0.0	0.0	63.8	64.3	0.0	64.3
4/10/05	0.0	54.9	0.0	0.0	0.0	63.8	64.3	0.0	64.3
1/11/05	0.0	54.9	0.0	0.0	48.4	63.8	64.4	0.0	64.4
2/11/05	0.0	54.9	0.0	0.0	52.0	63.8	64.5	0.0	64.5
3/11/05	0.0	54.9	0.0	0.0	52.0	63.8	64.5	0.0	64.5
4/11/05	0.0	54.9	0.0	0.0	52.0	63.8	64.5	0.0	64.5
1/12/05	0.0	54.9	0.0	0.0	51.4	63.8	64.5	0.0	64.5
2/12/05	0.0	54.9	0.0	0.0	51.4	63.8	64.5	0.0	64.5
3/12/05	0.0	54.9	0.0	0.0	51.4	63.8	64.5	0.0	64.5
4/12/05	0.0	54.9	0.0	0.0	51.4	63.8	64.5	0.0	64.5
1/01/06	0.0	54.9	0.0	0.0	51.4	63.8	64.5	0.0	64.5
2/01/06	0.0	54.9	0.0	0.0	51.4	53.3	58.2	0.0	58.2
3/01/06	0.0	54.9	0.0	0.0	53.2	53.3	58.6	0.0	58.6
4/01/06	0.0	54.9	0.0	0.0	53.2	53.3	58.6	0.0	58.6
1/02/06	0.0	54.9	0.0	0.0	48.4	53.3	57.7	0.0	57.7
1/03/06	0.0	54.9	0.0	0.0	48.4	53.3	57.7	0.0	57.7
1/04/06	0.0	54.9	0.0	0.0	48.4	53.3	57.7	0.0	57.7
1/05/06	0.0	54.9	0.0	0.0	63.8	53.3	64.7	0.0	64.7
1/06/06	0.0	54.9	0.0	0.0	0.0	54.8	57.8	0.0	57.8
1/07/06	0.0	54.9	0.0	0.0	0.0	56.1	58.5	0.0	58.5
1/08/06	0.0	54.9	0.0	0.0	0.0	55.8	58.4	0.0	58.4
1/09/06	0.0	54.9	0.0	0.0	0.0	55.8	58.4	0.0	58.4
1/10/06	0.0	54.9	0.0	0.0	0.0	55.8	58.4	0.0	58.4
1/11/06	0.0	54.9	0.0	0.0	0.0	54.8	57.8	0.0	57.8
1/12/06	0.0	54.9	0.0	0.0	0.0	54.8	57.8	0.0	57.8
1/01/07	0.0	54.9	0.0	0.0	0.0	54.8	57.8	0.0	57.8
1/02/07	0.0	0.0	0.0	0.0	0.0	64.9	64.9	0.0	64.9
1/03/07	0.0	0.0	0.0	0.0	0.0	53.3	53.3	0.0	53.3
1/04/07	0.0	0.0	0.0	0.0	0.0	53.3	53.3	0.0	53.3
1/05/07	0.0	0.0	0.0	0.0	0.0	53.3	53.3	0.0	53.3
1/06/07	0.0	0.0	0.0	0.0	0.0	53.3	53.3	0.0	53.3
1/07/07	0.0	0.0	0.0	0.0	0.0	53.3	53.3	0.0	53.3
1/08/07	0.0	0.0	0.0	0.0	0.0	53.3	53.3	0.0	53.3
1/09/07	0.0	0.0	0.0	0.0	0.0	53.3	53.3	0.0	53.3
1/10/07	0.0	0.0	0.0	0.0	0.0	53.3	53.3	0.0	53.3

Calculation of Construction Noise Levels for "REHC2"

Job Title.: Yau Tong Bay Reclamation
 Job No.: 21253
 Date: 28/11/2000

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Reclamation	Demolition	TOTAL
2/01/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/02/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/03/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/04/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/04/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/04/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/04/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/05/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/06/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/07/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/07/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/07/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/07/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/08/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/08/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/08/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/08/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/09/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/09/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/09/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/09/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/10/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/10/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/10/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/10/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/11/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/11/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/11/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/11/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/12/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/01/05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/02/05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/02/05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/02/05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/02/05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/03/05	0.0	57.5	0.0	58.6	0.0	67.1	68.1	0.0	68.1
1/04/05	0.0	57.5	0.0	58.1	0.0	67.1	68.0	0.0	68.0
1/05/05	0.0	57.5	0.0	59.8	0.0	67.1	68.2	0.0	68.2
1/06/05	0.0	57.5	0.0	55.1	0.0	67.1	67.8	0.0	67.8
1/07/05	0.0	57.5	0.0	55.1	0.0	67.1	67.8	72.4	73.7
1/08/05	0.0	57.5	0.0	55.1	0.0	67.1	67.8	72.4	73.7
2/08/05	0.0	57.5	0.0	55.1	0.0	67.1	67.8	72.4	73.7
3/08/05	0.0	57.5	0.0	70.5	0.0	67.1	72.3	72.4	75.3
4/08/05	0.0	57.5	0.0	70.5	0.0	67.1	72.3	72.4	75.3
1/09/05	0.0	57.5	0.0	70.5	0.0	67.1	72.3	0.0	72.3
1/10/05	0.0	57.5	0.0	0.0	0.0	67.1	67.6	0.0	67.6
2/10/05	0.0	57.5	0.0	0.0	0.0	67.1	67.6	0.0	67.6
3/10/05	0.0	57.5	0.0	0.0	0.0	67.1	67.6	0.0	67.6
4/10/05	0.0	57.5	0.0	0.0	0.0	67.1	67.6	0.0	67.6
1/11/05	0.0	57.5	0.0	0.0	51.3	67.1	67.7	0.0	67.7
2/11/05	0.0	57.5	0.0	0.0	54.9	67.1	67.8	0.0	67.8
3/11/05	0.0	57.5	0.0	0.0	54.9	67.1	67.8	0.0	67.8
4/11/05	0.0	57.5	0.0	0.0	54.9	67.1	67.8	0.0	67.8
1/12/05	0.0	57.5	0.0	0.0	54.3	67.1	67.8	0.0	67.8
2/12/05	0.0	57.5	0.0	0.0	54.3	67.1	67.8	0.0	67.8
3/12/05	0.0	57.5	0.0	0.0	54.3	67.1	67.8	0.0	67.8
4/12/05	0.0	57.5	0.0	0.0	54.3	67.1	67.8	0.0	67.8
1/01/06	0.0	57.5	0.0	0.0	54.3	67.1	67.8	0.0	67.8
2/01/06	0.0	57.5	0.0	0.0	54.3	56.7	61.1	0.0	61.1
3/01/06	0.0	57.5	0.0	0.0	56.1	56.7	61.5	0.0	61.5
4/01/06	0.0	57.5	0.0	0.0	56.1	56.7	61.5	0.0	61.5
1/02/06	0.0	57.5	0.0	0.0	51.3	56.7	60.6	0.0	60.6
1/03/06	0.0	57.5	0.0	0.0	51.3	56.7	60.6	0.0	60.6
1/04/06	0.0	57.5	0.0	0.0	51.3	56.7	60.6	0.0	60.6
1/05/06	0.0	57.5	0.0	0.0	66.7	56.7	67.5	0.0	67.5
1/06/06	0.0	57.5	0.0	0.0	0.0	58.1	60.8	0.0	60.8
1/07/06	0.0	57.5	0.0	0.0	0.0	59.4	61.5	0.0	61.5
1/08/06	0.0	57.5	0.0	0.0	0.0	59.2	61.4	0.0	61.4
1/09/06	0.0	57.5	0.0	0.0	0.0	59.2	61.4	0.0	61.4
1/10/06	0.0	57.5	0.0	0.0	0.0	59.2	61.4	0.0	61.4
1/11/06	0.0	57.5	0.0	0.0	0.0	58.1	60.8	0.0	60.8
1/12/06	0.0	57.5	0.0	0.0	0.0	58.1	60.8	0.0	60.8
1/01/07	0.0	57.5	0.0	0.0	0.0	58.1	60.8	0.0	60.8
1/02/07	0.0	0.0	0.0	0.0	0.0	68.2	68.2	0.0	68.2
1/03/07	0.0	0.0	0.0	0.0	0.0	56.7	56.7	0.0	56.7
1/04/07	0.0	0.0	0.0	0.0	0.0	56.7	56.7	0.0	56.7
1/05/07	0.0	0.0	0.0	0.0	0.0	56.7	56.7	0.0	56.7
1/06/07	0.0	0.0	0.0	0.0	0.0	56.7	56.7	0.0	56.7
1/07/07	0.0	0.0	0.0	0.0	0.0	56.7	56.7	0.0	56.7
1/08/07	0.0	0.0	0.0	0.0	0.0	56.7	56.7	0.0	56.7
1/09/07	0.0	0.0	0.0	0.0	0.0	56.7	56.7	0.0	56.7
1/10/07	0.0	0.0	0.0	0.0	0.0	56.7	56.7	0.0	56.7

Calculation of Construction Noise Levels for "RSCH1"

Job Title.: Yau Tong Bay Reclamation
 Job No.: 21253
 Date: 30-11-00

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Reclamation	Demolition	TOTAL
2-01-04	49.0	54.2	0.0	0.0	0.0	0.0	55.3	0.0	55.3
1-02-04	49.0	54.2	0.0	0.0	0.0	0.0	55.3	0.0	55.3
1-03-04	56.2	54.2	0.0	0.0	0.0	0.0	58.3	0.0	58.3
1-04-04	58.3	54.2	0.0	0.0	0.0	0.0	59.7	0.0	59.7
2-04-04	58.3	54.2	0.0	0.0	0.0	0.0	59.7	0.0	59.7
3-04-04	55.2	54.2	0.0	0.0	0.0	52.0	58.8	0.0	58.8
4-04-04	55.2	54.2	0.0	0.0	0.0	52.0	58.8	0.0	58.8
1-05-04	55.2	54.2	0.0	0.0	0.0	52.0	58.8	0.0	58.8
1-06-04	55.2	55.4	0.0	0.0	0.0	52.0	59.2	0.0	59.2
1-07-04	55.2	55.4	0.0	0.0	0.0	52.0	59.2	0.0	59.2
2-07-04	0.0	54.8	55.1	0.0	0.0	52.0	58.9	0.0	58.9
3-07-04	0.0	54.8	55.1	0.0	0.0	62.4	63.7	0.0	63.7
4-07-04	0.0	55.4	58.6	0.0	0.0	62.4	64.5	0.0	64.5
1-08-04	0.0	55.4	58.6	0.0	0.0	62.4	64.5	0.0	64.5
2-08-04	0.0	55.4	58.6	0.0	0.0	62.4	64.5	0.0	64.5
3-08-04	0.0	54.8	58.6	0.0	0.0	62.4	64.4	0.0	64.4
4-08-04	0.0	54.8	58.1	0.0	0.0	62.4	64.3	0.0	64.3
1-09-04	0.0	54.8	58.1	0.0	0.0	62.4	64.3	0.0	64.3
2-09-04	0.0	54.8	58.1	0.0	0.0	62.4	64.3	0.0	64.3
3-09-04	0.0	54.8	58.1	0.0	0.0	62.4	64.3	0.0	64.3
4-09-04	0.0	54.8	59.9	0.0	0.0	62.4	64.8	0.0	64.8
1-10-04	0.0	62.1	59.9	0.0	0.0	62.4	66.4	0.0	66.4
2-10-04	0.0	59.7	59.9	0.0	0.0	62.4	65.6	0.0	65.6
3-10-04	0.0	54.2	55.1	0.0	0.0	62.4	63.7	0.0	63.7
4-10-04	0.0	54.2	55.1	0.0	0.0	62.4	63.7	0.0	63.7
1-11-04	0.0	54.2	55.1	0.0	0.0	62.4	63.7	0.0	63.7
2-11-04	0.0	54.2	55.1	0.0	0.0	62.4	63.7	0.0	63.7
3-11-04	0.0	54.2	55.1	0.0	0.0	62.4	63.7	0.0	63.7
4-11-04	0.0	54.2	55.1	0.0	0.0	62.4	63.7	0.0	63.7
1-12-04	0.0	54.2	55.1	0.0	0.0	62.4	63.7	0.0	63.7
1-01-05	0.0	54.2	70.5	0.0	0.0	62.4	71.2	0.0	71.2
1-02-05	0.0	54.2	0.0	0.0	0.0	62.4	63.0	0.0	63.0
2-02-05	0.0	54.2	0.0	0.0	0.0	62.4	63.0	0.0	63.0
3-02-05	0.0	54.2	0.0	51.1	0.0	62.4	63.3	0.0	63.3
4-02-05	0.0	54.2	0.0	51.1	0.0	62.4	63.3	0.0	63.3
1-03-05	0.0	54.2	0.0	54.6	0.0	62.4	63.6	0.0	63.6
1-04-05	0.0	54.2	0.0	54.1	0.0	62.4	63.5	0.0	63.5
1-05-05	0.0	54.2	0.0	55.8	0.0	62.4	63.8	0.0	63.8
1-06-05	0.0	54.2	0.0	51.1	0.0	62.4	63.3	0.0	63.3
1-07-05	0.0	54.2	0.0	51.1	0.0	62.4	63.3	69.2	70.2
1-08-05	0.0	54.2	0.0	51.1	0.0	62.4	63.3	69.2	70.2
2-08-05	0.0	54.2	0.0	51.1	0.0	62.4	63.3	69.2	70.2
3-08-05	0.0	54.2	0.0	66.5	0.0	62.4	68.1	69.2	71.7
4-08-05	0.0	54.2	0.0	66.5	0.0	62.4	68.1	69.2	71.7
1-09-05	0.0	54.2	0.0	66.5	0.0	62.4	68.1	0.0	68.1
1-10-05	0.0	54.2	0.0	0.0	0.0	62.4	63.0	0.0	63.0
2-10-05	0.0	54.2	0.0	0.0	0.0	62.4	63.0	0.0	63.0
3-10-05	0.0	54.2	0.0	0.0	0.0	62.4	63.0	0.0	63.0
4-10-05	0.0	54.2	0.0	0.0	0.0	62.4	63.0	0.0	63.0
1-11-05	0.0	54.2	0.0	0.0	47.8	62.4	63.1	0.0	63.1
2-11-05	0.0	54.2	0.0	0.0	51.3	62.4	63.3	0.0	63.3
3-11-05	0.0	54.2	0.0	0.0	51.3	62.4	63.3	0.0	63.3
4-11-05	0.0	54.2	0.0	0.0	51.3	62.4	63.3	0.0	63.3
1-12-05	0.0	54.2	0.0	0.0	50.8	62.4	63.3	0.0	63.3
2-12-05	0.0	54.2	0.0	0.0	50.8	62.4	63.3	0.0	63.3
3-12-05	0.0	54.2	0.0	0.0	50.8	62.4	63.3	0.0	63.3
4-12-05	0.0	54.2	0.0	0.0	50.8	62.4	63.3	0.0	63.3
1-01-06	0.0	54.2	0.0	0.0	50.8	62.4	63.3	0.0	63.3
2-01-06	0.0	54.2	0.0	0.0	50.8	52.0	57.3	0.0	57.3
3-01-06	0.0	54.2	0.0	0.0	52.5	52.0	57.8	0.0	57.8
4-01-06	0.0	54.2	0.0	0.0	52.5	52.0	57.8	0.0	57.8
1-02-06	0.0	54.2	0.0	0.0	47.8	52.0	56.8	0.0	56.8
1-03-06	0.0	54.2	0.0	0.0	47.8	52.0	56.8	0.0	56.8
1-04-06	0.0	54.2	0.0	0.0	47.8	52.0	56.8	0.0	56.8
1-05-06	0.0	54.2	0.0	0.0	63.2	52.0	64.0	0.0	64.0
1-06-06	0.0	54.2	0.0	0.0	0.0	53.4	56.8	0.0	56.8
1-07-06	0.0	54.2	0.0	0.0	0.0	54.7	57.5	0.0	57.5
1-08-06	0.0	54.2	0.0	0.0	0.0	54.5	57.3	0.0	57.3
1-09-06	0.0	54.2	0.0	0.0	0.0	54.5	57.3	0.0	57.3
1-10-06	0.0	54.2	0.0	0.0	0.0	54.5	57.3	0.0	57.3
1-11-06	0.0	54.2	0.0	0.0	0.0	53.4	56.8	0.0	56.8
1-12-06	0.0	54.2	0.0	0.0	0.0	53.4	56.8	0.0	56.8
1-01-07	0.0	54.2	0.0	0.0	0.0	53.4	56.8	0.0	56.8
1-02-07	0.0	0.0	0.0	0.0	0.0	63.5	63.5	0.0	63.5
1-03-07	0.0	0.0	0.0	0.0	0.0	52.0	52.0	0.0	52.0
1-04-07	0.0	0.0	0.0	0.0	0.0	52.0	52.0	0.0	52.0
1-05-07	0.0	0.0	0.0	0.0	0.0	52.0	52.0	0.0	52.0
1-06-07	0.0	0.0	0.0	0.0	0.0	52.0	52.0	0.0	52.0
1-07-07	0.0	0.0	0.0	0.0	0.0	52.0	52.0	0.0	52.0
1-08-07	0.0	0.0	0.0	0.0	0.0	52.0	52.0	0.0	52.0
1-09-07	0.0	0.0	0.0	0.0	0.0	52.0	52.0	0.0	52.0
1-10-07	0.0	0.0	0.0	0.0	0.0	52.0	52.0	0.0	52.0

Calculation of Construction Noise Levels for "RSCH2"

Job Title: Yau Tong Bay Reclamation
 Job No.: 21253
 Date: 30-11-00

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Reclamation	Demolition	TOTAL
2-01-04	49.4	54.5	0.0	0.0	0.0	0.0	55.7	0.0	55.7
1-02-04	49.4	54.5	0.0	0.0	0.0	0.0	55.7	0.0	55.7
1-03-04	56.6	54.5	0.0	0.0	0.0	0.0	58.7	0.0	58.7
1-04-04	58.6	54.5	0.0	0.0	0.0	0.0	60.0	0.0	60.0
2-04-04	58.6	54.5	0.0	0.0	0.0	0.0	60.0	0.0	60.0
3-04-04	55.6	54.5	0.0	0.0	0.0	51.2	58.9	0.0	58.9
4-04-04	55.6	54.5	0.0	0.0	0.0	51.2	58.9	0.0	58.9
1-05-04	55.6	54.5	0.0	0.0	0.0	51.2	58.9	0.0	58.9
1-06-04	55.6	55.8	0.0	0.0	0.0	51.2	59.4	0.0	59.4
1-07-04	55.6	55.8	0.0	0.0	0.0	51.2	59.4	0.0	59.4
2-07-04	0.0	55.1	57.3	0.0	0.0	51.2	60.0	0.0	60.0
3-07-04	0.0	55.1	57.3	0.0	0.0	61.7	63.7	0.0	63.7
4-07-04	0.0	55.8	60.8	0.0	0.0	61.7	64.8	0.0	64.8
1-08-04	0.0	55.8	60.8	0.0	0.0	61.7	64.8	0.0	64.8
2-08-04	0.0	55.8	60.8	0.0	0.0	61.7	64.8	0.0	64.8
3-08-04	0.0	55.1	60.8	0.0	0.0	61.7	64.8	0.0	64.8
4-08-04	0.0	55.1	60.3	0.0	0.0	61.7	64.6	0.0	64.6
1-09-04	0.0	55.1	60.3	0.0	0.0	61.7	64.6	0.0	64.6
2-09-04	0.0	55.1	60.3	0.0	0.0	61.7	64.6	0.0	64.6
3-09-04	0.0	55.1	60.3	0.0	0.0	61.7	64.6	0.0	64.6
4-09-04	0.0	55.1	62.0	0.0	0.0	61.7	65.3	0.0	65.3
1-10-04	0.0	62.4	62.0	0.0	0.0	61.7	66.8	0.0	66.8
2-10-04	0.0	60.1	62.0	0.0	0.0	61.7	66.1	0.0	66.1
3-10-04	0.0	54.5	57.3	0.0	0.0	61.7	63.6	0.0	63.6
4-10-04	0.0	54.5	57.3	0.0	0.0	61.7	63.6	0.0	63.6
1-11-04	0.0	54.5	57.3	0.0	0.0	61.7	63.6	0.0	63.6
2-11-04	0.0	54.5	57.3	0.0	0.0	61.7	63.6	0.0	63.6
3-11-04	0.0	54.5	57.3	0.0	0.0	61.7	63.6	0.0	63.6
4-11-04	0.0	54.5	57.3	0.0	0.0	61.7	63.6	0.0	63.6
1-12-04	0.0	54.5	57.3	0.0	0.0	61.7	63.6	0.0	63.6
1-01-05	0.0	54.5	72.6	0.0	0.0	61.7	73.0	0.0	73.0
1-02-05	0.0	54.5	0.0	0.0	0.0	61.7	62.4	0.0	62.4
2-02-05	0.0	54.5	0.0	0.0	0.0	61.7	62.4	0.0	62.4
3-02-05	0.0	54.5	0.0	51.7	0.0	61.7	62.8	0.0	62.8
4-02-05	0.0	54.5	0.0	51.7	0.0	61.7	62.8	0.0	62.8
1-03-05	0.0	54.5	0.0	55.2	0.0	61.7	63.2	0.0	63.2
1-04-05	0.0	54.5	0.0	54.7	0.0	61.7	63.1	0.0	63.1
1-05-05	0.0	54.5	0.0	56.5	0.0	61.7	63.4	0.0	63.4
1-06-05	0.0	54.5	0.0	51.7	0.0	61.7	62.8	0.0	62.8
1-07-05	0.0	54.5	0.0	51.7	0.0	61.7	62.8	72.0	72.5
1-08-05	0.0	54.5	0.0	51.7	0.0	61.7	62.8	72.0	72.5
2-08-05	0.0	54.5	0.0	51.7	0.0	61.7	62.8	72.0	72.5
3-08-05	0.0	54.5	0.0	67.1	0.0	61.7	68.4	72.0	73.6
4-08-05	0.0	54.5	0.0	67.1	0.0	61.7	68.4	72.0	73.6
1-09-05	0.0	54.5	0.0	67.1	0.0	61.7	68.4	0.0	68.4
1-10-05	0.0	54.5	0.0	0.0	0.0	61.7	62.4	0.0	62.4
2-10-05	0.0	54.5	0.0	0.0	0.0	61.7	62.4	0.0	62.4
3-10-05	0.0	54.5	0.0	0.0	0.0	61.7	62.4	0.0	62.4
4-10-05	0.0	54.5	0.0	0.0	0.0	61.7	62.4	0.0	62.4
1-11-05	0.0	54.5	0.0	0.0	48.4	61.7	62.6	0.0	62.6
2-11-05	0.0	54.5	0.0	0.0	51.9	61.7	62.8	0.0	62.8
3-11-05	0.0	54.5	0.0	0.0	51.9	61.7	62.8	0.0	62.8
4-11-05	0.0	54.5	0.0	0.0	51.9	61.7	62.8	0.0	62.8
1-12-05	0.0	54.5	0.0	0.0	51.4	61.7	62.8	0.0	62.8
2-12-05	0.0	54.5	0.0	0.0	51.4	61.7	62.8	0.0	62.8
3-12-05	0.0	54.5	0.0	0.0	51.4	61.7	62.8	0.0	62.8
4-12-05	0.0	54.5	0.0	0.0	51.4	61.7	62.8	0.0	62.8
1-01-06	0.0	54.5	0.0	0.0	51.4	61.7	62.8	0.0	62.8
2-01-06	0.0	54.5	0.0	0.0	51.4	51.2	57.4	0.0	57.4
3-01-06	0.0	54.5	0.0	0.0	53.1	51.2	57.9	0.0	57.9
4-01-06	0.0	54.5	0.0	0.0	53.1	51.2	57.9	0.0	57.9
1-02-06	0.0	54.5	0.0	0.0	48.4	51.2	56.9	0.0	56.9
1-03-06	0.0	54.5	0.0	0.0	48.4	51.2	56.9	0.0	56.9
1-04-06	0.0	54.5	0.0	0.0	48.4	51.2	56.9	0.0	56.9
1-05-06	0.0	54.5	0.0	0.0	63.7	51.2	64.4	0.0	64.4
1-06-06	0.0	54.5	0.0	0.0	0.0	52.6	56.7	0.0	56.7
1-07-06	0.0	54.5	0.0	0.0	0.0	54.0	57.3	0.0	57.3
1-08-06	0.0	54.5	0.0	0.0	0.0	53.7	57.1	0.0	57.1
1-09-06	0.0	54.5	0.0	0.0	0.0	53.7	57.1	0.0	57.1
1-10-06	0.0	54.5	0.0	0.0	0.0	53.7	57.1	0.0	57.1
1-11-06	0.0	54.5	0.0	0.0	0.0	52.6	56.7	0.0	56.7
1-12-06	0.0	54.5	0.0	0.0	0.0	52.6	56.7	0.0	56.7
1-01-07	0.0	54.5	0.0	0.0	0.0	52.6	56.7	0.0	56.7
1-02-07	0.0	0.0	0.0	0.0	0.0	62.8	62.8	0.0	62.8
1-03-07	0.0	0.0	0.0	0.0	0.0	51.2	51.2	0.0	51.2
1-04-07	0.0	0.0	0.0	0.0	0.0	51.2	51.2	0.0	51.2
1-05-07	0.0	0.0	0.0	0.0	0.0	51.2	51.2	0.0	51.2
1-06-07	0.0	0.0	0.0	0.0	0.0	51.2	51.2	0.0	51.2
1-07-07	0.0	0.0	0.0	0.0	0.0	51.2	51.2	0.0	51.2
1-08-07	0.0	0.0	0.0	0.0	0.0	51.2	51.2	0.0	51.2
1-09-07	0.0	0.0	0.0	0.0	0.0	51.2	51.2	0.0	51.2
1-10-07	0.0	0.0	0.0	0.0	0.0	51.2	51.2	0.0	51.2

Calculation of Construction Noise Levels for "RSCH3" (unmitigated)

Job Title: Yau Tong Bay Reclamation
 Job No.: 21253
 Date: 28-11-00

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Reclamation	Demolition	TOTAL
2-01-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-02-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-03-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-04-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2-04-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3-04-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4-04-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-05-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-06-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-07-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2-07-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3-07-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4-07-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-08-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2-08-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3-08-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4-08-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-09-04	0.0	54.0	60.0	0.0	0.0	63.6	65.5	0.0	65.5
2-09-04	0.0	54.0	60.0	0.0	0.0	63.6	65.5	0.0	65.5
3-09-04	0.0	54.0	60.0	0.0	0.0	63.6	65.5	0.0	65.5
4-09-04	0.0	54.0	61.7	0.0	0.0	63.6	66.1	0.0	66.1
1-10-04	0.0	61.2	61.7	0.0	0.0	63.6	67.1	0.0	67.1
2-10-04	0.0	58.9	61.7	0.0	0.0	63.6	66.6	0.0	66.6
3-10-04	0.0	53.4	57.0	0.0	0.0	63.6	64.8	0.0	64.8
4-10-04	0.0	53.4	57.0	0.0	0.0	63.6	64.8	0.0	64.8
1-11-04	0.0	53.4	57.0	0.0	0.0	63.6	64.8	0.0	64.8
2-11-04	0.0	53.4	57.0	0.0	0.0	63.6	64.8	0.0	64.8
3-11-04	0.0	53.4	57.0	0.0	0.0	63.6	64.8	0.0	64.8
4-11-04	0.0	53.4	57.0	0.0	0.0	63.6	64.8	0.0	64.8
1-12-04	0.0	53.4	57.0	0.0	0.0	63.6	64.8	0.0	64.8
1-01-05	0.0	53.4	72.3	0.0	0.0	63.6	72.9	0.0	72.9
1-02-05	0.0	53.4	0.0	0.0	0.0	63.6	64.0	0.0	64.0
2-02-05	0.0	53.4	0.0	0.0	0.0	63.6	64.0	0.0	64.0
3-02-05	0.0	53.4	0.0	53.9	0.0	63.6	64.4	0.0	64.4
4-02-05	0.0	53.4	0.0	53.9	0.0	63.6	64.4	0.0	64.4
1-03-05	0.0	53.4	0.0	57.5	0.0	63.6	64.9	0.0	64.9
1-04-05	0.0	53.4	0.0	57.0	0.0	63.6	64.8	0.0	64.8
1-05-05	0.0	53.4	0.0	58.7	0.0	63.6	65.1	0.0	65.1
1-06-05	0.0	53.4	0.0	53.9	0.0	63.6	64.4	0.0	64.4
1-07-05	0.0	58.4	0.0	58.9	0.0	68.6	69.4	75.8	76.7
1-08-05	0.0	58.4	0.0	58.9	0.0	68.6	69.4	75.8	76.7
2-08-05	0.0	58.4	0.0	58.9	0.0	68.6	69.4	75.8	76.7
3-08-05	0.0	58.4	0.0	74.3	0.0	68.6	75.4	75.8	78.6
4-08-05	0.0	58.4	0.0	74.3	0.0	68.6	75.4	75.8	78.6
1-09-05	0.0	58.4	0.0	74.3	0.0	68.6	75.4	0.0	75.4
1-10-05	0.0	58.4	0.0	0.0	0.0	68.6	69.0	0.0	69.0
2-10-05	0.0	58.4	0.0	0.0	0.0	68.6	69.0	0.0	69.0
3-10-05	0.0	58.4	0.0	0.0	0.0	68.6	69.0	0.0	69.0
4-10-05	0.0	58.4	0.0	0.0	0.0	68.6	69.0	0.0	69.0
1-11-05	0.0	58.4	0.0	0.0	53.0	68.6	69.1	0.0	69.1
2-11-05	0.0	58.4	0.0	0.0	56.5	68.6	69.2	0.0	69.2
3-11-05	0.0	58.4	0.0	0.0	56.5	68.6	69.2	0.0	69.2
4-11-05	0.0	58.4	0.0	0.0	56.5	68.6	69.2	0.0	69.2
1-12-05	0.0	58.4	0.0	0.0	56.0	68.6	69.2	0.0	69.2
2-12-05	0.0	58.4	0.0	0.0	56.0	68.6	69.2	0.0	69.2
3-12-05	0.0	58.4	0.0	0.0	56.0	68.6	69.2	0.0	69.2
4-12-05	0.0	58.4	0.0	0.0	56.0	68.6	69.2	0.0	69.2
1-01-06	0.0	58.4	0.0	0.0	56.0	68.6	69.2	0.0	69.2
2-01-06	0.0	58.4	0.0	0.0	56.0	58.2	62.4	0.0	62.4
3-01-06	0.0	58.4	0.0	0.0	57.7	58.2	62.9	0.0	62.9
4-01-06	0.0	58.4	0.0	0.0	57.7	58.2	62.9	0.0	62.9
1-02-06	0.0	58.4	0.0	0.0	53.0	58.2	61.9	0.0	61.9
1-03-06	0.0	58.4	0.0	0.0	53.0	58.2	61.9	0.0	61.9
1-04-06	0.0	58.4	0.0	0.0	53.0	58.2	61.9	0.0	61.9
1-05-06	0.0	58.4	0.0	0.0	68.3	58.2	69.1	0.0	69.1
1-06-06	0.0	58.4	0.0	0.0	0.0	59.6	62.0	0.0	62.0
1-07-06	0.0	58.4	0.0	0.0	0.0	60.9	62.8	0.0	62.8
1-08-06	0.0	58.4	0.0	0.0	0.0	60.7	62.7	0.0	62.7
1-09-06	0.0	58.4	0.0	0.0	0.0	60.7	62.7	0.0	62.7
1-10-06	0.0	58.4	0.0	0.0	0.0	60.7	62.7	0.0	62.7
1-11-06	0.0	58.4	0.0	0.0	0.0	59.6	62.0	0.0	62.0
1-12-06	0.0	58.4	0.0	0.0	0.0	59.6	62.0	0.0	62.0
1-01-07	0.0	58.4	0.0	0.0	0.0	59.6	62.0	0.0	62.0
1-02-07	0.0	0.0	0.0	0.0	0.0	69.7	69.7	0.0	69.7
1-03-07	0.0	0.0	0.0	0.0	0.0	58.2	58.2	0.0	58.2
1-04-07	0.0	0.0	0.0	0.0	0.0	58.2	58.2	0.0	58.2
1-05-07	0.0	0.0	0.0	0.0	0.0	58.2	58.2	0.0	58.2
1-06-07	0.0	0.0	0.0	0.0	0.0	58.2	58.2	0.0	58.2
1-07-07	0.0	0.0	0.0	0.0	0.0	58.2	58.2	0.0	58.2
1-08-07	0.0	0.0	0.0	0.0	0.0	58.2	58.2	0.0	58.2
1-09-07	0.0	0.0	0.0	0.0	0.0	58.2	58.2	0.0	58.2
1-10-07	0.0	0.0	0.0	0.0	0.0	58.2	58.2	0.0	58.2