

Calculation of Construction Noise Levels for "RYTE1" (mitigated)

Job Title: Yau Tong Bay Reclamation
 Job No.: 21253
 Date: 30-11-00

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Reclamation	Demolition	TOTAL
2-01-04	41.0	49.3	0.0	0.0	0.0	0.0	49.9	0.0	49.9
1-02-04	41.0	49.3	0.0	0.0	0.0	0.0	49.9	0.0	49.9
1-03-04	55.0	49.3	0.0	0.0	0.0	0.0	56.0	0.0	56.0
1-04-04	57.1	49.3	0.0	0.0	0.0	0.0	57.8	0.0	57.8
2-04-04	57.1	49.3	0.0	0.0	0.0	0.0	57.8	0.0	57.8
3-04-04	53.4	49.3	0.0	0.0	0.0	45.7	55.3	0.0	55.3
4-04-04	53.4	49.3	0.0	0.0	0.0	45.7	55.3	0.0	55.3
1-05-04	53.4	49.3	0.0	0.0	0.0	45.7	55.3	0.0	55.3
1-06-04	53.4	52.5	0.0	0.0	0.0	45.7	56.3	0.0	56.3
1-07-04	53.4	52.5	0.0	0.0	0.0	45.7	56.3	0.0	56.3
2-07-04	0.0	51.0	56.7	0.0	0.0	45.7	58.0	0.0	58.0
3-07-04	0.0	51.0	56.7	0.0	0.0	60.0	62.0	0.0	62.0
4-07-04	0.0	52.5	60.3	0.0	0.0	60.0	63.5	0.0	63.5
1-08-04	0.0	52.5	60.3	0.0	0.0	60.0	63.5	0.0	63.5
2-08-04	0.0	52.5	60.3	0.0	0.0	60.0	63.5	0.0	63.5
3-08-04	0.0	51.0	60.3	0.0	0.0	60.0	63.4	0.0	63.4
4-08-04	0.0	51.0	59.7	0.0	0.0	60.0	63.2	0.0	63.2
1-09-04	0.0	51.0	59.7	0.0	0.0	60.0	63.2	0.0	63.2
2-09-04	0.0	51.0	59.7	0.0	0.0	60.0	63.2	0.0	63.2
3-09-04	0.0	51.0	59.7	0.0	0.0	60.0	63.2	0.0	63.2
4-09-04	0.0	51.0	61.5	0.0	0.0	60.0	64.1	0.0	64.1
1-10-04	0.0	53.7	61.5	0.0	0.0	60.0	64.2	0.0	64.2
2-10-04	0.0	52.0	61.5	0.0	0.0	60.0	64.1	0.0	64.1
3-10-04	0.0	49.3	56.7	0.0	0.0	60.0	61.9	0.0	61.9
4-10-04	0.0	49.3	56.7	0.0	0.0	60.0	61.9	0.0	61.9
1-11-04	0.0	49.3	56.7	0.0	0.0	60.0	61.9	0.0	61.9
2-11-04	0.0	49.3	56.7	0.0	0.0	60.0	61.9	0.0	61.9
3-11-04	0.0	49.3	56.7	0.0	0.0	60.0	61.9	0.0	61.9
4-11-04	0.0	49.3	56.7	0.0	0.0	60.0	61.9	0.0	61.9
1-12-04	0.0	49.3	56.7	0.0	0.0	60.0	61.9	0.0	61.9
1-01-05	0.0	49.3	61.1	0.0	0.0	55.6	62.4	0.0	62.4
1-02-05	0.0	49.3	0.0	0.0	0.0	55.6	56.5	0.0	56.5
2-02-05	0.0	49.3	0.0	0.0	0.0	55.6	56.5	0.0	56.5
3-02-05	0.0	49.3	0.0	51.4	0.0	55.6	57.7	0.0	57.7
4-02-05	0.0	49.3	0.0	51.4	0.0	55.6	57.7	0.0	57.7
1-03-05	0.0	49.3	0.0	54.9	0.0	55.6	58.8	0.0	58.8
1-04-05	0.0	49.3	0.0	54.4	0.0	55.6	58.6	0.0	58.6
1-05-05	0.0	49.3	0.0	56.1	0.0	55.6	59.3	0.0	59.3
1-06-05	0.0	49.3	0.0	51.4	0.0	55.6	57.7	0.0	57.7
1-07-05	0.0	49.3	0.0	51.4	0.0	55.6	57.7	63.0	64.1
1-08-05	0.0	49.3	0.0	51.4	0.0	55.6	57.7	63.0	64.1
2-08-05	0.0	49.3	0.0	51.4	0.0	55.6	57.7	63.0	64.1
3-08-05	0.0	49.3	0.0	55.7	0.0	55.6	59.1	63.0	64.5
4-08-05	0.0	49.3	0.0	55.7	0.0	55.6	59.1	63.0	64.5
1-09-05	0.0	49.3	0.0	55.7	0.0	55.6	59.1	0.0	59.1
1-10-05	0.0	49.3	0.0	0.0	0.0	55.6	56.5	0.0	56.5
2-10-05	0.0	49.3	0.0	0.0	0.0	55.6	56.5	0.0	56.5
3-10-05	0.0	49.3	0.0	0.0	0.0	55.6	56.5	0.0	56.5
4-10-05	0.0	49.3	0.0	0.0	0.0	55.6	56.5	0.0	56.5
1-11-05	0.0	49.3	0.0	0.0	48.3	55.6	57.1	0.0	57.1
2-11-05	0.0	49.3	0.0	0.0	51.9	55.6	57.8	0.0	57.8
3-11-05	0.0	49.3	0.0	0.0	51.9	55.6	57.8	0.0	57.8
4-11-05	0.0	49.3	0.0	0.0	51.9	55.6	57.8	0.0	57.8
1-12-05	0.0	49.3	0.0	0.0	51.3	55.6	57.7	0.0	57.7
2-12-05	0.0	49.3	0.0	0.0	51.3	55.6	57.7	0.0	57.7
3-12-05	0.0	49.3	0.0	0.0	51.3	55.6	57.7	0.0	57.7
4-12-05	0.0	49.3	0.0	0.0	51.3	55.6	57.7	0.0	57.7
1-01-06	0.0	49.3	0.0	0.0	51.3	55.6	57.7	0.0	57.7
2-01-06	0.0	49.3	0.0	0.0	51.3	45.7	54.1	0.0	54.1
3-01-06	0.0	49.3	0.0	0.0	53.1	45.7	55.1	0.0	55.1
4-01-06	0.0	49.3	0.0	0.0	53.1	45.7	55.1	0.0	55.1
1-02-06	0.0	49.3	0.0	0.0	48.3	45.7	52.8	0.0	52.8
1-03-06	0.0	49.3	0.0	0.0	48.3	45.7	52.8	0.0	52.8
1-04-06	0.0	49.3	0.0	0.0	48.3	45.7	52.8	0.0	52.8
1-05-06	0.0	49.3	0.0	0.0	52.6	45.7	54.9	0.0	54.9
1-06-06	0.0	49.3	0.0	0.0	0.0	49.3	52.3	0.0	52.3
1-07-06	0.0	49.3	0.0	0.0	0.0	51.6	53.6	0.0	53.6
1-08-06	0.0	49.3	0.0	0.0	0.0	51.2	53.3	0.0	53.3
1-09-06	0.0	49.3	0.0	0.0	0.0	51.2	53.3	0.0	53.3
1-10-06	0.0	49.3	0.0	0.0	0.0	51.2	53.3	0.0	53.3
1-11-06	0.0	49.3	0.0	0.0	0.0	49.3	52.3	0.0	52.3
1-12-06	0.0	49.3	0.0	0.0	0.0	49.3	52.3	0.0	52.3
1-01-07	0.0	49.3	0.0	0.0	0.0	49.3	52.3	0.0	52.3
1-02-07	0.0	0.0	0.0	0.0	0.0	52.2	52.2	0.0	52.2
1-03-07	0.0	0.0	0.0	0.0	0.0	45.7	45.7	0.0	45.7
1-04-07	0.0	0.0	0.0	0.0	0.0	45.7	45.7	0.0	45.7
1-05-07	0.0	0.0	0.0	0.0	0.0	45.7	45.7	0.0	45.7
1-06-07	0.0	0.0	0.0	0.0	0.0	45.7	45.7	0.0	45.7
1-07-07	0.0	0.0	0.0	0.0	0.0	45.7	45.7	0.0	45.7
1-08-07	0.0	0.0	0.0	0.0	0.0	45.7	45.7	0.0	45.7
1-09-07	0.0	0.0	0.0	0.0	0.0	45.7	45.7	0.0	45.7
1-10-07	0.0	0.0	0.0	0.0	0.0	45.7	45.7	0.0	45.7

<End>

Calculation of Construction Noise Levels for "RYTE2" (mitigated)

Job Title.: Yau Tong Bay Reclamation
 Job No.: 21253
 Date: 30-11-00

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Reclamation	Demolition	TOTAL
2-01-04	40.9	49.2	0.0	0.0	0.0	0.0	49.8	0.0	49.8
1-02-04	40.9	49.2	0.0	0.0	0.0	0.0	49.8	0.0	49.8
1-03-04	54.9	49.2	0.0	0.0	0.0	0.0	55.9	0.0	55.9
1-04-04	57.1	49.2	0.0	0.0	0.0	0.0	57.7	0.0	57.7
2-04-04	57.1	49.2	0.0	0.0	0.0	0.0	57.7	0.0	57.7
3-04-04	53.3	49.2	0.0	0.0	0.0	46.2	55.3	0.0	55.3
4-04-04	53.3	49.2	0.0	0.0	0.0	46.2	55.3	0.0	55.3
1-05-04	53.3	49.2	0.0	0.0	0.0	46.2	55.3	0.0	55.3
1-06-04	53.3	52.4	0.0	0.0	0.0	46.2	56.3	0.0	56.3
1-07-04	53.3	52.4	0.0	0.0	0.0	46.2	56.3	0.0	56.3
2-07-04	0.0	50.9	56.8	0.0	0.0	46.2	58.1	0.0	58.1
3-07-04	0.0	50.9	56.8	0.0	0.0	60.5	62.4	0.0	62.4
4-07-04	0.0	52.4	60.4	0.0	0.0	60.5	63.8	0.0	63.8
1-08-04	0.0	52.4	60.4	0.0	0.0	60.5	63.8	0.0	63.8
2-08-04	0.0	52.4	60.4	0.0	0.0	60.5	63.8	0.0	63.8
3-08-04	0.0	50.9	60.4	0.0	0.0	60.5	63.7	0.0	63.7
4-08-04	0.0	50.9	59.8	0.0	0.0	60.5	63.5	0.0	63.5
1-09-04	0.0	50.9	59.8	0.0	0.0	60.5	63.5	0.0	63.5
2-09-04	0.0	50.9	59.8	0.0	0.0	60.5	63.5	0.0	63.5
3-09-04	0.0	50.9	59.8	0.0	0.0	60.5	63.5	0.0	63.5
4-09-04	0.0	50.9	61.6	0.0	0.0	60.5	64.3	0.0	64.3
1-10-04	0.0	53.6	61.6	0.0	0.0	60.5	64.5	0.0	64.5
2-10-04	0.0	51.9	61.6	0.0	0.0	60.5	64.4	0.0	64.4
3-10-04	0.0	49.2	56.8	0.0	0.0	60.5	62.3	0.0	62.3
4-10-04	0.0	49.2	56.8	0.0	0.0	60.5	62.3	0.0	62.3
1-11-04	0.0	49.2	56.8	0.0	0.0	60.5	62.3	0.0	62.3
2-11-04	0.0	49.2	56.8	0.0	0.0	60.5	62.3	0.0	62.3
3-11-04	0.0	49.2	56.8	0.0	0.0	60.5	62.3	0.0	62.3
4-11-04	0.0	49.2	56.8	0.0	0.0	60.5	62.3	0.0	62.3
1-12-04	0.0	49.2	56.8	0.0	0.0	60.5	62.3	0.0	62.3
1-01-05	0.0	49.2	61.2	0.0	0.0	56.1	62.5	0.0	62.5
1-02-05	0.0	49.2	0.0	0.0	0.0	56.1	56.9	0.0	56.9
2-02-05	0.0	49.2	0.0	0.0	0.0	56.1	56.9	0.0	56.9
3-02-05	0.0	49.2	0.0	51.4	0.0	56.1	58.0	0.0	58.0
4-02-05	0.0	49.2	0.0	51.4	0.0	56.1	58.0	0.0	58.0
1-03-05	0.0	49.2	0.0	55.0	0.0	56.1	59.1	0.0	59.1
1-04-05	0.0	49.2	0.0	54.4	0.0	56.1	58.9	0.0	58.9
1-05-05	0.0	49.2	0.0	56.2	0.0	56.1	59.6	0.0	59.6
1-06-05	0.0	49.2	0.0	51.4	0.0	56.1	58.0	0.0	58.0
1-07-05	0.0	49.2	0.0	51.4	0.0	56.1	58.0	62.7	64.0
1-08-05	0.0	49.2	0.0	51.4	0.0	56.1	58.0	62.7	64.0
2-08-05	0.0	49.2	0.0	51.4	0.0	56.1	58.0	62.7	64.0
3-08-05	0.0	49.2	0.0	55.7	0.0	56.1	59.4	62.7	64.4
4-08-05	0.0	49.2	0.0	55.7	0.0	56.1	59.4	62.7	64.4
1-09-05	0.0	49.2	0.0	55.7	0.0	56.1	59.4	0.0	59.4
1-10-05	0.0	49.2	0.0	0.0	0.0	56.1	56.9	0.0	56.9
2-10-05	0.0	49.2	0.0	0.0	0.0	56.1	56.9	0.0	56.9
3-10-05	0.0	49.2	0.0	0.0	0.0	56.1	56.9	0.0	56.9
4-10-05	0.0	49.2	0.0	0.0	0.0	56.1	56.9	0.0	56.9
1-11-05	0.0	49.2	0.0	0.0	48.1	56.1	57.4	0.0	57.4
2-11-05	0.0	49.2	0.0	0.0	51.6	56.1	58.0	0.0	58.0
3-11-05	0.0	49.2	0.0	0.0	51.6	56.1	58.0	0.0	58.0
4-11-05	0.0	49.2	0.0	0.0	51.6	56.1	58.0	0.0	58.0
1-12-05	0.0	49.2	0.0	0.0	51.1	56.1	57.9	0.0	57.9
2-12-05	0.0	49.2	0.0	0.0	51.1	56.1	57.9	0.0	57.9
3-12-05	0.0	49.2	0.0	0.0	51.1	56.1	57.9	0.0	57.9
4-12-05	0.0	49.2	0.0	0.0	51.1	56.1	57.9	0.0	57.9
1-01-06	0.0	49.2	0.0	0.0	51.1	56.1	57.9	0.0	57.9
2-01-06	0.0	49.2	0.0	0.0	51.1	46.2	54.0	0.0	54.0
3-01-06	0.0	49.2	0.0	0.0	52.8	46.2	55.0	0.0	55.0
4-01-06	0.0	49.2	0.0	0.0	52.8	46.2	55.0	0.0	55.0
1-02-06	0.0	49.2	0.0	0.0	48.1	46.2	52.8	0.0	52.8
1-03-06	0.0	49.2	0.0	0.0	48.1	46.2	52.8	0.0	52.8
1-04-06	0.0	49.2	0.0	0.0	48.1	46.2	52.8	0.0	52.8
1-05-06	0.0	49.2	0.0	0.0	52.4	46.2	54.8	0.0	54.8
1-06-06	0.0	49.2	0.0	0.0	0.0	49.8	52.5	0.0	52.5
1-07-06	0.0	49.2	0.0	0.0	0.0	52.1	53.9	0.0	53.9
1-08-06	0.0	49.2	0.0	0.0	0.0	51.7	53.6	0.0	53.6
1-09-06	0.0	49.2	0.0	0.0	0.0	51.7	53.6	0.0	53.6
1-10-06	0.0	49.2	0.0	0.0	0.0	51.7	53.6	0.0	53.6
1-11-06	0.0	49.2	0.0	0.0	0.0	49.8	52.5	0.0	52.5
1-12-06	0.0	49.2	0.0	0.0	0.0	49.8	52.5	0.0	52.5
1-01-07	0.0	49.2	0.0	0.0	0.0	49.8	52.5	0.0	52.5
1-02-07	0.0	0.0	0.0	0.0	0.0	52.7	52.7	0.0	52.7
1-03-07	0.0	0.0	0.0	0.0	0.0	46.2	46.2	0.0	46.2
1-04-07	0.0	0.0	0.0	0.0	0.0	46.2	46.2	0.0	46.2
1-05-07	0.0	0.0	0.0	0.0	0.0	46.2	46.2	0.0	46.2
1-06-07	0.0	0.0	0.0	0.0	0.0	46.2	46.2	0.0	46.2
1-07-07	0.0	0.0	0.0	0.0	0.0	46.2	46.2	0.0	46.2
1-08-07	0.0	0.0	0.0	0.0	0.0	46.2	46.2	0.0	46.2
1-09-07	0.0	0.0	0.0	0.0	0.0	46.2	46.2	0.0	46.2
1-10-07	0.0	0.0	0.0	0.0	0.0	46.2	46.2	0.0	46.2

Calculation of Construction Noise Levels for "RYCT" (mitigated)

Job Title.: Yau Tong Bay Reclamation
 Job No.: 21253
 Date: 30-11-00

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Reclamation	Demolition	TOTAL
2-01-04	31.3	39.5	0.0	0.0	0.0	0.0	40.1	0.0	40.1
1-02-04	31.3	39.5	0.0	0.0	0.0	0.0	40.1	0.0	40.1
1-03-04	45.2	39.5	0.0	0.0	0.0	0.0	46.2	0.0	46.2
1-04-04	47.4	39.5	0.0	0.0	0.0	0.0	48.0	0.0	48.0
2-04-04	47.4	39.5	0.0	0.0	0.0	0.0	48.0	0.0	48.0
3-04-04	43.6	39.5	0.0	0.0	0.0	35.5	45.5	0.0	45.5
4-04-04	43.6	39.5	0.0	0.0	0.0	35.5	45.5	0.0	45.5
1-05-04	43.6	39.5	0.0	0.0	0.0	35.5	45.5	0.0	45.5
1-06-04	43.6	42.7	0.0	0.0	0.0	35.5	46.5	0.0	46.5
1-07-04	43.6	42.7	0.0	0.0	0.0	35.5	46.5	0.0	46.5
2-07-04	0.0	41.2	43.5	0.0	0.0	35.5	45.9	0.0	45.9
3-07-04	0.0	41.2	43.5	0.0	0.0	49.7	51.1	0.0	51.1
4-07-04	0.0	42.7	47.1	0.0	0.0	49.7	52.1	0.0	52.1
1-08-04	0.0	42.7	47.1	0.0	0.0	49.7	52.1	0.0	52.1
2-08-04	0.0	42.7	47.1	0.0	0.0	49.7	52.1	0.0	52.1
3-08-04	0.0	41.2	47.1	0.0	0.0	49.7	52.0	0.0	52.0
4-08-04	0.0	41.2	46.6	0.0	0.0	49.7	51.8	0.0	51.8
1-09-04	0.0	41.2	46.6	0.0	0.0	49.7	51.8	0.0	51.8
2-09-04	0.0	41.2	46.6	0.0	0.0	49.7	51.8	0.0	51.8
3-09-04	0.0	41.2	46.6	0.0	0.0	49.7	51.8	0.0	51.8
4-09-04	0.0	41.2	48.3	0.0	0.0	49.7	52.4	0.0	52.4
1-10-04	0.0	43.9	48.3	0.0	0.0	49.7	52.7	0.0	52.7
2-10-04	0.0	42.2	48.3	0.0	0.0	49.7	52.5	0.0	52.5
3-10-04	0.0	39.5	43.5	0.0	0.0	49.7	51.0	0.0	51.0
4-10-04	0.0	39.5	43.5	0.0	0.0	49.7	51.0	0.0	51.0
1-11-04	0.0	39.5	43.5	0.0	0.0	49.7	51.0	0.0	51.0
2-11-04	0.0	39.5	43.5	0.0	0.0	49.7	51.0	0.0	51.0
3-11-04	0.0	39.5	43.5	0.0	0.0	49.7	51.0	0.0	51.0
4-11-04	0.0	39.5	43.5	0.0	0.0	49.7	51.0	0.0	51.0
1-12-04	0.0	39.5	43.5	0.0	0.0	49.7	51.0	0.0	51.0
1-01-05	0.0	39.5	47.9	0.0	0.0	45.3	50.2	0.0	50.2
1-02-05	0.0	39.5	0.0	0.0	0.0	45.3	46.3	0.0	46.3
2-02-05	0.0	39.5	0.0	0.0	0.0	45.3	46.3	0.0	46.3
3-02-05	0.0	39.5	0.0	41.2	0.0	45.3	47.5	0.0	47.5
4-02-05	0.0	39.5	0.0	41.2	0.0	45.3	47.5	0.0	47.5
1-03-05	0.0	39.5	0.0	44.8	0.0	45.3	48.6	0.0	48.6
1-04-05	0.0	39.5	0.0	44.2	0.0	45.3	48.4	0.0	48.4
1-05-05	0.0	39.5	0.0	46.0	0.0	45.3	49.2	0.0	49.2
1-06-05	0.0	39.5	0.0	41.2	0.0	45.3	47.5	0.0	47.5
1-07-05	0.0	39.5	0.0	41.2	0.0	45.3	47.5	49.4	51.6
1-08-05	0.0	39.5	0.0	41.2	0.0	45.3	47.5	49.4	51.6
2-08-05	0.0	39.5	0.0	41.2	0.0	45.3	47.5	49.4	51.6
3-08-05	0.0	39.5	0.0	45.5	0.0	45.3	49.0	49.4	52.2
4-08-05	0.0	39.5	0.0	45.5	0.0	45.3	49.0	49.4	52.2
1-09-05	0.0	39.5	0.0	45.5	0.0	45.3	49.0	0.0	49.0
1-10-05	0.0	39.5	0.0	0.0	0.0	45.3	46.3	0.0	46.3
2-10-05	0.0	39.5	0.0	0.0	0.0	45.3	46.3	0.0	46.3
3-10-05	0.0	39.5	0.0	0.0	0.0	45.3	46.3	0.0	46.3
4-10-05	0.0	39.5	0.0	0.0	0.0	45.3	46.3	0.0	46.3
1-11-05	0.0	39.5	0.0	0.0	39.2	45.3	47.1	0.0	47.1
2-11-05	0.0	39.5	0.0	0.0	42.7	45.3	47.9	0.0	47.9
3-11-05	0.0	39.5	0.0	0.0	42.7	45.3	47.9	0.0	47.9
4-11-05	0.0	39.5	0.0	0.0	42.7	45.3	47.9	0.0	47.9
1-12-05	0.0	39.5	0.0	0.0	42.2	45.3	47.7	0.0	47.7
2-12-05	0.0	39.5	0.0	0.0	42.2	45.3	47.7	0.0	47.7
3-12-05	0.0	39.5	0.0	0.0	42.2	45.3	47.7	0.0	47.7
4-12-05	0.0	39.5	0.0	0.0	42.2	45.3	47.7	0.0	47.7
1-01-06	0.0	39.5	0.0	0.0	42.2	45.3	47.7	0.0	47.7
2-01-06	0.0	39.5	0.0	0.0	42.2	35.5	44.6	0.0	44.6
3-01-06	0.0	39.5	0.0	0.0	43.9	35.5	45.7	0.0	45.7
4-01-06	0.0	39.5	0.0	0.0	43.9	35.5	45.7	0.0	45.7
1-02-06	0.0	39.5	0.0	0.0	39.2	35.5	43.2	0.0	43.2
1-03-06	0.0	39.5	0.0	0.0	39.2	35.5	43.2	0.0	43.2
1-04-06	0.0	39.5	0.0	0.0	39.2	35.5	43.2	0.0	43.2
1-05-06	0.0	39.5	0.0	0.0	43.5	35.5	45.4	0.0	45.4
1-06-06	0.0	39.5	0.0	0.0	0.0	39.0	42.3	0.0	42.3
1-07-06	0.0	39.5	0.0	0.0	0.0	41.3	43.5	0.0	43.5
1-08-06	0.0	39.5	0.0	0.0	0.0	40.9	43.3	0.0	43.3
1-09-06	0.0	39.5	0.0	0.0	0.0	40.9	43.3	0.0	43.3
1-10-06	0.0	39.5	0.0	0.0	0.0	40.9	43.3	0.0	43.3
1-11-06	0.0	39.5	0.0	0.0	0.0	39.0	42.3	0.0	42.3
1-12-06	0.0	39.5	0.0	0.0	0.0	39.0	42.3	0.0	42.3
1-01-07	0.0	39.5	0.0	0.0	0.0	39.0	42.3	0.0	42.3
1-02-07	0.0	0.0	0.0	0.0	0.0	41.9	41.9	0.0	41.9
1-03-07	0.0	0.0	0.0	0.0	0.0	35.5	35.5	0.0	35.5
1-04-07	0.0	0.0	0.0	0.0	0.0	35.5	35.5	0.0	35.5
1-05-07	0.0	0.0	0.0	0.0	0.0	35.5	35.5	0.0	35.5
1-06-07	0.0	0.0	0.0	0.0	0.0	35.5	35.5	0.0	35.5
1-07-07	0.0	0.0	0.0	0.0	0.0	35.5	35.5	0.0	35.5
1-08-07	0.0	0.0	0.0	0.0	0.0	35.5	35.5	0.0	35.5
1-09-07	0.0	0.0	0.0	0.0	0.0	35.5	35.5	0.0	35.5
1-10-07	0.0	0.0	0.0	0.0	0.0	35.5	35.5	0.0	35.5

Calculation of Construction Noise Levels for "RCKL" (mitigated)

Job Title.: Yau Tong Bay Reclamation
 Job No.: 21253
 Date: 30-11-00

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Reclamation	Demolition	TOTAL
2-01-04	47.7	46.0	0.0	0.0	0.0	0.0	49.9	0.0	49.9
1-02-04	47.7	46.0	0.0	0.0	0.0	0.0	49.9	0.0	49.9
1-03-04	61.6	46.0	0.0	0.0	0.0	0.0	61.7	0.0	61.7
1-04-04	63.8	46.0	0.0	0.0	0.0	0.0	63.9	0.0	63.9
2-04-04	63.8	46.0	0.0	0.0	0.0	0.0	63.9	0.0	63.9
3-04-04	60.0	46.0	0.0	0.0	0.0	43.9	60.3	0.0	60.3
4-04-04	60.0	46.0	0.0	0.0	0.0	43.9	60.3	0.0	60.3
1-05-04	60.0	46.0	0.0	0.0	0.0	43.9	60.3	0.0	60.3
1-06-04	60.0	49.1	0.0	0.0	0.0	43.9	60.4	0.0	60.4
1-07-04	60.0	49.1	0.0	0.0	0.0	43.9	60.4	0.0	60.4
2-07-04	0.0	47.6	39.8	0.0	0.0	43.9	49.7	0.0	49.7
3-07-04	0.0	47.6	39.8	0.0	0.0	58.2	58.7	0.0	58.7
4-07-04	0.0	49.1	43.4	0.0	0.0	58.2	58.9	0.0	58.9
1-08-04	0.0	49.1	43.4	0.0	0.0	58.2	58.9	0.0	58.9
2-08-04	0.0	49.1	43.4	0.0	0.0	58.2	58.9	0.0	58.9
3-08-04	0.0	47.6	43.4	0.0	0.0	58.2	58.7	0.0	58.7
4-08-04	0.0	47.6	42.8	0.0	0.0	58.2	58.7	0.0	58.7
1-09-04	0.0	47.6	42.8	0.0	0.0	58.2	58.7	0.0	58.7
2-09-04	0.0	47.6	42.8	0.0	0.0	58.2	58.7	0.0	58.7
3-09-04	0.0	47.6	42.8	0.0	0.0	58.2	58.7	0.0	58.7
4-09-04	0.0	47.6	44.6	0.0	0.0	58.2	58.8	0.0	58.8
1-10-04	0.0	50.3	44.6	0.0	0.0	58.2	59.1	0.0	59.1
2-10-04	0.0	48.7	44.6	0.0	0.0	58.2	58.9	0.0	58.9
3-10-04	0.0	46.0	39.8	0.0	0.0	58.2	58.5	0.0	58.5
4-10-04	0.0	46.0	39.8	0.0	0.0	58.2	58.5	0.0	58.5
1-11-04	0.0	46.0	39.8	0.0	0.0	58.2	58.5	0.0	58.5
2-11-04	0.0	46.0	39.8	0.0	0.0	58.2	58.5	0.0	58.5
3-11-04	0.0	46.0	39.8	0.0	0.0	58.2	58.5	0.0	58.5
4-11-04	0.0	46.0	39.8	0.0	0.0	58.2	58.5	0.0	58.5
1-12-04	0.0	46.0	39.8	0.0	0.0	58.2	58.5	0.0	58.5
1-01-05	0.0	46.0	44.2	0.0	0.0	53.8	54.9	0.0	54.9
1-02-05	0.0	46.0	0.0	0.0	0.0	53.8	54.5	0.0	54.5
2-02-05	0.0	46.0	0.0	0.0	0.0	53.8	54.5	0.0	54.5
3-02-05	0.0	46.0	0.0	42.9	0.0	53.8	54.8	0.0	54.8
4-02-05	0.0	46.0	0.0	42.9	0.0	53.8	54.8	0.0	54.8
1-03-05	0.0	46.0	0.0	46.5	0.0	53.8	55.1	0.0	55.1
1-04-05	0.0	46.0	0.0	45.9	0.0	53.8	55.0	0.0	55.0
1-05-05	0.0	46.0	0.0	47.7	0.0	53.8	55.3	0.0	55.3
1-06-05	0.0	46.0	0.0	42.9	0.0	53.8	54.8	0.0	54.8
1-07-05	0.0	46.0	0.0	42.9	0.0	53.8	54.8	50.0	56.0
1-08-05	0.0	46.0	0.0	42.9	0.0	53.8	54.8	50.0	56.0
2-08-05	0.0	46.0	0.0	42.9	0.0	53.8	54.8	50.0	56.0
3-08-05	0.0	46.0	0.0	47.2	0.0	53.8	55.2	50.0	56.4
4-08-05	0.0	46.0	0.0	47.2	0.0	53.8	55.2	50.0	56.4
1-09-05	0.0	46.0	0.0	47.2	0.0	53.8	55.2	0.0	55.2
1-10-05	0.0	46.0	0.0	0.0	0.0	53.8	54.5	0.0	54.5
2-10-05	0.0	46.0	0.0	0.0	0.0	53.8	54.5	0.0	54.5
3-10-05	0.0	46.0	0.0	0.0	0.0	53.8	54.5	0.0	54.5
4-10-05	0.0	46.0	0.0	0.0	0.0	53.8	54.5	0.0	54.5
1-11-05	0.0	46.0	0.0	0.0	42.3	53.8	54.7	0.0	54.7
2-11-05	0.0	46.0	0.0	0.0	45.9	53.8	55.0	0.0	55.0
3-11-05	0.0	46.0	0.0	0.0	45.9	53.8	55.0	0.0	55.0
4-11-05	0.0	46.0	0.0	0.0	45.9	53.8	55.0	0.0	55.0
1-12-05	0.0	46.0	0.0	0.0	45.3	53.8	55.0	0.0	55.0
2-12-05	0.0	46.0	0.0	0.0	45.3	53.8	55.0	0.0	55.0
3-12-05	0.0	46.0	0.0	0.0	45.3	53.8	55.0	0.0	55.0
4-12-05	0.0	46.0	0.0	0.0	45.3	53.8	55.0	0.0	55.0
1-01-06	0.0	46.0	0.0	0.0	45.3	53.8	55.0	0.0	55.0
2-01-06	0.0	46.0	0.0	0.0	45.3	43.9	49.9	0.0	49.9
3-01-06	0.0	46.0	0.0	0.0	47.1	43.9	50.6	0.0	50.6
4-01-06	0.0	46.0	0.0	0.0	47.1	43.9	50.6	0.0	50.6
1-02-06	0.0	46.0	0.0	0.0	42.3	43.9	49.1	0.0	49.1
1-03-06	0.0	46.0	0.0	0.0	42.3	43.9	49.1	0.0	49.1
1-04-06	0.0	46.0	0.0	0.0	42.3	43.9	49.1	0.0	49.1
1-05-06	0.0	46.0	0.0	0.0	46.6	43.9	50.4	0.0	50.4
1-06-06	0.0	46.0	0.0	0.0	0.0	47.5	49.8	0.0	49.8
1-07-06	0.0	46.0	0.0	0.0	0.0	49.8	51.3	0.0	51.3
1-08-06	0.0	46.0	0.0	0.0	0.0	49.4	51.0	0.0	51.0
1-09-06	0.0	46.0	0.0	0.0	0.0	49.4	51.0	0.0	51.0
1-10-06	0.0	46.0	0.0	0.0	0.0	49.4	51.0	0.0	51.0
1-11-06	0.0	46.0	0.0	0.0	0.0	47.5	49.8	0.0	49.8
1-12-06	0.0	46.0	0.0	0.0	0.0	47.5	49.8	0.0	49.8
1-01-07	0.0	46.0	0.0	0.0	0.0	47.5	49.8	0.0	49.8
1-02-07	0.0	0.0	0.0	0.0	0.0	50.4	50.4	0.0	50.4
1-03-07	0.0	0.0	0.0	0.0	0.0	43.9	43.9	0.0	43.9
1-04-07	0.0	0.0	0.0	0.0	0.0	43.9	43.9	0.0	43.9
1-05-07	0.0	0.0	0.0	0.0	0.0	43.9	43.9	0.0	43.9
1-06-07	0.0	0.0	0.0	0.0	0.0	43.9	43.9	0.0	43.9
1-07-07	0.0	0.0	0.0	0.0	0.0	43.9	43.9	0.0	43.9
1-08-07	0.0	0.0	0.0	0.0	0.0	43.9	43.9	0.0	43.9
1-09-07	0.0	0.0	0.0	0.0	0.0	43.9	43.9	0.0	43.9
1-10-07	0.0	0.0	0.0	0.0	0.0	43.9	43.9	0.0	43.9

<End>

Calculation of Construction Noise Levels for "REHC1" (mitigated)

Job Title.: Yau Tong Bay Reclamation
 Job No.: 21253
 Date: 30/11/2000

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Reclamation	Demolition	TOTAL
2/01/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/02/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/03/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/04/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/04/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/04/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/04/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/05/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/06/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/07/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/07/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/07/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/07/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/08/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/08/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/08/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/08/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/09/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/09/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/09/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/09/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/10/04	0.0	54.1	60.1	0.0	0.0	62.5	64.8	0.0	64.8
2/10/04	0.0	52.5	60.1	0.0	0.0	62.5	64.7	0.0	64.7
3/10/04	0.0	49.7	55.3	0.0	0.0	62.5	63.4	0.0	63.4
4/10/04	0.0	49.7	55.3	0.0	0.0	62.5	63.4	0.0	63.4
1/11/04	0.0	49.7	55.3	0.0	0.0	62.5	63.4	0.0	63.4
2/11/04	0.0	49.7	55.3	0.0	0.0	62.5	63.4	0.0	63.4
3/11/04	0.0	49.7	55.3	0.0	0.0	62.5	63.4	0.0	63.4
4/11/04	0.0	49.7	55.3	0.0	0.0	62.5	63.4	0.0	63.4
1/12/04	0.0	49.7	55.3	0.0	0.0	62.5	63.4	0.0	63.4
1/01/05	0.0	49.7	59.6	0.0	0.0	58.1	62.2	0.0	62.2
1/02/05	0.0	49.7	0.0	0.0	0.0	58.1	58.7	0.0	58.7
2/02/05	0.0	49.7	0.0	0.0	0.0	58.1	58.7	0.0	58.7
3/02/05	0.0	49.7	0.0	51.6	0.0	58.1	59.5	0.0	59.5
4/02/05	0.0	49.7	0.0	51.6	0.0	58.1	59.5	0.0	59.5
1/03/05	0.0	49.7	0.0	55.2	0.0	58.1	60.3	0.0	60.3
1/04/05	0.0	49.7	0.0	54.7	0.0	58.1	60.1	0.0	60.1
1/05/05	0.0	49.7	0.0	56.4	0.0	58.1	60.7	0.0	60.7
1/06/05	0.0	49.7	0.0	51.6	0.0	58.1	59.5	0.0	59.5
1/07/05	0.0	49.7	0.0	51.6	0.0	58.1	59.5	59.8	62.6
1/08/05	0.0	49.7	0.0	51.6	0.0	58.1	59.5	59.8	62.6
2/08/05	0.0	49.7	0.0	51.6	0.0	58.1	59.5	59.8	62.6
3/08/05	0.0	49.7	0.0	56.0	0.0	58.1	60.5	59.8	63.2
4/08/05	0.0	49.7	0.0	56.0	0.0	58.1	60.5	59.8	63.2
1/09/05	0.0	49.7	0.0	56.0	0.0	58.1	60.5	0.0	60.5
1/10/05	0.0	49.7	0.0	0.0	0.0	58.1	58.7	0.0	58.7
2/10/05	0.0	49.7	0.0	0.0	0.0	58.1	58.7	0.0	58.7
3/10/05	0.0	49.7	0.0	0.0	0.0	58.1	58.7	0.0	58.7
4/10/05	0.0	49.7	0.0	0.0	0.0	58.1	58.7	0.0	58.7
1/11/05	0.0	49.7	0.0	0.0	48.4	58.1	59.1	0.0	59.1
2/11/05	0.0	49.7	0.0	0.0	52.0	58.1	59.5	0.0	59.5
3/11/05	0.0	49.7	0.0	0.0	52.0	58.1	59.5	0.0	59.5
4/11/05	0.0	49.7	0.0	0.0	52.0	58.1	59.5	0.0	59.5
1/12/05	0.0	49.7	0.0	0.0	51.4	58.1	59.4	0.0	59.4
2/12/05	0.0	49.7	0.0	0.0	51.4	58.1	59.4	0.0	59.4
3/12/05	0.0	49.7	0.0	0.0	51.4	58.1	59.4	0.0	59.4
4/12/05	0.0	49.7	0.0	0.0	51.4	58.1	59.4	0.0	59.4
1/01/06	0.0	49.7	0.0	0.0	51.4	58.1	59.4	0.0	59.4
2/01/06	0.0	49.7	0.0	0.0	51.4	48.2	54.8	0.0	54.8
3/01/06	0.0	49.7	0.0	0.0	53.2	48.2	55.7	0.0	55.7
4/01/06	0.0	49.7	0.0	0.0	53.2	48.2	55.7	0.0	55.7
1/02/06	0.0	49.7	0.0	0.0	48.4	48.2	53.6	0.0	53.6
1/03/06	0.0	49.7	0.0	0.0	48.4	48.2	53.6	0.0	53.6
1/04/06	0.0	49.7	0.0	0.0	48.4	48.2	53.6	0.0	53.6
1/05/06	0.0	49.7	0.0	0.0	52.8	48.2	55.4	0.0	55.4
1/06/06	0.0	49.7	0.0	0.0	0.0	51.7	53.9	0.0	53.9
1/07/06	0.0	49.7	0.0	0.0	0.0	54.1	55.4	0.0	55.4
1/08/06	0.0	49.7	0.0	0.0	0.0	53.7	55.1	0.0	55.1
1/09/06	0.0	49.7	0.0	0.0	0.0	53.7	55.1	0.0	55.1
1/10/06	0.0	49.7	0.0	0.0	0.0	53.7	55.1	0.0	55.1
1/11/06	0.0	49.7	0.0	0.0	0.0	51.7	53.9	0.0	53.9
1/12/06	0.0	49.7	0.0	0.0	0.0	51.7	53.9	0.0	53.9
1/01/07	0.0	49.7	0.0	0.0	0.0	51.7	53.9	0.0	53.9
1/02/07	0.0	0.0	0.0	0.0	0.0	54.6	54.6	0.0	54.6
1/03/07	0.0	0.0	0.0	0.0	0.0	48.2	48.2	0.0	48.2
1/04/07	0.0	0.0	0.0	0.0	0.0	48.2	48.2	0.0	48.2
1/05/07	0.0	0.0	0.0	0.0	0.0	48.2	48.2	0.0	48.2
1/06/07	0.0	0.0	0.0	0.0	0.0	48.2	48.2	0.0	48.2
1/07/07	0.0	0.0	0.0	0.0	0.0	48.2	48.2	0.0	48.2
1/08/07	0.0	0.0	0.0	0.0	0.0	48.2	48.2	0.0	48.2
1/09/07	0.0	0.0	0.0	0.0	0.0	48.2	48.2	0.0	48.2
1/10/07	0.0	0.0	0.0	0.0	0.0	48.2	48.2	0.0	48.2

Calculation of Construction Noise Levels for "REHC2" (mitigated)

Job Title.: Yau Tong Bay Reclamation

Job No.: 21253

Date: 30/11/2000

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Reclamation	Demolition	TOTAL
2/01/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/02/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/03/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/04/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/04/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/04/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/04/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/05/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/06/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/07/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/07/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/07/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/07/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/08/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/08/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/08/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/08/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/09/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/09/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/09/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/09/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/10/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/10/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/10/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/10/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/11/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/11/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/11/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/11/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/12/04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/01/05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/02/05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/02/05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/02/05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/02/05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/03/05	0.0	52.3	0.0	58.6	0.0	61.4	63.6	0.0	63.6
1/04/05	0.0	52.3	0.0	58.1	0.0	61.4	63.4	0.0	63.4
1/05/05	0.0	52.3	0.0	59.8	0.0	61.4	64.0	0.0	64.0
1/06/05	0.0	52.3	0.0	55.1	0.0	61.4	62.7	0.0	62.7
1/07/05	0.0	52.3	0.0	55.1	0.0	61.4	62.7	64.3	66.6
1/08/05	0.0	52.3	0.0	55.1	0.0	61.4	62.7	64.3	66.6
2/08/05	0.0	52.3	0.0	55.1	0.0	61.4	62.7	64.3	66.6
3/08/05	0.0	52.3	0.0	59.4	0.0	61.4	63.9	64.3	67.1
4/08/05	0.0	52.3	0.0	59.4	0.0	61.4	63.9	64.3	67.1
1/09/05	0.0	52.3	0.0	59.4	0.0	61.4	63.9	0.0	63.9
1/10/05	0.0	52.3	0.0	0.0	0.0	61.4	61.9	0.0	61.9
2/10/05	0.0	52.3	0.0	0.0	0.0	61.4	61.9	0.0	61.9
3/10/05	0.0	52.3	0.0	0.0	0.0	61.4	61.9	0.0	61.9
4/10/05	0.0	52.3	0.0	0.0	0.0	61.4	61.9	0.0	61.9
1/11/05	0.0	52.3	0.0	0.0	51.3	61.4	62.3	0.0	62.3
2/11/05	0.0	52.3	0.0	0.0	54.9	61.4	62.7	0.0	62.7
3/11/05	0.0	52.3	0.0	0.0	54.9	61.4	62.7	0.0	62.7
4/11/05	0.0	52.3	0.0	0.0	54.9	61.4	62.7	0.0	62.7
1/12/05	0.0	52.3	0.0	0.0	54.3	61.4	62.6	0.0	62.6
2/12/05	0.0	52.3	0.0	0.0	54.3	61.4	62.6	0.0	62.6
3/12/05	0.0	52.3	0.0	0.0	54.3	61.4	62.6	0.0	62.6
4/12/05	0.0	52.3	0.0	0.0	54.3	61.4	62.6	0.0	62.6
1/01/06	0.0	52.3	0.0	0.0	54.3	61.4	62.6	0.0	62.6
2/01/06	0.0	52.3	0.0	0.0	54.3	51.5	57.7	0.0	57.7
3/01/06	0.0	52.3	0.0	0.0	56.1	51.5	58.6	0.0	58.6
4/01/06	0.0	52.3	0.0	0.0	56.1	51.5	58.6	0.0	58.6
1/02/06	0.0	52.3	0.0	0.0	51.3	51.5	56.5	0.0	56.5
1/03/06	0.0	52.3	0.0	0.0	51.3	51.5	56.5	0.0	56.5
1/04/06	0.0	52.3	0.0	0.0	51.3	51.5	56.5	0.0	56.5
1/05/06	0.0	52.3	0.0	0.0	55.6	51.5	58.3	0.0	58.3
1/06/06	0.0	52.3	0.0	0.0	0.0	55.1	56.9	0.0	56.9
1/07/06	0.0	52.3	0.0	0.0	0.0	57.4	58.6	0.0	58.6
1/08/06	0.0	52.3	0.0	0.0	0.0	57.0	58.3	0.0	58.3
1/09/06	0.0	52.3	0.0	0.0	0.0	57.0	58.3	0.0	58.3
1/10/06	0.0	52.3	0.0	0.0	0.0	57.0	58.3	0.0	58.3
1/11/06	0.0	52.3	0.0	0.0	0.0	55.1	56.9	0.0	56.9
1/12/06	0.0	52.3	0.0	0.0	0.0	55.1	56.9	0.0	56.9
1/01/07	0.0	52.3	0.0	0.0	0.0	55.1	56.9	0.0	56.9
1/02/07	0.0	0.0	0.0	0.0	0.0	58.0	58.0	0.0	58.0
1/03/07	0.0	0.0	0.0	0.0	0.0	51.5	51.5	0.0	51.5
1/04/07	0.0	0.0	0.0	0.0	0.0	51.5	51.5	0.0	51.5
1/05/07	0.0	0.0	0.0	0.0	0.0	51.5	51.5	0.0	51.5
1/06/07	0.0	0.0	0.0	0.0	0.0	51.5	51.5	0.0	51.5
1/07/07	0.0	0.0	0.0	0.0	0.0	51.5	51.5	0.0	51.5
1/08/07	0.0	0.0	0.0	0.0	0.0	51.5	51.5	0.0	51.5
1/09/07	0.0	0.0	0.0	0.0	0.0	51.5	51.5	0.0	51.5
1/10/07	0.0	0.0	0.0	0.0	0.0	51.5	51.5	0.0	51.5

Calculation of Construction Noise Levels for "RSCH1" (mitigated)

Job Title: Yau Tong Bay Reclamation
 Job No.: 21253
 Date: 30-11-00

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Reclamation	Demolition	TOTAL
2-01-04	40.8	49.0	0.0	0.0	0.0	0.0	49.7	0.0	49.7
1-02-04	40.8	49.0	0.0	0.0	0.0	0.0	49.7	0.0	49.7
1-03-04	54.7	49.0	0.0	0.0	0.0	0.0	55.8	0.0	55.8
1-04-04	56.9	49.0	0.0	0.0	0.0	0.0	57.6	0.0	57.6
2-04-04	56.9	49.0	0.0	0.0	0.0	0.0	57.6	0.0	57.6
3-04-04	53.1	49.0	0.0	0.0	0.0	46.8	55.2	0.0	55.2
4-04-04	53.1	49.0	0.0	0.0	0.0	46.8	55.2	0.0	55.2
1-05-04	53.1	49.0	0.0	0.0	0.0	46.8	55.2	0.0	55.2
1-06-04	53.1	52.2	0.0	0.0	0.0	46.8	56.2	0.0	56.2
1-07-04	53.1	52.2	0.0	0.0	0.0	46.8	56.2	0.0	56.2
2-07-04	0.0	50.7	55.1	0.0	0.0	46.8	56.9	0.0	56.9
3-07-04	0.0	50.7	55.1	0.0	0.0	61.1	62.4	0.0	62.4
4-07-04	0.0	52.2	58.6	0.0	0.0	61.1	63.4	0.0	63.4
1-08-04	0.0	52.2	58.6	0.0	0.0	61.1	63.4	0.0	63.4
2-08-04	0.0	52.2	58.6	0.0	0.0	61.1	63.4	0.0	63.4
3-08-04	0.0	50.7	58.6	0.0	0.0	61.1	63.3	0.0	63.3
4-08-04	0.0	50.7	58.1	0.0	0.0	61.1	63.1	0.0	63.1
1-09-04	0.0	50.7	58.1	0.0	0.0	61.1	63.1	0.0	63.1
2-09-04	0.0	50.7	58.1	0.0	0.0	61.1	63.1	0.0	63.1
3-09-04	0.0	50.7	58.1	0.0	0.0	61.1	63.1	0.0	63.1
4-09-04	0.0	50.7	59.9	0.0	0.0	61.1	63.8	0.0	63.8
1-10-04	0.0	53.4	59.9	0.0	0.0	61.1	64.0	0.0	64.0
2-10-04	0.0	51.8	59.9	0.0	0.0	61.1	63.8	0.0	63.8
3-10-04	0.0	49.0	55.1	0.0	0.0	61.1	62.3	0.0	62.3
4-10-04	0.0	49.0	55.1	0.0	0.0	61.1	62.3	0.0	62.3
1-11-04	0.0	49.0	55.1	0.0	0.0	61.1	62.3	0.0	62.3
2-11-04	0.0	49.0	55.1	0.0	0.0	61.1	62.3	0.0	62.3
3-11-04	0.0	49.0	55.1	0.0	0.0	61.1	62.3	0.0	62.3
4-11-04	0.0	49.0	55.1	0.0	0.0	61.1	62.3	0.0	62.3
1-12-04	0.0	49.0	55.1	0.0	0.0	61.1	62.3	0.0	62.3
1-01-05	0.0	49.0	59.4	0.0	0.0	56.7	61.5	0.0	61.5
1-02-05	0.0	49.0	0.0	0.0	0.0	56.7	57.4	0.0	57.4
2-02-05	0.0	49.0	0.0	0.0	0.0	56.7	57.4	0.0	57.4
3-02-05	0.0	49.0	0.0	51.1	0.0	56.7	58.3	0.0	58.3
4-02-05	0.0	49.0	0.0	51.1	0.0	56.7	58.3	0.0	58.3
1-03-05	0.0	49.0	0.0	54.6	0.0	56.7	59.2	0.0	59.2
1-04-05	0.0	49.0	0.0	54.1	0.0	56.7	59.1	0.0	59.1
1-05-05	0.0	49.0	0.0	55.8	0.0	56.7	59.7	0.0	59.7
1-06-05	0.0	49.0	0.0	51.1	0.0	56.7	58.3	0.0	58.3
1-07-05	0.0	49.0	0.0	51.1	0.0	56.7	58.3	61.1	62.9
1-08-05	0.0	49.0	0.0	51.1	0.0	56.7	58.3	61.1	62.9
2-08-05	0.0	49.0	0.0	51.1	0.0	56.7	58.3	61.1	62.9
3-08-05	0.0	49.0	0.0	55.4	0.0	56.7	59.5	61.1	63.4
4-08-05	0.0	49.0	0.0	55.4	0.0	56.7	59.5	61.1	63.4
1-09-05	0.0	49.0	0.0	55.4	0.0	56.7	59.5	0.0	59.5
1-10-05	0.0	49.0	0.0	0.0	0.0	56.7	57.4	0.0	57.4
2-10-05	0.0	49.0	0.0	0.0	0.0	56.7	57.4	0.0	57.4
3-10-05	0.0	49.0	0.0	0.0	0.0	56.7	57.4	0.0	57.4
4-10-05	0.0	49.0	0.0	0.0	0.0	56.7	57.4	0.0	57.4
1-11-05	0.0	49.0	0.0	0.0	47.8	56.7	57.9	0.0	57.9
2-11-05	0.0	49.0	0.0	0.0	51.3	56.7	58.4	0.0	58.4
3-11-05	0.0	49.0	0.0	0.0	51.3	56.7	58.4	0.0	58.4
4-11-05	0.0	49.0	0.0	0.0	51.3	56.7	58.4	0.0	58.4
1-12-05	0.0	49.0	0.0	0.0	50.8	56.7	58.3	0.0	58.3
2-12-05	0.0	49.0	0.0	0.0	50.8	56.7	58.3	0.0	58.3
3-12-05	0.0	49.0	0.0	0.0	50.8	56.7	58.3	0.0	58.3
4-12-05	0.0	49.0	0.0	0.0	50.8	56.7	58.3	0.0	58.3
1-01-06	0.0	49.0	0.0	0.0	50.8	56.7	58.3	0.0	58.3
2-01-06	0.0	49.0	0.0	0.0	50.8	46.8	54.0	0.0	54.0
3-01-06	0.0	49.0	0.0	0.0	52.5	46.8	54.9	0.0	54.9
4-01-06	0.0	49.0	0.0	0.0	52.5	46.8	54.9	0.0	54.9
1-02-06	0.0	49.0	0.0	0.0	47.8	46.8	52.8	0.0	52.8
1-03-06	0.0	49.0	0.0	0.0	47.8	46.8	52.8	0.0	52.8
1-04-06	0.0	49.0	0.0	0.0	47.8	46.8	52.8	0.0	52.8
1-05-06	0.0	49.0	0.0	0.0	52.1	46.8	54.6	0.0	54.6
1-06-06	0.0	49.0	0.0	0.0	0.0	50.4	52.8	0.0	52.8
1-07-06	0.0	49.0	0.0	0.0	0.0	52.7	54.3	0.0	54.3
1-08-06	0.0	49.0	0.0	0.0	0.0	52.3	54.0	0.0	54.0
1-09-06	0.0	49.0	0.0	0.0	0.0	52.3	54.0	0.0	54.0
1-10-06	0.0	49.0	0.0	0.0	0.0	52.3	54.0	0.0	54.0
1-11-06	0.0	49.0	0.0	0.0	0.0	50.4	52.8	0.0	52.8
1-12-06	0.0	49.0	0.0	0.0	0.0	50.4	52.8	0.0	52.8
1-01-07	0.0	49.0	0.0	0.0	0.0	50.4	52.8	0.0	52.8
1-02-07	0.0	0.0	0.0	0.0	0.0	53.3	53.3	0.0	53.3
1-03-07	0.0	0.0	0.0	0.0	0.0	46.8	46.8	0.0	46.8
1-04-07	0.0	0.0	0.0	0.0	0.0	46.8	46.8	0.0	46.8
1-05-07	0.0	0.0	0.0	0.0	0.0	46.8	46.8	0.0	46.8
1-06-07	0.0	0.0	0.0	0.0	0.0	46.8	46.8	0.0	46.8
1-07-07	0.0	0.0	0.0	0.0	0.0	46.8	46.8	0.0	46.8
1-08-07	0.0	0.0	0.0	0.0	0.0	46.8	46.8	0.0	46.8
1-09-07	0.0	0.0	0.0	0.0	0.0	46.8	46.8	0.0	46.8
1-10-07	0.0	0.0	0.0	0.0	0.0	46.8	46.8	0.0	46.8

Calculation of Construction Noise Levels for "RSCH2" (mitigated)

Job Title.: Yau Tong Bay Reclamation
 Job No.: 21253
 Date: 30-11-00

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Reclamation	Demolition	TOTAL
2-01-04	41.1	49.4	0.0	0.0	0.0	0.0	50.0	0.0	50.0
1-02-04	41.1	49.4	0.0	0.0	0.0	0.0	50.0	0.0	50.0
1-03-04	55.1	49.4	0.0	0.0	0.0	0.0	56.1	0.0	56.1
1-04-04	57.2	49.4	0.0	0.0	0.0	0.0	57.9	0.0	57.9
2-04-04	57.2	49.4	0.0	0.0	0.0	0.0	57.9	0.0	57.9
3-04-04	53.4	49.4	0.0	0.0	0.0	46.1	55.4	0.0	55.4
4-04-04	53.4	49.4	0.0	0.0	0.0	46.1	55.4	0.0	55.4
1-05-04	53.4	49.4	0.0	0.0	0.0	46.1	55.4	0.0	55.4
1-06-04	53.4	52.5	0.0	0.0	0.0	46.1	56.5	0.0	56.5
1-07-04	53.4	52.5	0.0	0.0	0.0	46.1	56.5	0.0	56.5
2-07-04	0.0	51.1	57.3	0.0	0.0	46.1	58.5	0.0	58.5
3-07-04	0.0	51.1	57.3	0.0	0.0	60.4	62.4	0.0	62.4
4-07-04	0.0	52.5	60.8	0.0	0.0	60.4	63.9	0.0	63.9
1-08-04	0.0	52.5	60.8	0.0	0.0	60.4	63.9	0.0	63.9
2-08-04	0.0	52.5	60.8	0.0	0.0	60.4	63.9	0.0	63.9
3-08-04	0.0	51.1	60.8	0.0	0.0	60.4	63.8	0.0	63.8
4-08-04	0.0	51.1	60.3	0.0	0.0	60.4	63.6	0.0	63.6
1-09-04	0.0	51.1	60.3	0.0	0.0	60.4	63.6	0.0	63.6
2-09-04	0.0	51.1	60.3	0.0	0.0	60.4	63.6	0.0	63.6
3-09-04	0.0	51.1	60.3	0.0	0.0	60.4	63.6	0.0	63.6
4-09-04	0.0	51.1	62.0	0.0	0.0	60.4	64.5	0.0	64.5
1-10-04	0.0	53.8	62.0	0.0	0.0	60.4	64.7	0.0	64.7
2-10-04	0.0	52.1	62.0	0.0	0.0	60.4	64.6	0.0	64.6
3-10-04	0.0	49.4	57.3	0.0	0.0	60.4	62.3	0.0	62.3
4-10-04	0.0	49.4	57.3	0.0	0.0	60.4	62.3	0.0	62.3
1-11-04	0.0	49.4	57.3	0.0	0.0	60.4	62.3	0.0	62.3
2-11-04	0.0	49.4	57.3	0.0	0.0	60.4	62.3	0.0	62.3
3-11-04	0.0	49.4	57.3	0.0	0.0	60.4	62.3	0.0	62.3
4-11-04	0.0	49.4	57.3	0.0	0.0	60.4	62.3	0.0	62.3
1-12-04	0.0	49.4	57.3	0.0	0.0	60.4	62.3	0.0	62.3
1-01-05	0.0	49.4	61.6	0.0	0.0	56.0	62.8	0.0	62.8
1-02-05	0.0	49.4	0.0	0.0	0.0	56.0	56.8	0.0	56.8
2-02-05	0.0	49.4	0.0	0.0	0.0	56.0	56.8	0.0	56.8
3-02-05	0.0	49.4	0.0	51.7	0.0	56.0	58.0	0.0	58.0
4-02-05	0.0	49.4	0.0	51.7	0.0	56.0	58.0	0.0	58.0
1-03-05	0.0	49.4	0.0	55.2	0.0	56.0	59.1	0.0	59.1
1-04-05	0.0	49.4	0.0	54.7	0.0	56.0	58.9	0.0	58.9
1-05-05	0.0	49.4	0.0	56.5	0.0	56.0	59.7	0.0	59.7
1-06-05	0.0	49.4	0.0	51.7	0.0	56.0	58.0	0.0	58.0
1-07-05	0.0	49.4	0.0	51.7	0.0	56.0	58.0	63.8	64.8
1-08-05	0.0	49.4	0.0	51.7	0.0	56.0	58.0	63.8	64.8
2-08-05	0.0	49.4	0.0	51.7	0.0	56.0	58.0	63.8	64.8
3-08-05	0.0	49.4	0.0	56.0	0.0	56.0	59.5	63.8	65.2
4-08-05	0.0	49.4	0.0	56.0	0.0	56.0	59.5	63.8	65.2
1-09-05	0.0	49.4	0.0	56.0	0.0	56.0	59.5	0.0	59.5
1-10-05	0.0	49.4	0.0	0.0	0.0	56.0	56.8	0.0	56.8
2-10-05	0.0	49.4	0.0	0.0	0.0	56.0	56.8	0.0	56.8
3-10-05	0.0	49.4	0.0	0.0	0.0	56.0	56.8	0.0	56.8
4-10-05	0.0	49.4	0.0	0.0	0.0	56.0	56.8	0.0	56.8
1-11-05	0.0	49.4	0.0	0.0	48.4	56.0	57.4	0.0	57.4
2-11-05	0.0	49.4	0.0	0.0	51.9	56.0	58.0	0.0	58.0
3-11-05	0.0	49.4	0.0	0.0	51.9	56.0	58.0	0.0	58.0
4-11-05	0.0	49.4	0.0	0.0	51.9	56.0	58.0	0.0	58.0
1-12-05	0.0	49.4	0.0	0.0	51.4	56.0	57.9	0.0	57.9
2-12-05	0.0	49.4	0.0	0.0	51.4	56.0	57.9	0.0	57.9
3-12-05	0.0	49.4	0.0	0.0	51.4	56.0	57.9	0.0	57.9
4-12-05	0.0	49.4	0.0	0.0	51.4	56.0	57.9	0.0	57.9
1-01-06	0.0	49.4	0.0	0.0	51.4	56.0	57.9	0.0	57.9
2-01-06	0.0	49.4	0.0	0.0	51.4	46.1	54.2	0.0	54.2
3-01-06	0.0	49.4	0.0	0.0	53.1	46.1	55.2	0.0	55.2
4-01-06	0.0	49.4	0.0	0.0	53.1	46.1	55.2	0.0	55.2
1-02-06	0.0	49.4	0.0	0.0	48.4	46.1	52.9	0.0	52.9
1-03-06	0.0	49.4	0.0	0.0	48.4	46.1	52.9	0.0	52.9
1-04-06	0.0	49.4	0.0	0.0	48.4	46.1	52.9	0.0	52.9
1-05-06	0.0	49.4	0.0	0.0	52.7	46.1	55.0	0.0	55.0
1-06-06	0.0	49.4	0.0	0.0	0.0	49.6	52.5	0.0	52.5
1-07-06	0.0	49.4	0.0	0.0	0.0	52.0	53.9	0.0	53.9
1-08-06	0.0	49.4	0.0	0.0	0.0	51.6	53.6	0.0	53.6
1-09-06	0.0	49.4	0.0	0.0	0.0	51.6	53.6	0.0	53.6
1-10-06	0.0	49.4	0.0	0.0	0.0	51.6	53.6	0.0	53.6
1-11-06	0.0	49.4	0.0	0.0	0.0	49.6	52.5	0.0	52.5
1-12-06	0.0	49.4	0.0	0.0	0.0	49.6	52.5	0.0	52.5
1-01-07	0.0	49.4	0.0	0.0	0.0	49.6	52.5	0.0	52.5
1-02-07	0.0	0.0	0.0	0.0	0.0	52.5	52.5	0.0	52.5
1-03-07	0.0	0.0	0.0	0.0	0.0	46.1	46.1	0.0	46.1
1-04-07	0.0	0.0	0.0	0.0	0.0	46.1	46.1	0.0	46.1
1-05-07	0.0	0.0	0.0	0.0	0.0	46.1	46.1	0.0	46.1
1-06-07	0.0	0.0	0.0	0.0	0.0	46.1	46.1	0.0	46.1
1-07-07	0.0	0.0	0.0	0.0	0.0	46.1	46.1	0.0	46.1
1-08-07	0.0	0.0	0.0	0.0	0.0	46.1	46.1	0.0	46.1
1-09-07	0.0	0.0	0.0	0.0	0.0	46.1	46.1	0.0	46.1
1-10-07	0.0	0.0	0.0	0.0	0.0	46.1	46.1	0.0	46.1

<End>

Calculation of Construction Noise Levels for "RSCH3" (mitigated)

Job Title.: Yau Tong Bay Reclamation
 Job No.: 21253
 Date: 28-11-00

	Seawall construction	Phase 1a	Phase 1b	Phase 1c	Phase 1d	Phase 2	Demolition	TOTAL
2-01-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-02-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-03-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-04-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2-04-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3-04-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4-04-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-05-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-06-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-07-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2-07-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3-07-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4-07-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-08-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2-08-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3-08-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4-08-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-09-04	0.0	49.9	60.0	0.0	0.0	62.3	0.0	64.5
2-09-04	0.0	49.9	60.0	0.0	0.0	62.3	0.0	64.5
3-09-04	0.0	49.9	60.0	0.0	0.0	62.3	0.0	64.5
4-09-04	0.0	49.9	61.7	0.0	0.0	62.3	0.0	65.2
1-10-04	0.0	52.6	61.7	0.0	0.0	62.3	0.0	65.3
2-10-04	0.0	51.0	61.7	0.0	0.0	62.3	0.0	65.2
3-10-04	0.0	48.2	57.0	0.0	0.0	62.3	0.0	63.6
4-10-04	0.0	48.2	57.0	0.0	0.0	62.3	0.0	63.6
1-11-04	0.0	48.2	57.0	0.0	0.0	62.3	0.0	63.6
2-11-04	0.0	48.2	57.0	0.0	0.0	62.3	0.0	63.6
3-11-04	0.0	48.2	57.0	0.0	0.0	62.3	0.0	63.6
4-11-04	0.0	48.2	57.0	0.0	0.0	62.3	0.0	63.6
1-12-04	0.0	48.2	57.0	0.0	0.0	62.3	0.0	63.6
1-01-05	0.0	48.2	61.3	0.0	0.0	59.5	0.0	63.6
1-02-05	0.0	48.2	0.0	0.0	0.0	59.5	0.0	59.8
2-02-05	0.0	48.2	0.0	0.0	0.0	59.5	0.0	59.8
3-02-05	0.0	48.2	0.0	53.9	0.0	59.5	0.0	60.8
4-02-05	0.0	48.2	0.0	53.9	0.0	59.5	0.0	60.8
1-03-05	0.0	48.2	0.0	57.5	0.0	59.5	0.0	61.8
1-04-05	0.0	48.2	0.0	57.0	0.0	59.5	0.0	61.6
1-05-05	0.0	48.2	0.0	58.7	0.0	59.5	0.0	62.3
1-06-05	0.0	48.2	0.0	53.9	0.0	59.5	0.0	60.8
1-07-05	0.0	53.2	0.0	58.9	0.0	62.9	67.7	69.5
1-08-05	0.0	53.2	0.0	58.9	0.0	62.9	67.7	69.5
2-08-05	0.0	53.2	0.0	58.9	0.0	62.9	67.7	69.5
3-08-05	0.0	53.2	0.0	63.3	0.0	62.9	67.7	70.1
4-08-05	0.0	53.2	0.0	63.3	0.0	62.9	67.7	70.1
1-09-05	0.0	53.2	0.0	63.3	0.0	62.9	0.0	66.3
1-10-05	0.0	53.2	0.0	0.0	0.0	62.9	0.0	63.4
2-10-05	0.0	53.2	0.0	0.0	0.0	62.9	0.0	63.4
3-10-05	0.0	53.2	0.0	0.0	0.0	62.9	0.0	63.4
4-10-05	0.0	53.2	0.0	0.0	0.0	62.9	0.0	63.4
1-11-05	0.0	53.2	0.0	0.0	53.0	62.9	0.0	63.7
2-11-05	0.0	53.2	0.0	0.0	56.5	62.9	0.0	64.2
3-11-05	0.0	53.2	0.0	0.0	56.5	62.9	0.0	64.2
4-11-05	0.0	53.2	0.0	0.0	56.5	62.9	0.0	64.2
1-12-05	0.0	53.2	0.0	0.0	56.0	62.9	0.0	64.1
2-12-05	0.0	53.2	0.0	0.0	56.0	62.9	0.0	64.1
3-12-05	0.0	53.2	0.0	0.0	56.0	62.9	0.0	64.1
4-12-05	0.0	53.2	0.0	0.0	56.0	62.9	0.0	64.1
1-01-06	0.0	53.2	0.0	0.0	56.0	62.9	0.0	64.1
2-01-06	0.0	53.2	0.0	0.0	56.0	53.0	0.0	59.1
3-01-06	0.0	53.2	0.0	0.0	57.7	53.0	0.0	60.0
4-01-06	0.0	53.2	0.0	0.0	57.7	53.0	0.0	60.0
1-02-06	0.0	53.2	0.0	0.0	53.0	53.0	0.0	57.9
1-03-06	0.0	53.2	0.0	0.0	53.0	53.0	0.0	57.9
1-04-06	0.0	53.2	0.0	0.0	53.0	53.0	0.0	57.9
1-05-06	0.0	53.2	0.0	0.0	57.3	53.0	0.0	59.8
1-06-06	0.0	53.2	0.0	0.0	0.0	56.6	0.0	58.2
1-07-06	0.0	53.2	0.0	0.0	0.0	58.9	0.0	59.9
1-08-06	0.0	53.2	0.0	0.0	0.0	58.5	0.0	59.6
1-09-06	0.0	53.2	0.0	0.0	0.0	58.5	0.0	59.6
1-10-06	0.0	53.2	0.0	0.0	0.0	58.5	0.0	59.6
1-11-06	0.0	53.2	0.0	0.0	0.0	56.6	0.0	58.2
1-12-06	0.0	53.2	0.0	0.0	0.0	56.6	0.0	58.2
1-01-07	0.0	53.2	0.0	0.0	0.0	56.6	0.0	58.2
1-02-07	0.0	0.0	0.0	0.0	0.0	59.5	0.0	59.5
1-03-07	0.0	0.0	0.0	0.0	0.0	53.0	0.0	53.0
1-04-07	0.0	0.0	0.0	0.0	0.0	53.0	0.0	53.0
1-05-07	0.0	0.0	0.0	0.0	0.0	53.0	0.0	53.0
1-06-07	0.0	0.0	0.0	0.0	0.0	53.0	0.0	53.0
1-07-07	0.0	0.0	0.0	0.0	0.0	53.0	0.0	53.0
1-08-07	0.0	0.0	0.0	0.0	0.0	53.0	0.0	53.0
1-09-07	0.0	0.0	0.0	0.0	0.0	53.0	0.0	53.0
1-10-07	0.0	0.0	0.0	0.0	0.0	53.0	0.0	53.0