

Appendix 7-1

---

**Tree Survey Schedule**

TREE SURVEY SCHEDULE : Hong Kong Sports Institute

2008 Olympic Equestrian Event

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION	FORM	PARTICULAR VALUE*	POST-TRANSPLANT'N SURVIVAL RATE	Overall Value	RECOMMENDATION	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH								Good/Fair/Poor	Good/Fair/ Poor

**Abbreviations in the tree schedule**

**\* Particular value (Refer to Methodology for details):**

- A: Amenity value
- C: Cultural value
- E: Ecological value
- H: Historical value
- S(##): Significant tree (refer to Methodology for detailed categories)
- F: Fair
- N: Nil

**\*\* Justification for Tree Felling:**

1. Tree is in direct conflict with the proposed works.
2. Root ball preparation not practical due to the topography (e.g. on rock, steep slope, structures).
3. Invasive weedy species / common, fast growing species without special ecological significance.
4. Tree with poor health and/or form for transplantation.
5. Lack of access for transplantation machinery.
6. Species of low post-transplantation survival rate.

**^ General Remarks:**

**FORM**

- br broken branches
- fe felled down
- fo forked
- db dead branches
- he head cut
- le leaning
- mu multi-trunks / 2 main trunks
- se seriously leaning
- sh shrubby
- tw twisting trunk
- un unbalance

**SIZE**

- ma mature
- ve very mature

**HEALTH**

- ab abnormally few green leaves
- co covered by climbers
- pe pest infected
- tr trunk is rotten

**LOCATION**

- con on concrete
- roc on rock
- sho on shotcrete
- slo on slope
- toe on toe of wall / slope
- top on top of wall
- wal on wall

**ROOT**

- exp root exposed
- spr root spreading on wall

tree surveyers: Mike Leung and Tyrone Fu

**^^ Other remarks**

TREE SURVEY SCHEDULE : Hong Kong Sports Institute

2008 Olympic Equestrian Event

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION	FORM	PARTICULAR VALUE*	POST-TRANSPLANT'N SURVIVAL RATE	Overall Value	RECOMMENDATION	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH								Good/Fair/Poor	Good/Fair/ Poor
T1	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	6.0	4.0	0.17	Fair	Poor	N	High	Medium	Retain		le	
T2	<i>Ficus elastica</i>	印度橡樹	LCSD	4.8	5.0	0.25	Fair	Poor	N	High	Medium	Retain		le	
T3	<i>Ficus elastica</i>	印度橡樹	LCSD	4.8	5.0	0.25	Fair	Poor	N	High	Medium	Retain		le	
T4	<i>Bombax ceiba</i>	木棉	LCSD	8.4	3.0	0.25	Fair	Poor	N	High	Medium	Retain		le	
T5	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	6.0	0.30	Fair	Fair	N	Low	Medium	Retain			
T6	<i>Bombax ceiba</i>	木棉	LCSD	7.2	3.5	0.18	Fair	Fair	N	High	Medium	Retain			
T7	<i>Bombax ceiba</i>	木棉	LCSD	7.2	3.5	0.18	Fair	Poor	N	High	Medium	Retain		un	
T8	<i>Bombax ceiba</i>	木棉	LCSD	7.2	3.5	0.18	Fair	Poor	N	High	Medium	Retain		un	
T9	<i>Bombax ceiba</i>	木棉	LCSD	7.2	3.5	0.18	Fair	Poor	N	High	Medium	Retain		un	
T10	<i>Bombax ceiba</i>	木棉	LCSD	7.2	3.5	0.18	Fair	Poor	N	High	Medium	Retain		un	
T11	<i>Ficus elastica</i>	印度橡樹	LCSD	8.4	8.0	0.70	Fair	Fair	N	High	High	Retain			
T12	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	6.0	0.30	Fair	Poor	N	Medium	Medium	Retain		un	
T13	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	5.0	0.25	Fair	Poor	N	Low	Medium	Retain		le	
T14	<i>Acacia confusa</i>	台灣相思	LCSD	8.4	6.0	0.40	Fair	Fair	N	Low	Medium	Retain		br, fo	
T15	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	5.0	0.30	Fair	Poor	N	Low	Medium	Retain		un	
T16	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	5.0	0.30	Fair	Poor	N	Low	Medium	Retain		le	
T17	<i>Acacia confusa</i>	台灣相思	LCSD	8.4	6.0	0.60	Fair	Fair	N	Low	High	Retain			
T17a	<i>Bombax ceiba</i>	木棉	LCSD	6.5	2.0	0.25	Fair	Poor	N	High	Medium	Retain		un	
T18	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	8.4	6.0	0.50	Fair	Fair	N	Medium	Medium to High	Retain			
T19	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	8.4	5.0	0.30	Fair	Fair	N	Medium	Medium	Retain			
T20	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	8.4	6.0	0.35	Fair	Fair	N	Medium	Medium	Retain			
T21	<i>Bombax ceiba</i>	木棉	LCSD	8.4	3.0	0.12	Fair	Poor	N	High	Medium	Retain		un	
T22	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	8.4	6.0	0.35	Fair	Fair	N	Medium	Medium	Retain			
T23	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	8.4	6.0	0.50	Fair	Fair	N	Medium	Medium to High	Retain			
T24	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	6.0	0.30	Fair	Poor	N	Low	Medium	Retain		tw	
T25	<i>Bombax ceiba</i>	木棉	LCSD	6.0	3.5	0.25	Fair	Poor	N	High	Medium	Retain		un	
T26	<i>Cinnamomum camphora</i>	樟樹	LCSD	8.4	4.0	0.30	Fair	Poor	N	Medium	Medium	Retain		tw	
T27	<i>Cinnamomum camphora</i>	樟樹	LCSD	7.2	4.0	0.30	Fair	Poor	N	Medium	Medium	Retain			
T28	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	4.0	0.25	Fair	Poor	N	Medium	Medium	Retain		db	
T29	<i>Cinnamomum camphora</i>	樟樹	LCSD	3.0	2.0	0.15	Fair	Poor	N	Medium	Medium	Retain		tw	
T30	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	6.0	0.30	Fair	Fair	N	Medium	Medium	Retain		fo, slo	
T31	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	6.0	0.35	Fair	Fair	N	Medium	Medium	Retain		slo	
T32	<i>Dimocarpus longan</i>	龍眼	LCSD	6.0	5.0	0.30	Fair	Poor	N	Low	Medium	Retain		mu	
T33	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	4.0	0.30	Fair	Poor	N	High	Medium	Retain		un, slo	
T34	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	4.0	0.30	Fair	Poor	N	High	Medium	Retain		un, slo	
T35	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	3.0	0.15	Poor	Poor	N	High	Low	Retain		un, slo	
T36	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	4.0	0.25	Poor	Poor	N	High	Low	Retain		un, slo	
T37	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	2.0	0.20	Poor	Poor	N	High	Low	Retain		un, slo	
T38	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	2.0	0.20	Poor	Poor	N	High	Low	Retain		un, slo	
T39	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	2.0	0.20	Fair	Poor	N	High	Medium	Retain		un, slo	
T40	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	3.6	3.0	0.10	Fair	Poor	N	High	Medium	Retain		fo, slo	
T41	<i>Cinnamomum camphora</i>	樟樹	LCSD	2.4	2.0	0.15	Fair	Fair	N	Medium	Medium	Retain			
T42	<i>Plumeria rubra</i> cv. <i>Acutifolia</i>	黃雞蛋花	LCSD	4.8	4.0	0.30	Fair	Fair	A	Medium	Medium	Retain		fo	
T43	<i>Plumeria rubra</i> cv. <i>Acutifolia</i>	黃雞蛋花	LCSD	4.8	4.0	0.30	Fair	Fair	A	Medium	Medium	Retain			
T44	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	4.8	2.5	0.15	Fair	Fair	A	High	Medium	Retain			
T45	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	4.8	2.5	0.15	Fair	Fair	A	High	Medium	Retain			
T46	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	4.8	2.5	0.15	Fair	Fair	A	High	Medium	Retain			
T47	<i>Roystonea regia</i>	王棕	LCSD	4.8	2.5	0.15	Fair	Poor	N	High	Medium	Retain			
T48	<i>Roystonea regia</i>	王棕	LCSD	6.0	3.0	0.40	Fair	Poor	N	High	Medium	Retain			
T49	<i>Roystonea regia</i>	王棕	LCSD	6.0	3.0	0.40	Fair	Poor	N	High	Medium	Retain			
T50	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	2.0	0.15	Poor	Poor	N	High	Low	Retain		slo	
T51	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	2.0	0.15	Fair	Poor	N	High	Medium	Retain		le, slo	
T52	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	3.0	0.15	Fair	Fair	A	High	Medium	Retain		slo	
T53	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	3.0	0.20	Fair	Fair	A	High	Medium	Retain		slo	
T54	Number not used	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\* / ^ Refer to the first page of schedule for details

TREE SURVEY SCHEDULE : Hong Kong Sports Institute

2008 Olympic Equestrian Event

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION	FORM	PARTICULAR VALUE*	POST-TRANSPLANT'N SURVIVAL RATE	Overall Value	RECOMMENDATION	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH								Good/Fair/Poor	Good/Fair/ Poor
T55	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	3.6	2.0	0.15	Fair	Poor		N	High	Medium	Retain		un, slo
T56	<i>Lagerstroemia speciosa</i>	大葉紫薇	LCSD	4.8	3.0	0.15	Fair	Fair	A		Medium	Medium	Retain		slo
T57	<i>Lagerstroemia speciosa</i>	大葉紫薇	LCSD	2.4	2.0	0.10	Fair	Fair	A		Medium	Medium	Retain		slo
T58	<i>Lagerstroemia speciosa</i>	大葉紫薇	LCSD	4.8	3.0	0.15	Fair	Fair	A		Medium	Medium	Retain		slo
T59	<i>Lagerstroemia speciosa</i>	大葉紫薇	LCSD	4.8	3.0	0.15	Fair	Fair	A		Medium	Medium	Retain		slo
T60	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	3.6	3.0	0.15	Fair	Fair	A		High	Medium	Retain		slo
T61	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	3.6	3.0	0.15	Fair	Poor		N	High	Medium	Retain		le, slo
T62	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T63	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	3.6	2.0	0.15	Fair	Poor		N	High	Medium	Retain		un, slo
T64	Number not used	-	-	-	-	-	-	-			-	-	-		-
T65	<i>Lagerstroemia speciosa</i>	大葉紫薇	LCSD	3.6	2.5	0.15	Fair	Fair	A		Medium	Medium	Retain		slo
T66	<i>Lagerstroemia speciosa</i>	大葉紫薇	LCSD	4.8	3.0	0.15	Fair	Poor		N	Medium	Medium	Retain		un, slo
T67	<i>Lagerstroemia speciosa</i>	大葉紫薇	LCSD	6.0	4.0	0.20	Fair	Poor		N	Medium	Medium	Retain		un, slo
T68	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	3.0	0.17	Poor	Poor		N	High	Low	Retain		un, slo
T69	<i>Lagerstroemia speciosa</i>	大葉紫薇	LCSD	4.8	2.0	0.15	Fair	Poor		N	Medium	Medium	Retain		slo
T70	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	3.0	0.15	Fair	Fair	A		High	Medium	Retain		slo
T71	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	3.0	0.15	Fair	Fair	A		High	Medium	Retain		fo, slo
T72	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	3.0	0.20	Fair	Poor		N	High	Medium	Retain		un, slo
T73	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	3.6	3.0	0.20	Fair	Poor		N	High	Medium	Retain		he, slo
T74	<i>Celtis sinensis</i>	朴樹	LCSD	7.2	6.0	0.60	Fair	Fair		N	Medium	High	Retain		un, slo
T75	<i>Psidium guajava</i>	番石榴	LCSD	2.4	1.0	0.95	Poor	Poor	E		Low	Low	Retain		slo
T76	Number not used	-	-	-	-	-	-	-			-	-	-		-
T76a	Number not used	-	-	-	-	-	-	-			-	-	-		-
T77	Number not used	-	-	-	-	-	-	-			-	-	-		-
T77a	<i>Citrus grandis</i>	柚	LCSD	2.4	1.0	0.1	Fair	Fair		N	Low	Medium	Retain		slo
T78	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	5.0	0.30	Fair	Fair	A		High	Medium	Retain		slo
T79	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	5.0	0.30	Fair	Fair	A		High	Medium	Retain		slo
T80	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	7.2	6.0	0.30	Fair	Fair	A		High	Medium	Retain		slo
T81	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	1.2	1.0	0.20	Poor	Poor		N	High	Low	Retain		he, slo
T82	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T83	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	3.6	2.0	0.12	Fair	Poor		N	High	Medium	Retain		le, slo
T84	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	6.0	4.0	0.30	Fair	Poor		N	High	Medium	Retain		fo, slo
T85	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	3.6	3.0	0.20	Fair	Poor		N	High	Medium	Retain		le, slo
T86	-	-	LCSD	3.6	3.0	0.25	-	-			-	-	-		Dead tree
T87	-	-	LCSD	3.6	2.0	0.15	-	-			-	-	-		Dead tree
T88	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	4.0	0.17	Fair	Poor		N	High	Medium	Retain		slo
T89	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	6.0	5.0	0.30	Fair	Poor		N	High	Medium	Retain		le, slo
T90	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	8.4	5.0	0.35	Fair	Fair		N	Medium	Medium	Retain		slo
T91	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	8.4	5.0	0.30	Fair	Fair		N	Medium	Medium	Retain		slo
T92	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	8.4	4.0	0.25	Fair	Fair		N	Medium	Medium	Retain		slo
T93	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	8.4	5.0	0.35	Fair	Fair		N	Medium	Medium	Retain		slo
T94	<i>Cinnamomum camphora</i>	樟樹	LCSD	7.2	5.0	0.35	Fair	Fair		N	Medium	Medium	Retain		slo
T95	<i>Cinnamomum camphora</i>	樟樹	LCSD	7.2	3.0	0.20	Fair	Fair		N	Medium	Medium	Retain		slo
T96	<i>Cinnamomum camphora</i>	樟樹	LCSD	7.2	3.0	0.25	Fair	Fair		N	Medium	Medium	Retain		slo
T97	<i>Cinnamomum camphora</i>	樟樹	LCSD	7.2	3.0	0.30	Fair	Fair		N	Medium	Medium	Retain		slo
T98	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.15	Poor	Poor		N	Medium	Low	Retain		br, slo
T99	<i>Bombax ceiba</i>	木棉	LCSD	4.8	2.0	0.15	Poor	Poor		N	High	Low	Retain		un, slo
T100	<i>Bombax ceiba</i>	木棉	LCSD	4.8	3.0	0.25	Fair	Poor		N	High	Medium	Retain		un, slo
T101	<i>Bombax ceiba</i>	木棉	LCSD	4.8	2.0	0.15	Fair	Fair		N	High	Medium	Retain		un, slo
T102	<i>Bombax ceiba</i>	木棉	LCSD	4.8	2.0	0.10	Fair	Poor		N	High	Medium	Retain		un, slo
T103	<i>Bombax ceiba</i>	木棉	LCSD	4.2	2.0	0.30	Fair	Fair		N	High	Medium	Retain		un, slo
T104	<i>Bombax ceiba</i>	木棉	LCSD	4.8	2.5	0.30	Fair	Fair		N	High	Medium	Retain		un, slo
T105	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	3.0	0.25	Fair	Fair		N	Medium	Medium	Retain		slo
T106	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	3.0	0.17	Fair	Fair		N	Medium	Medium	Retain		slo
T107	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	4.0	0.30	Fair	Fair		N	Medium	Medium	Retain		slo

\* / ^ Refer to the first page of schedule for details

TREE SURVEY SCHEDULE : Hong Kong Sports Institute

2008 Olympic Equestrian Event

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION	FORM	PARTICULAR VALUE*	POST-TRANSPLANT'N SURVIVAL RATE	Overall Value	RECOMMENDATION	JUSTIFICATION FOR TREE FELLING**	REMARKS		
				Height	Spread	DBH								Good/Fair/Poor	Good/Fair/ Poor	A C E H S F N
T108	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	5.0	0.30	Fair	Fair		N	Medium	Medium	Retain		slo	
T109	<i>Cinnamomum camphora</i>	樟樹	LCSD	2.4	1.0	0.10	Poor	Poor		N	Medium	Low	Retain		he, slo	
T110	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.20	Poor	Poor		N	Medium	Low	Retain		db, slo	
T111	Number not used	-	-	-	-	-	-	-			-	-	-		-	-
T112	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	4.0	0.25	Fair	Poor		N	Medium	Medium	Retain		le, slo	
T113	<i>Ficus microcarpa</i>	細葉榕	LCSD	9.6	6.0	0.80	Good	Good	E		High	High	Retain			
T114	<i>Ficus microcarpa</i>	細葉榕	LCSD	9.6	8.0	1.00	Good	Good	E		High	High	Retain			
T115	<i>Ficus microcarpa</i>	細葉榕	LCSD	9.6	8.0	1.00	Good	Good	E		High	High	Retain			
T116	<i>Ficus microcarpa</i>	細葉榕	LCSD	9.6	6.0	0.60	Good	Good	E		High	High	Retain			
T117	<i>Ficus microcarpa</i>	細葉榕	LCSD	7.2	4.0	0.30	Good	Good	E		High	Medium to High	Retain			
T118	<i>Ficus microcarpa</i>	細葉榕	LCSD	7.2	6.0	0.40	Fair	Fair	E		High	Medium	Retain		slo	
T119	<i>Alstonia scholaris</i>	黑板木	LCSD	9.6	5.0	0.50	Fair	Fair		N	Low	Medium to High	Retain		slo	
T120	<i>Cassia fistula</i>	豬腸豆	LCSD	6.0	4.0	0.35	Fair	Poor		N	Medium	Medium	Retain		fo, slo	
T121	<i>Araucaria cunninghamii</i>	南洋杉	LCSD	7.2	4.0	0.40	Fair	Fair		N	Medium	Medium	Retain		slo	
T122	<i>Cunninghamia lanceolata</i>	杉木	LCSD	3.6	2.0	0.10	Fair	Poor		N	Low	Medium	Retain		un, slo	
T123	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	3.0	0.20	Fair	Fair		N	Medium	Medium	Retain		slo	
T124	<i>Araucaria cunninghamii</i>	南洋杉	LCSD	6.0	3.0	0.30	Fair	Poor		N	Medium	Medium	Retain		le, slo	
T125	<i>Pinus massoniana</i>	山松	LCSD	7.2	3.0	0.25	Fair	Fair		N	Low	Medium	Retain		slo	
T126	<i>Pinus massoniana</i>	山松	LCSD	7.2	3.0	0.10	Fair	Poor		N	Low	Medium	Retain		slo	
T127	<i>Pinus massoniana</i>	山松	LCSD	7.2	3.0	0.25	Fair	Fair		N	Low	Medium	Retain		slo	
T128	<i>Pinus massoniana</i>	山松	LCSD	7.2	3.0	0.20	Fair	Fair		N	Low	Medium	Retain		slo	
T129	<i>Pinus massoniana</i>	山松	LCSD	7.2	3.0	0.25	Fair	Fair		N	Low	Medium	Retain		slo	
T130	<i>Pinus massoniana</i>	山松	LCSD	7.2	3.0	0.25	Fair	Fair		N	Low	Medium	Retain		slo	
T131	Number not used	-	-	-	-	-	-	-			-	-	-		-	-
T132	Number not used	-	-	-	-	-	-	-			-	-	-		-	-
T133	Number not used	-	-	-	-	-	-	-			-	-	-		-	-
T134	<i>Michelia alba</i>	白蘭	LCSD	1.2	1.0	0.10	Poor	Poor		N	Medium	Low	Retain		slo	
T135	<i>Cleistocalyx operculatus</i>	水翁	LCSD	7.2	6.0	0.50	Fair	Fair		N	Medium	Medium to High	Retain		un, slo	
T136	<i>Cleistocalyx operculatus</i>	水翁	LCSD	7.2	6.0	0.35	Fair	Fair		N	Medium	Medium	Retain		slo	
T137	<i>Cleistocalyx operculatus</i>	水翁	LCSD	7.2	6.0	0.30	Fair	Fair		N	Medium	Medium	Retain		slo	
T138	<i>Michelia alba</i>	白蘭	LCSD	3.6	2.0	0.10	Fair	Poor		N	Medium	Medium	Retain		fo, slo	
T139	<i>Michelia alba</i>	白蘭	LCSD	4.8	3.0	0.15	Fair	Fair		N	Medium	Medium	Retain		le, slo	
T140	<i>Michelia alba</i>	白蘭	LCSD	7.2	4.0	0.35	Fair	Fair		N	Medium	Medium	Retain		fo, slo	
T141	<i>Michelia alba</i>	白蘭	LCSD	7.2	4.0	0.25	Fair	Fair		N	Medium	Medium	Retain		slo	
T142	<i>Michelia alba</i>	白蘭	LCSD	7.2	4.0	0.20	Fair	Poor		N	Medium	Medium	Retain		slo	
T143	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	5.0	0.40	Fair	Poor		N	Low	Medium	Retain		le, tw, slo	
T144	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	5.0	0.40	Fair	Poor		N	Low	Medium	Retain		tw, slo	
T145	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	5.0	0.30	Fair	Poor		N	Low	Medium	Retain		le, slo	
T146	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	5.0	0.30	Fair	Poor		N	Low	Medium	Retain		le, slo	
T147	<i>Artocarpus heterophyllus</i>	大樹菠蘿	LCSD	4.8	2.0	0.15	Fair	Fair		N	Low	Medium	Retain		slo	
T148	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	5.0	0.35	Fair	Poor		N	Low	Medium	Retain		fo, un, slo	
T149	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	5.0	0.30	Fair	Poor		N	Low	Medium	Retain		le, slo	
T150	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	5.0	0.35	Fair	Fair		N	Low	Medium	Retain		slo	
T151	<i>Acacia confusa</i>	台灣相思	LCSD	4.8	4.0	0.14	Fair	Poor		N	Low	Medium	Retain		le, slo	
T152	<i>Acacia confusa</i>	台灣相思	LCSD	4.8	5.0	0.40	Fair	Poor		N	Low	Medium	Retain		le, slo	
T153	<i>Acacia confusa</i>	台灣相思	LCSD	4.8	3.0	0.25	Fair	Poor		N	Low	Medium	Retain		le, slo	
T154	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	5.0	0.3	Fair	Fair		N	Low	Medium	Retain		slo	
T155	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	4.0	0.25	Fair	Poor		N	Low	Medium	Retain		le	
T156	<i>Acacia confusa</i>	台灣相思	LCSD	4.8	3.0	0.3	Fair	Poor		N	Low	Medium	Retain		db	
T157	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	7.0	0.40	Fair	Poor		N	Low	Medium	Retain		un	
T158	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	7.2	4.0	0.3	Fair	Fair		N	Medium	Medium	Retain			
T159	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	7.2	5.0	0.40	Fair	Fair		N	Medium	Medium	Retain			
T160	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	7.2	5.0	0.35	Fair	Fair		N	Medium	Medium	Retain			
T161	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	7.2	4.0	0.30	Fair	Fair		N	Medium	Medium	Retain			
T162	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	5.0	0.3	Fair	Poor		N	Low	Medium	Retain		un	

\* / ^ Refer to the first page of schedule for details

TREE SURVEY SCHEDULE : Hong Kong Sports Institute

2008 Olympic Equestrian Event

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION	FORM	PARTICULAR VALUE*	POST-TRANSPLANT'N SURVIVAL RATE	Overall Value	RECOMMENDATION	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH								Good/Fair/Poor	Good/Fair/ Poor
T163	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	5.0	0.25	Fair	Poor		N	Low	Retain		un	
T164	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	4.0	0.2	Good	Good	A		Medium	Transplant			
T165	<i>Melaleuca quinquenervia</i>	白千層	LCSD	4.8	3.0	0.25	Fair	Fair		N	Medium	Transplant		un	
T166	<i>Melaleuca quinquenervia</i>	白千層	LCSD	8.4	4.0	0.40	Good	Good	A		Medium	Transplant			
T167	<i>Melaleuca quinquenervia</i>	白千層	LCSD	8.4	4.0	0.40	Good	Good	A		Medium	Transplant			
T168	Number not used	-	-	-	-	-	-	-			-	-		-	-
T169	<i>Bombax ceiba</i>	木棉	LCSD	6.0	3.0	0.25	Fair	Fair		N	High	Transplant			
T170	<i>Bombax ceiba</i>	木棉	LCSD	6.0	3.0	0.30	Fair	Fair		N	High	Transplant		un	
T171	<i>Bombax ceiba</i>	木棉	LCSD	6.0	3.0	0.30	Fair	Fair		N	High	Transplant		un	
T172	<i>Bombax ceiba</i>	木棉	LCSD	7.2	4.0	0.40	Fair	Fair		N	High	Transplant		un	
T173	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	4.0	0.30	Fair	Fair	A		High	Transplant		un	
T174	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	3.0	0.20	Poor	Poor		N	High	Fell	1 4	he	
T175	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	3.0	0.25	Poor	Poor		N	High	Fell	1 4	tw, un	
T176	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	6.0	3.0	0.25	Poor	Poor		N	High	Fell	1 4	br	
T177	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	3.0	0.10	Poor	Poor		N	High	Fell	1 2 4	un, slo	
T178	<i>Melia azedarach</i>	森樹	LCSD	7.2	4.0	0.25	Fair	Fair	E		Medium	Fell	1 2	fo, slo	
T179	<i>Bombax ceiba</i>	木棉	LCSD	6.0	2.0	0.20	Fair	Fair		N	High	Transplant		un	
T180	<i>Bombax ceiba</i>	木棉	LCSD	6.0	2.0	0.17	Fair	Fair		N	High	Transplant		un	
T181	<i>Bombax ceiba</i>	木棉	LCSD	6.0	2.0	0.20	Fair	Fair		N	High	Transplant		tw, un	
T182	<i>Bombax ceiba</i>	木棉	LCSD	6.0	2.0	0.70	Fair	Fair		N	High	Transplant		tw, un	
T183	<i>Cinnamomum camphora</i>	樟樹	LCSD	3.6	1.0	0.17	Fair	Poor		N	Medium	Fell	1 4	he	
T184	<i>Cinnamomum camphora</i>	樟樹	LCSD	7.2	5.0	0.35	Good	Good	A		Medium	Retain			
T185	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.15	Fair	Fair		N	Medium	Retain		un	
T186	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	7.2	4.0	0.30	Fair	Fair		N	Medium	Retain			
T187	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	7.2	4.0	0.30	Fair	Fair		N	Medium	Retain			
T188	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	6.0	3.0	0.25	Fair	Fair		N	Medium	Retain			
T189	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	4.8	3.0	0.17	Fair	Poor		N	Medium	Retain		br	
T190	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	4.8	3.0	0.13	Fair	Fair		N	Medium	Retain			
T191	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	8.4	6.0	0.50	Fair	Fair		N	Medium	Retain			
T192	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.25	Fair	Fair		N	Medium	Retain			
T193	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.30	Fair	Fair		N	Medium	Retain			
T194	<i>Cinnamomum camphora</i>	樟樹	LCSD	7.2	5.0	0.35	Fair	Fair		N	Medium	Retain			
T195	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	3.0	0.17	Fair	Poor		N	Medium	Retain		un	
T196	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	4.0	0.20	Fair	Fair		N	Medium	Retain			
T197	<i>Cinnamomum camphora</i>	樟樹	LCSD	7.2	5.0	0.35	Fair	Fair		N	Medium	Retain			
T198	<i>Cinnamomum camphora</i>	樟樹	LCSD	7.2	4.0	0.30	Fair	Fair		N	Medium	Retain			
T199	<i>Cinnamomum camphora</i>	樟樹	LCSD	7.2	5.0	0.30	Fair	Fair		N	Medium	Retain			
T200	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	3.6	2.0	0.13	Fair	Poor		N	High	Retain		un	
T201	<i>Delonix regia</i>	鳳凰木	LCSD	7.2	6.0	0.40	Fair	Fair	A		Medium	Retain			
T202	<i>Delonix regia</i>	鳳凰木	LCSD	7.2	6.0	0.40	Fair	Fair	A		Medium	Retain			
T203	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	4.0	0.25	Fair	Fair		N	Medium	Retain			
T204	<i>Rhaphiolepis indica</i>	車輪梅	LCSD	2.4	2.0	0.10	Fair	Poor		N	Medium	Retain		le, slo,sh	
T205	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	4.0	0.3	Fair	Poor		N	Medium	Retain		he	
T206	<i>Acacia confusa</i>	台灣相思	LCSD	3.6	2.0	0.25	Fair	Poor		N	Low	Retain		un	
T207	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	4.0	0.3	Fair	Poor		N	Low	Retain		un	
T208	<i>Acacia confusa</i>	台灣相思	LCSD	4.8	2.0	0.17	Fair	Poor		N	Low	Retain		le	
T209	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	4.0	0.40	Fair	Fair		N	Low	Retain			
T210	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	3.0	0.40	Fair	Poor		N	Low	Retain		le	
T211	<i>Acacia confusa</i>	台灣相思	LCSD	4.8	3.0	0.30	Fair	Poor		N	Low	Retain		le	
T212	<i>Aleurites moluccana</i>	石栗	LCSD	6.0	3.0	0.20	Fair	Fair		N	Medium	Retain		slo	
T213	<i>Aleurites moluccana</i>	石栗	LCSD	6.0	4.0	0.20	Fair	Fair		N	Medium	Retain		slo	
T214	<i>Aleurites moluccana</i>	石栗	LCSD	4.8	3.0	0.20	Fair	Fair		N	Medium	Retain		slo	
T215	<i>Aleurites moluccana</i>	石栗	LCSD	4.8	3.0	0.20	Fair	Fair		N	Medium	Retain		slo	
T216	<i>Aleurites moluccana</i>	石栗	LCSD	4.8	4.0	0.25	Fair	Fair		N	Medium	Retain		slo	
T217	<i>Aleurites moluccana</i>	石栗	LCSD	4.8	2.0	0.15	Fair	Fair		N	Medium	Retain		slo	
T218	<i>Aleurites moluccana</i>	石栗	LCSD	4.8	3.0	0.20	Fair	Fair		N	Medium	Retain		slo	

\* / ^ Refer to the first page of schedule for details

TREE SURVEY SCHEDULE : Hong Kong Sports Institute

2008 Olympic Equestrian Event

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION	FORM	PARTICULAR VALUE*	POST-TRANSPLANT N SURVIVAL RATE	Overall Value	RECOMMENDATION	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH								Good/Fair/Poor	Good/Fair/ Poor
T219	<i>Aleurites moluccana</i>	石栗	LCSD	4.8	3.0	0.20	Fair	Fair	N	Medium	Medium	Retain		slo	
T220	<i>Aleurites moluccana</i>	石栗	LCSD	4.8	3.0	0.18	Fair	Fair	N	Medium	Medium	Retain		slo	
T221	<i>Aleurites moluccana</i>	石栗	LCSD	6.0	3.0	0.20	Fair	Fair	N	Medium	Medium	Retain		slo	
T222	<i>Aleurites moluccana</i>	石栗	LCSD	6.0	3.0	0.20	Fair	Fair	N	Medium	Medium	Retain		slo	
T223	<i>Aleurites moluccana</i>	石栗	LCSD	6.0	3.0	0.20	Fair	Fair	N	Medium	Medium	Retain		slo	
T224	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	5.0	0.30	Fair	Fair	N	Low	Medium	Fell	1 2 6	slo	
T225	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	3.0	0.25	Fair	Fair	N	Low	Medium	Fell	1 2 6	slo	
T226	<i>Aleurites moluccana</i>	石栗	LCSD	6.0	3.0	0.18	Fair	Fair	N	Medium	Medium	Transplant		slo	
T227	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	5.0	0.30	Fair	Fair	N	Low	Medium	Fell	1 2 6	slo	
T228	<i>Aleurites moluccana</i>	石栗	LCSD	6.0	3.0	0.25	Fair	Fair	N	Medium	Medium	Transplant		slo	
T229	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	3.0	0.20	Fair	Fair	N	Low	Medium	Fell	1 2 6	slo	
T230	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	4.0	0.30	Fair	Fair	N	Low	Medium	Fell	1 2 6	slo	
T231	<i>Acacia confusa</i>	台灣相思	LCSD	4.8	4.0	0.25	Fair	Fair	N	Low	Medium	Fell	1 2 6	slo	
T232	<i>Acacia confusa</i>	台灣相思	LCSD	4.8	3.0	0.25	Poor	Poor	N	Low	Low	Fell	1 4 6	le	
T233	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.30	Fair	Fair	N	Medium	Medium	Transplant			
T234	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	2.5	0.30	Fair	Fair	N	Medium	Medium	Transplant			
T235	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.20	Fair	Fair	N	Medium	Medium	Transplant			
T236	<i>Cinnamomum camphora</i>	樟樹	LCSD	3.6	2.0	0.20	Fair	Fair	N	Medium	Medium	Transplant			
T237	<i>Cinnamomum camphora</i>	樟樹	LCSD	7.2	4.0	0.40	Fair	Fair	N	Medium	Medium	Transplant			
T238	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	3.0	0.25	Fair	Fair	N	Medium	Medium	Transplant			
T239	<i>Macaranga tanarius</i>	血桐	LCSD	3.6	2.0	0.10	Fair	Fair	N	Medium	Medium	Transplant			
T240	<i>Cinnamomum camphora</i>	樟樹	LCSD	7.2	4.0	0.35	Fair	Fair	N	Medium	Medium	Retain			
T241	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	4.0	0.30	Fair	Fair	N	Medium	Medium	Retain			
T242	<i>Macaranga tanarius</i>	血桐	LCSD	2.4	2.0	0.10	Poor	Poor	N	Medium	Low	Retain		mu	
T243	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.25	Fair	Fair	N	Medium	Medium	Transplant			
T244	<i>Cinnamomum camphora</i>	樟樹	LCSD	8.4	5.0	0.40	Fair	Fair	N	Medium	Medium	Transplant			
T245	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.30	Fair	Fair	N	Medium	Medium	Transplant			
T246	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	2.0	0.2	Fair	Fair	N	Medium	Medium	Transplant			
T247	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	4.0	0.30	Fair	Fair	N	Medium	Medium	Transplant			
T248	<i>Acacia confusa</i>	台灣相思	LCSD	4.8	3.0	0.30	Poor	Poor	N	Low	Low	Retain			
T249	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	4.0	0.30	Fair	Fair	N	Medium	Medium	Transplant			
T250	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	4.0	0.50	Fair	Fair	N	Medium	Medium to High	Transplant			
T251	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	3.0	0.50	Fair	Fair	N	Medium	Medium to High	Transplant			
T252	<i>Cinnamomum camphora</i>	樟樹	LCSD	7.2	4.0	0.30	Fair	Fair	N	Medium	Medium	Transplant			
T253	<i>Cinnamomum camphora</i>	樟樹	LCSD	7.2	4.0	0.30	Fair	Fair	N	Medium	Medium	Transplant			
T254	<i>Cinnamomum camphora</i>	樟樹	LCSD	7.2	5.0	0.30	Fair	Fair	N	Medium	Medium	Retain			
T255	<i>Cinnamomum camphora</i>	樟樹	LCSD	7.2	4.0	0.30	Fair	Fair	N	Medium	Medium	Retain			
T256	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	4.0	0.20	Fair	Fair	N	Medium	Medium	Retain			
T257	<i>Cinnamomum camphora</i>	樟樹	LCSD	7.2	6.0	0.50	Fair	Fair	N	Medium	Medium to High	Retain			
T258	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.25	Fair	Fair	N	Medium	Medium	Retain			
T259	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	4.0	0.30	Fair	Fair	N	Medium	Medium	Retain			
T260	<i>Cinnamomum camphora</i>	樟樹	LCSD	3.6	2.0	0.20	Fair	Poor	N	Medium	Medium	Retain		le	
T261	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	2.0	0.25	Fair	Poor	N	Medium	Medium	Retain			
T262	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	4.0	0.30	Fair	Poor	N	Medium	Medium	Retain			
T263	<i>Albizia lebbek</i>	大葉合歡	LCSD	3.6	1.0	0.30	Poor	Poor	N	Medium	Low	Fell	1 4		
T264	<i>Albizia lebbek</i>	大葉合歡	LCSD	4.8	1.0	0.20	Poor	Poor	N	Medium	Low	Fell	1 4		
T265	<i>Albizia lebbek</i>	大葉合歡	LCSD	3.6	1.0	0.20	Poor	Poor	N	Medium	Low	Retain		slo	
T266	<i>Citrus grandis</i>	柚	LCSD	3.6	1.0	0.10	Fair	Poor	N	Low	Medium	Retain		slo	
T267	<i>Citrus grandis</i>	柚	LCSD	3.6	1.0	0.10	Fair	Poor	N	Low	Medium	Retain		slo	
T268	<i>Albizia lebbek</i>	大葉合歡	LCSD	4.8	2.0	0.20	Fair	Fair	A	Medium	Medium	Retain		slo	
T269	Number not used	-	-	-	-	-	-	-	-	-	-	-		-	-
T270	Number not used	-	-	-	-	-	-	-	-	-	-	-		-	-
T271	<i>Albizia lebbek</i>	大葉合歡	LCSD	6.0	4.0	0.30	Fair	Fair	A	Medium	Medium	Retain		slo	
T272	<i>Albizia lebbek</i>	大葉合歡	LCSD	6.0	4.0	0.30	Fair	Fair	A	Medium	Medium	Retain		slo	
T273	<i>Albizia lebbek</i>	大葉合歡	LCSD	6.0	4.0	0.30	Fair	Fair	A	Medium	Medium	Retain		slo	

\* / ^ Refer to the first page of schedule for details

TREE SURVEY SCHEDULE : Hong Kong Sports Institute

2008 Olympic Equestrian Event

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION	FORM	PARTICULAR VALUE*	POST-TRANSPLANT'N SURVIVAL RATE	Overall Value	RECOMMENDATION	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH								Good/Fair/Poor	Good/Fair/ Poor
T274	<i>Albizia lebbek</i>	大葉合歡	LCS	6.0	5.0	0.35	Fair	Fair	A		Medium	Medium	Retain		slo
T275	<i>Cinnamomum camphora</i>	樟樹	LCS	6.0	4.0	0.30	Fair	Fair		N	Medium	Medium	Retain		slo
T276	<i>Ligustrum sinense</i>	山指甲	LCS	2.4	2.0	0.10	Fair	Fair		N	Medium	Medium	Retain		slo,sh
T277	<i>Albizia lebbek</i>	大葉合歡	LCS	3.6	2.0	0.20	Fair	Fair	A		Medium	Medium	Retain		slo
T278	<i>Albizia lebbek</i>	大葉合歡	LCS	4.8	2.0	0.20	Fair	Fair	A		Medium	Medium	Retain		slo
T279	<i>Albizia lebbek</i>	大葉合歡	LCS	4.8	2.0	0.25	Fair	Fair	A		Medium	Medium	Retain		le, slo
T280	<i>Albizia lebbek</i>	大葉合歡	LCS	6.0	4.0	0.30	Fair	Fair	A		Medium	Medium	Retain		slo
T281	<i>Cinnamomum camphora</i>	樟樹	LCS	4.8	4.0	0.20	Fair	Fair		N	Medium	Medium	Retain		slo
T282	<i>Cinnamomum camphora</i>	樟樹	LCS	3.6	3.0	0.20	Fair	Fair		N	Medium	Medium	Retain		slo
T282a	<i>Albizia lebbek</i>	大葉合歡	LCS	4.8	4.0	0.25	Fair	Fair	A		Medium	Medium	Retain		slo
T283	<i>Cinnamomum camphora</i>	樟樹	LCS	4.8	4.0	0.25	Fair	Fair		N	Medium	Medium	Retain		slo
T284	<i>Albizia lebbek</i>	大葉合歡	LCS	6.0	5.0	0.20	Fair	Fair	A		Medium	Medium	Retain		slo
T285	<i>Albizia lebbek</i>	大葉合歡	LCS	3.6	2.0	0.15	Fair	Fair	A		Medium	Medium	Retain		slo
T286	<i>Albizia lebbek</i>	大葉合歡	LCS	4.8	4.0	0.25	Fair	Fair	A		Medium	Medium	Retain		mu, slo
T287	<i>Albizia lebbek</i>	大葉合歡	LCS	4.8	3.0	0.25	Fair	Fair	A		Medium	Medium	Retain		slo
T288	<i>Cinnamomum camphora</i>	樟樹	LCS	4.8	4.0	0.20	Fair	Fair		N	Medium	Medium	Retain		slo
T289	<i>Cinnamomum camphora</i>	樟樹	LCS	4.8	3.0	0.20	Fair	Fair		N	Medium	Medium	Retain		slo
T290	<i>Albizia lebbek</i>	大葉合歡	LCS	4.8	3.0	0.20	Fair	Fair	A		Medium	Medium	Retain		slo
T290a	<i>Psidium guajava</i>	番石榴	LCS	3.6	3.0	0.12	Fair	Fair		E	Low	Medium	Retain		slo
T290b	<i>Albizia lebbek</i>	大葉合歡	LCS	3.6	2.0	0.10	Fair	Fair	A		Medium	Medium	Retain		slo
T290c	<i>Delonix regia</i>	鳳凰木	LCS	7.2	6.0	0.50	Good	Good	A		Medium	Medium to High	Retain		slo
T291	<i>Albizia lebbek</i>	大葉合歡	LCS	4.8	4.0	0.30	Good	Good	A		Medium	Medium to High	Retain		slo
T292	<i>Psidium guajava</i>	番石榴	LCS	2.4	2.0	0.10	Fair	Fair		E	Low	Medium	Retain		mu, slo
T293	<i>Albizia lebbek</i>	大葉合歡	LCS	6.0	4.0	0.30	Fair	Fair	A		Medium	Medium	Retain		slo
T294	<i>Citrus grandis</i>	柚	LCS	2.4	2.0	0.10	Fair	Fair		N	Low	Medium	Retain		slo
T295	<i>Citrus grandis</i>	柚	LCS	2.4	2.0	0.10	Fair	Fair		N	Low	Medium	Retain		slo
T296	<i>Psidium guajava</i>	番石榴	LCS	2.4	3.0	0.15	Fair	Fair		E	Low	Medium	Retain		mu, slo
T297	<i>Albizia lebbek</i>	大葉合歡	LCS	4.8	3.0	0.20	Fair	Fair	A		Medium	Medium	Retain		slo
T298	<i>Albizia lebbek</i>	大葉合歡	LCS	4.8	3.0	0.20	Fair	Fair	A		Medium	Medium	Retain		le, slo
T299	<i>Albizia lebbek</i>	大葉合歡	LCS	4.8	4.0	0.30	Fair	Fair	A		Medium	Medium	Retain		slo
T300	<i>Albizia lebbek</i>	大葉合歡	LCS	3.6	2.0	0.18	Fair	Fair	A		Medium	Medium	Retain		slo
T301	<i>Albizia lebbek</i>	大葉合歡	LCS	3.6	2.0	0.12	Fair	Fair	A		Medium	Medium	Retain		slo
T302	<i>Albizia lebbek</i>	大葉合歡	LCS	4.8	4.0	0.25	Fair	Fair	A		Medium	Medium	Retain		slo
T303	<i>Cinnamomum camphora</i>	樟樹	LCS	4.8	2.0	0.15	Fair	Fair		N	Medium	Medium	Retain		slo
T304	<i>Cinnamomum camphora</i>	樟樹	LCS	4.8	4.0	0.20	Fair	Fair		N	Medium	Medium	Retain		slo
T305	<i>Albizia lebbek</i>	大葉合歡	LCS	4.8	4.0	0.20	Fair	Fair	A		Medium	Medium	Retain		slo
T306	<i>Albizia lebbek</i>	大葉合歡	LCS	7.2	5.0	0.40	Fair	Poor		N	Medium	Medium	Retain		slo
T307	<i>Albizia lebbek</i>	大葉合歡	LCS	4.8	2.0	0.12	Fair	Fair	A		Medium	Medium	Retain		slo
T308	<i>Albizia lebbek</i>	大葉合歡	LCS	4.8	2.0	0.20	Fair	Fair	A		Medium	Medium	Retain		slo
T309	<i>Cinnamomum camphora</i>	樟樹	LCS	6.0	3.0	0.25	Fair	Fair		N	Medium	Medium	Retain		slo
T310	<i>Albizia lebbek</i>	大葉合歡	LCS	7.2	5.0	0.35	Fair	Fair	A		Medium	Medium	Retain		slo
T311	<i>Albizia lebbek</i>	大葉合歡	LCS	7.2	4.0	0.25	Fair	Fair	A		Medium	Medium	Retain		le, slo
T312	<i>Albizia lebbek</i>	大葉合歡	LCS	4.8	4.0	0.20	Fair	Fair	A		Medium	Medium	Retain		slo
T313	<i>Albizia lebbek</i>	大葉合歡	LCS	3.6	2.0	0.10	Fair	Poor		N	Medium	Medium	Retain		slo
T314	Number not used	-	-	-	-	-	-	-	-	-	-	-	-	-	-
T315	<i>Albizia lebbek</i>	大葉合歡	LCS	3.6	3.0	0.20	Fair	Fair	A		Medium	Medium	Retain		slo
T316	<i>Cinnamomum camphora</i>	樟樹	LCS	4.8	4.0	0.25	Fair	Fair		N	Medium	Medium	Retain		slo
T317	<i>Albizia lebbek</i>	大葉合歡	LCS	3.6	3.0	0.20	Fair	Fair	A		Medium	Medium	Retain		slo
T318	<i>Albizia lebbek</i>	大葉合歡	LCS	3.6	3.0	0.20	Fair	Fair	A		Medium	Medium	Retain		slo
T319	<i>Delonix regia</i>	鳳凰木	LCS	7.2	6.0	0.45	Good	Good	A		Medium	Medium to High	Retain		slo
T320	<i>Albizia lebbek</i>	大葉合歡	LCS	3.6	2.0	0.20	Fair	Fair	A		Medium	Medium	Retain		slo
T321	<i>Casuarina equisetifolia</i>	木麻黃	LCS	6.0	4.0	0.25	Fair	Fair		N	Low	Medium	Retain		slo
T322	<i>Casuarina equisetifolia</i>	木麻黃	LCS	4.8	4.0	0.20	Fair	Fair		N	Low	Medium	Retain		slo
T323	<i>Casuarina equisetifolia</i>	木麻黃	LCS	7.2	5.0	0.40	Fair	Fair		N	Low	Medium	Retain		slo
T324	<i>Casuarina equisetifolia</i>	木麻黃	LCS	6.0	4.0	0.20	Fair	Fair		N	Low	Medium	Fell	1 2 6	slo

\* / ^ Refer to the first page of schedule for details

TREE SURVEY SCHEDULE : Hong Kong Sports Institute

2008 Olympic Equestrian Event

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION	FORM	PARTICULAR VALUE*	POST-TRANSPLANT'N SURVIVAL RATE	Overall Value	RECOMMENDATION	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH								Good/Fair/Poor	Good/Fair/ Poor
T325	Casuarina equisetifolia	木麻黃	LCSD	6.0	4.0	0.25	Fair	Fair	N	Low	Medium	Fell	1 2 6	slo	
T326	Casuarina equisetifolia	木麻黃	LCSD	6.0	4.0	0.20	Fair	Fair	N	Low	Medium	Retain		slo	
T327	Casuarina equisetifolia	木麻黃	LCSD	4.8	2.0	0.15	Poor	Poor	N	Low	Low	Retain		slo	
T328	Casuarina equisetifolia	木麻黃	LCSD	4.8	4.0	0.25	Poor	Poor	N	Low	Low	Retain		slo	
T329	Casuarina equisetifolia	木麻黃	LCSD	4.8	3.0	0.15	Fair	Fair	N	Low	Medium	Retain		slo	
T330	Casuarina equisetifolia	木麻黃	LCSD	7.2	4.0	0.20	Fair	Fair	N	Low	Medium	Retain		slo	
T331	Casuarina equisetifolia	木麻黃	LCSD	7.2	4.0	0.25	Fair	Fair	N	Low	Medium	Retain		slo	
T332	Casuarina equisetifolia	木麻黃	LCSD	7.2	4.0	0.20	Fair	Fair	N	Low	Medium	Retain		slo	
T333	Casuarina equisetifolia	木麻黃	LCSD	3.6	2.0	0.15	Fair	Poor	N	Low	Medium	Fell	1 2 6	slo	
T334	Casuarina equisetifolia	木麻黃	LCSD	4.8	2.0	0.30	Poor	Poor	N	Low	Low	Fell	1 2 6	slo	
T335	Casuarina equisetifolia	木麻黃	LCSD	4.8	3.0	0.20	Fair	Fair	N	Low	Medium	Retain		slo	
T336	Casuarina equisetifolia	木麻黃	LCSD	6.0	4.0	0.20	Fair	Fair	N	Low	Medium	Retain		slo	
T337	Casuarina equisetifolia	木麻黃	LCSD	6.0	3.0	0.20	Fair	Fair	N	Low	Medium	Retain		slo	
T338	Casuarina equisetifolia	木麻黃	LCSD	3.6	2.0	0.18	Poor	Poor	N	Low	Low	Retain		slo	
T339	Casuarina equisetifolia	木麻黃	LCSD	6.0	3.0	0.20	Fair	Fair	N	Low	Medium	Retain		slo	
T340	Casuarina equisetifolia	木麻黃	LCSD	6.0	3.0	0.20	Fair	Fair	N	Low	Medium	Retain		slo	
T341	Casuarina equisetifolia	木麻黃	LCSD	7.2	4.0	0.30	Fair	Fair	N	Low	Medium	Retain		slo	
T342	Cinnamomum camphora	樟樹	LCSD	6.0	5.0	0.25	Fair	Fair	N	Medium	Medium	Retain		slo	
T343	Casuarina equisetifolia	木麻黃	LCSD	6.0	3.0	0.25	Fair	Fair	N	Low	Medium	Retain		slo	
T344	Casuarina equisetifolia	木麻黃	LCSD	8.4	4.0	0.40	Fair	Fair	N	Low	Medium	Retain		slo	
T345	Casuarina equisetifolia	木麻黃	LCSD	7.2	3.0	0.25	Fair	Fair	N	Low	Medium	Retain		slo	
T346	Casuarina equisetifolia	木麻黃	LCSD	7.2	3.0	0.30	Fair	Fair	N	Low	Medium	Retain		slo	
T347	Casuarina equisetifolia	木麻黃	LCSD	7.2	3.0	0.20	Fair	Fair	N	Low	Medium	Retain		slo	
T348	Casuarina equisetifolia	木麻黃	LCSD	4.8	2.0	0.15	Fair	Fair	N	Low	Medium	Retain		slo	
T349	Casuarina equisetifolia	木麻黃	LCSD	8.4	4.0	0.40	Fair	Fair	N	Low	Medium	Retain		slo	
T350	Number not used	-	-	-	-	-	-	-	-	-	-	-	-	-	-
T351	Casuarina equisetifolia	木麻黃	LCSD	4.8	2.0	0.20	Fair	Fair	N	Low	Medium	Retain		slo	
T352	Casuarina equisetifolia	木麻黃	LCSD	8.4	6.0	0.50	Fair	Fair	N	Low	Medium to High	Retain		slo	
T353	Casuarina equisetifolia	木麻黃	LCSD	4.8	3.0	0.40	Fair	Fair	N	Low	Medium	Retain		slo	
T354	Casuarina equisetifolia	木麻黃	LCSD	6.0	3.0	0.20	Fair	Fair	N	Low	Medium	Retain		slo	
T355	Aleurites moluccana	石栗	LCSD	4.8	3.0	0.25	Fair	Fair	N	Medium	Medium	Retain		slo	
T356	Aleurites moluccana	石栗	LCSD	6.0	5.0	0.35	Fair	Fair	N	Medium	Medium	Retain		slo	
T357	Acacia confusa	台灣相思	LCSD	7.2	5.0	0.35	Fair	Fair	N	Low	Medium	Retain		slo	
T358	Acacia confusa	台灣相思	LCSD	6.0	4.0	0.25	Fair	Fair	N	Low	Medium	Retain		slo	
T359	Aleurites moluccana	石栗	LCSD	6.0	3.0	0.20	Fair	Fair	N	Medium	Medium	Retain		slo	
T360	Aleurites moluccana	石栗	LCSD	6.0	4.0	0.30	Fair	Fair	N	Medium	Medium	Retain		slo	
T361	Aleurites moluccana	石栗	LCSD	6.0	4.0	0.20	Fair	Fair	N	Medium	Medium	Retain		slo	
T362	Aleurites moluccana	石栗	LCSD	3.6	3.0	0.15	Fair	Fair	N	Medium	Medium	Retain		slo	
T363	Aleurites moluccana	石栗	LCSD	3.6	3.0	0.15	Fair	Fair	N	Medium	Medium	Retain		slo	
T364	Aleurites moluccana	石栗	LCSD	3.6	3.0	0.20	Fair	Fair	N	Medium	Medium	Retain		slo	
T365	Aleurites moluccana	石栗	LCSD	3.6	3.0	0.20	Fair	Fair	N	Medium	Medium	Retain		slo	
T366	Aleurites moluccana	石栗	LCSD	3.6	3.0	0.15	Fair	Fair	N	Medium	Medium	Retain		slo	
T367	Aleurites moluccana	石栗	LCSD	3.6	3.0	0.20	Fair	Fair	N	Medium	Medium	Retain		slo	
T368	Aleurites moluccana	石栗	LCSD	3.6	1.0	0.15	Poor	Poor	N	Medium	Low	Retain		slo	
T369	Aleurites moluccana	石栗	LCSD	3.6	1.0	0.15	Fair	Fair	N	Medium	Medium	Retain		slo	
T370	Aleurites moluccana	石栗	LCSD	3.6	1.0	0.13	Fair	Fair	N	Medium	Medium	Retain		slo	
T371	Aleurites moluccana	石栗	LCSD	3.6	2.0	0.15	Fair	Fair	N	Medium	Medium	Retain		slo	
T372	Aleurites moluccana	石栗	LCSD	4.8	3.0	0.25	Fair	Fair	N	Medium	Medium	Retain		slo	
T373	Cinnamomum camphora	樟樹	LCSD	6.0	5.0	0.30	Good	Good	A	Medium	Medium to High	Retain			
T374	Albizia lebbek	大葉合歡	LCSD	3.6	2.0	0.15	Good	Good	A	Medium	Medium	Retain			
T375	Albizia lebbek	大葉合歡	LCSD	2.4	1.0	0.10	Good	Good	A	Medium	Medium	Retain			
T376	Albizia lebbek	大葉合歡	LCSD	9.6	6.0	0.50	Good	Good	A	Medium	Medium to High	Retain			
T377	Albizia lebbek	大葉合歡	LCSD	6.0	3.0	0.25	Good	Good	A	Medium	Medium to High	Retain		slo	
T378	Albizia lebbek	大葉合歡	LCSD	7.2	6.0	0.40	Good	Good	A	Medium	Medium to High	Retain		slo	
T379	Albizia lebbek	大葉合歡	LCSD	7.2	4.0	0.30	Good	Good	A	Medium	Medium to High	Retain		slo	

\* / ^ Refer to the first page of schedule for details

TREE SURVEY SCHEDULE : Hong Kong Sports Institute

2008 Olympic Equestrian Event

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION	FORM	PARTICULAR VALUE*	POST-TRANSPLANT'N SURVIVAL RATE	Overall Value	RECOMMENDATION	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH								Good/Fair/Poor	Good/Fair/ Poor
T380	<i>Albizia lebbek</i>	大葉合歡	LCSD	7.2	4.0	0.30	Good	Good	A		Medium	Medium to High	Retain		slo
T381	<i>Albizia lebbek</i>	大葉合歡	LCSD	8.4	5.0	0.50	Good	Good	A		Medium	Medium to High	Retain		slo
T382	<i>Albizia lebbek</i>	大葉合歡	LCSD	8.4	5.0	0.50	Good	Good	A		Medium	Medium to High	Retain		slo
T383	<i>Cassia fistula</i>	豬腸豆	LCSD	2.4	1.0	0.10	Poor	Poor		N	Medium	Low	Retain		slo
T384	<i>Cassia fistula</i>	豬腸豆	LCSD	2.4	1.0	0.10	Poor	Poor		N	Medium	Low	Retain		slo
T385	<i>Cassia fistula</i>	豬腸豆	LCSD	3.6	2.0	0.15	Poor	Poor		N	Medium	Low	Retain		slo
T386	<i>Cassia fistula</i>	豬腸豆	LCSD	3.6	1.0	0.12	Poor	Poor		N	Medium	Low	Retain		slo
T387	<i>Cassia fistula</i>	豬腸豆	LCSD	3.6	1.0	0.12	Poor	Poor		N	Medium	Low	Retain		slo
T388	<i>Cassia fistula</i>	豬腸豆	LCSD	4.8	3.0	0.18	Poor	Poor		N	Medium	Low	Retain		slo
T389	<i>Cassia fistula</i>	豬腸豆	LCSD	3.6	1.0	0.15	Poor	Poor		N	Medium	Low	Retain		slo
T390	<i>Cassia fistula</i>	豬腸豆	LCSD	3.6	2.0	0.20	Fair	Fair	A		Medium	Medium	Retain		slo
T391	<i>Cassia fistula</i>	豬腸豆	LCSD	4.8	2.0	0.30	Fair	Fair	A		Medium	Medium	Retain		slo
T392	<i>Cassia fistula</i>	豬腸豆	LCSD	3.6	2.0	0.20	Fair	Fair	A		Medium	Medium	Retain		le, slo
T393	<i>Cassia fistula</i>	豬腸豆	LCSD	6.0	4.0	0.30	Fair	Fair	A		Medium	Medium	Retain		slo
T394	<i>Morus alba</i>	桑	LCSD	4.8	3.0	0.25	Fair	Fair		E	Low	Medium	Retain		mu, slo
T395	<i>Cassia fistula</i>	豬腸豆	LCSD	4.8	2.5	0.20	Fair	Fair	A		Medium	Medium	Retain		slo
T396	<i>Cassia fistula</i>	豬腸豆	LCSD	4.8	2.5	0.20	Fair	Fair	A		Medium	Medium	Retain		slo
T397	<i>Cassia fistula</i>	豬腸豆	LCSD	3.6	1.0	0.15	Fair	Fair	A		Medium	Medium	Retain		slo
T398	<i>Citrus grandis</i>	柚	LCSD	3.6	2.0	0.15	Fair	Fair		N	Low	Medium	Retain		mu, slo
T399	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	5.0	0.40	Fair	Fair		N	Low	Medium	Retain		le, slo
T400	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	5.0	0.40	Fair	Fair		N	Low	Medium	Retain		mu, slo
T401	<i>Acacia confusa</i>	台灣相思	LCSD	4.8	4.0	0.30	Fair	Fair		N	Low	Medium	Retain		le, slo
T402	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	5.0	0.30	Fair	Fair		N	Low	Medium	Retain		slo
T403	<i>Delonix regia</i>	鳳凰木	LCSD	7.2	6.0	0.50	Good	Good	A		Medium	Medium to High	Retain		slo
T404	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	5.0	0.30	Fair	Fair		N	Low	Medium	Retain		slo
T405	-	-	LCSD	4.8	3.0	0.30	-	-	-	-	-	-	-	-	Dead Tree
T406	<i>Psidium guajava</i>	番石榴	LCSD	3.6	3.0	0.15	Fair	Fair		E	Low	Medium	Fell	1 2 6	mu, slo
T407	Number not used	-	-	-	-	-	-	-	-	-	-	-	-	-	-
T408	Number not used	-	-	-	-	-	-	-	-	-	-	-	-	-	-
T409	Number not used	-	-	-	-	-	-	-	-	-	-	-	-	-	-
T410	-	-	LCSD	4.8	2.0	0.2	-	-	-	-	-	-	-	-	Dead Tree
T411	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	4.0	0.30	Poor	Poor		N	Low	Low	Fell	1 2 4 6	br, slo
T412	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	5.0	0.50	Fair	Fair		N	Low	Medium to High	Fell	1 2 6	slo
T413	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	4.0	0.30	Fair	Poor		N	Low	Medium	Fell	1 2 4 6	slo
T414	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	6.0	0.50	Fair	Fair		N	Low	Medium to High	Fell	1 2 6	slo
T415	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	4.0	0.30	Fair	Fair		N	Low	Medium	Fell	1 2 6	fo, slo
T416	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	4.0	0.25	Fair	Fair		N	Medium	Medium	Retain		slo
T417	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	4.0	0.25	Fair	Fair		N	Medium	Medium	Retain		slo
T418	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	4.0	0.20	Fair	Poor		N	Medium	Medium	Retain		slo
T419	<i>Cinnamomum camphora</i>	樟樹	LCSD	3.6	3.0	0.18	Fair	Poor		N	Medium	Medium	Retain		slo
T420	<i>Cinnamomum camphora</i>	樟樹	LCSD	3.6	1.0	0.18	Fair	Poor		N	Medium	Medium	Retain		he, slo
T421	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	4.0	0.30	Fair	Fair		N	Medium	Medium	Fell	1 2 4	slo
T422	<i>Cinnamomum camphora</i>	樟樹	LCSD	3.6	1.0	0.18	Fair	Poor		N	Medium	Medium	Fell	1 2 4	he, slo
T423	<i>Cinnamomum camphora</i>	樟樹	LCSD	3.6	2.0	0.20	Fair	Poor		N	Medium	Medium	Fell	1 2 4	un, slo
T424	<i>Cinnamomum camphora</i>	樟樹	LCSD	3.6	2.0	0.20	Fair	Poor		N	Medium	Medium	Fell	1 2 4	br, slo
T425	<i>Cinnamomum camphora</i>	樟樹	LCSD	3.6	2.0	0.15	Fair	Poor		N	Medium	Medium	Fell	1 2 4	db, un, slo
T426	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	4.0	0.25	Fair	Poor		N	Medium	Medium	Fell	1 2 4	db, slo
T427	<i>Cinnamomum camphora</i>	樟樹	LCSD	6.0	4.0	0.30	Fair	Fair		N	Medium	Medium	Retain		
T428	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	2.0	0.10	Fair	Poor		N	Medium	Medium	Retain		
T429	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.20	Fair	Fair		N	Medium	Medium	Retain		
T430	<i>Bombax ceiba</i>	木棉	LCSD	4.8	2.0	0.15	Fair	Fair		N	High	Medium	Retain		slo
T431	<i>Bombax ceiba</i>	木棉	LCSD	2.4	1.0	0.12	Poor	Poor		N	High	Low	Retain		br, slo
T432	<i>Bombax ceiba</i>	木棉	LCSD	2.4	1.0	0.25	Poor	Poor		N	High	Low	Retain		br, slo
T433	<i>Bombax ceiba</i>	木棉	LCSD	3.6	2.0	0.18	Poor	Poor		N	High	Low	Retain		tw, slo
T434	<i>Bombax ceiba</i>	木棉	LCSD	3.6	2.0	0.18	Fair	Fair		N	High	Medium	Retain		slo
T435	<i>Bombax ceiba</i>	木棉	LCSD	3.6	2.0	0.18	Fair	Poor		N	High	Medium	Retain		slo

\* / ^ Refer to the first page of schedule for details

TREE SURVEY SCHEDULE : Hong Kong Sports Institute

2008 Olympic Equestrian Event

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION	FORM	PARTICULAR VALUE*	POST-TRANSPLANT'N SURVIVAL RATE	Overall Value	RECOMMENDATION	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH								Good/Fair/Poor	Good/Fair/ Poor
T436	<i>Bombax ceiba</i>	木棉	LCSD	6.0	4.0	0.30	Fair	Poor	N	High	Medium	Retain		tw, slo	
T437	<i>Bombax ceiba</i>	木棉	LCSD	4.8	4.0	0.25	Fair	Poor	N	High	Medium	Retain		un, slo	
T438	<i>Bombax ceiba</i>	木棉	LCSD	6.0	3.0	0.30	Fair	Poor	N	High	Medium	Retain		br, slo	
T439	<i>Bombax ceiba</i>	木棉	LCSD	4.8	4.0	0.20	Fair	Poor	N	High	Medium	Retain		un, slo	
T440	<i>Bombax ceiba</i>	木棉	LCSD	6.0	4.0	0.25	Fair	Fair	N	High	Medium	Transplant		un	
T441	<i>Bombax ceiba</i>	木棉	LCSD	4.8	3.0	0.30	Fair	Fair	N	High	Medium	Transplant		tw, slo	
T442	<i>Bombax ceiba</i>	木棉	LCSD	4.8	3.0	0.30	Fair	Fair	N	High	Medium	Transplant		fo, slo	
T443	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.20	Fair	Fair	N	Medium	Medium	Retain		slo	
T444	<i>Bombax ceiba</i>	木棉	LCSD	4.8	3.0	0.20	Fair	Fair	N	High	Medium	Transplant		un	
T445	<i>Bombax ceiba</i>	木棉	LCSD	4.8	3.0	0.20	Fair	Fair	N	High	Medium	Transplant		slo	
T446	<i>Bombax ceiba</i>	木棉	LCSD	4.8	3.0	0.25	Fair	Fair	N	High	Medium	Transplant		he, slo	
T447	<i>Bombax ceiba</i>	木棉	LCSD	6.0	4.0	0.20	Fair	Fair	N	High	Medium	Transplant		un, slo	
T448	<i>Bombax ceiba</i>	木棉	LCSD	6.0	3.0	0.35	Fair	Fair	N	High	Medium	Transplant		un, slo	
T449	<i>Bombax ceiba</i>	木棉	LCSD	4.8	3.0	0.25	Fair	Fair	N	High	Medium	Transplant		he, slo	
T450	<i>Bombax ceiba</i>	木棉	LCSD	4.8	3.0	0.30	Fair	Fair	N	High	Medium	Transplant		un, slo	
T451	<i>Delonix regia</i>	鳳凰木	LCSD	4.8	5.0	0.3	Good	Good	A	Medium	Medium to High	Retain		slo	
T452	<i>Delonix regia</i>	鳳凰木	LCSD	4.8	5.0	0.3	Good	Good	A	Medium	Medium to High	Retain		slo	
T453	<i>Delonix regia</i>	鳳凰木	LCSD	4.8	5.0	0.30	Good	Good	A	Medium	Medium to High	Retain		slo	
T454	<i>Delonix regia</i>	鳳凰木	LCSD	6.0	5.0	0.25	Good	Good	A	Medium	Medium to High	Retain		slo	
T455	<i>Delonix regia</i>	鳳凰木	LCSD	6.0	5.0	0.25	Good	Good	A	Medium	Medium to High	Retain		slo	
T456	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	5.0	0.30	Fair	Poor	N	Low	Medium	Retain		mu, slo	
T457	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	6.0	0.40	Fair	Fair	N	Low	Medium	Retain		slo	
T458	<i>Acacia confusa</i>	台灣相思	LCSD	3.6	3.0	0.15	Fair	Poor	N	Low	Medium	Retain		le, slo	
T459	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	5.0	0.35	Fair	Poor	N	Low	Medium	Retain		le, slo	
T460	<i>Acacia confusa</i>	台灣相思	LCSD	4.8	3.0	0.20	Fair	Poor	N	Low	Medium	Retain		le, slo	
T461	<i>Acacia confusa</i>	台灣相思	LCSD	4.8	3.0	0.20	Fair	Poor	N	Low	Medium	Retain		le, slo	
T462	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	5.0	0.40	Fair	Poor	N	Low	Medium	Retain		le, slo	
T463	<i>Acacia confusa</i>	台灣相思	LCSD	3.6	1.0	0.15	Fair	Poor	N	Low	Medium	Retain		tw, slo	
T464	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	4.0	0.30	Fair	Poor	N	Low	Medium	Retain		slo	
T465	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	4.0	0.25	Poor	Poor	N	Low	Low	Retain		fo, le, slo	
T466	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.15	Fair	Fair	N	Medium	Medium	Retain		un	
T467	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.15	Poor	Fair	N	Medium	Low	Retain		fo	pruned
T468	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.20	Poor	Fair	N	Medium	Low	Retain		db, slo	
T469	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.15	Poor	Poor	N	Medium	Low	Retain		db, slo	
T470	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.20	Fair	Poor	N	Medium	Medium	Retain		un, slo	
T471	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.25	Fair	Fair	N	Medium	Medium	Retain		slo	
T472	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.15	Fair	Fair	N	Medium	Medium	Retain		slo	pruned
T473	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.15	Fair	Poor	N	Medium	Medium	Retain		un, slo	
T474	Number not used	-	-	-	-	-	-	-	-	-	-	-		-	-
T475	-	-	LCSD	2.4	1.0	0.10	-	-	-	-	-	-		-	Dead Tree
T476	<i>Aleurites moluccana</i>	石栗	LCSD	3.6	1.0	0.15	Poor	Poor	N	Medium	Low	Retain		he, un, slo	
T477	<i>Aleurites moluccana</i>	石栗	LCSD	3.6	1.0	0.18	Poor	Poor	N	Medium	Low	Retain		he, un, slo	
T478	<i>Aleurites moluccana</i>	石栗	LCSD	3.6	1.0	0.12	Poor	Poor	N	Medium	Low	Retain		he, slo	
T479	<i>Cinnamomum camphora</i>	樟樹	LCSD	3.6	2.0	0.18	Poor	Poor	N	Medium	Low	Retain		db, un, slo	
T480	<i>Aleurites moluccana</i>	石栗	LCSD	3.6	2.0	0.15	Poor	Poor	N	Medium	Low	Retain		un, slo	
T481	<i>Acacia confusa</i>	台灣相思	LCSD	2.4	1.0	0.10	Poor	Poor	N	Low	Low	Retain		le, slo	
T482	<i>Cinnamomum camphora</i>	樟樹	LCSD	4.8	3.0	0.20	Fair	Fair	N	Medium	Medium	Retain		slo	
T483	<i>Aleurites moluccana</i>	石栗	LCSD	6.0	3.0	0.20	Fair	Fair	N	Medium	Medium	Retain		un, slo	
T484	<i>Aleurites moluccana</i>	石栗	LCSD	6.0	4.0	0.30	Fair	Fair	N	Medium	Medium	Retain		fo, slo	
T485	<i>Aleurites moluccana</i>	石栗	LCSD	6.0	3.0	0.25	Fair	Poor	N	Medium	Medium	Retain		un, slo	
T486	<i>Acacia confusa</i>	台灣相思	LCSD	4.8	3.0	0.25	Poor	Poor	N	Low	Low	Retain		fo, slo	
T487	<i>Aleurites moluccana</i>	石栗	LCSD	6.0	3.0	0.25	Fair	Poor	N	Medium	Medium	Retain		un, slo	
T488	<i>Aleurites moluccana</i>	石栗	LCSD	6.0	3.0	0.30	Fair	Poor	N	Medium	Medium	Retain		fo, slo	
T489	<i>Aleurites moluccana</i>	石栗	LCSD	4.8	2.0	0.20	Fair	Poor	N	Medium	Medium	Retain		le, slo	
T490	<i>Aleurites moluccana</i>	石栗	LCSD	4.8	2.0	0.20	Fair	Poor	N	Medium	Medium	Retain		un, slo	

\* / ^ Refer to the first page of schedule for details

TREE SURVEY SCHEDULE : Hong Kong Sports Institute

2008 Olympic Equestrian Event

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION	FORM	PARTICULAR VALUE*	POST-TRANSPLANT'N SURVIVAL RATE	Overall Value	RECOMMENDATION	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH								Good/Fair/Poor	Good/Fair/ Poor
T491	<i>Acacia confusa</i>	台灣相思	LCSD	4.8	2.0	0.20	Fair	Poor	N	Low	Medium	Retain		fo, slo	
T492	<i>Aleurites moluccana</i>	石栗	LCSD	4.8	3.0	0.25	Fair	Poor	N	Medium	Medium	Retain		un, slo	
T493	<i>Acacia confusa</i>	台灣相思	LCSD	4.8	3.0	0.30	Fair	Fair	N	Low	Medium	Retain		slo	
T494	<i>Aleurites moluccana</i>	石栗	LCSD	4.8	2.0	0.20	Fair	Poor	N	Medium	Medium	Retain		fo, le, slo	
T495	<i>Aleurites moluccana</i>	石栗	LCSD	4.8	3.0	0.25	Fair	Poor	N	Medium	Medium	Retain		fo, slo	
T496	<i>Aleurites moluccana</i>	石栗	LCSD	3.6	2.0	0.13	Fair	Poor	N	Medium	Medium	Retain		fo, slo	
T497	<i>Aleurites moluccana</i>	石栗	LCSD	3.6	2.0	0.18	Fair	Poor	N	Medium	Medium	Retain		le, slo	
T498	<i>Acacia confusa</i>	台灣相思	LCSD	4.8	4.0	0.30	Fair	Poor	N	Low	Medium	Retain		br, slo	
T499	<i>Cinnamomum camphora</i>	樟樹	LCSD	3.6	4.0	0.20	Fair	Fair	N	Medium	Medium	Retain		fo, slo	
T500	<i>Aleurites moluccana</i>	石栗	LCSD	3.6	2.0	0.13	Fair	Fair	N	Medium	Medium	Retain		un, slo	
T501	<i>Aleurites moluccana</i>	石栗	LCSD	2.4	2.0	0.10	Fair	Fair	N	Medium	Medium	Retain		un, slo	
T502	<i>Melaleuca quinquenervia</i>	白千層	LCSD	4.8	3.0	0.20	Fair	Poor	N	Medium	Medium	Retain		slo	
T503	<i>Melaleuca quinquenervia</i>	白千層	LCSD	4.8	3.0	0.20	Fair	Fair	N	Medium	Medium	Retain		slo	
T504	<i>Melaleuca quinquenervia</i>	白千層	LCSD	6.0	4.0	0.30	Good	Good	A	Medium	Medium to High	Retain		slo	
T505	<i>Melaleuca quinquenervia</i>	白千層	LCSD	6.0	4.0	0.30	Good	Good	A	Medium	Medium to High	Retain		slo	
T506	<i>Melaleuca quinquenervia</i>	白千層	LCSD	6.0	4.0	0.30	Fair	Fair	N	Medium	Medium	Retain		slo	
T507	<i>Melaleuca quinquenervia</i>	白千層	LCSD	6.0	4.0	0.30	Fair	Fair	N	Medium	Medium	Retain		le, slo	
T508	Number not used	-	-	-	-	-	-	-	-	-	-	-		-	-
T509	<i>Bombax ceiba</i>	木棉	LCSD	4.8	3.0	0.30	Fair	Fair	N	High	Medium	Retain		le	
T510	<i>Bombax ceiba</i>	木棉	LCSD	4.8	3.0	0.25	Good	Good	A	High	Medium to High	Retain			
T511	<i>Bombax ceiba</i>	木棉	LCSD	4.8	3.0	0.30	Fair	Fair	N	High	Medium	Retain		un	
T512	<i>Bombax ceiba</i>	木棉	LCSD	4.8	3.0	0.25	Fair	Fair	N	High	Medium	Retain		un	
T513	<i>Bombax ceiba</i>	木棉	LCSD	6.0	3.0	0.35	Fair	Fair	N	High	Medium	Retain			
T514	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	6.0	5.0	0.30	Fair	Fair	N	Medium	Medium	Retain			
T515	<i>Bombax ceiba</i>	木棉	LCSD	7.2	4.0	0.30	Fair	Poor	N	High	Medium	Retain		un	
T516	<i>Melaleuca quinquenervia</i>	白千層	LCSD	7.2	4.0	0.35	Fair	Fair	N	Medium	Medium	Retain			
T516a	<i>Sapindus mukorossi</i>	無患子	LCSD	5.0	4.0	0.25	Fair	Fair	E	Low	Medium	Retain			
T517	<i>Melaleuca quinquenervia</i>	白千層	LCSD	6.0	3.0	0.20	Fair	Fair	N	Medium	Medium	Retain			
T518	<i>Melaleuca quinquenervia</i>	白千層	LCSD	6.0	3.0	0.30	Fair	Fair	N	Medium	Medium	Retain			
T519	<i>Sapindus mukorossi</i>	無患子	LCSD	4.8	3.0	0.20	Fair	Fair	E	Low	Medium	Retain			
T520	<i>Melaleuca quinquenervia</i>	白千層	LCSD	3.6	2.0	0.15	Fair	Poor	N	Medium	Medium	Retain		un	
T521	<i>Melaleuca quinquenervia</i>	白千層	LCSD	4.8	3.0	0.25	Fair	Poor	N	Medium	Medium	Retain		un	
T522	<i>Melaleuca quinquenervia</i>	白千層	LCSD	6.0	3.0	0.25	Fair	Fair	N	Medium	Medium	Retain			
T523	<i>Bombax ceiba</i>	木棉	LCSD	3.6	2.0	0.20	Fair	Poor	N	High	Medium	Retain		he	
T524	<i>Sapindus mukorossi</i>	無患子	LCSD	3.6	2.0	0.12	Fair	Poor	E	Low	Medium	Retain		un	
T525	<i>Sapindus mukorossi</i>	無患子	LCSD	3.6	2.0	0.12	Fair	Fair	E	Low	Medium	Retain		un	
T526	<i>Sapindus mukorossi</i>	無患子	LCSD	6.0	5.0	0.30	Fair	Fair	E	Low	Medium	Retain			
T527	<i>Melaleuca quinquenervia</i>	白千層	LCSD	7.2	4.0	0.35	Fair	Fair	N	Medium	Medium	Retain		fo	
T528	<i>Melaleuca quinquenervia</i>	白千層	LCSD	6.0	3.0	0.25	Fair	Fair	N	Medium	Medium	Retain		fo	
T529	<i>Melaleuca quinquenervia</i>	白千層	LCSD	4.8	4.0	0.30	Fair	Fair	N	Medium	Medium	Retain		fo	
T530	<i>Sapindus mukorossi</i>	無患子	LCSD	3.6	2.0	0.15	Fair	Poor	E	Low	Medium	Retain			
T531	<i>Bombax ceiba</i>	木棉	LCSD	2.4	2.0	0.17	Fair	Poor	N	High	Medium	Retain		un	
T532	<i>Bombax ceiba</i>	木棉	LCSD	2.4	2.0	0.12	Fair	Poor	N	High	Medium	Retain		un	
T533	<i>Bombax ceiba</i>	木棉	LCSD	2.4	1.0	0.15	Poor	Poor	N	High	Low	Retain		un	
T534	<i>Bombax ceiba</i>	木棉	LCSD	4.8	3.0	0.25	Fair	Poor	N	High	Medium	Retain		un	
T535	<i>Bombax ceiba</i>	木棉	LCSD	6.0	3.0	0.25	Poor	Poor	N	High	Low	Retain		un	
T536	<i>Sapindus mukorossi</i>	無患子	LCSD	3.6	3.0	0.15	Fair	Fair	E	Low	Medium	Retain			
T537	<i>Sapindus mukorossi</i>	無患子	LCSD	6.0	5.0	0.25	Fair	Fair	E	Low	Medium	Retain			
T538	Number not used	-	-	-	-	-	-	-	-	-	-	-		-	-
T539	<i>Sapindus mukorossi</i>	無患子	LCSD	4.8	3.0	0.20	Fair	Poor	E	Low	Medium	Retain		db	
T540	<i>Bombax ceiba</i>	木棉	LCSD	6.0	3.0	0.25	Fair	Poor	N	High	Medium	Retain		le	
T541	<i>Psidium guajava</i>	番石榴	LCSD	1.2	2.0	0.10	Fair	Fair	E	Low	Medium	Retain			
T542	Number not used	-	-	-	-	-	-	-	-	-	-	-		-	-
T543	Number not used	-	-	-	-	-	-	-	-	-	-	-		-	-
T544	Number not used	-	-	-	-	-	-	-	-	-	-	-		-	-

\* / ^ Refer to the first page of schedule for details

TREE SURVEY SCHEDULE : Hong Kong Sports Institute

2008 Olympic Equestrian Event

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION	FORM	PARTICULAR VALUE*	POST-TRANSPLANT'N SURVIVAL RATE	Overall Value	RECOMMENDATION	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH								Good/Fair/Poor	Good/Fair/ Poor
T545	<i>Bombax ceiba</i>	木棉	LCS	4.8	3.0	0.20	Fair	Poor		N	High	Medium	Retain		un
T546	<i>Casuarina equisetifolia</i>	木麻黃	LCS	6.0	4.0	0.30	Fair	Fair		N	Low	Medium	Retain		
T547	<i>Casuarina equisetifolia</i>	木麻黃	LCS	6.0	4.0	0.20	Fair	Fair		N	Low	Medium	Retain		
T548	<i>Casuarina equisetifolia</i>	木麻黃	LCS	7.2	5.0	0.50	Fair	Fair		N	Low	Medium to High	Retain		
T549	<i>Casuarina equisetifolia</i>	木麻黃	LCS	6.0	3.0	0.25	Fair	Fair		N	Low	Medium	Retain		
T550	<i>Aleurites moluccana</i>	石栗	LCS	6.0	4.0	0.40	Fair	Poor		N	Medium	Medium	Retain		un
T551	<i>Casuarina equisetifolia</i>	木麻黃	LCS	6.0	4.0	0.40	Fair	Fair		N	Low	Medium	Retain		
T552	Number not used	-	-	-	-	-	-	-		-	-	-	-		-
T553	Number not used	-	-	-	-	-	-	-		-	-	-	-		-
T554	Number not used	-	-	-	-	-	-	-		-	-	-	-		-
T555	<i>Acacia confusa</i>	台灣相思	LCS	6.0	5.0	0.25	Poor	Poor		N	Low	Low	Retain		un
T556	<i>Bombax ceiba</i>	木棉	LCS	4.8	4.0	0.25	Fair	Poor		N	High	Medium	Retain		un
T557	Number not used	-	-	-	-	-	-	-		-	-	-	-		-
T558	Number not used	-	-	-	-	-	-	-		-	-	-	-		-
T559	Number not used	-	-	-	-	-	-	-		-	-	-	-		-
T560	Number not used	-	-	-	-	-	-	-		-	-	-	-		-
T561	Number not used	-	-	-	-	-	-	-		-	-	-	-		-
T562	Number not used	-	-	-	-	-	-	-		-	-	-	-		-
T563	<i>Michelia alba</i>	白蘭	LCS	9.6	5.0	0.50	Fair	Fair		N	Medium	Medium to High	Retain		
T564	<i>Casuarina equisetifolia</i>	木麻黃	LCS	7.2	4.0	0.30	Fair	Fair		N	Low	Medium	Retain		
T565	<i>Casuarina equisetifolia</i>	木麻黃	LCS	8.4	5.0	0.35	Fair	Poor		N	Low	Medium	Retain		un, slo
T566	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Transplant		slo
T567	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Poor		N	High	Medium	Transplant		slo
T568	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Transplant		slo
T569	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Transplant		slo
T570	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T571	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T572	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T572a	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T572b	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T573	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T574	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		
T575	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		
T576	<i>Livistona chinensis</i>	蒲葵	LCS	3.6	3.0	0.20	Fair	Fair	A		High	Medium	Retain		
T577	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		
T578	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		
T579	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		
T580	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		
T581	<i>Livistona chinensis</i>	蒲葵	LCS	3.6	3.0	0.20	Fair	Fair	A		High	Medium	Retain		
T582	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T583	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T584	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T585	<i>Livistona chinensis</i>	蒲葵	LCS	3.6	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T586	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T587	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T588	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T589	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T590	<i>Livistona chinensis</i>	蒲葵	LCS	3.6	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T591	<i>Livistona chinensis</i>	蒲葵	LCS	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T592	<i>Peltophorum pterocarpum</i>	雙翼豆	LCS	6.0	7.0	0.50	Fair	Fair		N	Medium	Medium to High	Fell	1 2	fo,exp
T593	<i>Peltophorum pterocarpum</i>	雙翼豆	LCS	7.2	7.0	0.40	Good	Good	A		Medium	Medium to High	Fell	1 2	slo
T594	<i>Araucaria cunninghamii</i>	南洋杉	LCS	7.2	3.0	0.20	Fair	Fair		N	Medium	Medium	Retain		un, slo
T595	<i>Acacia confusa</i>	台灣相思	LCS	7.2	6.0	0.50	Fair	Fair		N	Low	Medium to High	Retain		slo
T596	<i>Roystonea regia</i>	王棕	LCS	4.8	3.0	0.2	Fair	Fair	A		High	Medium	Retain		slo
T596a	<i>Roystonea regia</i>	王棕	LCS	6.0	3.0	0.35	Fair	Fair	A		High	Medium	Retain		slo

\* / ^ Refer to the first page of schedule for details

TREE SURVEY SCHEDULE : Hong Kong Sports Institute

2008 Olympic Equestrian Event

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION	FORM	PARTICULAR VALUE*	POST-TRANSPLANT N SURVIVAL RATE	Overall Value	RECOMMENDATION	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH								Good/Fair/Poor	Good/Fair/ Poor
T597	<i>Roystonea regia</i>	王棕	LCSD	6.0	3.0	0.35	Fair	Fair	A		High	Medium	Retain		slo
T598	<i>Roystonea regia</i>	王棕	LCSD	4.8	3.0	0.2	Fair	Fair	A		High	Medium	Retain		slo
T599	<i>Roystonea regia</i>	王棕	LCSD	6.0	3.0	0.25	Fair	Fair	A		High	Medium	Retain		slo
T600	<i>Roystonea regia</i>	王棕	LCSD	6.0	3.0	0.25	Fair	Fair	A		High	Medium	Retain		slo
T601	<i>Roystonea regia</i>	王棕	LCSD	6.0	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T602	<i>Roystonea regia</i>	王棕	LCSD	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T603	<i>Roystonea regia</i>	王棕	LCSD	6.0	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T604	<i>Roystonea regia</i>	王棕	LCSD	6.0	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T605	<i>Roystonea regia</i>	王棕	LCSD	4.8	3.0	0.20	Fair	Poor	A		High	Medium	Retain		un, slo
T606	<i>Roystonea regia</i>	王棕	LCSD	7.2	3.0	0.35	Fair	Fair	A		High	Medium	Retain		slo
T607	<i>Roystonea regia</i>	王棕	LCSD	6.0	3.0	0.25	Fair	Fair	A		High	Medium	Retain		slo
T608	<i>Roystonea regia</i>	王棕	LCSD	7.2	1.0	0.35	Fair	Fair	A		High	Medium	Retain		slo
T609	<i>Roystonea regia</i>	王棕	LCSD	6.0	3.0	0.20	Fair	Fair	A		High	Medium	Retain		slo
T610	<i>Roystonea regia</i>	王棕	LCSD	7.2	3.0	0.30	Fair	Fair	A		High	Medium	Retain		slo
T611	<i>Roystonea regia</i>	王棕	LCSD	7.2	3.0	0.30	Fair	Fair	A		High	Medium	Retain		slo
T612	<i>Roystonea regia</i>	王棕	LCSD	6.0	3.0	0.30	Fair	Fair	A		High	Medium	Retain		slo
T613	<i>Roystonea regia</i>	王棕	LCSD	7.2	3.0	0.35	Fair	Fair	A		High	Medium	Retain		
T614	<i>Roystonea regia</i>	王棕	LCSD	7.2	3.0	0.35	Fair	Fair	A		High	Medium	Transplant		
T615	<i>Roystonea regia</i>	王棕	LCSD	7.2	3.0	0.35	Fair	Good	A		High	Medium	Transplant		
T616	Number not used	-	-	-	-	-	-	-	-		-	-	-		-
T617	Number not used	-	-	-	-	-	-	-	-		-	-	-		-
T618	Number not used	-	-	-	-	-	-	-	-		-	-	-		-
T619	Number not used	-	-	-	-	-	-	-	-		-	-	-		-
T620	Number not used	-	-	-	-	-	-	-	-		-	-	-		-
T621	<i>Livistona chinensis</i>	蒲葵	LCSD	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Transplant		slo
T622	<i>Livistona chinensis</i>	蒲葵	LCSD	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Transplant		slo
T623	<i>Livistona chinensis</i>	蒲葵	LCSD	4.8	3.0	0.20	Fair	Fair	A		High	Medium	Transplant		slo
T624	<i>Cleistocalyx operculatus</i>	水翁	LCSD	6.0	5.0	0.30	Good	Good	A		Medium	Medium to High	Retain		
T625	<i>Cleistocalyx operculatus</i>	水翁	LCSD	6.0	5.0	0.30	Good	Good	A		Medium	Medium to High	Retain		
T626	<i>Cleistocalyx operculatus</i>	水翁	LCSD	4.8	4.0	0.25	Good	Good	A		Medium	Medium to High	Retain		
T627	<i>Citrus grandis</i>	柚	LCSD	2.4	2.0	0.12	Poor	Poor		N	Low	Low	Retain		db, slo
T628	Number not used	-	-	-	-	-	-	-	-		-	-	-		-
T629	Number not used	-	-	-	-	-	-	-	-		-	-	-		-
T630	Number not used	-	-	-	-	-	-	-	-		-	-	-		-
T631	Number not used	-	-	-	-	-	-	-	-		-	-	-		-
T632	Number not used	-	-	-	-	-	-	-	-		-	-	-		-
T633	Number not used	-	-	-	-	-	-	-	-		-	-	-		-
T633a	Number not used	-	-	-	-	-	-	-	-		-	-	-		-
T634	<i>Melaleuca quinquenervia</i>	白千層	LCSD	6.0	3.0	0.30	Fair	Poor		N	Medium	Medium	Transplant		
T635	<i>Melaleuca quinquenervia</i>	白千層	LCSD	6.0	2.0	0.25	Good	Good		N	Medium	Medium to High	Transplant		
T636	<i>Melaleuca quinquenervia</i>	白千層	LCSD	4.8	2.0	0.20	Fair	Fair		N	Medium	Medium	Retain		
T637	<i>Melaleuca quinquenervia</i>	白千層	LCSD	6.0	3.0	0.25	Good	Good	A		Medium	Medium to High	Retain		
T638	<i>Melaleuca quinquenervia</i>	白千層	LCSD	6.0	3.0	0.25	Poor	Poor		N	Medium	Low	Retain		le
T639	<i>Melaleuca quinquenervia</i>	白千層	LCSD	6.0	3.0	0.25	Fair	Fair		N	Medium	Medium	Retain		
T640	<i>Melaleuca quinquenervia</i>	白千層	LCSD	7.2	4.0	0.30	Fair	Fair		N	Medium	Medium	Retain		
T641	<i>Ficus elastica</i>	印度橡樹	LCSD	6.0	6.0	0.40	Fair	Fair		N	High	Medium	Retain		le, exp, slo
T642	<i>Bombax ceiba</i>	木棉	LCSD	4.8	4.0	0.20	Fair	Poor		N	High	Medium	Retain		he, slo
T643	<i>Bombax ceiba</i>	木棉	LCSD	4.8	4.0	0.20	Fair	Poor		N	High	Medium	Retain		he, slo
T644	<i>Bombax ceiba</i>	木棉	LCSD	6.0	4.0	0.40	Fair	Poor		N	High	Medium	Retain		he, un, slo
T645	<i>Ficus elastica</i>	印度橡樹	LCSD	3.6	3.0	0.20	Fair	Fair		N	High	Medium	Retain		le, exp, slo
T646	<i>Ficus elastica</i>	印度橡樹	LCSD	2.4	1.0	0.10	Fair	Fair		N	High	Medium	Retain		tw, exp, slo
T647	<i>Ficus elastica</i>	印度橡樹	LCSD	4.8	4.0	0.20	Fair	Fair		N	High	Medium	Retain		un, exp, slo
T648	<i>Bombax ceiba</i>	木棉	LCSD	6.0	4.0	0.30	Fair	Poor		N	High	Medium	Retain		un, slo
T649	<i>Acacia auriculiformis</i>	耳果相思	LCSD	7.2	4.0	0.40	Fair	Fair		N	Low	Medium	Retain		
T650	<i>Acacia auriculiformis</i>	耳果相思	LCSD	7.2	4.0	0.30	Fair	Fair		N	Low	Medium	Retain		slo

\* / ^ Refer to the first page of schedule for details

TREE SURVEY SCHEDULE : Hong Kong Sports Institute

2008 Olympic Equestrian Event

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION	FORM	PARTICULAR VALUE*	POST-TRANSPLANT'N SURVIVAL RATE	Overall Value	RECOMMENDATION	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH								Good/Fair/Poor	Good/Fair/ Poor
T651	<i>Acacia auriculiformis</i>	耳果相思	LCSD	7.2	4.0	0.40	Fair	Fair	N	Low	Medium	Retain		slo	
T652	<i>Acacia auriculiformis</i>	耳果相思	LCSD	6.0	3.0	0.20	Fair	Fair	N	Low	Medium	Retain		slo	
T653	<i>Acacia auriculiformis</i>	耳果相思	LCSD	7.2	4.0	0.20	Fair	Fair	N	Low	Medium	Retain		slo	
T654	<i>Ficus microcarpa</i>	細葉榕	LCSD	8.4	8.0	0.60	Fair	Fair	E	High	High	Retain		exp	
T655	<i>Ficus microcarpa</i>	細葉榕	LCSD	9.6	8.0	1.00	Good	Good	E	High	High	Retain		exp	
T656	<i>Acacia confusa</i>	台灣相思	LCSD	3.6	2.0	0.2	Fair	Poor	N	Low	Medium	Retain		br, slo	
T657	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	5.0	0.35	Fair	Poor	N	Low	Medium	Retain		tw, slo	
T658	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	4.0	0.20	Fair	Poor	N	Low	Medium	Retain		fo, le, slo	
T659	<i>Delonix regia</i>	鳳凰木	LCSD	6.0	5.0	0.30	Good	Good	A	Medium	Medium to High	Retain		exp, slo	
T660	<i>Delonix regia</i>	鳳凰木	LCSD	6.0	5.0	0.25	Good	Good	A	Medium	Medium to High	Retain		exp, slo	
T660a	Number not used	-	-	-	-	-	-	-	-	-	-	-		-	-
T660b	Number not used	-	-	-	-	-	-	-	-	-	-	-		-	-
T661	-	-	LCSD	6.0	4.0	0.30	-	-	-	-	-	-		-	Dead tree
T662	<i>Acacia confusa</i>	台灣相思	LCSD	3.6	2.0	0.18	Fair	Poor	N	Low	Medium	Retain		le, un, slo	
T663	<i>Acacia confusa</i>	台灣相思	LCSD	3.6	2.0	0.18	Fair	Poor	N	Low	Medium	Retain		le, un, slo	
T664	<i>Acacia confusa</i>	台灣相思	LCSD	6.0	4.0	0.35	Fair	Poor	N	Low	Medium	Retain		le, un, slo	
T665	<i>Acacia confusa</i>	台灣相思	LCSD	7.2	7.0	0.60	Fair	Fair	N	Low	High	Retain		exp, mu, un, slo	
T666	<i>Bauhinia</i> spp.	羊蹄甲屬	LCSD	4.8	4.0	0.20	Fair	Poor	N	High	Medium	Retain		mu	
T667	<i>Acacia confusa</i>	台灣相思	LCSD	4.8	4.0	0.20	Fair	Poor	N	Low	Medium	Retain		db, le	

\* / ^ Refer to the first page of schedule for details