

Form	Botanical Name	Rarity*	Secondary Woodland	Plantation	Cultivation	Water	Wasteland	Mangrove	Marsh/Pond
Tree	<i>Acacia auriculiformis</i>	p		2					1
Tree	<i>Acacia confusa</i>	p	1	2	2				2
Tree	<i>Acacia maginum</i>	p		2					
Tree	<i>Acronychia pedunculata</i>	vc	2						
Tree	<i>Albizia lebbek</i>	c		3					
Tree	<i>Aleurites moluccana</i>	p	2	2					
Tree	<i>Aleurites moluccana</i>	p		3					
Tree	<i>Anona squamosa</i>	c			2		1		
Tree	<i>Antidesma bunius</i>	c	2						
Tree	<i>Aporosa dioica</i>	vc	3						
Tree	Araucaria heterophylla	p	1	1					
Tree	<i>Archidendron lucida</i>	c	2						
Tree	<i>Archontophoenix alexandrea</i>	p		2					
Tree	<i>Ardisia quinquegona</i>	vc	2						
Tree	<i>Artocarpus heterophyllus</i>	c			1				
Tree	<i>Bambusa spp.</i>	p	2	2					
Tree	<i>Bambusa tuldooides</i>	p		2					
Tree	<i>Bambusa ventricosa</i>	p		1					
Tree	<i>Bambusa vulgaris</i>	p		2					
Tree	<i>Bauhinia purpurea</i>	p	1	3	2				
Tree	<i>Bauhinia variegata</i>	p	1	3		1			
Tree	<i>Bischofia javanica</i>	c	2	2	1				
Tree	Bombax malabaricum	p	2	3	1				
Tree	<i>Bridelia tomentosa</i>	vc	3	2		1	1		1
Tree	Callistemon rigidus	p		2					
Tree	Callistemon viminalis	p		2					
Tree	<i>Carica papaya</i>	p	1	1	2	1	1		3
Tree	Caryota mitis	p		2					
Tree	<i>Cassia siamea</i>	c		2					
Tree	<i>Cassia surattensis</i>	p		2					1
Tree	<i>Casuarina equisetifolia</i>	p	1	2		1	1		1

Key	r	Rare	1	Occasional
	rest	Restricted	2	Frequent
	c	Common	3	Common
	vc	Very Common	4	Abundant
	p	Planted	5	Very abundant

* Rarity follows Xing, F., Ng, S-c. & Chau, L.K.C. (2000). Gymnosperms and Angiosperms of Hong Kong. Memoirs of the Hong Kong Natural History Society 23: 21-136.

Form	Botanical Name	Rarity*	Secondary Woodland	Plantation	Cultivation	Water	Wasteland	Mangrove	Marsh/Pond
Tree	<i>Celtis tetrandra</i>	c	3	2	2	1			1
Tree	Chrysalidocarpus lutescens	p		3					
Tree	<i>Cinnamomum camphora</i>	c	2	1	2				
Tree	<i>Cinnamomum parthenoxylon</i>	c	1	2					
Tree	<i>Citrus sp</i>	p	1	1	3	1			1
Tree	<i>Clausena lansium</i>	c	1	1	3	1			2
Tree	<i>Cleistocalyx operculata</i>	c	2	2		2			
Tree	<i>Crateva religiosa</i>	p		2					
Tree	<i>Cratogeomys cochinchinense</i>	vc	2						
Tree	<i>Delonix regia</i>	p	1	2					
Tree	<i>Dimocarpus longan</i>	p	2	2	3	2			2
Tree	<i>Diospyros erianthe</i>	vc	1						
Tree	<i>Endospermum chinense</i>	rest	1						
Tree	<i>Eriobotrya japonica</i>	p		2					
Tree	<i>Erythrina crista-galli</i>	c		2					
Tree	<i>Erythrina speciosa</i>	p		3					
Tree	<i>Eucalyptus citriodora</i>	p	1	3					
Tree	<i>Eucalyptus robusta</i>	p	2	3					
Tree	Ficus elastica	p	1	1					
Tree	<i>Ficus fistulosa</i>	c	2					1	
Tree	<i>Ficus hirta</i>	c	2	1					
Tree	<i>Ficus hispida</i>	c	2	2	2	2	2		2
Tree	<i>Ficus microcarpa</i>	c	2	2	1				
Tree	<i>Ficus variegata</i>	c	2	1				1	
Tree	<i>Ficus virens</i>	c	2	2					
Tree	<i>Garcinia oblongifolia</i>	c	1						
Tree	<i>Glochidion hirsutum</i>	c	2						
Tree	<i>Gossampinus malabarica</i>	p		2					
Tree	<i>Hibiscus tiliaceus</i>	c		3					
Tree	<i>Homalium cochinchinensis</i>	c	2						
Tree	Lagerstroemia speciosa	p		3					

Key	r	Rare	1	Occasional
	rest	Restricted	2	Frequent
	c	Common	3	Common
	vc	Very Common	4	Abundant
	p	Planted	5	Very abundant

* Rarity follows Xing, F., Ng, S-c. & Chau, L.K.C. (2000). Gymnosperms and Angiosperms of Hong Kong. Memoirs of the Hong Kong Natural History Society 23: 21-136.

Form	Botanical Name	Rarity*	Secondary Woodland	Plantation	Cultivation	Water	Wasteland	Mangrove	Marsh/Pond
Tree	<i>Leucaena leucocephala</i>	vc	1	2	2	2	3		2
Tree	<i>Liquidambar ormasana</i>	c		2					
Tree	<i>Litchi chinensis</i>	p	2	1	3	1			3
Tree	<i>Litsea cubeba</i>	c	2						
Tree	<i>Litsea glutinosa</i>	vc	3						
Tree	<i>Livistonia chinensis</i>	p		3					
Tree	<i>Lophostemon conferta</i>	p	1	3					
Tree	<i>Macaranga tanarius</i>	c	2	3	3	2	3		
Tree	<i>Mallotus paniculata</i>	vc	2						
Tree	<i>Mangifera indica</i>	c		1	1				1
Tree	<i>Melaleuca leucadendron</i>	p	1	3					
Tree	<i>Melia azedarach</i>	c	2	2	2	2	2		2
Tree	<i>Michelia alba</i>	p		2					
Tree	<i>Microcos paniculata</i>	c	2						
Tree	<i>Musa paradisiaca</i>	c		1	3	1	2		2
Tree	<i>Nerium indicum</i>	p		2					
Tree	<i>Phoenix roebelenii</i>	p		3					
Tree	<i>Phyllanthus emblica</i>	vc	2						
Tree	<i>Pinus massoniana</i>	c	1						
Tree	<i>Pterospermum heterophyllum</i>	rest	2	1					
Tree	<i>Psidium guajava</i>	c		1	2	1	1		2
Tree	<i>Rapanea neriifolia</i>	c							
Tree	<i>Ravenala madagascariensis</i>	p		1					
Tree	<i>Rhus chinensis</i>	c	2						
Tree	<i>Rhus succedanea</i>	c	2						
Tree	<i>Roystonea regia</i>	p		1					
Tree	<i>Salix babylonica</i>	p		2	1	1			1
Tree	<i>Sapium discolor</i>	vc	2	2					
Tree	<i>Sapium sebiferum</i>	c	3		2	1	1		
Tree	<i>Saurauia tristyla</i>	c	2			1			
Tree	<i>Schefflera octophylla</i>	vc	3						

Key	r	Rare	1	Occasional
	rest	Restricted	2	Frequent
	c	Common	3	Common
	vc	Very Common	4	Abundant
	p	Planted	5	Very abundant

* Rarity follows Xing, F., Ng, S-c. & Chau, L.K.C. (2000). Gymnosperms and Angiosperms of Hong Kong. Memoirs of the Hong Kong Natural History Society 23: 21-136.

Form	Botanical Name	Rarity*	Secondary Woodland	Plantation	Cultivation	Water	Wasteland	Mangrove	Marsh/Pond
Tree	<i>Scolopia chinensis</i>	c	1						
Tree	<i>Sonneratia caseolaris</i>	rest						2	
Tree	<i>Spathodea campanulata</i>	p		1					
Tree	<i>Sterculia lanceolata</i>	vc	3						
Tree	<i>Syzygium jambos</i>	c	2	2	1				
Tree	<i>Syzygium levinei</i>	c							
Tree	<i>Thuja orientalis</i>	p		2					
Tree	<i>Trema tomentosa</i>	c	1	1	2	1	1		
Tree	<i>Virburnum odoratissimum</i>	c		2					
Tree	<i>Zanthoxylum avicennae</i>	c	1						
Shrub	<i>Alchornea trewioides</i>	vc	2	2	2	2	2		
Shrub	<i>Ardisia crenata</i>	c	2						
Shrub	<i>Breynia fruticosa</i>	vc	2						
Shrub	<i>Cassia occidentalis</i>	vc		2			1		1
Shrub	<i>Daphniphyllum calycinum</i>	c	2						
Shrub	<i>Daphniphyllum oldhami</i>	C	2						
Shrub	<i>Diplospora dubia</i>	c	2						
Shrub	<i>Euonymus nitidus</i>	vc	2						
Shrub	<i>Ficus variolosa</i>	vc	2						
Shrub	<i>Glochidion eriocarpum</i>	c	3						
Shrub	<i>Helicteres angustifolia</i>	c	2						
Shrub	<i>Ilex asprella</i>	vc	3						
Shrub	<i>Ilex pubescens</i>	vc	2						
Shrub	<i>Lantana camara</i>	vc	2	2	2	2	2		2
Shrub	<i>Ligustrum sinense</i>	c	2	2	1	2	1		
Shrub	<i>Litsea rotundifolia</i>	vc	3						
Shrub	<i>Ludwigia octovalvis</i>	c			2	1			2
Shrub	<i>Maesa japonica</i>	c	3	1					
Shrub	<i>Melastoma candidum</i>	vc	2	2					2
Shrub	<i>Phyllanthus cochinchinensis</i>	vc	2						
Shrub	<i>Phyllanthus urinaria</i>	c	1	2	2	2	3		

Key	r	Rare	1	Occasional
	rest	Restricted	2	Frequent
	c	Common	3	Common
	vc	Very Common	4	Abundant
	p	Planted	5	Very abundant

* Rarity follows Xing, F., Ng, S-c. & Chau, L.K.C. (2000). Gymnosperms and Angiosperms of Hong Kong. Memoirs of the Hong Kong Natural History Society 23: 21-136.

Form	Botanical Name	Rarity*	Secondary Woodland	Plantation	Cultivation	Water	Wasteland	Mangrove	Marsh/Pond
Shrub	<i>Psychotria rubra</i>	vc	3						
Shrub	<i>Rhaphiolepis indica</i>	vc	3	3					
Shrub	<i>Rhapis excelsa</i>	c	1	2					
Shrub	<i>Rhodomyrtus tomentosa</i>	vc	2	2					
Shrub	<i>Ricinus communis</i>	rest		1	2	1	1		1
Shrub	<i>Sarcandra glabra</i>	vc	2						
Shrub	Schefflera arboricola	p		3					
Shrub	<i>Sesbania cannabina</i>	c			2		2		2
Shrub	<i>Sida acuta</i>	c		2	2		1		
Shrub	<i>Sida rhombifolia</i>	c		2	1		1		
Shrub	<i>Solanum torvum</i>	C		2	2		2		
Shrub	<i>Triumfetta bartramia</i>	vc	1	2	2	1	2		
Shrub	<i>Urena lobata</i>	c		2	2	1	2		
Shrub	<i>Aegiceras corniculatum</i>	c						2	
Shrub	<i>Aglaia odorata</i>	p		2	1		1		
Shrub	<i>Aglaonema modestum</i>	p		2					
Shrub	<i>Allamanda neriifolia</i>	c		3					
Shrub	<i>Alpinia zerumbet</i> "Variegata"	p		2					
Shrub	<i>Asparagus densiflorus</i>	p		2					
Shrub	<i>Avicennia marina</i>	c						3	
Shrub	<i>Calliandra haematocephala</i>	p		2					
Shrub	<i>Camellia sp</i>	p		2					
Shrub	<i>Clerodendrum thomsonae</i>	p		2					
Shrub	<i>Codiaeum variegatum</i>	p		2					
Shrub	<i>Cordyline terminalis</i>	p		2	1				
Shrub	<i>Cuphea hyssopifolia</i>	p		2					
Shrub	<i>Desmodium gigantum</i>	c			1		2		1
Shrub	<i>Hibiscus rosa-sinensis</i>	p		2					
Shrub	<i>Ixora chinensis</i>	p		2					
Shrub	<i>Jasminum sambac</i>	c		2	1				
Shrub	<i>Kandelia obovata</i>	c						2	

Key	r	Rare	1	Occasional
	rest	Restricted	2	Frequent
	c	Common	3	Common
	vc	Very Common	4	Abundant
	p	Planted	5	Very abundant

* Rarity follows Xing, F., Ng, S-c. & Chau, L.K.C. (2000). Gymnosperms and Angiosperms of Hong Kong. Memoirs of the Hong Kong Natural History Society 23: 21-136.

Form	Botanical Name	Rarity*	Secondary Woodland	Plantation	Cultivation	Water	Wasteland	Mangrove	Marsh/Pond
Shrub	<i>Lumnitzera racemosa</i>	c						2	
Shrub	<i>Melastoma sanguineum</i>	c	2	2					
Shrub	<i>Murraya paniculata</i>	c		2	1				
Shrub	<i>Nerium indicum</i>	c		3					
Shrub	<i>Phyllanthus cochinchinensis</i>	vc	2						
Shrub	<i>Pittosporum tobira</i>	c		2					
Shrub	<i>Rhoeo discolor</i>	p		3					
Shrub	<i>Ruranta repens</i>	c		2					
Shrub	<i>Vinca rosea</i>	c		2	1	1	1		
Herb	<i>Achyranthes aspera</i>	c		2	2	2	2		
Herb	<i>Adiantum flabellulatum</i>	c	1						
Herb	<i>Ageratum conyzoides</i>	c	1	3	2	2	2		3
Herb	<i>Allium fistulosum</i>	p			2				
Herb	<i>Alocasia cucullata</i>	c		3	2	1			2
Herb	<i>Alocasia macrorrhiza</i>	VC	3	2	2	2	1		
Herb	<i>Alopecurus aequalis</i>	c			1				
Herb	<i>Alpinia zerumbet</i>	vc	1						
Herb	<i>Alternanthera sessilis</i>	c			2	2			3
Herb	<i>Amaranthus viridis</i>	vc		1	2		1		2
Herb	<i>Apium graveolens</i>	p			2				
Herb	<i>Apluda mutica</i>	c			3	1			2
Herb	<i>Arundinella setosa</i>	vc	2						
Herb	<i>Asparagus cochinchinensis</i>	c	2	3					
Herb	<i>Aster baccharoides</i>	vc	2						
Herb	<i>Azolla pinnata</i>	r							
Herb	<i>Bacopa monnieri</i>	c			1				
Herb	<i>Bidens pilosa</i>	vc	2	2	3	2	3		3
Herb	<i>Blechnum orientale</i>	c	1						
Herb	<i>Bothriochloa ischaemum</i>	c		2	3	2	2		
Herb	<i>Brachia mutica</i>	c			2	1	2		3
Herb	<i>Brassica alboglabra</i>	p			2				

Key	r	Rare	1	Occasional
	rest	Restricted	2	Frequent
	c	Common	3	Common
	vc	Very Common	4	Abundant
	p	Planted	5	Very abundant

* Rarity follows Xing, F., Ng, S-c. & Chau, L.K.C. (2000). Gymnosperms and Angiosperms of Hong Kong. Memoirs of the Hong Kong Natural History Society 23: 21-136.

Form	Botanical Name	Rarity*	Secondary Woodland	Plantation	Cultivation	Water	Wasteland	Mangrove	Marsh/Pond
Herb	<i>Brassica chinensis</i>	p			2				
Herb	<i>Brassica parachinensis</i>	p			2				
Herb	<i>Capsella bursa-pastoris</i>	c			2				
Herb	<i>Cardamine flexuosa</i>	c			2				
Herb	<i>Celosia argentea</i>	vc		2	2		2		1
Herb	<i>Cenchrus echinatus</i>	vc	1	1	2		1		1
Herb	<i>Centella asiatica</i>	vc	2	2	2	1	1		2
Herb	<i>Cerbera manghas</i>	c						2	
Herb	<i>Chamaesyce thymifolia</i>	vc			2				
Herb	<i>Chenopodium serotinum</i>	c		1	2		1		3
Herb	<i>Chloris bartata</i>	vc		2	3	2	2		
Herb	<i>Coix lachryma-jobi</i>	c			2				1
Herb	<i>Colocasia esculenta</i>	c		2	3				2
Herb	<i>Conyza canadensis</i>	vc	1	2	2	1	2		2
Herb	<i>Coronopus didymus</i>	c			1				
Herb	<i>Crinum asiaticum</i>	rest		2					
Herb	<i>Crotolaria mucronata</i>	c			2				1
Herb	<i>Cyclosorus acuminatus</i>	vc			2	2	2	2	
Herb	<i>Cyclosorus interruptus</i>	c			2	2			2
Herb	<i>Cyclosorus parasiticus</i>	vc			2	2	2		
Herb	<i>Cynodon dactylon</i>	vc		2	3		2		2
Herb	<i>Cyperus alternifolius</i>	c			1	1	1	1	2
Herb	<i>Cyperus difformis</i>	vc			1				2
Herb	<i>Cyperus haspan</i>	c			2				2
Herb	<i>Cyperus imbricatus</i>	c			2				2
Herb	<i>Cyperus iria</i>	c			3	2			3
Herb	<i>Cyperus malaccensis</i>	VC			1	2			
Herb	<i>Cyperus pilosus</i>	c			2				2
Herb	<i>Cyperus rotundus</i>	vc		2	3	2	2		
Herb	<i>Cyrtococcum patens</i>	VC	2						
Herb	<i>Dactyloctenium aegyptiacum</i>	VC		2	2		2		

Key	r	Rare	1	Occasional
	rest	Restricted	2	Frequent
	c	Common	3	Common
	vc	Very Common	4	Abundant
	p	Planted	5	Very abundant

* Rarity follows Xing, F., Ng, S-c. & Chau, L.K.C. (2000). Gymnosperms and Angiosperms of Hong Kong. Memoirs of the Hong Kong Natural History Society 23: 21-136.

Form	Botanical Name	Rarity*	Secondary Woodland	Plantation	Cultivation	Water	Wasteland	Mangrove	Marsh/Pond
Herb	<i>Datura metel</i>	rest		1					
Herb	<i>Desmodium heterophyllum</i>	c	2	1					
Herb	<i>Dicranopteris pedata</i>	vc	1						
Herb	<i>Digitaria ciliaris</i>	vc		2	2		3		
Herb	<i>Echinochloa colona</i>	c			2	2			
Herb	<i>Echinochloa crusgalli</i>	vc			2	2			
Herb	<i>Eclipta prostrata</i>	c			2	1	2		2
Herb	<i>Eichhornia crassipes</i>	vc			1				2
Herb	<i>Elephantopus tomentosa</i>	c	1	2					
Herb	<i>Eleusine indica</i>	vc	1	2	2	1	2		
Herb	<i>Emilia sonchifolia</i>	vc	1	3	2	2	2		2
Herb	<i>Eupatorium catarium</i>	vc		2	2		3		2
Herb	<i>Excoecaria agallocha</i>	c						2	
Herb	<i>Fimbristylis aestivalis</i>	c							1
Herb	<i>Fimbristylis dichotoma</i>	c			2		2		
Herb	<i>Hedyotis acutangula</i>	c	1						
Herb	<i>Hedyotis corymbosa</i>	vc			2	2	2		2
Herb	<i>Hemistepta lyrata</i>	rest			2				
Herb	<i>Impatiens chinensis</i>	c			2				
Herb	<i>Imperata cylindrica</i>	vc	1	2	2		2		2
Herb	<i>Ixeris japonica</i>	c			1	2			
Herb	<i>Juncus effusus</i>	c			2		1		2
Herb	<i>Kyllinga breviflora</i>	c			1				2
Herb	<i>Lactuca chinensis</i>	c			1		2		
Herb	<i>Lactuca saliva</i>	p			2				
Herb	<i>Leersia hexandra</i>	c			2				2
Herb	<i>Lemna minor</i>	c				1			1
Herb	<i>Limnophila aromatica</i>	rest			1				2
Herb	<i>Lindernia anagalis</i>	c			2				2
Herb	<i>Lindernia crustaceae</i>	rest			2	1			2
Herb	<i>Liriope spicata</i>	c	2						

Key	r	Rare	1	Occasional
	rest	Restricted	2	Frequent
	c	Common	3	Common
	vc	Very Common	4	Abundant
	p	Planted	5	Very abundant

* Rarity follows Xing, F., Ng, S-c. & Chau, L.K.C. (2000). Gymnosperms and Angiosperms of Hong Kong. Memoirs of the Hong Kong Natural History Society 23: 21-136.

Form	Botanical Name	Rarity*	Secondary Woodland	Plantation	Cultivation	Water	Wasteland	Mangrove	Marsh/Pond
Herb	<i>Lophatherum gracile</i>	c	2						
Herb	<i>Lycium chinense</i>	p			2				
Herb	<i>Malvastrum coromandelinum</i>	c			1	1	2		
Herb	<i>Melinis repens</i>	vc	1		2	2	2		
Herb	<i>Miscanthus sinensis</i>	vc		1		2	2		
Herb	<i>Nasturtium officinale</i>	c			3	2			2
Herb	<i>Neyraudia reyraudiana</i>	vc	1		1		2		2
Herb	<i>Oenanthe javanica</i>	c			3	2			2
Herb	<i>Oxalis corniculata</i>	vc	2	2	2	2	2		2
Herb	<i>Oxalis corymbosa</i>	vc		1	2	2	2		2
Herb	<i>Panicum maximum</i>	vc		2			2		
Herb	<i>Panicum paludosum</i>	c			2	2	1		3
Herb	<i>Paspalum conjugatum</i>	c			2		2		2
Herb	<i>Paspalum dilatatum</i>	c					2		
Herb	<i>Paspalum paspaloides</i>	c			2	2	2		3
Herb	<i>Pennisetum alopecuroides</i>	C			2	1	2		1
Herb	<i>Pennisetum purpureum</i>	vc			2	1	2		1
Herb	<i>Phytolacca acinosa</i>	rest			1				1
Herb	<i>Polygonum barbatum</i>	c			2	2			2
Herb	<i>Polygonum chinense</i>	vc	2	2	3	2			2
Herb	<i>Polygonum laphifolium</i>	c			2	2			
Herb	<i>Ranunculus sceleratus</i>	vc			2	2	1		2
Herb	<i>Rhynoscopa rubra</i>	vc							2
Herb	<i>Rhynoscopa rugosa</i>	rest			2				2
Herb	<i>Rorippa indica</i>	c			2				
Herb	<i>Rumex japonicus</i>	c			1	1	1		3
Herb	<i>Rumex maritimus</i>	c			2	2			3
Herb	<i>Saccharum officinarum</i>	p			2				
Herb	<i>Sagittaria trifolia</i>	rest			1				
Herb	<i>Scoparia dulcis</i>	c			2	1	1		1
Herb	<i>Siplanthes paniculata</i>	c			2				

Key	r	Rare	1	Occasional
	rest	Restricted	2	Frequent
	c	Common	3	Common
	vc	Very Common	4	Abundant
	p	Planted	5	Very abundant

* Rarity follows Xing, F., Ng, S-c. & Chau, L.K.C. (2000). Gymnosperms and Angiosperms of Hong Kong. Memoirs of the Hong Kong Natural History Society 23: 21-136.

Form	Botanical Name	Rarity*	Secondary Woodland	Plantation	Cultivation	Water	Wasteland	Mangrove	Marsh/Pond
Herb	<i>Solanum americanum</i>	vc	2	2	2	2	2		2
Herb	<i>Sonchus oleraceus</i>	vc			2				
Herb	<i>Sporobolus indicus</i>	vc			2		1		
Herb	<i>Stellaria media</i>	c			2				
Herb	<i>Synedrella nodiflora</i>	vc		1			2		
Herb	<i>Tadehagi triquetrum</i>	c	1				2		
Herb	<i>Tectaria subtriphylla</i>	c	1						
Herb	<i>Thalia dealbata</i>	p							1
Herb	<i>Tridax procumbens</i>	vc			2		2		
Herb	<i>Typha angustifolia</i>	c			1	2	1		2
Herb	<i>Xanthium strumarium</i>	c		2	2		1		
Herb	<i>Youngia japonica</i>	vc		2	2	1	2		
Herb	<i>Zea mays</i>	p			1				
Climber	<i>Alternanthera philoxeroides</i>	c			2	1			2
Climber	<i>Alyxia sinensis</i>	c	1						
Climber	<i>Arachis hypogaea</i>	p							
Climber	<i>Bauhinia blakeana</i>	p		2					
Climber	<i>Bauhinia championii</i>	c	2						
Climber	<i>Bauhinia glauca</i>	p		2					
Climber	<i>Bougainvillea glabra "Variegata"</i>	p		2					
Climber	<i>Byettnera aspera</i>	vc	1						
Climber	<i>Calamus tetradactylus</i>	c	2						
Climber	<i>Cansjera rheedii</i>	rest	1						
Climber	<i>Cassytha filiformis</i>	vc	2	2	2		1		2
Climber	<i>Clerodendrum inerme</i>	c						3	
Climber	<i>Commelina diffusa</i>	c		2	3	3	2		3
Climber	<i>Cucumis sativus</i>	p			2				
Climber	<i>Cuscuta chinensis</i>	c		2	2	2	2		
Climber	<i>Dalbergia hancei</i>	c	2						
Climber	<i>Desmos chinensis</i>	c	2						
Climber	<i>Embelia laeta</i>	vc	1						

Key	r	Rare	1	Occasional
	rest	Restricted	2	Frequent
	c	Common	3	Common
	vc	Very Common	4	Abundant
	p	Planted	5	Very abundant

* Rarity follows Xing, F., Ng, S-c. & Chau, L.K.C. (2000). Gymnosperms and Angiosperms of Hong Kong. Memoirs of the Hong Kong Natural History Society 23: 21-136.

Form	Botanical Name	Rarity*	Secondary Woodland	Plantation	Cultivation	Water	Wasteland	Mangrove	Marsh/Pond
Climber	<i>Ficus pumila</i>	vc	2		1				
Climber	<i>Gnetum luofuense</i>	vc	2						
Climber	<i>Heterosmilax japonica</i> var. <i>gaudichaudiana</i>	c		2	2				
Climber	<i>Ipomoea aquatica</i>	c			3	3	1		3
Climber	<i>Ipomoea batatas</i>	p			3				
Climber	<i>Ipomoea cairica</i>	vc	2	3	3	2	3		3
Climber	<i>Ludwigia adscendens</i>	c							2
Climber	<i>Lycopersicon esculentum</i>	p			1				
Climber	<i>Lygodium japonicum</i>	c	2						2
Climber	<i>Lygodium scandens</i>	c	2				3		
Climber	<i>Mikania micrantha</i>	vc	2	3	2	2	3		3
Climber	<i>Mimosa pudica</i>	vc		1	1		3		
Climber	<i>Morinda umbellata</i>	c							
Climber	<i>Paederia scandens</i>	vc	2	2	2		3		
Climber	<i>Passiflora foetida</i>	c			1	1	2		
Climber	<i>Psychotria serpens</i>	vc	2						
Climber	<i>Pueraria lobata</i>	vc	2	2	2	2	2		2
Climber	<i>Pueraria phaseoloides</i>	vc		2			2		2
Climber	<i>Pyrostegia ignea</i>	p		2					
Climber	<i>Rourea microphylla</i>	c	2						
Climber	<i>Rubus reflexus</i>	vc	1						
Climber	<i>Senecio scandens</i>	c	2				2		
Climber	<i>Smilax china</i>	vc	2						
Climber	<i>Tetracera asiatica</i>	vc	2						
Climber	<i>Uvaria microcarpa</i>	c	2						
Climber	<i>Wedelia chinensis</i>	c	2	2	2	2	2		2
Climber	<i>Wedelia trilobata</i>	c	2	2				3	

Key	r	Rare	1	Occasional
	rest	Restricted	2	Frequent
	c	Common	3	Common
	vc	Very Common	4	Abundant
	p	Planted	5	Very abundant

* Rarity follows Xing, F., Ng, S-c. & Chau, L.K.C. (2000). Gymnosperms and Angiosperms of Hong Kong. Memoirs of the Hong Kong Natural History Society 23: 21-136.