

Table A9-2-1 Total List of Bird Species Seen Within the Study Area during Various Surveys

| Species | Scientific Name | Principle Status* ¹ | IUCN Red List | Conservation Status* ² | KT | CPR | LV |
|---------------------------|------------------------------|--------------------------------|---------------|-----------------------------------|----|-----|----|
| Great Cormorant | <i>Phalacrocorax carbo</i> | W | | PRC | x | | |
| Grey Heron | <i>Ardea cinera</i> | W | | PRC | x | x | x |
| Great Egret | <i>Egretta alba</i> | P | | PRC | x | x | x |
| Little Egret | <i>Egretta garzetta</i> | P | | PRC | x | x | x |
| Cattle Egret | <i>Bubulcus ibis</i> | P | | (LC) | x | | x |
| Chinese Pond Heron | <i>Ardeola bacchus</i> | P | | PRC | x | x | x |
| Black-crowned Night Heron | <i>Nycticorax nycticorax</i> | P | | (LC) | x | | |
| Eurasian Spoonbill | <i>Platalea leucorodia</i> | W | | LC | x | | |
| Black-faced Spoonbill | <i>Platalea minor</i> | W | EN | PGC | x | | |
| Eurasian Wigeon | <i>Anas penelope</i> | W | | RC | x | | |
| Common Teal | <i>Anas crecca</i> | W | | RC | x | | |
| Northern Pintail | <i>Anas acuta</i> | W | | RC | x | | |
| Garganey | <i>Anas querquedula</i> | M,W | | - | x | | |
| Northern Shoveler | <i>Anas clypeata</i> | W | | RC | x | | |
| Tufted Duck | <i>Aythya fuligula</i> | W | | LC | x | | |
| Black Kite | <i>Milvus migrans</i> | W, R | | (RC) | x | x | x |
| Eastern Marsh Harrier | <i>Circus spilonotus</i> | W | | LC | x | | |
| Besra | <i>Accipiter virgatus</i> | R | | - | x | x | |
| Common Buzzard | <i>Buteo buteo</i> | W | | - | x | x | x |
| Greater Spotted Eagle | <i>Aquila clanga</i> | W | VU | GC | x | x | |
| Bonelli's Eagle | <i>Hieraaetus fasciatus</i> | R | | (RC) | x | | |
| Common Kestrel | <i>Falco tinnunculus</i> | AM, W | | - | x | | x |
| Ruddy-breasted Crake | <i>Porzana fusca</i> | M, W | | LC | | | x |

Key KT = Kam Tin River and Ngau Tam Mei Section
CPR = Castle Peak Road Section – Mai Po, San Tin + Kwu Tung
LV = Long Valley Section, Sheung Yue River and Shek Sheung River
X = denotes bird seen in this section on at least one occasion

*1 = data taken from Carey *et al.* (2001)

*2 = data taken from Fellowes *et al.* (2002)

E = Escape captive bird
M = Passage migrant
R = Resident
Su = Summer visitor
W = Winter visitor
? = Possible

GC = Global concern
RC = Regional concern
LC = Local concern
PGC= Potential global concern
PRC= Potential regional concern

Letters in Parentheses indicate that assessment is on the basis of restrictedness in breeding and/or roosting sites rather than general occurrence.

| Species | Scientific Name | Principle Status* ¹ | IUCN Red List | Conservation Status* ² | KT | CPR | LV |
|---------------------------|--------------------------------|--------------------------------|---------------|-----------------------------------|----|-----|----|
| White-breasted Waterhen | <i>Amaurornis phoenicurus</i> | R | | - | x | | x |
| Common Moorhen | <i>Gallinula chloropus</i> | R | | - | x | | x |
| Greater Painted Snipe | <i>Rostratula benghalensis</i> | M,R | | LC | | | x |
| Black-winged Stilt | <i>Himantopus himantopus</i> | W | | RC | x | x | x |
| Pied Avocet | <i>Recurvirostra avosetta</i> | W | | RC | x | | x |
| Grey-headed Lapwing | <i>Vanellus cinereus</i> | W | | LC | x | | |
| Little Ringed Plover | <i>Charadrius dubius</i> | W, R | | (LC) | x | x | x |
| Common Greenshank | <i>Tringa nebularia</i> | M, W | | RC | | | x |
| Green Sandpiper | <i>Tringa ochropus</i> | W | | - | x | x | x |
| Wood Sandpiper | <i>Tringa glareola</i> | M, W | | LC | x | x | x |
| Common Sandpiper | <i>Actitis hypoleucos</i> | M, W | | - | x | x | x |
| Common Snipe | <i>Gallinago gallinago</i> | W | | - | x | | x |
| Snipe sp. | <i>Gallinago sp.</i> | | | - | | | x |
| Temminck's Stint | <i>Calidris temminckii</i> | M, W | | LC | | x | |
| Black-headed Gull | <i>Larus ribibundus</i> | W | | PRC | x | | |
| Rock Dove | <i>Columba livra (feral)</i> | R | | - | x | x | x |
| Oriental Turtle Dove | <i>Streptopelia orientalis</i> | W | | | x | | x |
| Spotted Dove | <i>Streptopelia chinensis</i> | R | | | x | x | x |
| Rose-ringed Parakeet | <i>Psittacula krameri</i> | R | | | | | x |
| Plaintive Cuckoo | <i>Cacomantis merulinus</i> | Su, R | | | | | x |
| Common Koel | <i>Eudynamys scolopacea</i> | Su, R | | | | x | x |
| Little Swift | <i>Apus affinis</i> | R, SpM | | | x | x | x |
| Pied Kingfisher | <i>Ceryle rudis</i> | R | | (LC) | x | x | x |
| Common Kingfisher | <i>Alcedo atthis</i> | Am, P | | | x | x | x |
| White-throated Kingfisher | <i>Halcyon smyrnensis</i> | Am, P | | (LC) | x | x | x |

Key KT = Kam Tin River and Ngau Tam Mei Section
 CPR = Castle Peak Road Section – Mai Po, San Tin + Kwu Tung
 LV = Long Valley Section, Sheung Yue River and Shek Sheung River
 X = denotes bird seen in this section on at least one occasion

*1 = data taken from Carey *et al.* (2001)

*2 = data taken from Fellowes *et al.* (2002)

E = Escape captive bird
 M = Passage migrant
 R = Resident
 Su = Summer visitor
 W = Winter visitor
 ? = Possible

GC = Global concern
 RC = Regional concern
 LC = Local concern
 PGC= Potential global concern
 PRC= Potential regional concern

Letters in Parentheses indicate that assessment is on the basis of restrictedness in breeding and/or roosting sites rather than general occurrence.

| Species | Scientific Name | Principle Status* ¹ | IUCN Red List | Conservation Status* ² | KT | CPR | LV |
|-------------------------|--------------------------------|--------------------------------|---------------|-----------------------------------|----|-----|----|
| Black-capped Kingfisher | <i>Halcyon pileata</i> | AM, W | | (LC) | x | | |
| Barn Swallow | <i>Hirundo rustica</i> | SpM, Su | | | x | x | x |
| Red-rumped Swallow | <i>Hirundo daurica</i> | M | | | x | x | x |
| Yellow Wagtail | <i>Motacilla flava</i> | M, W | | | x | x | x |
| Grey Wagtail | <i>Motacilla cinerea</i> | W | | | x | x | x |
| White Wagtail | <i>Motacilla alba</i> | W, R | | | x | x | x |
| Richard's Pipit | <i>Anthus richardi</i> | W, R | | | x | x | x |
| Olive-backed Pipit | <i>Anthus hodgsoni</i> | W | | | x | x | x |
| Red-throated Pipit | <i>Anthus cervinus</i> | M,W | | LC | | | x |
| Red-whiskered Bulbul | <i>Pycnonotus flammeus</i> | R | | | x | x | x |
| Chinese Bulbul | <i>Pycnonotus sinensis</i> | R | | | x | x | x |
| Sooty-headed Bulbul | <i>Pycnonotus aurigaster</i> | R | | | x | | x |
| Long-tailed Shrike | <i>Lanius schach</i> | R | | | x | x | x |
| Siberian Rubythroat | <i>Luscinia calliope</i> | W | | | | | x |
| Bluethroat | <i>Luscinia svecica</i> | W | | LC | | | x |
| Oriental Magpie Robin | <i>Copsychus saularis</i> | R | | | x | x | x |
| Daurian Redstart | <i>Phoenicurus auroreus</i> | W | | | x | | x |
| Common Stonechat | <i>Saxicola torquata</i> | W, M | | | x | x | x |
| Japanese Thrush | <i>Turdus cardis</i> | M, W | | | | | x |
| Common Blackbird | <i>Turdus merula</i> | W, M | | | x | | x |
| Grey-backed Thrush | <i>Turdus hortulorum</i> | W | | | x | | x |
| Eyebrowed Thrush | <i>Turdus obscurus</i> | M | | | x | | |
| Masked Laughingthrush | <i>Garrulax perspicillatus</i> | R | | | x | x | x |
| Zitting Cisticola | <i>Cisticola juncidis</i> | W | | LC | x | | x |
| Yellow-bellied Prinia | <i>Prinia flaviventris</i> | R | | | x | | x |
| Plain Prinia | <i>Prinia inornata</i> | R | | | x | x | x |

Key KT = Kam Tin River and Ngau Tam Mei Section
 CPR = Castle Peak Road Section – Mai Po, San Tin + Kwu Tung
 LV = Long Valley Section, Sheung Yue River and Shek Sheung River
 X = denotes bird seen in this section on at least one occasion

*1 = data taken from Carey *et al.* (2001)

*2 = data taken from Fellowes *et al.* (2002)

E = Escape captive bird
 M = Passage migrant
 R = Resident
 Su = Summer visitor
 W = Winter visitor
 ? = Possible

GC = Global concern
 RC = Regional concern
 LC = Local concern
 PGC= Potential global concern
 PRC= Potential regional concern

Letters in Parentheses indicate that assessment is on the basis of restrictedness in breeding and/or roosting sites rather than general occurrence.

| Species | Scientific Name | Principle Status* ¹ | IUCN Red List | Conservation Status* ² | KT | CPR | LV |
|-----------------------------|----------------------------------|--------------------------------|---------------|-----------------------------------|----|-----|----|
| Common Tailorbird | <i>Orthotomus sutorius</i> | R | | | x | x | x |
| Dusky Warbler | <i>Phylloscopus fuscatus</i> | W | | | x | x | x |
| Pallas's Leaf Warbler | <i>Phylloscopus proregulus</i> | W | | | | | x |
| Yellow-browed Warbler | <i>Phylloscopus inornatus</i> | W | | | x | x | x |
| Great Tit | <i>Parus major</i> | R | | | x | x | x |
| Scarlet-backed Flowerpecker | <i>Dicaeum cruentatum</i> | R | | | | | x |
| Fork-tailed Sunbird | <i>Aethopyga christinae</i> | R | | | | x | |
| Japanese White-eye | <i>Zosterops japonicus</i> | R, ? W | | | x | x | x |
| Little Bunting | <i>Emberiza pusilla</i> | W | | | | | x |
| Black-faced Bunting | <i>Emberiza spodocephala</i> | M, W | | | x | | x |
| Scaly-breasted Munia | <i>Lonchura punctulata</i> | R | | | x | x | x |
| Eurasian Tree Sparrow | <i>Passer montanus</i> | R | | | x | x | x |
| Red-billed Starling | <i>Sturnus sericeus</i> | W | | GC | x | | x |
| White-cheeked Starling | <i>Sturnus cineraceus</i> | A | | PRC | x | | |
| Black-collared Starling | <i>Sturnus nigricollis</i> | R | | | x | | x |
| White-shouldered Starling | <i>Sturnus sinensis</i> | M, W, Su | | (LC) | x | x | x |
| Common Myna | <i>Acridotheres tristis</i> | R | | | | x | x |
| Crested Myna | <i>Acridotheres cristatellus</i> | R | | | x | x | x |
| Black Drongo | <i>Cicurus macrocercus</i> | M, Su | | | x | | x |
| Blue Magpie | <i>Urocissa erythrorhyncha</i> | R | | | | | x |
| Common Magpie | <i>Pica pica</i> | R | | | x | x | x |
| Large-billed Crow | <i>Corvus macrorhynchos</i> | R | | | x | x | x |
| Collared Crow | <i>Corvus torquatus</i> | R | | LC | x | x | x |
| Yellow-fronted Canary | <i>Serinus flaviventris</i> | E | | | | x | |

Key KT = Kam Tin River and Ngau Tam Mei Section
 CPR = Castle Peak Road Section – Mai Po, San Tin + Kwu Tung
 LV = Long Valley Section, Sheung Yue River and Shek Sheung River
 X = denotes bird seen in this section on at least one occasion

*1 = data taken from Carey *et al.* (2001)

*2 = data taken from Fellowes *et al.* (2002)

E = Escape captive bird
 M = Passage migrant
 R = Resident
 Su = Summer visitor
 W = Winter visitor
 ? = Possible

GC = Global concern
 RC = Regional concern
 LC = Local concern
 PGC= Potential global concern
 PRC= Potential regional concern

Letters in Parentheses indicate that assessment is on the basis of restrictedness in breeding and/or roosting sites rather than general occurrence.