

Appendix 12-1

Preliminary Tree Survey

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

SECTION 1 (Castle Peak Road - Tam Mi, Mai Po)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post- transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
1-T007	<i>Callistemon viminalis</i>	串錢柳	110	4	6	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0003 A
1-T008	<i>Celtis sinensis</i>	朴	700	11.2	15	Fair	Fair	Medium	Low	Retain	CE22/2006/MP/T/0003 A
1-T040	<i>Ficus virens var. sublanceolata</i>	大葉榕	720	8	8	Fair	Poor	Medium	High	Retain	CE22/2006/MP/T/0003 A
1-T041	<i>Melaleuca quinquenevia</i>	白千層	780	7	9	Fair	Good	High	High	Retain	CE22/2006/MP/T/0003 A
1-T101	<i>Celtis sinensis</i>	朴	330	4	7	Fair	Poor	Medium	Low	Fell	CE22/2006/MP/T/0003 A
1-T107	<i>Bauhinia blakeana</i>	洋紫荊	130	4	6	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
1-T108	<i>Bauhinia blakeana</i>	洋紫荊	130	8	6	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
* 1-T113	<i>Leucaena leucocephala</i>	銀合歡	210	7	8	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0003 A
1-T114	<i>Ficus superba var. japonica</i>	筆管榕	320	10	8	Poor	Poor	Low	High	Fell	CE22/2006/MP/T/0003 A
1-T115	<i>Hibiscus tiliaceus</i>	黃槿	330	10	8	Poor	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
1-T116	<i>Hibiscus tiliaceus</i>	黃槿	230	6	8	Poor	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
1-T117	<i>Hibiscus tiliaceus</i>	黃槿	130	6	8	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
1-T118	<i>Hibiscus tiliaceus</i>	黃槿	200	6	8	Poor	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
1-T119	<i>Hibiscus tiliaceus</i>	黃槿	230	4	8	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
1-T120	<i>Hibiscus tiliaceus</i>	黃槿	200	6	8	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
1-T121	<i>Hibiscus tiliaceus</i>	黃槿	340	6	10	Poor	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
1-T122	<i>Hibiscus tiliaceus</i>	黃槿	370	4	10	Poor	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
1-T123	<i>Hibiscus tiliaceus</i>	黃槿	430	4	8	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
1-T124	<i>Hibiscus tiliaceus</i>	黃槿	230	4	6	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
1-T125	<i>Hibiscus tiliaceus</i>	黃槿	220	6	6	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
1-T126	<i>Hibiscus tiliaceus</i>	黃槿	320	10	8	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
1-T127	<i>Eucalyptus camaldulensis</i>	赤桉	300	4	14	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T128	<i>Eucalyptus camaldulensis</i>	赤桉	200	4	14	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T129	<i>Eucalyptus camaldulensis</i>	赤桉	110	2	14	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T130	<i>Eucalyptus camaldulensis</i>	赤桉	130	2	8	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T131	<i>Eucalyptus camaldulensis</i>	赤桉	230	6	16	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T132	<i>Eucalyptus camaldulensis</i>	赤桉	200	3	4	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0003 A
1-T133	<i>Eucalyptus camaldulensis</i>	赤桉	130	5	9	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0003 A
1-T134	<i>Eucalyptus camaldulensis</i>	赤桉	210	5	17	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T135	<i>Eucalyptus camaldulensis</i>	赤桉	200	5	14	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T136	<i>Eucalyptus camaldulensis</i>	赤桉	230	6	14	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 1 (Castle Peak Road - Tam Mi, Mai Po)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post- transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
1-T137	<i>Cassia surattensis</i>	黃槐	110	3	5	Fair	Poor	Low	Medium	Transplant	CE22/2006/MP/T/0003A
1-T138	<i>Bauhinia blakeana</i>	洋紫荊	120	4	7	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003A
1-T139	<i>Albizia lebbek</i>	大葉合歡	290	9	14	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0003A
1-T140	<i>Albizia lebbek</i>	大葉合歡	370	8	13	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003A
1-T141	<i>Bauhinia blakeana</i>	洋紫荊	130	6	9	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0003A
1-T142	<i>Bauhinia blakeana</i>	洋紫荊	130	4	8	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003A
1-T143	<i>Bauhinia blakeana</i>	洋紫荊	130	5	9	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0003A
1-T144	<i>Melaleuca quinquenevia</i>	白千層	110	2	7	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0003A
1-T145	<i>Dimocarpus longan</i>	龍眼	130	2	4	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0003A
1-T146	<i>Artocarpus macrocarpus</i>	波羅蜜	100	2	4	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0003A
1-T147	<i>Artocarpus macrocarpus</i>	波羅蜜	100	1	3	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0003A
1-T148	<i>Dimocarpus longan</i>	龍眼	140	2	3	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0003A
1-T149	<i>Citrus maxima</i>	柚	140	2	4	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
1-T150	<i>Morus alba</i>	桑	130	3	4	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0003A
1-T151	<i>Casuarina equisetifolia</i>	木麻黃	200	7	15	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0003A
1-T152	<i>Acacia auriculiformis</i>	耳果相思	150	3	2	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
1-T153	<i>Acacia auriculiformis</i>	耳果相思	240	3	5	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
1-T154	<i>Acacia auriculiformis</i>	耳果相思	240	4	10	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
1-T155	<i>Casuarina equisetifolia</i>	木麻黃	130	4	3	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
1-T156	<i>Acacia auriculiformis</i>	耳果相思	150	4	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
1-T157	<i>Acacia auriculiformis</i>	耳果相思	150	5	5	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
1-T158	<i>Acacia auriculiformis</i>	耳果相思	140	4	4	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
1-T159	<i>Acacia auriculiformis</i>	耳果相思	130	5	8	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
1-T160	<i>Acacia auriculiformis</i>	耳果相思	150	4	8	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
1-T161	<i>Acacia auriculiformis</i>	耳果相思	240	5	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
* 1-T162	<i>Leucaena leucocephala</i>	銀合歡	95	3	6	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
1-T163	<i>Eucalyptus camaldulensis</i>	赤桉	140	6	10	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003A
1-T164	<i>Eucalyptus camaldulensis</i>	赤桉	140	6	10	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0003A
1-T165	<i>Hibiscus tiliaceus</i>	黃槿	240	6	11	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003A
1-T166	<i>Eucalyptus camaldulensis</i>	赤桉	450	8	13	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003A
1-T167	<i>Eucalyptus camaldulensis</i>	赤桉	110	5	7	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0003A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 1 (Castle Peak Road - Tam Mi, Mai Po)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post- transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
1-T168	<i>Eucalyptus camaldulensis</i>	赤桉	170	5	10	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0003 A
1-T169	<i>Eucalyptus camaldulensis</i>	赤桉	270	3	7	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T170	<i>Eucalyptus camaldulensis</i>	赤桉	260	3	8	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T171	<i>Eucalyptus camaldulensis</i>	赤桉	250	4	12	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T172	<i>Eucalyptus camaldulensis</i>	赤桉	250	7	9	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0003 A
1-T173	<i>Albizia lebbek</i>	大葉合歡	150	2	4	Poor	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
1-T174	<i>Eucalyptus camaldulensis</i>	赤桉	160	3	3	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0003 A
1-T175	<i>Eucalyptus camaldulensis</i>	赤桉	220	2	9	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0003 A
1-T176	<i>Eucalyptus camaldulensis</i>	赤桉	270	3	9	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0003 A
1-T177	<i>Eucalyptus camaldulensis</i>	赤桉	170	4	9	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T178	<i>Eucalyptus camaldulensis</i>	赤桉	150	3	6	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0003 A
1-T179	<i>Eucalyptus camaldulensis</i>	赤桉	240	2	10	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T180	<i>Eucalyptus camaldulensis</i>	赤桉	170	2	10	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T181	<i>Eucalyptus camaldulensis</i>	赤桉	240	2	12	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T182	<i>Eucalyptus camaldulensis</i>	赤桉	200	2	10	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T183	<i>Eucalyptus camaldulensis</i>	赤桉	240	3	12	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T184	<i>Eucalyptus camaldulensis</i>	赤桉	190	2	10	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T185	<i>Eucalyptus camaldulensis</i>	赤桉	220	2	10	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T186	<i>Eucalyptus camaldulensis</i>	赤桉	200	2	9	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T187	<i>Eucalyptus camaldulensis</i>	赤桉	320	3	10	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0003 A
1-T188	<i>Ficus microcarpus</i>	細葉榕	170	2	6	Fair	Poor	Medium	High	Transplant	CE22/2006/MP/T/0003 A
1-T189	<i>Hibiscus tiliaceus</i>	黃槿	270	3	9	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
1-T201	<i>Albizia lebeck</i>	大葉合歡	470	13	15	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0003 A
1-T202	<i>Ficus microcarpa</i>	細葉榕	500	5	15	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0003 A
1-T203	<i>Albizia julibrissin</i>	合歡	600	8	15	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0003 A
1-T204	<i>Mangifera indica</i>	芒果	800	5	10	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0003 A
1-T205	<i>Albizia julibrissin</i>	合歡	900	10	15	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0003 A

Tree numbers not used:

1-T001 to 1-T006, 1-T009 to 1-T039, 1-T042 to 1-T100, 1-T102 to 1-T106, 1-T109 to 1-T112, 1-T190 to 1-T200

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-I Preliminary Tree Survey

SECTION 2 (Castle Peak Road - Mai Po, San Tin)

Tree No.	Tree Species	Chinese name	DBH (mm)	Spread (m)	Height (m)	Health (Good/Fair/Poor)	Form (Good/Fair/Poor)	Amenity / Ecological Value (High/Medium/Low)	Species post- transplantation survival rate (High/Medium/Low)	Proposed treatment under conflict (Retain/Fell/Transplant)	Reference Drawing
2-T025	<i>Acacia auriculiformis</i>	耳果相思	210	4	10	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
* 2-T057	<i>Leucaena leucocephala</i>	銀合歡	130	7	13	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
2-T073	<i>Ficus microcarpa</i>	細葉榕	490	7	12	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0003 A
# 2-T074	<i>Ficus microcarpa</i>	細葉榕	1980	10	13	Fair	Fair	High	High	Retain	CE22/2006/MP/T/0003 A
2-T076	<i>Ficus microcarpa</i>	細葉榕	860	7.2	15	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0003 A
* 2-T079	<i>Leucaena leucocephala</i>	銀合歡	110	4.5	9	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
* 2-T080	<i>Leucaena leucocephala</i>	銀合歡	240	5.2	9	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
* 2-T084	<i>Leucaena leucocephala</i>	銀合歡	110	3.4	12	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
* 2-T085	<i>Leucaena leucocephala</i>	銀合歡	230	5	12	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
* 2-T087	<i>Leucaena leucocephala</i>	銀合歡	120	2.8	8	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
2-T088	<i>Bombax ceiba</i>	木棉	200	6.1	12	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0003 A
* 2-T090	<i>Leucaena leucocephala</i>	銀合歡	190	7.1	13	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0003 A
2-T091	<i>Bombax ceiba</i>	木棉	170	6	11	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0003 A
* 2-T092	<i>Leucaena leucocephala</i>	銀合歡	580	7	9	Poor	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
* 2-T093	<i>Leucaena leucocephala</i>	銀合歡	160	6.7	11	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0003 A
2-T094	<i>Bombax ceiba</i>	木棉	160	4	6	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0003 A
* 2-T105	<i>Leucaena leucocephala</i>	銀合歡	170	6.4	10	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
* 2-T106	<i>Leucaena leucocephala</i>	銀合歡	150	3.8	10	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
2-T108	<i>Syzygium jambos</i>	蒲桃	480	12.1	12	Fair	Fair	Medium	Low	Retain	CE22/2006/MP/T/0003 A
2-T109	<i>Bombax ceiba</i>	木棉	270	6.3	15	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0003 A
2-T111	<i>Melia azedarach</i>	楝	320	7.1	15	Fair	Poor	Medium	Medium	Transplant	CE22/2006/MP/T/0003 A
2-T112	<i>Hibiscus tiliaceus</i>	黃槿	320	10.1	15	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
2-T113	<i>Hibiscus tiliaceus</i>	黃槿	300	13	11	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
2-T114	<i>Ficus superba var. japonica</i>	筆管榕	130	10.5	7	Fair	Poor	Medium	High	Transplant	CE22/2006/MP/T/0003 A
2-T115	<i>Cinnamomum camphora</i>	樟	830	10.9	17	Good	Fair	High	Low	Retain	CE22/2006/MP/T/0003 A
2-T116	<i>Albizia lebbek</i>	大葉合歡	350	17.1	17	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
2-T117	<i>Melia azedarach</i>	楝	480	12.4	17	Fair	Fair	High	Medium	Transplant	CE22/2006/MP/T/0003 A
2-T118	<i>Bombax ceiba</i>	木棉	190	8.1	9	Fair	Poor	Medium	High	Fell	CE22/2006/MP/T/0003 A
# 2-T119	<i>Chrysalidocarpus lutescens</i>	散尾葵	1100	6	10	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0003 A
2-T120	<i>Chrysalidocarpus lutescens</i>	散尾葵	890	4	11	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0003 A
2-T121	<i>Chrysalidocarpus lutescens</i>	散尾葵	390	3	10	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0003 A
2-T122	<i>Chrysalidocarpus lutescens</i>	散尾葵	390	5	10	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0003 A
2-T123	<i>Michelia alba</i>	白蘭	190	3.8	5	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
2-T125	Dead Tree		-	-	-	-	-	-	-	To be removed	CE22/2006/MP/T/0003 A
2-T126	<i>Casaurina equisetifolia</i>	木麻黃	340	11	15	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

SECTION 2 (Castle Peak Road - Mai Po, San Tin)

Tree No.	Tree Species	Chinese name	DBH (mm)	Spread (m)	Height (m)	Health (Good/Fair/Poor)	Form (Good/Fair/Poor)	Amenity / Ecological Value (High/Medium/Low)	Species post- transplantation survival rate (High/Medium/Low)	Proposed treatment under conflict (Retain/Fell/Transplant)	Reference Drawing
2-T127	<i>Albizia lebbek</i>	大葉合歡	340	7.3	15	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003A
2-T128	<i>Lophostemon confertus</i>	紅膠木	190	6	9	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0003A
2-T129	<i>Albizia lebbek</i>	大葉合歡	380	5.1	10	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003A
2-T130	<i>Albizia lebbek</i>	大葉合歡	520	14.7	15	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0003A
2-T131	<i>Acacia auriculiformis</i>	耳果相思	140	5.6	8	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
2-T132	<i>Albizia lebbek</i>	大葉合歡	360	9.3	11	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0003A
2-T134	<i>Albizia lebbek</i>	大葉合歡	870	20.3	12	Good	Poor	Medium	Medium	Retain	CE22/2006/MP/T/0003A
2-T135	<i>Macaranga lanarius</i>	血桐	180	5.6	7	Fair	Fair	Low	Low	Retain	CE22/2006/MP/T/0003A
2-T136	<i>Celtis sinensis</i>	朴	190	6.2	8	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0003A
2-T137	<i>Aleurites moluccana</i>	石栗	420	12.7	12	Good	Fair	High	High	Retain	CE22/2006/MP/T/0003A
2-T138	<i>Celtis sinensis</i>	朴	340	12.8	8	Fair	Poor	Medium	Low	Retain	CE22/2006/MP/T/0003A
2-T139	<i>Celtis sinensis</i>	朴	620	17.9	13	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0003A
2-T140	<i>Celtis sinensis</i>	朴	190	5.6	9	Fair	Poor	Medium	Low	Retain	CE22/2006/MP/T/0003A
2-T141	<i>Celtis sinensis</i>	朴	320	7.5	11	Fair	Poor	Medium	Low	Retain	CE22/2006/MP/T/0003A
2-T142	<i>Celtis sinensis</i>	朴	420	14.5	11	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0003A
2-T143	<i>Bauhinia blakeana</i>	洋紫荊	120	4.6	4	Fair	Fair	Medium	Medium	Retain	CE22/2006/MP/T/0003A
2-T144	<i>Bauhinia blakeana</i>	洋紫荊	230	6.6	6	Fair	Fair	Medium	Medium	Retain	CE22/2006/MP/T/0003A
2-T145	<i>Bauhinia blakeana</i>	洋紫荊	140	9.6	7	Fair	Poor	Low	Medium	Retain	CE22/2006/MP/T/0003A
2-T146	<i>Bauhinia purpurea</i>	紅花羊蹄甲	170	6	7	Fair	Poor	Low	Medium	Retain	CE22/2006/MP/T/0003A
2-T147	<i>Celtis sinensis</i>	朴	720	9.8	12	Fair	Poor	Medium	Low	Retain	CE22/2006/MP/T/0003A
2-T148	<i>Celtis sinensis</i>	朴	760	10	14	Fair	Poor	Medium	Low	Retain	CE22/2006/MP/T/0003A
2-T149	<i>Celtis sinensis</i>	朴	750	11.1	13	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0003A
2-T150	<i>Hibiscus tiliaceus</i>	黃槿	350	5.3	6	Fair	Poor	Low	Medium	Retain	CE22/2006/MP/T/0003A
2-T151	<i>Celtis sinensis</i>	朴	480	11.2	11	Fair	Poor	Medium	Low	Retain	CE22/2006/MP/T/0003A
2-T152	<i>Celtis sinensis</i>	朴	590	14.3	11	Good	Fair	High	Low	Retain	CE22/2006/MP/T/0003A
2-T153	<i>Hibiscus tiliaceus</i>	黃槿	290	9.6	7	Fair	Fair	Low	Medium	Retain	CE22/2006/MP/T/0003A
2-T154	<i>Lagerstroemia speciosa</i>	大花紫薇	150	5.2	6	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0003A
2-T157	<i>Bauhinia variegata</i>	宮粉羊蹄甲	280	9.6	9	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0004A
2-T158	<i>Celtis sinensis</i>	朴	150	5.2	9	Fair	Poor	Medium	Low	Retain	CE22/2006/MP/T/0004A
2-T159	<i>Celtis sinensis</i>	朴	420	13	9	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0004A
2-T160	<i>Celtis sinensis</i>	朴	140	4.4	8	Fair	Poor	Medium	Low	Retain	CE22/2006/MP/T/0004A
2-T161	Dead Tree		-	-	-	-	-	-	-	To be removed	CE22/2006/MP/T/0004A
2-T162	<i>Acacia auriculiformis</i>	耳果相思	230	6.1	11	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0004A
2-T163	<i>Acacia auriculiformis</i>	耳果相思	220	7	11	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0004A
2-T164	<i>Acacia auriculiformis</i>	耳果相思	190	5	11	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0004A

Note:

* - *Leucaena leucocephala*; † - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 2 (Castle Peak Road - Mai Po, San Tin)

Tree No.	Tree Species	Chinese name	DBH (mm)	Spread (m)	Height (m)	Health (Good/Fair/Poor)	Form (Good/Fair/Poor)	Amenity / Ecological Value (High/Medium/Low)	Species post- transplantation survival rate (High/Medium/Low)	Proposed treatment under conflict (Retain/Fell/Transplant)	Reference Drawing
2-T165	<i>Acacia auriculiformis</i>	耳果相思	190	2.2	4	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0004A
2-T166	<i>Acacia auriculiformis</i>	耳果相思	160	6.2	12	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0004A
2-T167	<i>Macaranga tanarius</i>	血桐	360	10.6	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0004A
2-T168	<i>Dimocarpus longan</i>	龍眼	180	4	4	Fair	Fair	Low	Medium	Transplant	CE22/2006/MP/T/0004A
2-T169	<i>Macaranga tanarius</i>	血桐	190	9	6	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0004A
2-T170	<i>Macaranga tanarius</i>	血桐	240	9.4	6	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0004A
2-T171	<i>Celtis sinensis</i>	朴	140	6.8	7	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0004A
2-T172	<i>Ficus hispida</i>	對藥榕	160	7.4	7	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0004A
2-T173	<i>Ficus hispida</i>	對藥榕	160	7.4	7	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0004A
2-T174	<i>Celtis sinensis</i>	朴	320	10.8	10	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0004A
2-T175	<i>Cratoxylum cochinchinensis</i>	黃牛木	210	5.5	9	Fair	Poor	Medium	Low	Retain	CE22/2006/MP/T/0004A
# 2-T176	<i>Ficus superba</i> var. <i>japonica</i>	筆管榕	1700	15	15	Good	Fair	High	High	Retain	CE22/2006/MP/T/0004A
2-T177	<i>Melaleuca quinquenevia</i>	白千層	210	3.7	10	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T178	<i>Melaleuca quinquenevia</i>	白千層	170	2.8	10	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T179	<i>Melaleuca quinquenevia</i>	白千層	250	3.7	9	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T180	<i>Melaleuca quinquenevia</i>	白千層	160	4.5	10	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T181	<i>Melaleuca quinquenevia</i>	白千層	160	4.2	9	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T182	<i>Melaleuca quinquenevia</i>	白千層	190	4.6	11	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T183	<i>Melaleuca quinquenevia</i>	白千層	180	4.4	11	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T184	<i>Melaleuca quinquenevia</i>	白千層	210	4.7	12	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T185	<i>Chukrasia tabularia</i>	麻楝	140	6	8	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
2-T186	<i>Eucalyptus citriodora</i>	檸檬桉	240	6.1	14	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T187	<i>Chukrasia tabularia</i>	麻楝	210	5.5	11	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
2-T188	<i>Eucalyptus citriodora</i>	檸檬桉	280	9.1	16	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T189	<i>Chukrasia tabularia</i>	麻楝	90	5.1	10	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
2-T190	<i>Eucalyptus citriodora</i>	檸檬桉	230	4	11	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T191	<i>Spathodea campanulata</i>	火焰木	140	3.6	9	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0004A
2-T192	<i>Chukrasia tabularia</i>	麻楝	180	5.3	9	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
2-T193	<i>Chukrasia tabularia</i>	麻楝	170	6.2	9	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
2-T194	<i>Eucalyptus citriodora</i>	檸檬桉	240	6.2	18	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T195	<i>Chukrasia tabularia</i>	麻楝	120	5.5	7	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
2-T196	<i>Eucalyptus citriodora</i>	檸檬桉	150	5.8	18	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T197	<i>Chukrasia tabularia</i>	麻楝	200	5.5	8	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
2-T198	<i>Hibiscus tiliaceus</i>	黃薔	360	10.2	12	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0004A
2-T199	Dead Tree		-	-	-	-	-	-	-	To be removed	CE22/2006/MP/T/0004A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 2 (Castle Peak Road - Mai Po, San Tin)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
2-T200	<i>Hibiscus tiliaceus</i>	黃槿	320	9.7	12	Fair	Fair	Low	Medium	Transplant	CE22/2006/MP/T/0004A
2-T201	<i>Hibiscus tiliaceus</i>	黃槿	300	12.2	12	Fair	Fair	Low	Medium	Transplant	CE22/2006/MP/T/0004A
2-T202	<i>Hibiscus tiliaceus</i>	黃槿	140	4	12	Fair	Fair	Low	Medium	Transplant	CE22/2006/MP/T/0004A
2-T203	<i>Hibiscus tiliaceus</i>	黃槿	250	12.5	12	Fair	Fair	Low	Medium	Transplant	CE22/2006/MP/T/0004A
2-T204	<i>Khaya senegalensis</i>	非洲楝	140	4.4	6	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
2-T205	<i>Bauhinia blakeana</i>	洋紫荊	130	4	7	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
2-T206	<i>Khaya senegalensis</i>	非洲楝	250	5.5	15	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
2-T207	<i>Bauhinia blakeana</i>	洋紫荊	180	4.4	6	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0004A
2-T208	<i>Bauhinia blakeana</i>	洋紫荊	150	5.2	8	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0004A
2-T209	<i>Albizia lebbek</i>	大葉合歡	340	8.8	8	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0004A
2-T210	<i>Albizia lebbek</i>	大葉合歡	360	5.5	11	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0004A
2-T211	<i>Albizia lebbek</i>	大葉合歡	370	13	12	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
2-T212	<i>Albizia lebbek</i>	大葉合歡	360	6.3	12	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
2-T213	<i>Mangifera indica</i>	芒果	190	6.5	12	Fair	Fair	Low	Medium	Transplant	CE22/2006/MP/T/0004A
2-T214	<i>Mangifera indica</i>	芒果	250	5.7	12	Fair	Fair	Low	Medium	Transplant	CE22/2006/MP/T/0004A
2-T215	<i>Albizia lebbek</i>	大葉合歡	290	8	12	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
2-T216	<i>Macaranga tanarius</i>	血桐	230	7	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0004A
* 2-T217	<i>Leucaena leucocephala</i>	銀合歡	200	10	18	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0004A
* 2-T218	<i>Leucaena leucocephala</i>	銀合歡	310	11.1	18	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0004A
2-T219	<i>Mangifera indica</i>	芒果	180	5.4	9	Fair	Fair	Low	Medium	Transplant	CE22/2006/MP/T/0004A
2-T220	<i>Mangifera indica</i>	芒果	140	3.9	10	Fair	Fair	Low	Medium	Transplant	CE22/2006/MP/T/0004A
2-T221	Dead Tree		-	-	-	-	-	-	-	To be removed	CE22/2006/MP/T/0004A
2-T222	<i>Mangifera indica</i>	芒果	130	2	4	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0004A
2-T223	<i>Macaranga tanarius</i>	血桐	170	6.1	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0004A
2-T224	<i>Bauhinia blakeana</i>	洋紫荊	220	7	9	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0004A
2-T225	<i>Roystonea regia</i>	王棕	200	5	9	Good	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
2-T226	<i>Roystonea regia</i>	王棕	300	6	9	Good	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
2-T227	<i>Livistona chinensis</i>	蒲葵	220	2.5	4	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T228	<i>Livistona chinensis</i>	蒲葵	240	3	4	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T229	<i>Ravenala madagascariensis</i>	旅人蕉	380	5.1	9	Good	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
2-T230	<i>Roystonea regia</i>	王棕	280	5.3	9	Good	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
2-T231	<i>Roystonea regia</i>	王棕	390	6.4	9	Good	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
2-T232	<i>Roystonea regia</i>	王棕	360	6.5	11	Good	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
2-T233	<i>Ravenala madagascariensis</i>	旅人蕉	290	7.6	9	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T234	<i>Cinnamomum camphora</i>	樟	520	15.3	12	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0004A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

SECTION 2 (Castle Peak Road - Mai Po, San Tin)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
2-T235	<i>Eucalyptus citriodora</i>	檸檬桉	240	8.8	25	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T236	<i>Eucalyptus citriodora</i>	檸檬桉	190	7.8	16	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T237	<i>Eucalyptus citriodora</i>	檸檬桉	190	5.3	11	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0004A
2-T238	<i>Eucalyptus citriodora</i>	檸檬桉	210	6.7	16	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T239	<i>Eucalyptus citriodora</i>	檸檬桉	230	9.1	17	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T240	<i>Eucalyptus citriodora</i>	檸檬桉	200	10.5	17	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T241	<i>Eucalyptus citriodora</i>	檸檬桉	100	2.5	7	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0004A
2-T242	<i>Eucalyptus citriodora</i>	檸檬桉	100	5	9	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0004A
2-T243	<i>Eucalyptus citriodora</i>	檸檬桉	110	3.2	12	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0004A
2-T244	<i>Eucalyptus citriodora</i>	檸檬桉	190	4.8	23	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T245	<i>Eucalyptus citriodora</i>	檸檬桉	180	6.5	20	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T246	<i>Eucalyptus citriodora</i>	檸檬桉	190	5.6	23	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T247	<i>Eucalyptus citriodora</i>	檸檬桉	220	6.2	23	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T248	<i>Eucalyptus citriodora</i>	檸檬桉	170	7.7	18	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T249	<i>Eucalyptus citriodora</i>	檸檬桉	250	8.4	20	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T250	<i>Eucalyptus citriodora</i>	檸檬桉	170	3.3	9	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0004A
2-T251	<i>Eucalyptus citriodora</i>	檸檬桉	190	2.5	20	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T252	<i>Eucalyptus citriodora</i>	檸檬桉	180	3.1	18	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T253	<i>Eucalyptus citriodora</i>	檸檬桉	190	3.6	22	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T254	<i>Eucalyptus citriodora</i>	檸檬桉	190	5.4	25	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T255	<i>Eucalyptus citriodora</i>	檸檬桉	210	4.4	18	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0004A
2-T256	<i>Eucalyptus citriodora</i>	檸檬桉	220	6.5	12	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0004A
2-T257	<i>Eucalyptus citriodora</i>	檸檬桉	330	7.1	15	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0004A
2-T258	<i>Eucalyptus citriodora</i>	檸檬桉	270	6.1	15	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T259	<i>Celtis sinensis</i>	朴	470	18	10	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0004A
2-T301	<i>Acacia auriculiformis</i>	耳果相思	160	5	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
2-T302	<i>Macaranga tanarius</i>	血桐	160	6	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
2-T303	<i>Acacia auriculiformis</i>	耳果相思	230	6	4	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
2-T304	<i>Acacia auriculiformis</i>	耳果相思	156	4	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
2-T305	<i>Bauhinia purpurea</i>	紅花羊蹄甲	100	8	4	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003A
2-T306	<i>Hibiscus tiliaceus</i>	黃槿	140	6	3	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003A
2-T307	<i>Bauhinia purpurea</i>	紅花羊蹄甲	115	3	4	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003A
2-T308	<i>Ficus hispida</i>	對葉榕	130	5	4	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0003A
2-T309	<i>Morus alba</i>	桑	180	4	7	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0003A
2-T310	<i>Bauhinia purpurea</i>	紅花羊蹄甲	100	3	6	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0003A

Note:

* - *Leucaena leucocephala* ; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 2 (Castle Peak Road - Mai Po, San Tin)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
2-T311	<i>Salix babylonica</i>	垂柳	170	6	7	Fair	Fair	Medium	Low	Retain	CE22/2006/MP/T/0003 A
2-T312	<i>Ficus elastica</i>	印度橡樹	380	7	7	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0003 A
2-T313	<i>Ficus elastica</i>	印度橡樹	400	8	10	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0003 A
2-T314	<i>Citrus maxima</i>	柚	160	3	4	Fair	Fair	Low	Low	Transplant	CE22/2006/MP/T/0003 A
2-T315	<i>Chinkasia tabularia</i>	麻楸	160	4	5	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0003 A
* 2-T316	<i>Leucaena leucocephala</i>	銀合歡	160	4	6	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
2-T317	<i>Clausena lansium</i>	黃皮	100	7	12	Fair	Fair	Low	Low	Transplant	CE22/2006/MP/T/0003 A
2-T318	<i>Acacia auriculiformis</i>	耳朶相思	300	7	10	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
2-T319	<i>Albizia lebbek</i>	大葉合歡	280	8	11	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0003 A
2-T320	<i>Melia azedarach</i>	楸	250	6	13	Fair	Poor	Medium	Medium	Transplant	CE22/2006/MP/T/0003 A
* 2-T321	<i>Leucaena leucocephala</i>	銀合歡	160	1	2	Poor	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
2-T322	<i>Albizia lebbek</i>	大葉合歡	240	5	11	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0003 A
2-T323	<i>Acacia confusa</i>	台灣相思	270	6	11	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
2-T324	<i>Albizia lebbek</i>	大葉合歡	180	5	10	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0003 A
2-T325	<i>Ficus microcarpa</i>	細葉榕	160	6	11	Fair	Poor	Medium	High	Transplant	CE22/2006/MP/T/0003 A
2-T326	<i>Acacia auriculiformis</i>	耳朶相思	100	4	8	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
* 2-T327	<i>Leucaena leucocephala</i>	銀合歡	140	5	8	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
2-T328	<i>Albizia lebbek</i>	大葉合歡	200	5	9	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
2-T329	<i>Albizia lebbek</i>	大葉合歡	140	6	10	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
* 2-T330	<i>Leucaena leucocephala</i>	銀合歡	120	6	12	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
* 2-T331	<i>Leucaena leucocephala</i>	銀合歡	100	4	6	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
* 2-T332	<i>Leucaena leucocephala</i>	銀合歡	150	3	6	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
* 2-T333	<i>Leucaena leucocephala</i>	銀合歡	150	3	3	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
2-T334	<i>Albizia lebbek</i>	大葉合歡	120	4	4	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
2-T335	<i>Albizia lebbek</i>	大葉合歡	172	7	11	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
2-T337	<i>Albizia lebbek</i>	大葉合歡	120	3	4	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
2-T338	<i>Melia azedarach</i>	楸	120	3	7	Fair	Poor	Medium	Medium	Transplant	CE22/2006/MP/T/0003 A
* 2-T339	<i>Leucaena leucocephala</i>	銀合歡	140	3	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
2-T340	<i>Artocarpus macrocarpus</i>	波羅蜜	150	2	5	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0003 A
2-T341	<i>Cinnamomum camphora</i>	樟	240	8	12	Good	Fair	High	Low	Retain	CE22/2006/MP/T/0003 A
2-T342	<i>Litchi chinensis</i>	荔枝	150	3	4	Fair	Fair	Low	Medium	Transplant	CE22/2006/MP/T/0003 A
2-T343	<i>Macaranga tanarius</i>	血桐	500	5	6	Fair	Poor	Low	Low	Retain	CE22/2006/MP/T/0003 A
2-T344	<i>Macaranga tanarius</i>	血桐	100	8	6	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003 A
2-T345	<i>Macaranga tanarius</i>	血桐	100	6	7	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0003 A
2-T346	<i>Macaranga tanarius</i>	血桐	120	7	7	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0003 A

Note:
* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 2 (Castle Peak Road - Mai Po, San Tin)

Tree No.	Tree Species	Chinese name	DBH (mm)	Spread (m)	Height (m)	Health (Good/Fair/Poor)	Form (Good/Fair/Poor)	Amenity / Ecological Value (High/Medium/Low)	Species post- transplantation survival rate (High/Medium/Low)	Proposed treatment under conflict (Retain/Fell/Transplant)	Reference Drawing
2-T347	<i>Macaranga tanarius</i>	血桐	110	6	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
2-T348	<i>Macaranga tanarius</i>	血桐	110	6	8	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0003A
2-T349	<i>Macaranga tanarius</i>	血桐	190	10	8	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
2-T350	<i>Macaranga tanarius</i>	血桐	140	8	6	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0004A
2-T351	<i>Macaranga tanarius</i>	血桐	150	6	5	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0004A
2-T352	<i>Macaranga tanarius</i>	血桐	200	6	5	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0004A
2-T353	<i>Celtis sinensis</i>	朴	360	10	6	Fair	Poor	Medium	Low	Retain	CE22/2006/MP/T/0004A
2-T354	<i>Celtis sinensis</i>	朴	300	10	10	Fair	Poor	Medium	Low	Retain	CE22/2006/MP/T/0004A
2-T355	<i>Celtis sinensis</i>	朴	520	12	12	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0004A
2-T356	<i>Macaranga tanarius</i>	血桐	230	8	6	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0004A
2-T357	<i>Acacia auriculiformis</i>	耳果相思	190	4	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0004A
2-T358	<i>Celtis sinensis</i>	朴	-	7	9	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0004A
2-T359	<i>Celtis sinensis</i>	朴	250	10	12	Good	Fair	High	Low	Retain	CE22/2006/MP/T/0004A
2-T360	<i>Hibiscus tiliaceus</i>	黃槿	240	7	10	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0004A
2-T361	<i>Melia azedarach</i>	楝	180	3	8	Fair	Poor	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
2-T362	<i>Hibiscus tiliaceus</i>	黃槿	160	6	5	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0004A
2-T363	<i>Melaleuca quinquevenia</i>	白千層	600	7	16	Good	Fair	High	High	Retain	CE22/2006/MP/T/0004A
2-T364	<i>Microcos paniculata</i>	布渣菜	110	6	7	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0004A
2-T365	<i>Melaleuca quinquevenia</i>	白千層	500	11	14	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T366	<i>Celtis sinensis</i>	朴	150	6	10	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0004A
2-T367	<i>Melaleuca quinquevenia</i>	白千層	350	6	12	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T368	<i>Melaleuca quinquevenia</i>	白千層	220	7	12	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T369	<i>Melaleuca quinquevenia</i>	白千層	300	7	13	Good	Fair	High	High	Retain	CE22/2006/MP/T/0004A
2-T370	<i>Melaleuca quinquevenia</i>	白千層	450	6	14	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T371	<i>Celtis sinensis</i>	朴	250	8	12	Fair	Poor	Medium	Low	Retain	CE22/2006/MP/T/0004A
2-T372	<i>Celtis sinensis</i>	朴	220	7	11	Fair	Poor	Medium	Low	Retain	CE22/2006/MP/T/0004A
2-T373	<i>Melaleuca quinquevenia</i>	白千層	600	8	12	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T376	<i>Ficus virens var. sublancoolata</i>	大葉榕	400	10	13	Good	Good	High	High	Retain	CE22/2006/MP/T/0004A
2-T377	<i>Ficus microcarpa</i>	細葉榕	200	3	6	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T378	<i>Ficus microcarpa</i>	細葉榕	220	3	6	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T379	<i>Ficus microcarpa</i>	細葉榕	110	5	5	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T380	<i>Ficus microcarpa</i>	細葉榕	180	3	5	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T381	<i>Ficus microcarpa</i>	細葉榕	250	5	4	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T382	<i>Ficus microcarpa</i>	細葉榕	130	3	5	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T383	<i>Ficus microcarpa</i>	細葉榕	150	3	4	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A

Note:
* - *Leucaena leucocephala*; fl - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 2 (Castle Peak Road - Mai Po, San Tin)

Tree No.	Tree Species	Chinese name	DBH (mm)	Spread (m)	Height (m)	Health (Good/Fair/Poor)	Form (Good/Fair/Poor)	Amenity / Ecological Value (High/Medium/Low)	Species post- transplantation survival rate (High/Medium/Low)	Proposed treatment under conflict (Retain/Fell/Transplant)	Reference Drawing
2-T384	<i>Ficus microcarpa</i>	細葉榕	150	3	5	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T385	<i>Ficus microcarpa</i>	細葉榕	200	3	6	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T386	<i>Ficus microcarpa</i>	細葉榕	180	3	4	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T387	<i>Ficus microcarpa</i>	細葉榕	200	5	6	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T388	<i>Ficus microcarpa</i>	細葉榕	150	3	4	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T389	<i>Ficus microcarpa</i>	細葉榕	230	6	6	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T390	<i>Ficus microcarpa</i>	細葉榕	180	7	8	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T391	<i>Ficus microcarpa</i>	細葉榕	200	8	8	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T392	<i>Ficus microcarpa</i>	細葉榕	200	7	10	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T393	<i>Albizia lebbek</i>	大葉合歡	350	7	12	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
2-T394	<i>Albizia lebbek</i>	大葉合歡	260	6	12	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0004A
2-T395	<i>Bauhinia blakeana</i>	洋紫荊	170	6	8	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0004A
2-T396	<i>Melaleuca quinquenervia</i>	白千層	180	4	10	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T397	<i>Livistona chinensis</i>	蒲葵	160	2	3	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T398	<i>Roystonea regia</i>	王棕	190	4	6	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T399	<i>Melaleuca quinquenervia</i>	白千層	200	3	7	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T400	<i>Melaleuca quinquenervia</i>	白千層	200	3	8	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T401	<i>Melaleuca quinquenervia</i>	白千層	210	3	8	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T402	<i>Melaleuca quinquenervia</i>	白千層	210	2	8	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T403	<i>Melaleuca quinquenervia</i>	白千層	200	2	8	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T404	<i>Melaleuca quinquenervia</i>	白千層	200	2	7	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T405	<i>Roystonea regia</i>	王棕	280	3	8	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T406	<i>Macaranga tanarius</i>	血桐	110	5	5	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0004A
2-T407	<i>Eucalyptus citriordora</i>	檸檬桉	160	5	13	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T408	<i>Eucalyptus citriordora</i>	檸檬桉	230	5	14	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0004A
2-T415	<i>Melaleuca quinquenervia</i>	白千層	320	6	12	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0004A
2-T429	<i>Bauhinia blakeana</i>	洋紫荊	160	7	8	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
2-T430	<i>Bauhinia blakeana</i>	洋紫荊	150	3	4	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0004A
2-T431	<i>Bauhinia blakeana</i>	洋紫荊	160	5	6	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0004A
2-T488	<i>Macaranga tanarius</i>	血桐	180	8	5	Poor	Poor	Low	Low	Fell	CE22/2006/MP/T/0003A
2-T489	<i>Cinnamomum aromaticum</i>	陰香	110	4	4	Fair	Poor	Medium	Medium	Fell	CE22/2006/MP/T/0003A
2-T490	<i>Delonix regia</i>	鳳凰木	600	15	15	Good	Good	High	High	Transplant	CE22/2006/MP/T/0003A
2-T491	<i>Syzygium finnum</i>	海蒲桃	110	3	3	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0012A
2-T492	<i>Macaranga tanarius</i>	血桐	180	2	3	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0012A
2-T493	<i>Macaranga tanarius</i>	血桐	200	3	3	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0012A

Note:

* - *Laucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

SECTION 2 (Castle Peak Road - Mai Po, San Tin)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
2-T494	<i>Celtis sinensis</i>	朴	400	5	5	Fair	Poor	Medium	Medium	Fell	CE22/2006/MP/T/0012A
2-T495	<i>Macaranga tanarius</i>	血桐	210	5	6	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0012A
2-T496	<i>Cinnamomum aromaticum</i>	陰香	150	3	4	Fair	Poor	Medium	Medium	Fell	CE22/2006/MP/T/0012A
2-T497	<i>Macaranga tanarius</i>	血桐	140	5	3	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0012A
2-T498	<i>Macaranga tanarius</i>	血桐	120	5	3	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0012A
2-T499	<i>Macaranga tanarius</i>	血桐	130	6	3	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0012A

Tree numbers not used:

2-T001 to 2-T024, 2-T026 to 2-T056, 2-T058 to 2-T072, 2-T075, 2-T077, 2-T078, 2-T081 to 2-T083, 2-T089, 2-T095 to 2-T104, 2-T110, 2-T133, 2-T155, 2-T156, 2-T260 to 2-T300, 2-T336, 2-T374, 2-T375, 2-T409 to 2-T414, 2-T416 to 2-T428, 2-T432 to 2-T487

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River

Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

SECTION 3 (Castle Peak Road - San Tin, Chau Tau)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
3-T051	<i>Casuarina equisetifolia</i>	木麻黃	300	9.6	23	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T052	<i>Casuarina equisetifolia</i>	木麻黃	280	5.8	25	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T053	<i>Casuarina equisetifolia</i>	木麻黃	290	4.5	22	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T054	<i>Casuarina equisetifolia</i>	木麻黃	220	10.1	24	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T055	<i>Casuarina equisetifolia</i>	木麻黃	270	9.9	25	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T071	<i>Cinnamomum camphora</i>	樟	120	4.1	9	Fair	Poor	Medium	Low	Fell	CE22/2006/MP/T/0005A
3-T072	<i>Casuarina equisetifolia</i>	木麻黃	320	13.3	22	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T073	<i>Ficus supera var. japonica</i>	筆管榕	350	8.7	7	Fair	Poor	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T074	<i>Casuarina equisetifolia</i>	木麻黃	290	9.8	22	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T075	<i>Ficus supera var. japonica</i>	筆管榕	240	10.1	7	Fair	Poor	Medium	High	Transplant	CE22/2006/MP/T/0005A
* 3-T076	<i>Leucaena leucocephala</i>	銀合歡	340	10.6	16	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T077	<i>Cinnamomum camphora</i>	樟	150	2.4	6	Fair	Poor	Medium	Low	Fell	CE22/2006/MP/T/0005A
3-T078	<i>Cinnamomum camphora</i>	樟	140	3.1	8	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0005A
3-T079	<i>Cinnamomum camphora</i>	樟	140	5.1	9	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0005A
3-T080	<i>Ficus benjamina</i>	垂葉榕	420	5.2	9	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0005A
3-T081	<i>Ficus benjamina</i>	垂葉榕	400	5.9	9	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T082	<i>Ficus benjamina</i>	垂葉榕	560	11.1	8	Fair	Fair	Medium	High	Retain	CE22/2006/MP/T/0005A
3-T083	<i>Ficus benjamina</i>	垂葉榕	590	9.4	10	Fair	Poor	Low	High	Retain	CE22/2006/MP/T/0005A
3-T084	<i>Ficus benjamina</i>	垂葉榕	720	13.5	10	Fair	Fair	Medium	High	Retain	CE22/2006/MP/T/0005A
3-T085	<i>Ficus benjamina</i>	垂葉榕	620	14.2	10	Fair	Fair	Medium	High	Retain	CE22/2006/MP/T/0005A
* 3-T086	<i>Leucaena leucocephala</i>	銀合歡	150	6.8	10	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
* 3-T087	<i>Leucaena leucocephala</i>	銀合歡	160	7.1	9	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T088	<i>Casuarina equisetifolia</i>	木麻黃	240	4.2	16	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T089	<i>Casuarina equisetifolia</i>	木麻黃	230	2.4	10	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T090	<i>Casuarina equisetifolia</i>	木麻黃	180	2.4	12	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T091	<i>Casuarina equisetifolia</i>	木麻黃	100	8.1	16	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T092	<i>Casuarina equisetifolia</i>	木麻黃	140	11.7	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T093	<i>Casuarina equisetifolia</i>	木麻黃	260	4.8	16	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T094	<i>Casuarina equisetifolia</i>	木麻黃	170	2.7	13	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T095	<i>Casuarina equisetifolia</i>	木麻黃	100	2	11	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T096	<i>Casuarina equisetifolia</i>	木麻黃	110	6.2	5	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T097	<i>Casuarina equisetifolia</i>	木麻黃	200	5.8	11	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T098	<i>Casuarina equisetifolia</i>	木麻黃	160	2.6	12	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T099	<i>Casuarina equisetifolia</i>	木麻黃	160	5.1	10	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

SECTION 3 (Castle Peak Road - San Tin, Chau Tau)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
3-T100	<i>Casuarina equisetifolia</i>	木麻黃	220	4.1	16	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T101	<i>Casuarina equisetifolia</i>	木麻黃	230	5.8	14	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T102	<i>Casuarina equisetifolia</i>	木麻黃	180	3	11	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T103	<i>Casuarina equisetifolia</i>	木麻黃	130	5.3	11	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T104	<i>Casuarina equisetifolia</i>	木麻黃	170	5.4	13	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T105	<i>Casuarina equisetifolia</i>	木麻黃	130	6.3	9	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T106	<i>Casuarina equisetifolia</i>	木麻黃	150	6.6	13	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T107	<i>Casuarina equisetifolia</i>	木麻黃	240	6.3	15	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T108	<i>Casuarina equisetifolia</i>	木麻黃	140	5.5	6	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T109	<i>Casuarina equisetifolia</i>	木麻黃	160	2.5	13	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T110	Dead tree		-	-	-	-	-	-	-	To be removed	CE22/2006/MP/T/0005A
3-T111	<i>Casuarina equisetifolia</i>	木麻黃	230	5	12	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T112	<i>Casuarina equisetifolia</i>	木麻黃	210	6.9	16	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T113	<i>Casuarina equisetifolia</i>	木麻黃	240	5.4	16	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T114	<i>Casuarina equisetifolia</i>	木麻黃	250	6.2	16	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T115	<i>Casuarina equisetifolia</i>	木麻黃	180	8.3	15	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T116	<i>Casuarina equisetifolia</i>	木麻黃	250	5.5	18	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T117	<i>Casuarina equisetifolia</i>	木麻黃	230	5.3	18	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T137	<i>Casuarina equisetifolia</i>	木麻黃	310	3.8	25	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T138	<i>Casuarina equisetifolia</i>	木麻黃	280	3.6	24	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T139	<i>Casuarina equisetifolia</i>	木麻黃	140	4.2	22	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T140	<i>Casuarina equisetifolia</i>	木麻黃	210	3.3	24	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T141	<i>Casuarina equisetifolia</i>	木麻黃	200	4.1	25	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T142	<i>Casuarina equisetifolia</i>	木麻黃	260	3.6	21	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T143	<i>Casuarina equisetifolia</i>	木麻黃	250	3.7	21	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T144	<i>Casuarina equisetifolia</i>	木麻黃	240	6.2	19	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T145	<i>Ficus microcarpa</i>	細葉榕	180	4.8	13	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0005A
* 3-T146	<i>Leucaena leucocephala</i>	銀合歡	190	4.2	14	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T147	<i>Ficus microcarpa</i>	細葉榕	190	3.7	14	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0005A
3-T148	<i>Chlorasia tabularia</i>	麻棟	160	3.3	13	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0005A
3-T150	<i>Melaleuca quinquevnia</i>	白千層	180	3.4	17	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T151	<i>Melaleuca quinquevnia</i>	白千層	170	3	16	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T152	<i>Chlorasia tabularia</i>	麻棟	320	3.5	20	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0005A
3-T153	<i>Melaleuca quinquevnia</i>	白千層	210	3.3	17	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 3 (Castle Peak Road - San Tin, Chau Tau)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)			(Good/Fair/Poor)	(High/Medium/Low)		
3-T154	<i>Melaleuca quinquenervia</i>	白千層	170	2.9	18	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T155	<i>Ficus benjamina</i>	垂葉榕	240	3.2	18	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T156	<i>Melaleuca quinquenervia</i>	白千層	220	3.8	13	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T157	<i>Melaleuca quinquenervia</i>	白千層	230	3.5	14	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T158	<i>Melaleuca quinquenervia</i>	白千層	190	3.7	16	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T159	<i>Melaleuca quinquenervia</i>	白千層	230	4	14	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T160	<i>Ficus microcarpa</i>	細葉榕	220	3.8	12	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0005A
3-T161	<i>Chukrasia tabularia</i>	麻楸	230	5.8	14	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0005A
3-T162	<i>Melaleuca quinquenervia</i>	白千層	270	7.3	15	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T163	<i>Melaleuca quinquenervia</i>	白千層	230	6.2	12	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T164	<i>Melaleuca quinquenervia</i>	白千層	180	5.9	10	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T165	<i>Melaleuca quinquenervia</i>	白千層	170	2	5	Poor	Poor	Low	High	Fell	CE22/2006/MP/T/0005A
3-T166	<i>Casuarina equisetifolia</i>	木麻黃	140	2.8	12	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T167	<i>Casuarina equisetifolia</i>	木麻黃	160	3.7	12	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T168	<i>Casuarina equisetifolia</i>	木麻黃	170	3.5	19	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T169	<i>Casuarina equisetifolia</i>	木麻黃	180	4	17	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T170	<i>Casuarina equisetifolia</i>	木麻黃	200	6.2	17	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T171	<i>Casuarina equisetifolia</i>	木麻黃	120	3.8	8	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T172	<i>Casuarina equisetifolia</i>	木麻黃	170	4	25	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T173	<i>Casuarina equisetifolia</i>	木麻黃	170	3.9	25	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T174	<i>Casuarina equisetifolia</i>	木麻黃	240	4	18	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T175	<i>Casuarina equisetifolia</i>	木麻黃	200	5.8	16	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T176	<i>Casuarina equisetifolia</i>	木麻黃	230	3.7	19	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T177	<i>Casuarina equisetifolia</i>	木麻黃	170	2.9	16	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T178	<i>Casuarina equisetifolia</i>	木麻黃	180	3.6	20	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T179	<i>Casuarina equisetifolia</i>	木麻黃	230	4.8	18	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T180	<i>Casuarina equisetifolia</i>	木麻黃	180	4.4	22	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T181	<i>Casuarina equisetifolia</i>	木麻黃	140	3.3	20	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T182	<i>Casuarina equisetifolia</i>	木麻黃	150	3	18	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T183	<i>Casuarina equisetifolia</i>	木麻黃	170	4.2	4	Poor	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T184	<i>Casuarina equisetifolia</i>	木麻黃	150	4	18	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T185	<i>Casuarina equisetifolia</i>	木麻黃	200	4.9	26	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T186	<i>Casuarina equisetifolia</i>	木麻黃	180	3.2	22	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T187	<i>Casuarina equisetifolia</i>	木麻黃	220	4.1	25	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 3 (Castle Peak Road - San Tin, Chau Tau)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
3-T188	<i>Casuarina equisetifolia</i>	木麻黃	260	3.9	13	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T189	<i>Casuarina equisetifolia</i>	木麻黃	200	4.5	15	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T190	<i>Casuarina equisetifolia</i>	木麻黃	210	4.6	19	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T191	<i>Casuarina equisetifolia</i>	木麻黃	150	2.9	17	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T192	<i>Casuarina equisetifolia</i>	木麻黃	160	3.4	14	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T193	<i>Casuarina equisetifolia</i>	木麻黃	130	3.7	16	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T194	<i>Casuarina equisetifolia</i>	木麻黃	130	6.3	18	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T195	<i>Casuarina equisetifolia</i>	木麻黃	160	5.4	16	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T196	<i>Casuarina equisetifolia</i>	木麻黃	140	5.6	16	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T197	<i>Casuarina equisetifolia</i>	木麻黃	140	5.4	10	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T198	<i>Casuarina equisetifolia</i>	木麻黃	140	5.2	16	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T199	<i>Casuarina equisetifolia</i>	木麻黃	190	6.8	24	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T200	<i>Casuarina equisetifolia</i>	木麻黃	240	5.2	14	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T201	<i>Casuarina equisetifolia</i>	木麻黃	180	5.4	18	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T202	<i>Casuarina equisetifolia</i>	木麻黃	120	5.2	18	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T203	<i>Casuarina equisetifolia</i>	木麻黃	200	8.9	26	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T204	<i>Casuarina equisetifolia</i>	木麻黃	130	6.4	20	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T205	<i>Casuarina equisetifolia</i>	木麻黃	170	5.6	22	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T206	<i>Casuarina equisetifolia</i>	木麻黃	160	7.2	23	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T207	<i>Melia azedarach</i>	楝	420	8.2	20	Fair	Fair	High	Medium	Transplant	CE22/2006/MP/T/0005A
3-T208	<i>Casuarina equisetifolia</i>	木麻黃	180	4.8	25	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T209	<i>Casuarina equisetifolia</i>	木麻黃	370	5.4	32	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T210	<i>Casuarina equisetifolia</i>	木麻黃	230	4.4	32	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T211	<i>Casuarina equisetifolia</i>	木麻黃	290	5	22	Fair	Good	Medium	Low	Fell	CE22/2006/MP/T/0005A
3-T212	<i>Acacia confusa</i>	台灣相思	160	5	20	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T213	<i>Casuarina equisetifolia</i>	木麻黃	330	2.9	35	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T214	<i>Casuarina equisetifolia</i>	木麻黃	150	5.6	33	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T215	<i>Casuarina equisetifolia</i>	木麻黃	280	6.8	25	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
* 3-T216	<i>Leucaena leucocephala</i>	銀合歡	230	6.2	26	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T217	<i>Cinnamomum camphora</i>	樟	270	5.4	28	Fair	Poor	Medium	Low	Fell	CE22/2006/MP/T/0005A
3-T218	<i>Casuarina equisetifolia</i>	木麻黃	300	6.9	30	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T219	<i>Casuarina equisetifolia</i>	木麻黃	290	6	28	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T220	<i>Casuarina equisetifolia</i>	木麻黃	390	5.7	32	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T221	<i>Melaleuca quinquenervia</i>	白千層	130	2.4	16	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 3 (Castle Peak Road - San Tin, Chau Tan)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
3-T222	<i>Cassia surattensis</i>	黃槐	140	7.7	15	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0005A
3-T223	<i>Casuarina equisetifolia</i>	木麻黃	350	8.1	35	Fair	Good	Medium	Low	Fell	CE22/2006/MP/T/0005A
3-T224	<i>Casuarina equisetifolia</i>	木麻黃	270	6.9	30	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T225	<i>Casuarina equisetifolia</i>	木麻黃	280	6.3	32	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T226	<i>Casuarina equisetifolia</i>	木麻黃	290	7.5	30	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T227	<i>Casuarina equisetifolia</i>	木麻黃	240	8.2	30	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T228	Dead tree		-	-	-	-	-	-	-	To be removed	CE22/2006/MP/T/0005A
3-T229	<i>Casuarina equisetifolia</i>	木麻黃	270	5.4	34	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T230	<i>Casuarina equisetifolia</i>	木麻黃	190	7.6	31	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T231	Dead tree		-	-	-	-	-	-	-	To be removed	CE22/2006/MP/T/0005A
3-T232	Unknown	未確認	130	4.8	22	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0005A
3-T233	<i>Acacia confusa</i>	台灣相思	250	2.9	29	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T234	<i>Casuarina equisetifolia</i>	木麻黃	280	3.4	35	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T235	<i>Melaleuca quinquenervia</i>	白千層	390	4.5	36	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0005A
3-T236	<i>Melaleuca quinquenervia</i>	白千層	130	4.4	12	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T237	<i>Melaleuca quinquenervia</i>	白千層	220	6.5	13	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T238	<i>Cassia surattensis</i>	黃槐	190	4.2	14	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0005A
3-T239	<i>Bombax ceiba</i>	木棉	110	3.1	3	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T240	<i>Casuarina equisetifolia</i>	木麻黃	150	7.8	19	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T241	<i>Casuarina equisetifolia</i>	木麻黃	270	8.5	29	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T242	<i>Casuarina equisetifolia</i>	木麻黃	300	6.5	28	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T243	<i>Acacia confusa</i>	台灣相思	560	14.2	30	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T244	<i>Acacia confusa</i>	台灣相思	420	8.1	32	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T245	<i>Roystonea regia</i>	王棕	430	9.2	17	Good	Fair	High	High	Retain	CE22/2006/MP/T/0005A
3-T276	<i>Cinnamomum burmannii</i>	陰香	140	5.8	15	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0005A
3-T277	<i>Cinnamomum burmannii</i>	陰香	150	6.2	17	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0005A
3-T278	<i>Cinnamomum burmannii</i>	陰香	130	5.5	14	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0005A
3-T279	<i>Cinnamomum burmannii</i>	陰香	130	5.7	15	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0005A
3-T280	<i>Liquidambar formosana</i>	楓香	280	4.9	18	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0005A
3-T281	<i>Cinnamomum burmannii</i>	陰香	140	5.6	14	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0005A
3-T283	<i>Liquidambar formosana</i>	楓香	270	7.2	16	Fair	Good	High	Low	Retain	CE22/2006/MP/T/0005A
3-T284	<i>Cinnamomum burmannii</i>	陰香	180	6.8	15	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0005A
3-T285	<i>Liquidambar formosana</i>	楓香	290	7.7	16	Fair	Good	High	Low	Retain	CE22/2006/MP/T/0005A
3-T286	<i>Cinnamomum burmannii</i>	陰香	200	6.9	12	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0005A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

SECTION 3 (Castle Peak Road - San Tin, Chau Tau)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
3-T287	<i>Macaranga tanarius</i>	血桐	190	6.5	14	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T288	<i>Ficus microcarpa</i>	細葉榕	190	8.9	11	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0005A
3-T289	<i>Melaleuca quinquenevia</i>	白千層	400	12.1	15	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T290	<i>Chukrasia tabularia</i>	麻楸	220	6.6	20	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0005A
3-T291	<i>Bauhinia blakeana</i>	洋紫荊	190	4.8	12	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0005A
3-T292	<i>Melaleuca quinquenevia</i>	白千層	120	5.6	14	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T293	<i>Bauhinia blakeana</i>	洋紫荊	220	4.8	10	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0005A
3-T294	<i>Melaleuca quinquenevia</i>	白千層	160	3.1	15	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T295	<i>Chukrasia tabularia</i>	麻楸	230	5.5	16	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0005A
3-T296	<i>Bauhinia purpurea</i>	紅花羊蹄甲	180	6.2	13	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0005A
3-T297	<i>Liquidambar formosana</i>	楓香	240	8.9	20	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0005A
3-T298	<i>Liquidambar formosana</i>	楓香	250	9.1	22	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0005A
3-T299	Dead tree		-	-	-	-	-	-	-	To be removed	CE22/2006/MP/T/0005A
3-T300	<i>Macaranga tanarius</i>	血桐	240	15.5	17	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
* 3-T301	<i>Leucaena leucocephala</i>	銀合歡	150	5.6	17	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T302	Dead tree		-	-	-	-	-	-	-	To be removed	CE22/2006/MP/T/0005A
3-T303	<i>Ligustrum sinense</i>	山指甲	100	6.2	6	Fair	Poor	Medium	Low	Fell	CE22/2006/MP/T/0005A
3-T352	<i>Casuarina equisetifolia</i>	木麻黃	300	4	12	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T368	<i>Cinnamomum camphora</i>	樟	160	3	12	Fair	Poor	Medium	low	Fell	CE22/2006/MP/T/0005A
3-T369	<i>Casuarina equisetifolia</i>	木麻黃	150	6	17	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T370	<i>Casuarina equisetifolia</i>	木麻黃	150	4	17	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T371	<i>Casuarina equisetifolia</i>	木麻黃	150	4	17	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T372	<i>Casuarina equisetifolia</i>	木麻黃	110	5	18	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T373	Dead tree		-	-	-	-	-	-	-	To be removed	CE22/2006/MP/T/0005A
3-T374	<i>Casuarina equisetifolia</i>	木麻黃	100	2	17	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T375	<i>Casuarina equisetifolia</i>	木麻黃	100	2	17	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T376	<i>Casuarina equisetifolia</i>	木麻黃	100	3	16	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T377	<i>Casuarina equisetifolia</i>	木麻黃	100	3	16	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T378	<i>Casuarina equisetifolia</i>	木麻黃	180	4	17	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T379	<i>Casuarina equisetifolia</i>	木麻黃	150	4	17	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T380	<i>Casuarina equisetifolia</i>	木麻黃	200	4	17	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T381	<i>Casuarina equisetifolia</i>	木麻黃	170	4	17	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T382	<i>Casuarina equisetifolia</i>	木麻黃	150	4	17	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T383	<i>Casuarina equisetifolia</i>	木麻黃	330	8	17	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A

Note:

* - *Leucaena leucocephala* ; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 3 (Castle Peak Road - San Tin, Chau Tai)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
3-T384	<i>Casuarina equisetifolia</i>	木麻黃	380	6	19	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T385	<i>Casuarina equisetifolia</i>	木麻黃	150	6	17	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T386	<i>Casuarina equisetifolia</i>	木麻黃	150	6	17	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T387	<i>Casuarina equisetifolia</i>	木麻黃	160	6	17	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T388	<i>Casuarina equisetifolia</i>	木麻黃	150	5	16	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
* 3-T389	<i>Leucaena leucocephala</i>	銀合歡	130	7	18	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T390	<i>Ficus microcarpa</i>	細葉榕	230	6	12	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0005A
3-T391	<i>Acacia confusa</i>	台灣相思	260	6	17	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T392	<i>Macaranga tanarius</i>	血桐	280	10	17	Poor	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T393	<i>Cinnamomum camphora</i>	樟	160	2	17	Fair	Poor	Medium	Low	Fell	CE22/2006/MP/T/0005A
3-T394	<i>Casuarina equisetifolia</i>	木麻黃	130	2	17	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T395	<i>Acacia confusa</i>	台灣相思	230	6	17	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T396	<i>Melia azedarach</i>	楝	100	3	12	Fair	Poor	Medium	Medium	Transplant	CE22/2006/MP/T/0005A
3-T397	<i>Macaranga tanarius</i>	血桐	100	4	17	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T398	Dead tree	-	-	-	-	-	-	-	-	To be removed	CE22/2006/MP/T/0005A
3-T399	<i>Casuarina equisetifolia</i>	木麻黃	260	4	15	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T400	<i>Casuarina equisetifolia</i>	木麻黃	170	5	17	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T401	<i>Sterculia lanceolata</i>	假蘋婆	120	3	10	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0005A
3-T402	<i>Casuarina equisetifolia</i>	木麻黃	170	5	17	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T403	<i>Macaranga tanarius</i>	血桐	240	6	12	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T404	<i>Casuarina equisetifolia</i>	木麻黃	210	5	14	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T405	<i>Casuarina equisetifolia</i>	木麻黃	260	6	12	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T406	<i>Casuarina equisetifolia</i>	木麻黃	250	5	12	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T407	<i>Melaleuca quinqueveta</i>	白千層	240	6	10	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T408	<i>Cassia surattensis</i>	黃槐	110	4	10	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0005A
3-T409	<i>Psidium guajava</i>	番石榴	100	6	10	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T410	<i>Bischofia javanica</i>	秋楓	180	6	10	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0005A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix I2-1 Preliminary Tree Survey

SECTION 3 (Castle Peak Road - San Tin, Chau Tan)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
3-T414	<i>Archontophoenix alexandrae</i>	假檳榔	200	4	10	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T415	<i>Clausena lansium</i>	黃皮	110	6	10	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0005A
3-T416	<i>Ficus hispida</i>	對葉榕	110	3	4	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T417	<i>Chukrasia tabularia</i>	麻楝	210	4	6	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0005A
3-T418	<i>Chukrasia tabularia</i>	麻楝	200	6	10	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0005A
3-T419	<i>Chukrasia tabularia</i>	麻楝	230	6	10	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0005A
3-T420	<i>Chukrasia tabularia</i>	麻楝	230	6	10	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0005A
3-T421	<i>Dimocarpus longan</i>	龍眼	120	3	7	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0005A
* 3-T422	<i>Leucaena leucocephala</i>	銀合歡	190	8	12	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T423	<i>Macaranga tanarius</i>	血桐	180	9	10	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T424	<i>Ficus hispida</i>	對葉榕	140	6	8	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0005A
3-T425	<i>Ficus hispida</i>	對葉榕	150	5	7	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0005A
3-T426	<i>Ficus hispida</i>	對葉榕	160	4	7	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0005A
3-T427	<i>Ficus hispida</i>	對葉榕	180	6	7	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0005A
3-T428	<i>Ficus hispida</i>	對葉榕	150	7	8	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0005A
3-T429	<i>Ficus microcarpa</i>	細葉榕	210	8	17	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0005A
3-T430	<i>Ficus microcarpa</i>	細葉榕	190	7	17	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0005A
3-T431	<i>Bauhinia blakeana</i>	洋紫荊	160	4	7	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0005A
3-T432	<i>Acacia confusa</i>	台灣相思	270	6	10	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T433	<i>Bauhinia purpurea</i>	紅花羊蹄甲	190	6	8	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0005A
3-T434	<i>Cassia surattensis</i>	黃槐	100	6	10	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0005A
3-T435	<i>Bauhinia blakeana</i>	洋紫荊	110	4	8	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0005A
3-T436	<i>Bauhinia blakeana</i>	洋紫荊	130	5	9	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0005A
3-T437	<i>Bauhinia blakeana</i>	洋紫荊	120	6	10	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0005A
3-T438	<i>Cassia surattensis</i>	黃槐	110	6	10	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0005A
3-T439	<i>Bauhinia blakeana</i>	洋紫荊	160	6	12	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0005A
3-T440	<i>Bauhinia variegata</i>	宮粉羊蹄甲	130	6	10	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0005A
* 3-T441	<i>Leucaena leucocephala</i>	銀合歡	240	8	17	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T448	<i>Acacia confusa</i>	台灣相思	210	4	16	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
* 3-T449	<i>Leucaena leucocephala</i>	銀合歡	230	8	17	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0005A
3-T450	<i>Acacia confusa</i>	台灣相思	300	6	17	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0005A

Tree numbers not used:

3-T001 to 3-T050, 3-T056 to 3-T070, 3-T118 to 3-T136, 3-T246 to 3-T275, 3-T304 to 3-T351, 3-T353 to 3-T367, 3-T411 to 3-T413, 3-T442 to 3-T447

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 4 (A - Kam Tin River)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
*4-T001	<i>Leucaena leucocephala</i>	銀合歡	160	3	8	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T002	<i>Leucaena leucocephala</i>	銀合歡	240	7	6	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T003	<i>Leucaena leucocephala</i>	銀合歡	140	3	5	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T004	<i>Leucaena leucocephala</i>	銀合歡	100	4	4.5	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T005	<i>Leucaena leucocephala</i>	銀合歡	160	6	10	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T006	<i>Acacia confusa</i>	台灣相思	100	3	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T007	<i>Acacia confusa</i>	台灣相思	110	3	7.5	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T008	<i>Acacia confusa</i>	台灣相思	95	3	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T009	<i>Acacia confusa</i>	台灣相思	110	4	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T010	<i>Acacia confusa</i>	台灣相思	120	3	8	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T011	<i>Acacia confusa</i>	台灣相思	140	4	10	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T012	<i>Acacia confusa</i>	台灣相思	150	4.5	9	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T013	<i>Acacia confusa</i>	台灣相思	110	4	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T014	<i>Acacia confusa</i>	台灣相思	150	5	8	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T015	<i>Acacia confusa</i>	台灣相思	150	2	4	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T016	<i>Leucaena leucocephala</i>	銀合歡	100	2.5	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T017	<i>Acacia confusa</i>	台灣相思	100	2.5	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T018	<i>Acacia confusa</i>	台灣相思	120	3	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T019	<i>Acacia confusa</i>	台灣相思	95	2	6	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T020	<i>Acacia confusa</i>	台灣相思	190	4.7	9	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T021	<i>Acacia confusa</i>	台灣相思	120	2	3.5	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T022	<i>Leucaena leucocephala</i>	銀合歡	100	2	6	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T023	<i>Bombax ceiba</i>	木棉	180	4	8	Fair	Poor	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T024	<i>Acacia confusa</i>	台灣相思	150	7	9	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T025	<i>Acacia confusa</i>	台灣相思	140	3	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T026	<i>Acacia confusa</i>	台灣相思	100	3	7	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T027	<i>Acacia confusa</i>	台灣相思	130	4	5	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T028	<i>Acacia confusa</i>	台灣相思	180	7	9	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T029	<i>Leucaena leucocephala</i>	銀合歡	120	3	5	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T030	<i>Leucaena leucocephala</i>	銀合歡	140	8	12	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T031	<i>Leucaena leucocephala</i>	銀合歡	130	6	10	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T032	<i>Leucaena leucocephala</i>	銀合歡	90	4	10	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T033	<i>Leucaena leucocephala</i>	銀合歡	110	4	9	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T034	<i>Leucaena leucocephala</i>	銀合歡	100	2	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T035	<i>Leucaena leucocephala</i>	銀合歡	95	2	6	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A

Note:

* - *Leucaena leucocephala* : # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

SECTION 4 (A - Kam Tin River)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
*4-T036	<i>Leucaena leucocephala</i>	銀合歡	100	2	6	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T037	<i>Leucaena leucocephala</i>	銀合歡	100	3	4	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T038	<i>Leucaena leucocephala</i>	銀合歡	100	3	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T039	<i>Leucaena leucocephala</i>	銀合歡	400	10	12	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T040	<i>Leucaena leucocephala</i>	銀合歡	140	2	5	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T041	<i>Leucaena leucocephala</i>	銀合歡	190	2	5	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T042	<i>Leucaena leucocephala</i>	銀合歡	110	2	5	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T043	<i>Leucaena leucocephala</i>	銀合歡	120	1.5	4	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T044	<i>Leucaena leucocephala</i>	銀合歡	110	2	6	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T045	<i>Leucaena leucocephala</i>	銀合歡	120	1.5	6	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T046	<i>Leucaena leucocephala</i>	銀合歡	150	2	8	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T047	<i>Leucaena leucocephala</i>	銀合歡	130	3	8	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T048	<i>Leucaena leucocephala</i>	銀合歡	140	4	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
*4-T049	<i>Leucaena leucocephala</i>	銀合歡	170	4	10	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T050	<i>Melia azedarach</i>	楝	180	6	7	Fair	Fair	High	Medium	Transplant	CE22/2006/MP/T/0001A
*4-T051	<i>Leucaena leucocephala</i>	銀合歡	150	4	7	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T070	<i>Bauhinia purpurea</i>	紅花羊蹄甲	180	4	6	Fair	Poor	Low	Medium	Fell	CE22/2006/MP/T/0001A
4-T071	<i>Bauhinia purpurea</i>	紅花羊蹄甲	110	2	5	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0001A
4-T072	<i>Bombax ceiba</i>	木棉	110	1	4	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T073	<i>Bombax ceiba</i>	木棉	95	1	4	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T074	<i>Bombax ceiba</i>	木棉	100	1	4	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T075	<i>Ficus microcarpa</i>	細葉榕	95	1	3	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T076	<i>Ficus microcarpa</i>	細葉榕	95	1	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T077	<i>Ficus microcarpa</i>	細葉榕	100	1.5	3.5	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T078	<i>Dimocarpus longan</i>	龍眼	150	3	6	Poor	Poor	Low	Medium	Fell	CE22/2006/MP/T/0002A
4-T079	<i>Mangifera indica</i>	芒果	110	4	6	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0002A
4-T080	<i>Mangifera indica</i>	芒果	120	7	7	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0002A
4-T081	<i>Dimocarpus longan</i>	龍眼	100	7	8	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0002A
4-T082	<i>Mangifera indica</i>	芒果	100	5	7	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0002A
4-T083	<i>Bombax ceiba</i>	木棉	240	6	8	Fair	Poor	Medium	High	Transplant	CE22/2006/MP/T/0002A
4-T084	<i>Mangifera indica</i>	芒果	370	10	16	Fair	Good	High	Medium	Transplant	CE22/2006/MP/T/0002A
4-T085	<i>Eucalyptus citriodora</i>	檸檬桉	280	7	23	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0002A
4-T086	<i>Eucalyptus citriodora</i>	檸檬桉	260	4	22	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0002A
4-T087	<i>Eucalyptus camaldulensis</i>	赤桉	320	6	20	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0002A
4-T088	<i>Celtis sinensis</i>	朴	360	9	17	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0002A
*4-T101	<i>Leucaena leucocephala</i>	銀合歡	160	7	10	Fair	Poor	Low	Low	Fell	CE22/2006/MP/T/0001A

Note:

* - *Leucaena leucocephala* : # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

SECTION A (A - Kam Tin River)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)			(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	
SECTION A (B - Tai Wo)											
4-T102	<i>Melaleuca quinquenervia</i>	白千層	300	3	8	Fair	Fair	Medium	High	Transplant	CE22/2006/TW/T/0009A
4-T103	<i>Melaleuca quinquenervia</i>	白千層	310	4	7	Fair	Fair	Medium	High	Transplant	CE22/2006/TW/T/0009A
4-T104	<i>Melaleuca quinquenervia</i>	白千層	400	4	9	Fair	Fair	Medium	High	Transplant	CE22/2006/TW/T/0009A
4-T229	<i>Lophostemon confertus</i>	紅膠木	200	5	7	Fair	Fair	Low	High	Transplant	CE22/2006/TW/T/0009A
4-T230	<i>Lophostemon confertus</i>	紅膠木	210	4	8	Fair	Fair	Low	High	Transplant	CE22/2006/TW/T/0009A
4-T231	<i>Celtis sinensis</i>	朴	210	5	7	Fair	Poor	Medium	Low	Fell	CE22/2006/TW/T/0009A
4-T232	<i>Pinus elliottii</i>	愛氏松	230	5	7	Fair	Fair	Medium	Low	Fell	CE22/2006/TW/T/0009A
4-T233	<i>Macaranga tanarius</i>	血桐	100	4	5	Fair	Poor	Low	Low	Fell	CE22/2006/TW/T/0009A
4-T234	<i>Peltophorum pteracarpum</i>	雙翼豆	400	6	8	Fair	Fair	Medium	Medium	Transplant	CE22/2006/TW/T/0009A
4-T235	<i>Macaranga tanarius</i>	血桐	120	4	4	Fair	Poor	Low	Low	Fell	CE22/2006/TW/T/0009A
4-T236	<i>Macaranga tanarius</i>	血桐	120	4	5	Fair	Poor	Low	Low	Fell	CE22/2006/TW/T/0009A
4-T237	<i>Macaranga tanarius</i>	血桐	140	4	6	Fair	Poor	Low	Low	Fell	CE22/2006/TW/T/0009A
4-T238	<i>Macaranga tanarius</i>	血桐	160	4	5	Fair	Poor	Low	Low	Fell	CE22/2006/TW/T/0009A
4-T239	<i>Eucalyptus robusta</i>	大葉桉	120	6	6	Fair	Fair	Low	High	Transplant	CE22/2006/TW/T/0009A
4-T240	<i>Eucalyptus robusta</i>	大葉桉	320	6	7	Fair	Fair	Low	High	Transplant	CE22/2006/TW/T/0009A
4-T241	<i>Eucalyptus robusta</i>	大葉桉	400	6	15	Fair	Fair	Low	High	Transplant	CE22/2006/TW/T/0009A
4-T242	<i>Eucalyptus robusta</i>	大葉桉	130	4	9	Fair	Fair	Low	High	Transplant	CE22/2006/TW/T/0009A
4-T243	<i>Macaranga tanarius</i>	血桐	210	4	5	Poor	Fair	Low	Low	Fell	CE22/2006/TW/T/0009A
4-T244	<i>Vernicia montana</i>	木油樹	190	4	7	Fair	Poor	Medium	Low	Fell	CE22/2006/TW/T/0009A
4-T245	<i>Vernicia montana</i>	木油樹	210	5	7	Fair	Poor	Medium	Low	Fell	CE22/2006/TW/T/0009A
* 4-T246	<i>Leucaena leucocephala</i>	銀合歡	240	6	12	Fair	Poor	Low	Low	Fell	CE22/2006/TW/T/0009A
4-T247	<i>Broussonetia papyrifera</i>	構	130	6	11	Fair	Fair	High	Low	Retain	CE22/2006/TW/T/0009A
4-T248	<i>Bauhinia purpurea</i>	紅花羊蹄甲	150	5	6	Fair	Poor	Low	Medium	Fell	CE22/2006/TW/T/0009A
* 4-T249	<i>Leucaena leucocephala</i>	銀合歡	140	5	12	Fair	Poor	Low	Low	Fell	CE22/2006/TW/T/0009A
* 4-T250	<i>Leucaena leucocephala</i>	銀合歡	200	6	10	Fair	Poor	Low	Low	Fell	CE22/2006/TW/T/0009A
4-T251	<i>Broussonetia papyrifera</i>	構	140	6	7	Fair	Poor	Medium	Low	Fell	CE22/2006/TW/T/0009A
4-T252	<i>Broussonetia papyrifera</i>	構	140	6	7	Fair	Poor	Medium	Low	Fell	CE22/2006/TW/T/0009A
4-T253	<i>Acacia confusa</i>	台灣相思	250	5	12	Fair	Fair	Medium	Low	Fell	CE22/2006/TW/T/0009A
4-T254	<i>Dimocarpus longan</i>	龍眼	120	4	3	Fair	Poor	Low	Medium	Fell	CE22/2006/TW/T/0009A
4-T257	<i>Dimocarpus longan</i>	龍眼	180	5	7	Fair	Poor	Low	Medium	Fell	CE22/2006/TW/T/0009A
4-T258	<i>Mangifera indica</i>	芒果	220	5	7	Fair	Fair	Medium	Medium	Transplant	CE22/2006/TW/T/0009A
4-T259	<i>Macaranga tanarius</i>	血桐	150	7	5	Fair	Poor	Low	Low	Fell	CE22/2006/TW/T/0009A
4-T260	<i>Dimocarpus longan</i>	龍眼	260	5	8	Fair	Fair	Medium	Medium	Transplant	CE22/2006/TW/T/0009A
4-T261	<i>Roystonea regia</i>	王棕	150	3	6	Fair	Fair	Medium	High	Transplant	CE22/2006/TW/T/0009A
4-T262	<i>Roystonea regia</i>	王棕	150	3	6	Fair	Fair	Medium	High	Transplant	CE22/2006/TW/T/0009A
4-T263	<i>Roystonea regia</i>	王棕	150	3	6	Fair	Fair	Medium	High	Transplant	CE22/2006/TW/T/0009A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

SECTION 4 (A - Kam Tin River)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
4-T264	<i>Roystonea regia</i>	王棕	150	3	6	Fair	Fair	Medium	High	Transplant	CE22/2006/TW/1/0009A
4-T265	<i>Roystonea regia</i>	王棕	150	3	6	Fair	Fair	Medium	High	Transplant	CE22/2006/TW/T/0009A
4-T266	<i>Ficus elastica</i>	印度橡樹	400	12	9	Good	Good	High	High	Retain	CE22/2006/TW/T/0008A
# 4-T267	<i>Ficus elastica</i>	印度橡樹	1000	15	10	Good	Good	High	High	Retain	CE22/2006/TW/T/0008A
4-T268	<i>Macaranga tanarius</i>	血桐	130	4	4	Poor	Fair	Low	Low	Fell	CE22/2006/TW/T/0008A
4-T269	<i>Bombax ceiba</i>	木棉	180	3	6	Fair	Poor	Medium	High	Transplant	CE22/2006/TW/T/0008A
4-T270	<i>Bombax ceiba</i>	木棉	180	4	7	Fair	Poor	Medium	High	Transplant	CE22/2006/TW/T/0008A
4-T271	<i>Bombax ceiba</i>	木棉	200	6	9	Fair	Fair	Medium	High	Transplant	CE22/2006/TW/T/0008A
4-T290	<i>Acacia confusa</i>	台灣相思	300	5	7	Fair	Poor	Low	Low	Fell	CE22/2006/TW/T/0009A
4-T294	<i>Sterculia lanceolata</i>	假蘇婆	150	4	7	Fair	Fair	High	Low	Retain	CE22/2006/TW/T/0009A
4-T295	<i>Acacia confusa</i>	台灣相思	300	5	7	Fair	Poor	Low	Low	Fell	CE22/2006/TW/T/0009A
4-T296	<i>Macaranga tanarius</i>	血桐	210	6	8	Fair	Poor	Low	Low	Fell	CE22/2006/TW/T/0009A
4-T297	<i>Lophostemon confertus</i>	紅膠木	330	5	10	Fair	Fair	Low	High	Transplant	CE22/2006/TW/T/0009A
4-T299	<i>Macaranga tanarius</i>	血桐	200	4	5	Fair	Poor	Low	Low	Fell	CE22/2006/TW/T/0009A
# 4-T300	<i>Ficus elastica</i>	印度橡樹	1000	18	9	Good	Good	High	High	Retain	CE22/2006/TW/1/0008A
4-T301	<i>Macaranga tanarius</i>	血桐	150	8	6	Fair	Fair	Low	Low	Fell	CE22/2006/TW/T/0008A
4-T302	<i>Macaranga tanarius</i>	血桐	120	12	5	Fair	Fair	Low	Low	Fell	CE22/2006/TW/T/0008A
4-T303	<i>Arancaria heterophylla</i>	異葉南洋杉	150	3	20	Good	Good	High	Low	Retain	CE22/2006/TW/T/0008A
4-T309	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	280	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T310	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	280	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T311	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	300	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T312	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	270	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T313	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	300	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T314	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	180	3	3	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T315	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	270	3	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T316	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	260	5	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
* 4-T317	<i>Leucaena</i>	銀合歡	270	3	5	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0001A
4-T318	<i>Casuarina equisetifolia</i>	木麻黃	270	4	5	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T319	<i>Casuarina equisetifolia</i>	木麻黃	300	3	5	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T320	<i>Casuarina equisetifolia</i>	木麻黃	220	5	4	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T321	<i>Casuarina equisetifolia</i>	木麻黃	320	4	10	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T322	<i>Casuarina equisetifolia</i>	木麻黃	100	2	4	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T323	<i>Casuarina equisetifolia</i>	木麻黃	130	2	4	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T324	<i>Casuarina equisetifolia</i>	木麻黃	170	2	5	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0001A
4-T325	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	240	3	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T326	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	240	3	3	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T327	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	240	3	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix I2-1 Preliminary Tree Survey

SECTION 4 (A - Kam Tin River)

Tree No.	Tree Species	Chinese name	DBH (mm)	Spread (m)	Height (m)	Health (Good/Fair/Poor)	Form (Good/Fair/Poor)	Amenity/ Ecological Value (High/Medium/Low)	Species post- transplantation survival rate (High/Medium/Low)	Proposed treatment under conflict (Retain/Fell/Transplant)	Reference Drawing
4-T328	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	200	3	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T329	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	250	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T330	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	300	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T331	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	260	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T332	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	300	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T333	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	200	3	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T334	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	250	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T335	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	280	4	5	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T336	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	260	5	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T337	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	230	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T338	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	200	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T339	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	180	3	3	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T340	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	240	3	5	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T341	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	200	2	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T342	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	300	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T343	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	220	2	3	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T344	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	200	2	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T345	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	190	1	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T346	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	220	4		Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T347	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	200	1	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T348	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	290	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T349	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	220	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T350	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	240	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T351	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	180	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T352	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	220	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T353	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	220	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T354	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	100	1	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T355	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	100	1	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T356	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	210	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T357	<i>Ficus microcarpa</i> var. <i>pusillifolia</i>	細葉榕	220	4	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T358	<i>Melaleuca quinquenevia</i>	白千層	160	1	4	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T359	<i>Melaleuca quinquenevia</i>	白千層	210	1	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T360	<i>Melaleuca quinquenevia</i>	白千層	250	2	4	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T361	<i>Melaleuca quinquenevia</i>	白千層	220	1	4	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T362	<i>Melaleuca quinquenevia</i>	白千層	220	1	4	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T363	<i>Melaleuca quinquenevia</i>	白千層	230	2	4	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T364	<i>Melaleuca quinquenevia</i>	白千層	170	1	4	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A

Note:

* - *Leucadendron leucocarpum* : # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix I2-1 Preliminary Tree Survey

SECTION 4 (A - Kam Tin River)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Pell/Transplant)	
4-T365	<i>Melaleuca quinquenevia</i>	白千層	190	1	4	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T366	<i>Melaleuca quinquenevia</i>	白千層	220	1	4	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T367	<i>Melaleuca quinquenevia</i>	白千層	210	2	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T368	<i>Melaleuca quinquenevia</i>	白千層	270	2	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T369	<i>Melaleuca quinquenevia</i>	白千層	250	2	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T370	<i>Melaleuca quinquenevia</i>	白千層	290	2	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T371	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	140	1	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T372	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	120	1	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T373	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	180	1	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T374	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	180	1	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T375	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	200	1	4	Fair	Poor	High	High	Transplant	CE22/2006/MP/T/0001A
4-T376	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	230	2	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T377	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	220	2	5	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T378	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	260	2	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T379	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	230	2	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T380	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	220	2	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T381	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	200	2	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T382	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	240	1	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T383	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	160	2	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T384	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	160	1	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T385	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	320	3	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T386	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	160	1	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T387	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	200	2	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T388	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	200	1	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T389	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	230	2	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T390	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	200	1	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T391	<i>Melaleuca quinquenevia</i>	白千層	200	1	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T392	<i>Melaleuca quinquenevia</i>	白千層	220	1	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T393	<i>Melaleuca quinquenevia</i>	白千層	270	1	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T394	<i>Melaleuca quinquenevia</i>	白千層	150	1	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T395	<i>Melaleuca quinquenevia</i>	白千層	190	1	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T396	<i>Melaleuca quinquenevia</i>	白千層	180	1	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T397	<i>Melaleuca quinquenevia</i>	白千層	200	1	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T398	<i>Melaleuca quinquenevia</i>	白千層	200	1	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T399	<i>Melaleuca quinquenevia</i>	白千層	200	1	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T400	<i>Melaleuca quinquenevia</i>	白千層	200	1	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T401	<i>Melaleuca quinquenevia</i>	白千層	250	1	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A

Note:

* - *Leucaena leucocephala*: # - Potential OVT pursuant to E/TWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix I2-1 Preliminary Tree Survey

SECTION 4 (A - Kam Tin River)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
4-T402	<i>Melaleuca quinquenervia</i>	白千層	200	1	5	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0001A
4-T403	<i>Melaleuca quinquenervia</i>	白千層	200	1	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T404	<i>Melaleuca quinquenervia</i>	白千層	200	1	4	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T405	<i>Melaleuca quinquenervia</i>	白千層	200	1	6	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T406	<i>Melaleuca quinquenervia</i>	白千層	180	1	6	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T407	<i>Melaleuca quinquenervia</i>	白千層	160	1	5	Good	Good	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T408	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	300	2	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T409	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	250	2	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T410	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	170	1	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T411	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	180	1	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T412	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	180	1	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T413	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	150	1	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T414	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	290	2	5	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T415	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	220	2	5	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T416	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	220	2	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T417	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	160	2	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T418	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	230	2	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T419	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	220	2	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T420	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	160	2	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T421	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	280	3	5	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T422	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	190	3	5	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T423	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	160	2	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T424	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	220	2	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T425	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	160	2	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T426	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	190	2	5	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T427	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	200	2	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T428	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	180	2	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0001A
4-T429	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	190	2	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T430	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	230	2	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T431	<i>Ficus microcarpa var. pusillifolia</i>	細葉榕	200	2	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A

Tree numbers not used:

4-T089 to 4-T100, 4-T105 to 4-T228, 4-T272 to 4-T289, 4-T291 to 4-T293, 4-T298, 4-T304 to 4-T308

Tree numbers listed in other schedules:

4-T052 to 4-T069 (Resting Station R5)

Note:

* - *Leucaena leucocephala* : # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 5 (Castle Peak Road - Kwu Tung, Sheung Yue River, Shek Sheung River)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)			(Good/Fair/Poor)	(High/Medium/Low)		
5-T001	<i>Acacia auriculiformis</i>	耳果相思	150	3	7	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T002	<i>Acacia auriculiformis</i>	耳果相思	115	2	7	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T003	<i>Macaranga tanarius</i>	血桐	95	5	5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T004	<i>Macaranga tanarius</i>	血桐	137	7.5	5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
*5-T005	<i>Leucaena leucocephala</i>	銀合歡	98	3.9	7.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T006	<i>Acacia auriculiformis</i>	耳果相思	114	4	10	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T007	<i>Acacia auriculiformis</i>	耳果相思	111	2	9	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T008	<i>Ficus virens var. sublancoolata</i>	大葉榕	96	2.5	5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T009	<i>Ficus virens var. sublancoolata</i>	大葉榕	97	2.5	5.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T010	<i>Ficus virens var. sublancoolata</i>	大葉榕	101	5	6.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T011	<i>Eucalyptus camaldulensis</i>	赤桉	126	5	10.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T012	<i>Acacia auriculiformis</i>	耳果相思	132	6	6.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T013	<i>Acacia auriculiformis</i>	耳果相思	118	6	7.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T014	<i>Hibiscus tiliaceus</i>	黃槿	113	3.5	3.5	Fair	Fair	Medium	Medium	Transplant	CE22/2006/KW/T/0006A
5-T015	<i>Hibiscus tiliaceus</i>	黃槿	122	3.5	4	Fair	Fair	Medium	Medium	Transplant	CE22/2006/KW/T/0006A
5-T016	<i>Eucalyptus camaldulensis</i>	赤桉	169	3.5	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T017	<i>Eucalyptus camaldulensis</i>	赤桉	186	7	11	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T018	<i>Eucalyptus camaldulensis</i>	赤桉	197	7	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T019	<i>Macaranga tanarius</i>	血桐	120	5.5	4	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T020	<i>Eucalyptus camaldulensis</i>	赤桉	121	4	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T021	<i>Eucalyptus camaldulensis</i>	赤桉	122	2	8.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T022	<i>Eucalyptus robusta</i>	大葉桉	173	3	5	Fair	Poor	Low	High	Fell	CE22/2006/KW/T/0006A
5-T023	<i>Eucalyptus camaldulensis</i>	赤桉	198	6.5	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T024	<i>Macaranga tanarius</i>	血桐	177	4.5	4.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T025	<i>Macaranga tanarius</i>	血桐	126	6	6.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T026	<i>Acacia auriculiformis</i>	耳果相思	97	4	8	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T027	<i>Macaranga tanarius</i>	血桐	96	6	6.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T028	<i>Ficus virens var. sublancoolata</i>	大葉榕	98	5	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T029	<i>Lophostemon confertus</i>	紅膠木	96	3.5	4	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T030	<i>Acacia auriculiformis</i>	耳果相思	103	5.5	8	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T031	<i>Acacia auriculiformis</i>	耳果相思	107	3.5	5.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T032	<i>Eucalyptus camaldulensis</i>	赤桉	213	6	11	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T033	<i>Hibiscus tiliaceus</i>	黃槿	104	5	5	Fair	Fair	Medium	Medium	Transplant	CE22/2006/KW/T/0006A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

SECTION 5 (Castle Peak Road - Kwu Tung, Sheung Yue River, Shek Sheung River)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post- transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
5-T034	<i>Acacia auriculiformis</i>	耳果相思	99	4.7	9	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T035	<i>Acacia auriculiformis</i>	耳果相思	112	5	9	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T036	<i>Eucalyptus camaldulensis</i>	赤桉	165	6	9	Fair	Poor	Low	High	Fell	CE22/2006/KW/T/0006A
5-T037	<i>Eucalyptus camaldulensis</i>	赤桉	150	6	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T038	<i>Eucalyptus camaldulensis</i>	赤桉	147	5	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T039	<i>Eucalyptus camaldulensis</i>	赤桉	161	5.5	11	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T040	<i>Acacia auriculiformis</i>	耳果相思	109	6.5	6	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T041	<i>Eucalyptus camaldulensis</i>	赤桉	194	6.5	11	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T042	<i>Eucalyptus camaldulensis</i>	赤桉	154	4.5	10	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T043	<i>Eucalyptus camaldulensis</i>	赤桉	160	5	11	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T044	<i>Eucalyptus camaldulensis</i>	赤桉	167	6	11	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T045	<i>Acacia auriculiformis</i>	耳果相思	117	5.5	8	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T046	<i>Acacia auriculiformis</i>	耳果相思	101	5	8	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T047	<i>Acacia auriculiformis</i>	耳果相思	122	5.5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T048	<i>Lophostemon confertus</i>	紅膠木	128	5	7	Fair	Poor	Low	High	Fell	CE22/2006/KW/T/0006A
5-T049	<i>Acacia auriculiformis</i>	耳果相思	111	5.5	8.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T050	<i>Acacia auriculiformis</i>	耳果相思	123	6.5	7	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T051	<i>Acacia auriculiformis</i>	耳果相思	118	5	7.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T052	<i>Eucalyptus camaldulensis</i>	赤桉	189	4.5	11	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T053	<i>Eucalyptus camaldulensis</i>	赤桉	172	4.5	10	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T054	<i>Acacia auriculiformis</i>	耳果相思	134	5	8	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T055	<i>Lophostemon confertus</i>	紅膠木	98	5	6	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T056	<i>Michelia alba</i>	白蘭	110	4.5	6	Fair	Fair	Medium	Medium	Transplant	CE22/2006/KW/T/0006A
5-T057	<i>Acacia auriculiformis</i>	耳果相思	168	6	10	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T058	<i>Acacia auriculiformis</i>	耳果相思	127	5.5	8	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T059	<i>Acacia auriculiformis</i>	耳果相思	95	5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T060	<i>Acacia auriculiformis</i>	耳果相思	147	6	9.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T061	<i>Acacia mangium</i>	大葉相思	153	4	7	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T062	<i>Acacia mangium</i>	大葉相思	106	4	7	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T063	<i>Acacia mangium</i>	大葉相思	119	4.5	7	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T064	<i>Ficus virens var. sub lanceolata</i>	大葉榕	108	2.5	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T065	<i>Ficus virens var. sub lanceolata</i>	大葉榕	106	3	5.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T066	<i>Acacia mangium</i>	大葉相思	113	4	3	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 5 (Castle Peak Road - Kwu Tung, Sheung Yue River, Shek Sheung River)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post- transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
5-T067	<i>Acacia auriculiformis</i>	耳果相思	98	5	7.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T068	<i>Acacia mangium</i>	大葉相思	109	5	6	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T069	<i>Acacia mangium</i>	大葉相思	117	5	6	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T070	<i>Ficus virens var. sub lanceolata</i>	大葉榕	150	4.5	5.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T071	<i>Ficus virens var. sub lanceolata</i>	大葉榕	129	4	5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T072	<i>Acacia confusa</i>	台灣相思	118	5.5	4.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T073	<i>Ficus virens var. sub lanceolata</i>	大葉榕	147	4.5	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T074	<i>Ficus virens var. sub lanceolata</i>	大葉榕	124	4	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T075	<i>Eucalyptus camaldulensis</i>	赤桉	165	5	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T076	<i>Acacia mangium</i>	大葉相思	112	4.5	7	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T077	<i>Acacia mangium</i>	大葉相思	100	5	7	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T078	<i>Acacia mangium</i>	大葉相思	103	5	7.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T079	<i>Eucalyptus camaldulensis</i>	赤桉	159	5.5	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T080	<i>Ficus virens var. sub lanceolata</i>	大葉榕	107	5	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T081	<i>Ficus virens var. sub lanceolata</i>	大葉榕	97	4	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T082	<i>Ficus virens var. sub lanceolata</i>	大葉榕	119	5.5	6.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T083	<i>Eucalyptus citriodora</i>	檸檬桉	178	4.5	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T084	<i>Eucalyptus camaldulensis</i>	赤桉	172	6	8	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T085	<i>Acacia auriculiformis</i>	耳果相思	132	5	7	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T086	<i>Eucalyptus camaldulensis</i>	赤桉	154	4.5	10	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T087	<i>Ficus virens var. sub lanceolata</i>	大葉榕	133	4	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T088	<i>Ficus virens var. sub lanceolata</i>	大葉榕	105	4	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T089	<i>Eucalyptus camaldulensis</i>	赤桉	210	6	10	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T090	<i>Acacia auriculiformis</i>	耳果相思	179	6	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T091	<i>Acacia auriculiformis</i>	耳果相思	144	5.5	7.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T092	<i>Acacia auriculiformis</i>	耳果相思	129	6	8.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T093	<i>Acacia auriculiformis</i>	耳果相思	175	5	8.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T094	<i>Ficus virens var. sub lanceolata</i>	大葉榕	116	4	5.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T095	<i>Ficus virens var. sub lanceolata</i>	大葉榕	148	3.5	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T096	<i>Acacia auriculiformis</i>	耳果相思	124	4.5	7	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T097	<i>Acacia auriculiformis</i>	耳果相思	107	5	7	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T098	<i>Eucalyptus robusta</i>	大葉桉	153	5	9.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T099	<i>Ficus microcarpa</i>	細葉榕	113	4	5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A

Note:

* - *Leucaena leucocephala*; # - Potential OVI pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

SECTION 5 (Castle Peak Road - Kwu Tung, Sheung Yue River, Shek Sheung River)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity /	Species post-	Proposed treatment	Reference Drawing
								Ecological	transplantation		
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	Value	survival rate	(Retain/Fell/Transplant)	
								(High/Medium/Low)	(High/Medium/Low)		
5-T100	<i>Eucalyptus camaldulensis</i>	赤桉	134	4	8.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T101	<i>Ficus virens var. sublancoolata</i>	大葉榕	118	4	5.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T102	<i>Eucalyptus camaldulensis</i>	赤桉	146	6	8	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T103	<i>Eucalyptus camaldulensis</i>	赤桉	115	5	8	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T104	<i>Eucalyptus camaldulensis</i>	赤桉	163	6	10.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T105	<i>Eucalyptus camaldulensis</i>	赤桉	174	5	10	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T106	<i>Eucalyptus camaldulensis</i>	赤桉	208	6	10	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T107	<i>Eucalyptus camaldulensis</i>	赤桉	187	6.5	11	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T108	<i>Acacia auriculiformis</i>	耳果相思	135	4	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T109	<i>Eucalyptus camaldulensis</i>	赤桉	240	6	11.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T110	<i>Ficus virens var. sublancoolata</i>	大葉榕	115	4	4.5	Fair	Poor	Medium	High	Transplant	CE22/2006/KW/T/0006A
5-T111	<i>Acacia auriculiformis</i>	耳果相思	201	5.5	7	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T112	<i>Acacia auriculiformis</i>	耳果相思	124	5	7	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T113	<i>Ficus virens var. sublancoolata</i>	大葉榕	120	4.5	6.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T114	<i>Ficus virens var. sublancoolata</i>	大葉榕	96	4	6	Fair	Poor	Medium	High	Transplant	CE22/2006/KW/T/0006A
5-T115	<i>Ficus virens var. sublancoolata</i>	大葉榕	97	4	7	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T116	<i>Acacia auriculiformis</i>	耳果相思	145	5.5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T117	<i>Acacia auriculiformis</i>	耳果相思	164	6	5.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T118	<i>Ficus virens var. sublancoolata</i>	大葉榕	103	3.5	7.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T119	<i>Acacia auriculiformis</i>	耳果相思	100	4.5	6.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T120	<i>Eucalyptus camaldulensis</i>	赤桉	96	2	7	Fair	Poor	Low	High	Fell	CE22/2006/KW/T/0006A
5-T121	<i>Acacia auriculiformis</i>	耳果相思	106	5	6	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T122	<i>Hibiscus tiliaceus</i>	黃槿	103	4.5	6	Fair	Fair	Medium	Medium	Transplant	CE22/2006/KW/T/0006A
5-T123	<i>Ficus virens var. sublancoolata</i>	大葉榕	127	5	12	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T124	<i>Eucalyptus camaldulensis</i>	赤桉	186	5.5	7	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T125	<i>Ficus virens var. sublancoolata</i>	大葉榕	169	6	7	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T126	<i>Ficus virens var. sublancoolata</i>	大葉榕	184	5.5	8	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T127	<i>Eucalyptus camaldulensis</i>	赤桉	102	4	8	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T128	<i>Hibiscus tiliaceus</i>	黃槿	95	3.5	4	Fair	Fair	Medium	Medium	Transplant	CE22/2006/KW/T/0006A
5-T129	<i>Eucalyptus camaldulensis</i>	赤桉	258	6	13	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T130	<i>Eucalyptus camaldulensis</i>	赤桉	183	5	11	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T131	<i>Eucalyptus camaldulensis</i>	赤桉	167	5.5	11	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T132	<i>Acacia auriculiformis</i>	耳果相思	110	4.5	7	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A

Note:

* - *Leucaena leucocephala* : # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 5 (Castle Peak Road - Kwu Tung, Sheung Yue River, Shek Sheung River)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post- transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
5-T133	<i>Acacia auriculiformis</i>	耳果相思	99	4.5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T134	<i>Eucalyptus camaldulensis</i>	赤桉	128	4	10	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T135	<i>Acacia auriculiformis</i>	耳果相思	133	5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T136	<i>Acacia auriculiformis</i>	耳果相思	137	5.5	8.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T137	<i>Eucalyptus camaldulensis</i>	赤桉	105	4	7	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T138	<i>Eucalyptus camaldulensis</i>	赤桉	124	4.5	7	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T139	<i>Acacia auriculiformis</i>	耳果相思	189	5.5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T140	<i>Acacia auriculiformis</i>	耳果相思	105	4	6	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T141	<i>Acacia auriculiformis</i>	耳果相思	97	5	6	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T142	<i>Eucalyptus citriodora</i>	檸檬桉	136	4	8	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T143	<i>Eucalyptus camaldulensis</i>	赤桉	173	5	9.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T144	<i>Acacia auriculiformis</i>	耳果相思	109	5	11	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T145	<i>Acacia auriculiformis</i>	耳果相思	105	5.5	7	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T146	<i>Eucalyptus camaldulensis</i>	赤桉	154	5	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T147	<i>Eucalyptus camaldulensis</i>	赤桉	177	5.5	10	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T148	<i>Ficus virens var. sublancoolata</i>	大葉榕	150	5.5	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T149	<i>Ficus virens var. sublancoolata</i>	大葉榕	155	5	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T150	<i>Eucalyptus camaldulensis</i>	赤桉	238	4.5	12	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0006A
5-T151	<i>Eucalyptus camaldulensis</i>	赤桉	195	5	11	Fair	Poor	Low	High	Fell	CE22/2006/KW/T/0006A
5-T174	<i>Eucalyptus camaldulensis</i>	赤桉	143	4	6.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T175	<i>Eucalyptus camaldulensis</i>	赤桉	144	4	6.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T176	<i>Eucalyptus camaldulensis</i>	赤桉	147	4.5	7	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T177	<i>Eucalyptus camaldulensis</i>	赤桉	129	4.5	8	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T178	<i>Eucalyptus camaldulensis</i>	赤桉	148	4.5	7	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T179	<i>Eucalyptus camaldulensis</i>	赤桉	148	4.5	7	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T180	<i>Eucalyptus camaldulensis</i>	赤桉	207	5	8	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T181	<i>Eucalyptus camaldulensis</i>	赤桉	135	5	6	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T182	<i>Eucalyptus camaldulensis</i>	赤桉	143	4.5	5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T183	<i>Eucalyptus citriodora</i>	檸檬桉	178	4	10	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T184	<i>Eucalyptus camaldulensis</i>	赤桉	190	5	10	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T185	<i>Eucalyptus camaldulensis</i>	赤桉	198	5	10	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T186	<i>Eucalyptus camaldulensis</i>	赤桉	188	5	10	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T187	<i>Eucalyptus camaldulensis</i>	赤桉	246	6	10	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A

Note:

* - *Leucaena leucocephala* : # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 5 (Castle Peak Road - Kwn Tung, Sheung Yue River, Shek Sheung River)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post- transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
5-T188	<i>Eucalyptus camaldulensis</i>	赤桉	138	4	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T189	<i>Acacia auriculiformis</i>	耳果相思	143	4	6	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T190	<i>Acacia auriculiformis</i>	耳果相思	102	5	5.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T191	<i>Acacia mangium</i>	大葉相思	116	4	5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T192	<i>Ficus virens var. sublancoolata</i>	大葉榕	124	4	4.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T193	<i>Acacia auriculiformis</i>	耳果相思	130	5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T194	<i>Acacia auriculiformis</i>	耳果相思	182	5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T195	<i>Ficus virens var. sublancoolata</i>	大葉榕	98	5	5	Fair	Poor	Medium	High	Transplant	CE22/2006/KW/T/0007A
5-T196	<i>Ficus virens var. sublancoolata</i>	大葉榕	114	5	5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T197	<i>Ficus virens var. sublancoolata</i>	大葉榕	109	4.5	5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T198	<i>Acacia mangium</i>	大葉相思	122	4.5	6	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T199	<i>Eucalyptus citriodora</i>	檸檬桉	182	5	11	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T200	<i>Ficus virens var. sublancoolata</i>	大葉榕	96	4	5.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T201	<i>Ficus virens var. sublancoolata</i>	大葉榕	100	5	5.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T202	<i>Ficus virens var. sublancoolata</i>	大葉榕	107	3	5.5	Fair	Poor	Medium	High	Transplant	CE22/2006/KW/T/0007A
5-T203	<i>Eucalyptus camaldulensis</i>	赤桉	214	5.5	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T204	<i>Ficus virens var. sublancoolata</i>	大葉榕	101	4.5	5.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T205	<i>Eucalyptus camaldulensis</i>	赤桉	218	5.5	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T206	<i>Eucalyptus camaldulensis</i>	赤桉	170	5	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T207	<i>Eucalyptus camaldulensis</i>	赤桉	166	5	8.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T208	<i>Eucalyptus camaldulensis</i>	赤桉	184	5	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T209	<i>Eucalyptus citriodora</i>	檸檬桉	161	5.5	8.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T210	<i>Eucalyptus camaldulensis</i>	赤桉	155	5	8	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T211	<i>Ficus virens var. sublancoolata</i>	大葉榕	98	4	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T212	<i>Acacia auriculiformis</i>	耳果相思	102	4	6	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T213	<i>Ficus virens var. sublancoolata</i>	大葉榕	169	5	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T214	<i>Acacia auriculiformis</i>	耳果相思	147	5	6	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T215	<i>Ficus virens var. sublancoolata</i>	大葉榕	103	5	6	Fair	Poor	Medium	High	Transplant	CE22/2006/KW/T/0007A
5-T216	<i>Acacia auriculiformis</i>	耳果相思	153	4.5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T217	<i>Ficus virens var. sublancoolata</i>	大葉榕	96	4	7	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T218	<i>Ficus virens var. sublancoolata</i>	大葉榕	104	4	7	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T219	<i>Ficus virens var. sublancoolata</i>	大葉榕	129	4	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T220	<i>Acacia auriculiformis</i>	耳果相思	97	5	6	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 5 (Castle Peak Road - Kwu Tung, Sheung Yue River, Shek Sheung River)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post- transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)						
5-T221	<i>Ficus virens var. sublaceolata</i>	大葉榕	96	4.5	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T222	<i>Acacia auriculiformis</i>	耳果相思	95	4.5	7	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T223	<i>Eucalyptus camaldulensis</i>	赤桉	197	5	10	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T224	<i>Eucalyptus camaldulensis</i>	赤桉	164	5	9.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T225	<i>Acacia auriculiformis</i>	耳果相思	154	5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T226	<i>Acacia auriculiformis</i>	耳果相思	123	4	7	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T227	<i>Acacia auriculiformis</i>	耳果相思	105	4.5	7	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T228	<i>Acacia auriculiformis</i>	耳果相思	154	5	7.6	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T229	<i>Acacia auriculiformis</i>	耳果相思	140	5	7	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T230	<i>Acacia auriculiformis</i>	耳果相思	137	5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T231	<i>Acacia auriculiformis</i>	耳果相思	169	5	7.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T243	<i>Acacia auriculiformis</i>	耳果相思	127	5	7.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T244	<i>Acacia auriculiformis</i>	耳果相思	130	5	7.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T245	<i>Acacia auriculiformis</i>	耳果相思	122	5	7	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T246	<i>Ficus virens var. sublaceolata</i>	大葉榕	97	3.5	3.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T247	<i>Acacia auriculiformis</i>	耳果相思	168	5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T248	<i>Acacia auriculiformis</i>	耳果相思	150	4.5	8	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T249	<i>Acacia auriculiformis</i>	耳果相思	111	5	8	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T250	<i>Acacia auriculiformis</i>	耳果相思	97	4.5	8	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T251	<i>Acacia confusa</i>	台灣相思	111	3.5	6	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T252	<i>Acacia confusa</i>	台灣相思	99	4	5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T253	<i>Acacia auriculiformis</i>	耳果相思	185	4.5	9	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T254	<i>Acacia auriculiformis</i>	耳果相思	118	5	9	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T255	<i>Acacia auriculiformis</i>	耳果相思	109	4	7	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T256	<i>Acacia auriculiformis</i>	耳果相思	190	5	9	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T257	<i>Ficus microcarpa</i>	細葉榕	125	4.5	4.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T258	<i>Acacia confusa</i>	台灣相思	154	4	4.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T259	<i>Ficus virens var. sublaceolata</i>	大葉榕	122	4.5	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T260	<i>Ficus microcarpa</i>	細葉榕	117	5	4	Fair	Poor	Medium	High	Transplant	CE22/2006/KW/T/0007A
5-T261	<i>Ficus microcarpa</i>	細葉榕	135	4.5	5	Fair	Poor	Medium	High	Transplant	CE22/2006/KW/T/0007A
5-T262	<i>Acacia auriculiformis</i>	耳果相思	98	5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T263	<i>Acacia auriculiformis</i>	耳果相思	128	4.5	9	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T264	<i>Acacia auriculiformis</i>	耳果相思	179	4.5	9	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A

Note:

* - *Leucaena leucocephala* : # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

SECTION 5 (Castle Peak Road - Kwu Tung, Sheung Yue River, Shek Sheung River)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
5-T265	<i>Ficus microcarpa</i>	細葉榕	240	5.5	6	Fair	Poor	Medium	High	Transplant	CE22/2006/KW/T/0007A
5-T266	<i>Acacia confusa</i>	台灣相思	128	5	6.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T267	<i>Acacia confusa</i>	台灣相思	112	4.5	7	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T268	<i>Ficus virens var. sublancoolata</i>	大葉榕	105	4	4	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T269	<i>Acacia auriculiformis</i>	耳果相思	111	5	7	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T270	<i>Acacia auriculiformis</i>	耳果相思	146	4.5	7.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T271	<i>Ficus virens var. sublancoolata</i>	大葉榕	103	4.5	5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T272	<i>Ficus microcarpa</i>	細葉榕	98	4.5	5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T273	<i>Ficus microcarpa</i>	細葉榕	105	3.5	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T274	<i>Acacia auriculiformis</i>	耳果相思	172	5	7.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T275	<i>Acacia auriculiformis</i>	耳果相思	105	4.5	5.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T276	<i>Acacia confusa</i>	台灣相思	130	4.5	5.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T277	<i>Ficus virens var. sublancoolata</i>	大葉榕	107	5	5.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T278	<i>Acacia auriculiformis</i>	耳果相思	135	5	7	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T279	<i>Acacia auriculiformis</i>	耳果相思	140	5.5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T280	<i>Acacia auriculiformis</i>	耳果相思	155	5	7.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T281	<i>Ficus microcarpa</i>	細葉榕	98	3.5	4.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T282	<i>Acacia confusa</i>	台灣相思	108	5	7.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T283	<i>Acacia confusa</i>	台灣相思	152	5	7.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T284	<i>Acacia auriculiformis</i>	耳果相思	108	5.5	8	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T285	<i>Acacia auriculiformis</i>	耳果相思	142	5	8	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T286	<i>Ficus virens var. sublancoolata</i>	大葉榕	120	5	6	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T287	<i>Acacia auriculiformis</i>	耳果相思	120	4.5	8.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T288	<i>Ficus microcarpa</i>	細葉榕	110	4	7	Fair	Poor	Medium	High	Transplant	CE22/2006/KW/T/0007A
5-T289	<i>Acacia auriculiformis</i>	耳果相思	119	4.5	7.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T290	<i>Ficus microcarpa</i>	細葉榕	112	3.5	5.5	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0007A
5-T291	<i>Acacia auriculiformis</i>	耳果相思	99	5	7	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T292	<i>Acacia auriculiformis</i>	耳果相思	160	3.5	9	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T293	<i>Bischofia javanica</i>	秋楓	110	5.5	4.5	Fair	Fair	High	Medium	Transplant	CE22/2006/KW/T/0007A
5-T294	<i>Acacia auriculiformis</i>	耳果相思	127	5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T295	<i>Acacia auriculiformis</i>	耳果相思	154	5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T296	<i>Acacia auriculiformis</i>	耳果相思	126	5	8.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T297	<i>Acacia auriculiformis</i>	耳果相思	182	6	8.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-I Preliminary Tree Survey

SECTION 5 (Castle Peak Road - Kwu Tung, Sheung Yue River, Shek Sheung River)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
5-T298	<i>Acacia auriculiformis</i>	耳果相思	188	6	10	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T299	<i>Casuarina equisetifolia</i>	木麻黃	210	5	13	Fair	Good	Medium	Low	Fell	CE22/2006/KW/T/0007A
* 5-T300	<i>Leucaena leucocephala</i>	銀合歡	410	7	15	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
* 5-T301	<i>Leucaena leucocephala</i>	銀合歡	145	6	11	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
* 5-T302	<i>Leucaena leucocephala</i>	銀合歡	155	7	11	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
* 5-T303	<i>Leucaena leucocephala</i>	銀合歡	115	6	10.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
* 5-T304	<i>Leucaena leucocephala</i>	銀合歡	100	6	9	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T310	<i>Casuarina equisetifolia</i>	木麻黃	195	6	12	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T311	<i>Cassia siamea</i>	鐵刀木	205	6	12.5	Fair	Fair	Low	High	Fell	CE22/2006/KW/T/0007A
5-T312	<i>Cassia siamea</i>	鐵刀木	170	5.5	12	Fair	Fair	Low	High	Fell	CE22/2006/KW/T/0007A
* 5-T313	<i>Leucaena leucocephala</i>	銀合歡	190	4	17	Poor	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T314	<i>Macaranga tanarius</i>	血桐	130	3	6	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T315	<i>Bischofia javanica</i>	秋楓	140	4	8	Fair	Fair	High	Medium	Transplant	CE22/2006/KW/T/0006A
* 5-T316	<i>Leucaena leucocephala</i>	銀合歡	200	6	10	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
* 5-T317	<i>Leucaena leucocephala</i>	銀合歡	160	7	12	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
* 5-T318	<i>Leucaena leucocephala</i>	銀合歡	290	6	17	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
* 5-T319	<i>Leucaena leucocephala</i>	銀合歡	160	6	12	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T320	<i>Bauhinia purpurea</i>	紅花羊蹄甲	140	4	16	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T321	<i>Acacia confusa</i>	台灣相思	200	6	15	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T322	<i>Bauhinia purpurea</i>	紅花羊蹄甲	130	3	6	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T323	<i>Bauhinia purpurea</i>	紅花羊蹄甲	130	4	10	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
* 5-T324	<i>Leucaena leucocephala</i>	銀合歡	210	4	10	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T325	<i>Bauhinia purpurea</i>	紅花羊蹄甲	140	4	12	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
* 5-T326	<i>Leucaena leucocephala</i>	銀合歡	240	4	17	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T327	<i>Bauhinia purpurea</i>	紅花羊蹄甲	130	4	15	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T328	<i>Bauhinia purpurea</i>	紅花羊蹄甲	130	4	16	Fair	Fair	Medium	Medium	Transplant	CE22/2006/KW/T/0006A
5-T329	<i>Bauhinia purpurea</i>	紅花羊蹄甲	110	5	10	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T330	<i>Bauhinia purpurea</i>	紅花羊蹄甲	150	6	11	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T331	<i>Bauhinia purpurea</i>	紅花羊蹄甲	130	5	10	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T332	<i>Macaranga tanarius</i>	血桐	110	4	10	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T333	<i>Bauhinia purpurea</i>	紅花羊蹄甲	160	6	10	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T334	<i>Bauhinia purpurea</i>	紅花羊蹄甲	160	7	12	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T335	<i>Bauhinia purpurea</i>	紅花羊蹄甲	170	1	3	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

SECTION 5 (Castle Peak Road - Kwu Tung, Sheung Yue River, Shek Sheung River)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
5-T336	<i>Bauhinia purpurea</i>	紅花羊蹄甲	150	4	7	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
*5-T337	<i>Leucaena leucocephala</i>	銀合歡	240	6	14	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
*5-T338	<i>Leucaena leucocephala</i>	銀合歡	410	7	13	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T339	<i>Bauhinia purpurea</i>	紅花羊蹄甲	130	4	7	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T340	<i>Bauhinia purpurea</i>	紅花羊蹄甲	210	2	6	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
*5-T341	<i>Leucaena leucocephala</i>	銀合歡	150	3	6	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T342	<i>Bauhinia blakeana</i>	洋紫荊	200	4	4	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T343	<i>Bauhinia blakeana</i>	洋紫荊	210	4	4	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
*5-T344	<i>Leucaena leucocephala</i>	銀合歡	110	6	8	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T345	<i>Macaranga tanarius</i>	血桐	140	5	5	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T346	<i>Cassia surrattensis</i>	黃槐	140	2	2	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
*5-T347	<i>Leucaena leucocephala</i>	銀合歡	360	10	13	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T348	Dead tree		-	-	-	-	-	-	-	To be removed	CE22/2006/KW/T/0006A
*5-T349	<i>Leucaena leucocephala</i>	銀合歡	280	6	10	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T350	<i>Celtis sinensis</i>	朴	420	10	8	Fair	Poor	Medium	Low	Fell	CE22/2006/KW/T/0006A
5-T351	<i>Acacia confusa</i>	台灣相思	510	10	16	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T352	<i>Albizia lebbek</i>	大葉合歡	380	10	14	Poor	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T353	<i>Albizia lebbek</i>	大葉合歡	480	9	13	Poor	Fair	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T354	<i>Albizia lebbek</i>	大葉合歡	260	7	10	Poor	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T355	<i>Macaranga tanarius</i>	血桐	270	7	10	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T356	<i>Macaranga tanarius</i>	血桐	150	4	10	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T357	<i>Bauhinia purpurea</i>	紅花羊蹄甲	110	6	7	Fair	Fair	Medium	Medium	Transplant	CE22/2006/KW/T/0006A
5-T358	<i>Bauhinia purpurea</i>	紅花羊蹄甲	120	3	6	Fair	Fair	Medium	Medium	Transplant	CE22/2006/KW/T/0006A
5-T359	<i>Bauhinia purpurea</i>	紅花羊蹄甲	140	4	10	Fair	Fair	Medium	Medium	Transplant	CE22/2006/KW/T/0006A
5-T360	<i>Macaranga tanarius</i>	血桐	240	4	12	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T361	<i>Mangifera indica</i>	芒果	450	6	12	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T362	<i>Dimocarpus longan</i>	龍眼	100	4	8	Fair	Fair	Medium	Medium	Transplant	CE22/2006/KW/T/0006A
5-T363	<i>Spathodea campanulata</i>	火焰木	130	3	5	Fair	Fair	Medium	Medium	Transplant	CE22/2006/KW/T/0006A
5-T364	<i>Spathodea campanulata</i>	火焰木	140	3	5	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T365	<i>Bombax ceiba</i>	木棉	400	4	10	Fair	Fair	High	High	Transplant	CE22/2006/KW/T/0006A
5-T366	<i>Macaranga tanarius</i>	血桐	380	6	10	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0006A
5-T367	<i>Aleurites moluccana</i>	石栗	580	4	16	Fair	Fair	Medium	Medium	Retain	CE22/2006/KW/T/0006A
5-T368	<i>Roystonia regia</i>	王棕	220	3	15	Fair	Fair	Medium	High	Transplant	CE22/2006/KW/T/0006A

Note:

* - *Leucaena leucocephala* ; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 5 (Castle Peak Road - Kwu Tung, Sheung Yue River, Shek Sheung River)

Tree No.	Tree Species	Chinese name	DBH (mm)	Spread (m)	Height (m)	Health (Good/Fair/Poor)	Form (Good/Fair/Poor)	Amenity / Ecological Value (High/Medium/Low)	Species post- transplantation survival rate (High/Medium/Low)	Proposed treatment under conflict (Retain/Fell/Transplant)	Reference Drawing
5-T369	<i>Celtis sinensis</i>	朴	160	1	4	Fair	Poor	Medium	Low	Fell	CE22/2006/KW/T/0006A
5-T370	<i>Delonix regia</i>	鳳凰木	370	10	16	Good	Poor	Medium	Medium	Transplant	CE22/2006/KW/T/0006A
5-T371	<i>Delonix regia</i>	鳳凰木	340	6	12	Good	Poor	Medium	Medium	Transplant	CE22/2006/KW/T/0006A
5-T372	<i>Dimocarpus longan</i>	龍眼	100	1	4	Fair	Fair	Medium	Medium	Transplant	CE22/2006/KW/T/0006A
5-T373	<i>Cinnamomum camphora</i>	樟	480	10	20	Good	Fair	High	Low	Retain	CE22/2006/KW/T/0006A
5-T374	<i>Celtis sinensis</i>	朴	360	10	17	Fair	Poor	Medium	Low	Fell	CE22/2006/KW/T/0006A
5-T375	<i>Celtis sinensis</i>	朴	320	6	17	Fair	Poor	Medium	Low	Fell	CE22/2006/KW/T/0006A
5-T377	<i>Celtis sinensis</i>	朴	400	6	15	Fair	Fair	High	Low	Retain	CE22/2006/KW/T/0006A
5-T378	<i>Celtis sinensis</i>	朴	400	6	15	Fair	Fair	High	Low	Retain	CE22/2006/KW/T/0006A
5-T378	<i>Dimocarpus longan</i>	龍眼	400	7	13	Good	Fair	High	Medium	Transplant	CE22/2006/KW/T/0006A
5-T379	<i>Celtis sinensis</i>	朴	160	2	5	Fair	Poor	Medium	Low	Fell	CE22/2006/KW/T/0006A
5-T380	<i>Machilus breviflora</i>	短序潤楠	120	3	4	Fair	Poor	Medium	Low	Retain	CE22/2006/KW/T/0006A
5-T381	<i>Celtis sinensis</i>	朴	320	5	9	Fair	Poor	Medium	Low	Fell	CE22/2006/KW/T/0006A
5-T382	<i>Dimocarpus longan</i>	龍眼	200	3	7	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T383	<i>Celtis sinensis</i>	朴	310	4	10	Fair	Poor	Medium	Low	Fell	CE22/2006/KW/T/0006A
5-T438	<i>Dimocarpus longan</i>	龍眼	130	4	8	Fair	Fair	Medium	Medium	Transplant	CE22/2006/TW/T/0008A
5-T439	<i>Michelia alba</i>	白蘭	160	3	4	Fair	Poor	Low	Medium	Fell	CE22/2006/TW/T/0008A
5-T440	<i>Bauhinia blakeana</i>	洋紫荊	120	4	5	Fair	Poor	Low	Medium	Fell	CE22/2006/TW/T/0008A
5-T441	<i>Syzygium jambos</i>	蒲桃	300	3	4	Fair	Fair	Medium	Low	Fell	CE22/2006/TW/T/0008A
5-T442	<i>Ficus rumphii</i>	假菩提樹	470	6	10	Fair	Fair	High	High	Transplant	CE22/2006/TW/T/0008A
5-T443	<i>Dimocarpus longan</i>	龍眼	380	3	10	Good	Fair	High	Medium	Transplant	CE22/2006/TW/T/0008A
5-T444	<i>Ficus rumphii</i>	假菩提樹	330	2	7	Fair	Fair	High	High	Transplant	CE22/2006/TW/T/0008A
5-T444	<i>Ficus rumphii</i>	假菩提樹	330	2	7	Fair	Fair	Medium	Low	Fell	CE22/2006/TW/T/0008A
5-T445	<i>Syzygium jambos</i>	蒲桃	140	2	7	Fair	Fair	Medium	Medium	Transplant	CE22/2006/TW/T/0008A
5-T446	<i>Lagerstroemia speciosa</i>	大花紫薇	100	3	4	Fair	Fair	Medium	Medium	Transplant	CE22/2006/TW/T/0008A
5-T446	<i>Lagerstroemia speciosa</i>	大花紫薇	110	3	4	Fair	Poor	Low	Medium	Fell	CE22/2006/TW/T/0008A
5-T447	<i>Lagerstroemia speciosa</i>	大花紫薇	110	3	4	Fair	Poor	Low	Medium	Fell	CE22/2006/TW/T/0008A
5-T448	<i>Macaranga tanarius</i>	血桐	180	3	5	Fair	Fair	Low	Low	Fell	CE22/2006/TW/T/0008A
5-T449	<i>Celtis sinensis</i>	朴	240	3	5	Fair	Fair	High	Low	Retain	CE22/2006/TW/T/0008A
5-T449	<i>Celtis sinensis</i>	朴	240	3	5	Fair	Fair	High	Low	Retain	CE22/2006/TW/T/0008A
5-T450	<i>Syzygium jambos</i>	蒲桃	330	3	5	Fair	Fair	Medium	Low	Fell	CE22/2006/TW/T/0008A
5-T451	<i>Bauhinia blakeana</i>	洋紫荊	150	3	4	Fair	Fair	Medium	Medium	Transplant	CE22/2006/TW/T/0008A
5-T451	<i>Bauhinia blakeana</i>	洋紫荊	150	3	4	Fair	Fair	Medium	Medium	Transplant	CE22/2006/TW/T/0008A
5-T452	<i>Albizia lebbek</i>	大葉合歡	400	6	12	Fair	Poor	Low	Medium	Fell	CE22/2006/KW/T/0006A
5-T453	<i>Delonix regia</i>	鳳凰木	195	5	7	Good	Good	Medium	Medium	Retain	CE22/2006/KW/T/0007A

Tree numbers listed in other schedules:

5-T152 to 5-T173, 5-T232 to 5-T242, 5-T305 to 5-T309 (Education Centre)

5-T384 to 5-T437 (Resting Station R10)

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 7 (San Tin Tsuen Road)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post- transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
7-T001	<i>Celtis biondii</i>	紫彈朴	500	6	10	Fair	Fair	Medium	Medium	Retain	CE22/2006/MP/T/0004A
7-T002	<i>Melaleuca quinquenevia</i>	白千層	210	3	7	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0004A
7-T003	<i>Melaleuca quinquenevia</i>	白千層	200	3	7	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0004A
7-T004	<i>Melaleuca quinquenevia</i>	白千層	140	2	6	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0004A
7-T005	<i>Melaleuca quinquenevia</i>	白千層	120	2	6	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0004A
7-T006	<i>Melaleuca quinquenevia</i>	白千層	120	2	6	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0004A
7-T007	<i>Michelia alba</i>	白蘭	380	8	8	Good	Fair	High	High	Retain	CE22/2006/MP/T/0004A
7-T008	<i>Michelia alba</i>	白蘭	180	4	7	Good	Fair	High	High	Retain	CE22/2006/MP/T/0004A
7-T009	<i>Celtis biondii</i>	紫彈朴	140	4	5	Fair	Fair	Medium	Medium	Retain	CE22/2006/MP/T/0004A
7-T010	<i>Celtis biondii</i>	紫彈朴	290	8	12	Fair	Fair	Medium	Medium	Retain	CE22/2006/MP/T/0004A
7-T011	<i>Celtis biondii</i>	紫彈朴	530	10	10	Fair	Fair	Medium	Medium	Retain	CE22/2006/MP/T/0004A
7-T012	<i>Albizia falcataria</i>	南洋楹	160	3	4	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T160	<i>Albizia falcataria</i>	南洋楹	90	5	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T161	<i>Albizia falcataria</i>	南洋楹	110	3	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T162	<i>Albizia falcataria</i>	南洋楹	110	5	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T163	<i>Albizia falcataria</i>	南洋楹	120	2	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T164	<i>Albizia falcataria</i>	南洋楹	90	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T165	<i>Albizia falcataria</i>	南洋楹	90	4	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T166	<i>Albizia falcataria</i>	南洋楹	100	3	4	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T167	<i>Albizia falcataria</i>	南洋楹	120	4	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T168	<i>Albizia falcataria</i>	南洋楹	120	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T169	<i>Albizia falcataria</i>	南洋楹	110	3	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T170	<i>Albizia falcataria</i>	南洋楹	100	5	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T171	<i>Albizia falcataria</i>	南洋楹	110	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T172	<i>Artocarpus heterophyllus</i>	波羅蜜	90	3	4	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T173	<i>Artocarpus heterophyllus</i>	波羅蜜	100	3	4	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T174	<i>Artocarpus heterophyllus</i>	波羅蜜	100	3	4	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T175	<i>Artocarpus heterophyllus</i>	波羅蜜	150	4	5	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T176	<i>Artocarpus heterophyllus</i>	波羅蜜	110	4	6	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T177	<i>Albizia falcataria</i>	南洋楹	100	4	6	Good	Good	Medium	Low	Retain	CE22/2006/MP/T/0012A
7-T178	<i>Albizia falcataria</i>	南洋楹	90	4	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T179	<i>Albizia falcataria</i>	南洋楹	120	4	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T180	<i>Albizia falcataria</i>	南洋楹	110	4	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

SECTION 7 (San Tin Tsuen Road)

Tree No.	Tree Species	Chinese name	DBH (mm)	Spread (m)	Height (m)	Health (Good/Fair/Poor)	Form (Good/Fair/Poor)	Amenity / Ecological Value (High/Medium/Low)	Species post- transplantation survival rate (High/Medium/Low)	Proposed treatment under conflict (Retain/Fell/Transplant)	Reference Drawing
7-T181	<i>Albizia falcataria</i>	南洋楹	110	5	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T184	<i>Albizia falcataria</i>	南洋楹	110	5	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T185	<i>Albizia falcataria</i>	南洋楹	120	4	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T186	<i>Albizia falcataria</i>	南洋楹	100	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T187	<i>Albizia falcataria</i>	南洋楹	100	3	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T188	<i>Artocarpus heterophyllus</i>	波羅蜜	170	2	3	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T189	<i>Mangifera indica</i>	芒果	160	2	3	Fair	Fair	Low	Medium	Fell	CE22/2006/MP/T/0012A
7-T190	<i>Mangifera indica</i>	芒果	130	2	3	Fair	Fair	Low	Medium	Transplant	CE22/2006/MP/T/0012A
7-T191	<i>Albizia falcataria</i>	南洋楹	110	3	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T192	<i>Albizia falcataria</i>	南洋楹	120	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T193	<i>Albizia falcataria</i>	南洋楹	110	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T194	<i>Albizia falcataria</i>	南洋楹	120	4	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T195	<i>Albizia falcataria</i>	南洋楹	120	4	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T198	<i>Albizia falcataria</i>	南洋楹	150	4	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T199	<i>Albizia falcataria</i>	南洋楹	170	5	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T200	<i>Hibiscus tiliaceus</i>	黃槿	240	5	7	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T201	<i>Hibiscus tiliaceus</i>	黃槿	210	6	7	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T202	<i>Melaleuca quinquenevia</i>	白千層	240	3	6	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T203	<i>Melaleuca quinquenevia</i>	白千層	190	4	6	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T204	<i>Melaleuca quinquenevia</i>	白千層	190	2	6	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T205	<i>Melaleuca quinquenevia</i>	白千層	130	2	4	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T206	<i>Melaleuca quinquenevia</i>	白千層	180	2	4	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T207	<i>Melaleuca quinquenevia</i>	白千層	140	2	4	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T208	<i>Acacia auriculiformis</i>	耳果相思	200	5	7	Good	Good	Low	Low	Fell	CE22/2006/MP/T/0012A
7-T209	<i>Melaleuca quinquenevia</i>	白千層	130	2	2	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T210	<i>Syzygium cumini</i>	海南蒲桃	170	2	3	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T211	<i>Melia azedarach</i>	苦楝樹	180	4	6	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T212	<i>Melia azedarach</i>	苦楝樹	150	4	6	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T212	<i>Melia azedarach</i>	垂葉榕	140	3	6	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0012A
7-T213	<i>Ficus benjamina</i>	垂葉榕	140	3	6	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0012A
7-T214	<i>Hibiscus tiliaceus</i>	黃槿	200	4	6	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T215	<i>Hibiscus tiliaceus</i>	黃槿	280	5	5	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T216	<i>Hibiscus tiliaceus</i>	黃槿	190	4	5	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T217	<i>Hibiscus tiliaceus</i>	黃槿	160	3	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

SECTION 7 (San Tin Tsuen Road)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
7-T218	<i>Hibiscus tiliaceus</i>	黃槿	180	4	5	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T219	<i>Hibiscus tiliaceus</i>	黃槿	150	3	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T220	<i>Hibiscus tiliaceus</i>	黃槿	200	3	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T221	<i>Hibiscus tiliaceus</i>	黃槿	280	4	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T222	<i>Hibiscus tiliaceus</i>	黃槿	390	5	5	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T223	<i>Celtis biondii</i>	紫彈朴	150	5	5	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T224	<i>Albizia falcataria</i>	南洋楹	100	2	4	Good	Good	High	Low	Retain	CE22/2006/MP/T/0012A
7-T225	<i>Celtis biondii</i>	紫彈朴	170	4	6	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T226	<i>Celtis biondii</i>	紫彈朴	200	3	6	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T227	<i>Cassia surattensis</i>	黃槐	130	2	3	Fair	Fair	Low	Medium	Fell	CE22/2006/MP/T/0012A
7-T228	<i>Cassia surattensis</i>	黃槐	120	2	3	Fair	Fair	Low	Medium	Fell	CE22/2006/MP/T/0012A
7-T229	<i>Cassia surattensis</i>	黃槐	130	2	3	Fair	Fair	Low	Medium	Fell	CE22/2006/MP/T/0012A
7-T230	<i>Phyllanthus emblica</i>	餘甘子	130	2	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T231	<i>Phyllanthus emblica</i>	餘甘子	110	2	2	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T232	<i>Phyllanthus emblica</i>	餘甘子	120	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T233	<i>Phyllanthus emblica</i>	餘甘子	110	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T234	<i>Phyllanthus emblica</i>	餘甘子	130	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T235	<i>Phyllanthus emblica</i>	餘甘子	110	3	4	Good	Good	Medium	Low	Retain	CE22/2006/MP/T/0012A
7-T236	<i>Acacia confusa</i>	台灣相思	140	2	3	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0012A
7-T237	<i>Cassia surattensis</i>	黃槐	110	2	2	Fair	Fair	Low	Medium	Fell	CE22/2006/MP/T/0012A
7-T238	<i>Phyllanthus emblica</i>	餘甘子	130	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T239	<i>Phyllanthus emblica</i>	餘甘子	120	2	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T240	<i>Acacia confusa</i>	台灣相思	160	3	4	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0012A
7-T241	<i>Cassia surattensis</i>	黃槐	120	2	4	Fair	Fair	Low	Medium	Fell	CE22/2006/MP/T/0012A
7-T242	<i>Cassia surattensis</i>	黃槐	160	2	3	Fair	Fair	Low	Medium	Fell	CE22/2006/MP/T/0012A
7-T243	<i>Phyllanthus emblica</i>	餘甘子	130	3	5	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T244	<i>Phyllanthus emblica</i>	餘甘子	140	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T245	<i>Phyllanthus emblica</i>	餘甘子	160	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T246	<i>Acacia confusa</i>	台灣相思	220	2	4	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0012A
7-T247	<i>Melaleuca quinquenervia</i>	白千層	200	3	5	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T248	<i>Albizia falcataria</i>	南洋楹	110	2	3	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T249	<i>Albizia falcataria</i>	南洋楹	120	2	3	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T250	<i>Albizia falcataria</i>	南洋楹	150	2	2	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A

Note:

* - *Leucaena leucocephala*: # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix I2-1 Preliminary Tree Survey

SECTION 7 (San Tin Tsuen Road)

Tree No.	Tree Species	Chinese name	DBH (mm)	Spread (m)	Height (m)	Health (Good/Fair/Poor)	Form (Good/Fair/Poor)	Amenity / Ecological Value (High/Medium/Low)	Species post- transplantation survival rate (High/Medium/Low)	Proposed treatment under conflict (Retain/Fell/Transplant)	Reference Drawing
7-T251	<i>Albizia falcataria</i>	南洋楸	110	2	3	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T252	<i>Albizia falcataria</i>	南洋楸	130	2	3	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T253	<i>Albizia falcataria</i>	南洋楸	100	3	4	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T254	<i>Albizia falcataria</i>	南洋楸	110	3	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T255	<i>Phyllanthus emblica</i>	餘甘子	120	2	2	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T256	<i>Acacia confusa</i>	台灣相思	130	4	5	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0012A
7-T257	<i>Celtis biondii</i>	紫彈朴	110	2	4	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T258	<i>Phyllanthus emblica</i>	餘甘子	150	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T259	<i>Celtis biondii</i>	紫彈朴	140	2	3	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T260	<i>Phyllanthus emblica</i>	餘甘子	120	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T261	<i>Albizia falcataria</i>	南洋楸	110	4	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T262	<i>Albizia falcataria</i>	南洋楸	120	2	2	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T263	<i>Albizia falcataria</i>	南洋楸	110	4	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T264	<i>Albizia falcataria</i>	南洋楸	110	4	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T265	<i>Albizia falcataria</i>	南洋楸	120	5	8	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T266	<i>Albizia falcataria</i>	南洋楸	110	4	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T267	<i>Albizia falcataria</i>	南洋楸	110	2	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T268	<i>Albizia falcataria</i>	南洋楸	90	2	4	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T269	<i>Albizia falcataria</i>	南洋楸	110	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T270	<i>Albizia falcataria</i>	南洋楸	130	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T271	<i>Albizia falcataria</i>	南洋楸	140	3	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T272	<i>Calliandra haematocephala</i>	紅絨球	110	3	7	Fair	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T273	<i>Albizia falcataria</i>	南洋楸	100	3	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T274	<i>Albizia falcataria</i>	南洋楸	130	3	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T275	<i>Albizia falcataria</i>	南洋楸	110	3	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T276	<i>Albizia falcataria</i>	南洋楸	120	2	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T277	<i>Albizia falcataria</i>	南洋楸	120	2	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T278	<i>Albizia falcataria</i>	南洋楸	120	2	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T279	<i>Phyllanthus emblica</i>	餘甘子	130	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T280	<i>Phyllanthus emblica</i>	餘甘子	110	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T281	<i>Phyllanthus emblica</i>	餘甘子	110	2	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T282	<i>Albizia falcataria</i>	南洋楸	100	2	4	Good	Good	Medium	Low	Retain	CE22/2006/MP/T/0012A
7-T283	<i>Jacaranda acutifolia</i>	藍花楸	110	2	3	Good	Good	Medium	Medium	Retain	CE22/2006/MP/T/0012A

Note:

* - *Leucaena leucocephala* : # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix I2-1 Preliminary Tree Survey

SECTION 7 (San Tin Tsuen Road)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)			(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	
7-T284	<i>Jacaranda acutifolia</i>	藍花楸	130	2	4	Good	Good	Medium	Medium	Retain	CE22/2006/MP/T/0012A
7-T285	<i>Jacaranda acutifolia</i>	藍花楸	160	2	4	Good	Good	Medium	Medium	Retain	CE22/2006/MP/T/0012A
7-T286	<i>Phyllanthus emblica</i>	餘甘子	160	2	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T287	<i>Phyllanthus emblica</i>	餘甘子	140	2	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T288	<i>Hibiscus tiliaceus</i>	黃槿	230	7	9	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T289	<i>Hibiscus tiliaceus</i>	黃槿	300	7	9	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T290	<i>Hibiscus tiliaceus</i>	黃槿	340	7	9	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T291	<i>Hibiscus tiliaceus</i>	黃槿	280	6	8	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T292	<i>Hibiscus tiliaceus</i>	黃槿	200	5	8	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T293	<i>Albizia falcataria</i>	南洋楹	140	3	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T294	<i>Albizia falcataria</i>	南洋楹	200	3	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T295	<i>Jacaranda acutifolia</i>	藍花楸	120	2	3	Good	Good	Medium	Medium	Fell	CE22/2006/MP/T/0012A
7-T296	<i>Phyllanthus emblica</i>	餘甘子	110	2	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T297	<i>Albizia falcataria</i>	南洋楹	120	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T298	<i>Albizia falcataria</i>	南洋楹	110	2	3	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T299	<i>Phyllanthus emblica</i>	餘甘子	130	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T300	<i>Phyllanthus emblica</i>	餘甘子	140	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T301	<i>Albizia falcataria</i>	南洋楹	120	3	6	Good	Good	High	Low	Transplant	CE22/2006/MP/T/0012A
7-T302	<i>Calliandra haematocephala</i>	紅絨球	130	3	5	Fair	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T303	<i>Calliandra haematocephala</i>	紅絨球	160	3	4	Fair	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T304	<i>Calliandra haematocephala</i>	紅絨球	200	3	5	Fair	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T305	<i>Jacaranda acutifolia</i>	藍花楸	120	2	4	Good	Good	High	Medium	Retain	CE22/2006/MP/T/0012A
7-T306	<i>Albizia falcataria</i>	南洋楹	110	1	3	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T307	<i>Albizia falcataria</i>	南洋楹	110	4	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T308	<i>Albizia falcataria</i>	南洋楹	150	3	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T309	<i>Albizia falcataria</i>	南洋楹	130	5	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T310	<i>Albizia falcataria</i>	南洋楹	120	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T311	<i>Albizia falcataria</i>	南洋楹	120	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T312	<i>Albizia falcataria</i>	南洋楹	120	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T313	<i>Albizia falcataria</i>	南洋楹	110	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T314	<i>Albizia falcataria</i>	南洋楹	120	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T315	<i>Albizia falcataria</i>	南洋楹	150	4	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T316	<i>Albizia falcataria</i>	南洋楹	200	5	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 7 (San Tin Tsuen Road)

Tree No.	Tree Species	Chinese name	DBH (mm)	Spread (m)	Height (m)	Health (Good/Fair/Poor)	Form (Good/Fair/Poor)	Amenity / Ecological Value (High/Medium/Low)	Species post- transplantation survival rate (High/Medium/Low)	Proposed treatment under conflict (Retain/Fell/Transplant)	Reference Drawing
7-T317	<i>Phyllanthus emblica</i>	餘甘子	130	2	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T318	<i>Albizia falcataria</i>	南洋楸	110	2	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T319	<i>Albizia falcataria</i>	南洋楸	160	4	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T320	<i>Albizia falcataria</i>	南洋楸	140	1	3	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T321	<i>Phyllanthus emblica</i>	餘甘子	120	2	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T322	<i>Phyllanthus emblica</i>	餘甘子	120	2	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T323	<i>Phyllanthus emblica</i>	餘甘子	130	3	5	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T324	<i>Phyllanthus emblica</i>	餘甘子	140	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T325	<i>Albizia falcataria</i>	南洋楸	140	3	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T326	<i>Jacaranda acutifolia</i>	藍花楸	130	2	3	Good	Good	Medium	Medium	Retain	CE22/2006/MP/T/0012A
7-T327	<i>Jacaranda acutifolia</i>	藍花楸	110	2	3	Good	Good	Medium	Medium	Retain	CE22/2006/MP/T/0012A
7-T328	<i>Jacaranda acutifolia</i>	藍花楸	150	2	3	Good	Good	Medium	Medium	Retain	CE22/2006/MP/T/0012A
7-T329	<i>Jacaranda acutifolia</i>	藍花楸	130	2	3	Good	Good	Medium	Medium	Retain	CE22/2006/MP/T/0012A
7-T330	<i>Jacaranda acutifolia</i>	藍花楸	120	3	4	Good	Good	Medium	Medium	Retain	CE22/2006/MP/T/0012A
7-T331	<i>Jacaranda acutifolia</i>	藍花楸	90	3	4	Good	Good	Medium	Medium	Retain	CE22/2006/MP/T/0012A
7-T332	<i>Jacaranda acutifolia</i>	藍花楸	110	3	4	Good	Good	Medium	Medium	Retain	CE22/2006/MP/T/0012A
7-T333	<i>Jacaranda acutifolia</i>	藍花楸	90	2	4	Good	Good	Medium	Medium	Retain	CE22/2006/MP/T/0012A
7-T334	<i>Jacaranda acutifolia</i>	藍花楸	90	3	3	Good	Good	Medium	Medium	Retain	CE22/2006/MP/T/0012A
7-T335	<i>Jacaranda acutifolia</i>	藍花楸	120	3	4	Good	Good	Medium	Medium	Retain	CE22/2006/MP/T/0012A
7-T336	<i>Jacaranda acutifolia</i>	藍花楸	110	4	4	Good	Good	Medium	Medium	Retain	CE22/2006/MP/T/0012A
7-T337	<i>Phyllanthus emblica</i>	餘甘子	130	3	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T338	<i>Acacia confusa</i>	台灣相思	140	3	6	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0012A
7-T339	<i>Phyllanthus emblica</i>	餘甘子	110	3	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T340	<i>Phyllanthus emblica</i>	餘甘子	150	3	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T341	<i>Acacia confusa</i>	台灣相思	150	4	5	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0012A
7-T342	<i>Calliandra haematocephala</i>	紅絨球	180	4	7	Fair	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T343	<i>Calliandra haematocephala</i>	紅絨球	160	2	4	Fair	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T344	<i>Syzygium cumini</i>	海南蒲桃	130	2	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0012A
7-T345	<i>Hibiscus tiliaceus</i>	黃槿	170	3	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T346	<i>Hibiscus tiliaceus</i>	黃槿	220	3	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T347	<i>Syzygium cumini</i>	海南蒲桃	160	2	3	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0012A
7-T348	<i>Hibiscus tiliaceus</i>	黃槿	190	2	3	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T349	<i>Hibiscus tiliaceus</i>	黃槿	190	2	3	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 7 (San Tin Tsuen Road)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post- transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
7-T350	<i>Hibiscus tiliaceus</i>	黃槿	100	2	3	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T351	<i>Syzygium cumini</i>	海南蒲桃	130	2	4	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T352	<i>Syzygium cumini</i>	海南蒲桃	120	2	3	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T353	<i>Syzygium cumini</i>	海南蒲桃	170	2	3	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T354	<i>Syzygium cumini</i>	海南蒲桃	190	2	3	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T355	<i>Syzygium cumini</i>	海南蒲桃	120	2	2	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T356	<i>Syzygium cumini</i>	海南蒲桃	190	2	4	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T357	<i>Ficus benjamina</i>	垂葉榕	170	2	3	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0012A
7-T358	<i>Celtis biondii</i>	紫彈朴	120	2	3	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T359	<i>Calliandra haematocephala</i>	紅絨球	160	2	3	Fair	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T360	<i>Calliandra haematocephala</i>	紅絨球	130	2	4	Fair	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T361	<i>Syzygium cumini</i>	海南蒲桃	160	2	4	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T362	<i>Syzygium cumini</i>	海南蒲桃	150	3	4	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T363	<i>Melaleuca quinquenevia</i>	白千層	170	2	4	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T364	<i>Melaleuca quinquenevia</i>	白千層	170	2	4	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T365	<i>Melaleuca quinquenevia</i>	白千層	190	2	3	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T366	<i>Melaleuca quinquenevia</i>	白千層	140	2	3	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T367	<i>Melaleuca quinquenevia</i>	白千層	190	2	4	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T368	<i>Melaleuca quinquenevia</i>	白千層	120	2	3	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0012A
7-T369	<i>Syzygium cumini</i>	海南蒲桃	140	2	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T370	<i>Syzygium cumini</i>	海南蒲桃	140	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T371	<i>Syzygium cumini</i>	海南蒲桃	140	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T372	<i>Syzygium cumini</i>	海南蒲桃	180	3	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T373	<i>Hibiscus tiliaceus</i>	黃槿	190	3	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T374	<i>Hibiscus tiliaceus</i>	黃槿	230	3	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T375	<i>Hibiscus tiliaceus</i>	黃槿	180	3	4	Good	Good	High	High	Transplant	CE22/2006/MP/T/0012A
7-T376	<i>Hibiscus tiliaceus</i>	黃槿	330	3	5	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T377	<i>Hibiscus tiliaceus</i>	黃槿	180	3	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T378	<i>Hibiscus tiliaceus</i>	黃槿	280	3	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T379	<i>Hibiscus tiliaceus</i>	黃槿	230	4	6	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T380	<i>Albizia falcataria</i>	南洋楸	130	3	5	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T381	<i>Albizia falcataria</i>	南洋楸	120	3	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T382	<i>Albizia falcataria</i>	南洋楸	150	3	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A

Note:

* - *Leucaena leucocephala* ; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 7 (San Tin Tsuen Road)

Tree No.	Tree Species	Chinese name	DBH (mm)	Spread (m)	Height (m)	Health (Good/Fair/Poor)	Form (Good/Fair/Poor)	Amenity / Ecological Value (High/Medium/Low)	Species post- transplantation survival rate (High/Medium/Low)	Proposed treatment under conflict (Retain/Fell/Transplant)	Reference Drawing
7-T383	<i>Hibiscus tiliaceus</i>	黃槿	210	5	7	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T384	<i>Hibiscus tiliaceus</i>	黃槿	180	4	6	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T385	<i>Hibiscus tiliaceus</i>	黃槿	220	4	6	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T386	<i>Hibiscus tiliaceus</i>	黃槿	200	4	6	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T387	<i>Hibiscus tiliaceus</i>	黃槿	200	4	6	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T388	<i>Hibiscus tiliaceus</i>	黃槿	190	3	5	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T389	<i>Hibiscus tiliaceus</i>	黃槿	150	2	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T390	<i>Hibiscus tiliaceus</i>	黃槿	130	2	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T391	<i>Acacia confusa</i>	台灣相思	110	2	4	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0012A
7-T392	<i>Hibiscus tiliaceus</i>	黃槿	180	2	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T393	<i>Hibiscus tiliaceus</i>	黃槿	100	3	5	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T394	<i>Hibiscus tiliaceus</i>	黃槿	150	3	5	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T395	<i>Hibiscus tiliaceus</i>	黃槿	150	2	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T396	<i>Hibiscus tiliaceus</i>	黃槿	200	3	5	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T397	<i>Phyllanthus emblica</i>	餘甘子	110	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T398	<i>Hibiscus tiliaceus</i>	黃槿	220	3	5	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T399	<i>Hibiscus tiliaceus</i>	黃槿	220	5	6	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T400	<i>Ficus benjamina</i>	垂葉榕	250	3	5	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0012A
7-T401	<i>Ficus benjamina</i>	垂葉榕	200	2	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0012A
7-T402	<i>Hibiscus tiliaceus</i>	黃槿	100	2	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0012A
7-T403	<i>Phyllanthus emblica</i>	餘甘子	120	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T404	<i>Albizia falcataria</i>	南洋楹	140	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T405	<i>Albizia falcataria</i>	南洋楹	190	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T406	<i>Albizia falcataria</i>	南洋楹	120	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0012A
7-T407	<i>Albizia falcataria</i>	南洋楹	120	3	6	Good	Good	High	Low	Transplant	CE22/2006/MP/T/0012A
7-T408	<i>Phyllanthus emblica</i>	餘甘子	130	1	2	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T409	<i>Phyllanthus emblica</i>	餘甘子	230	6	6	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T410	<i>Phyllanthus emblica</i>	餘甘子	130	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T411	<i>Phyllanthus emblica</i>	餘甘子	130	2	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T412	<i>Phyllanthus emblica</i>	餘甘子	150	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T413	<i>Phyllanthus emblica</i>	餘甘子	110	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T414	<i>Phyllanthus emblica</i>	餘甘子	110	2	3	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T415	<i>Jacaranda acutifolia</i>	藍花楹	110	2	2	Good	Good	High	Medium	Retain	CE22/2006/MP/T/0012A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 7 (San Tin Tsuen Road)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)			(Good/Fair/Poor)	(High/Medium/Low)		
7-T418	<i>Macaranga tanarius</i>	血桐	130	2	3	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T419	<i>Macaranga tanarius</i>	血桐	110	2	3	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T420	<i>Syzygium cumini</i>	海南蒲桃	160	3	7	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T421	<i>Syzygium cumini</i>	海南蒲桃	200	3	8	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T422	<i>Phyllanthus emblica</i>	餘甘子	120	2	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T423	<i>Phyllanthus emblica</i>	餘甘子	120	2	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T424	<i>Phyllanthus emblica</i>	餘甘子	140	2	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T425	<i>Phyllanthus emblica</i>	餘甘子	130	2	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T426	<i>Syzygium cumini</i>	海南蒲桃	240	4	6	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0012A
7-T427	<i>Casuarina equisetifolia</i>	木麻黃	310	6	10	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
7-T428	<i>Casuarina equisetifolia</i>	木麻黃	250	6	9	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
7-T429	<i>Casuarina equisetifolia</i>	木麻黃	300	6	10	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0005A
7-T430	<i>Albizia falcataria</i>	南洋楹	260	3	8	Good	Good	High	Low	Transplant	CE22/2006/MP/T/0005A
7-T431	<i>Albizia falcataria</i>	南洋楹	120	3	6	Good	Good	High	Low	Transplant	CE22/2006/MP/T/0005A
7-T432	<i>Albizia falcataria</i>	南洋楹	120	2	3	Good	Good	High	Low	Transplant	CE22/2006/MP/T/0005A
7-T433	<i>Albizia falcataria</i>	南洋楹	370	3	5	Good	Good	High	Low	Transplant	CE22/2006/MP/T/0005A
7-T434	<i>Albizia falcataria</i>	南洋楹	140	2	4	Good	Good	High	Low	Transplant	CE22/2006/MP/T/0005A
7-T435	<i>Syzygium cumini</i>	海南蒲桃	220	4	8	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0005A
7-T436	<i>Macaranga tanarius</i>	血桐	190	3	5	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0005A
7-T437	<i>Syzygium jambos</i>	蒲桃	110	2	4	Good	Good	Medium	Low	Fell	CE22/2006/MP/T/0005A
7-T438	<i>Melia azedarach</i>	苦楝樹	140	2	5	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0005A
7-T439	<i>Ficus microcarpa</i>	細葉榕	110	1	3	Good	Good	High	High	Transplant	CE22/2006/MP/T/0005A
7-T440	<i>Melia azedarach</i>	苦楝樹	200	3	6	Good	Good	High	Medium	Transplant	CE22/2006/MP/T/0005A
7-T441	<i>Albizia lebbek</i>	大葉合歡	120	3	4	Good	Good	High	High	Retain	CE22/2006/MP/T/0005A
7-T442	<i>Albizia lebbek</i>	大葉合歡	170	2	4	Good	Good	High	High	Retain	CE22/2006/MP/T/0005A
7-T458	<i>Albizia falcataria</i>	南洋楹	150	4	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T459	<i>Albizia falcataria</i>	南洋楹	220	5	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T460	<i>Albizia falcataria</i>	南洋楹	150	4	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T461	<i>Albizia falcataria</i>	南洋楹	140	3	4	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T462	<i>Albizia falcataria</i>	南洋楹	140	4	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T463	<i>Albizia falcataria</i>	南洋楹	120	3	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T464	<i>Albizia falcataria</i>	南洋楹	130	2	4	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T465	<i>Albizia falcataria</i>	南洋楹	130	2	4	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix I2-1 Preliminary Tree Survey

SECTION 7 (San Tin Tsuen Road)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
7-T466	<i>Albizia falcataria</i>	南洋楹	150	2	3	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T467	<i>Ficus benjamina</i>	垂葉榕	330	5	8	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T468	<i>Ficus benjamina</i>	垂葉榕	210	4	7	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T469	<i>Ficus benjamina</i>	垂葉榕	300	4	7	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T470	<i>Ficus benjamina</i>	垂葉榕	280	4	7	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T471	<i>Ficus benjamina</i>	垂葉榕	250	4	8	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T472	<i>Ficus benjamina</i>	垂葉榕	310	4	7	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T473	<i>Ficus benjamina</i>	垂葉榕	170	3	5	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T474	<i>Ficus benjamina</i>	垂葉榕	400	4	6	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T475	<i>Ficus benjamina</i>	垂葉榕	200	3	5	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T476	<i>Ficus benjamina</i>	垂葉榕	210	3	6	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T477	<i>Ficus benjamina</i>	垂葉榕	280	2	5	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T478	<i>Ficus benjamina</i>	垂葉榕	270	3	6	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T479	<i>Ficus benjamina</i>	垂葉榕	250	4	7	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T480	<i>Ficus benjamina</i>	垂葉榕	400	5	7	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T481	<i>Ficus benjamina</i>	垂葉榕	260	4	7	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T482	<i>Ficus benjamina</i>	垂葉榕	120	3	6	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T483	<i>Ficus benjamina</i>	垂葉榕	330	5	6	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T484	<i>Albizia falcataria</i>	南洋楹	190	5	8	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T485	<i>Albizia falcataria</i>	南洋楹	190	5	8	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T486	<i>Albizia falcataria</i>	南洋楹	130	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T487	<i>Albizia falcataria</i>	南洋楹	130	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T488	<i>Albizia falcataria</i>	南洋楹	400	7	10	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T489	<i>Albizia falcataria</i>	南洋楹	260	6	10	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T490	<i>Albizia falcataria</i>	南洋楹	120	4	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T491	<i>Albizia falcataria</i>	南洋楹	130	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T492	<i>Albizia falcataria</i>	南洋楹	140	3	6	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T493	<i>Albizia falcataria</i>	南洋楹	170	2	4	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T494	<i>Albizia falcataria</i>	南洋楹	150	2	4	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T495	<i>Albizia falcataria</i>	南洋楹	180	3	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T496	<i>Albizia falcataria</i>	南洋楹	130	2	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T497	<i>Albizia falcataria</i>	南洋楹	120	3	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T498	<i>Albizia falcataria</i>	南洋楹	140	2	3	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

SECTION 7 (San Tin Tsuen Road)

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
7-T499	<i>Albizia falcataria</i>	南洋楸	130	2	4	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T500	<i>Albizia falcataria</i>	南洋楸	190	2	4	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T501	<i>Albizia falcataria</i>	南洋楸	110	2	4	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T502	<i>Albizia falcataria</i>	南洋楸	150	3	4	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T503	<i>Jacaranda acutifolia</i>	藍花楸	110	2	3	Good	Good	High	Medium	Retain	CE22/2006/MP/T/0004A
7-T504	<i>Albizia falcataria</i>	南洋楸	150	3	4	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T505	<i>Jacaranda acutifolia</i>	藍花楸	130	2	4	Good	Good	High	Medium	Retain	CE22/2006/MP/T/0004A
7-T506	<i>Jacaranda acutifolia</i>	藍花楸	260	3	4	Good	Good	High	Medium	Retain	CE22/2006/MP/T/0004A
7-T507	<i>Albizia falcataria</i>	南洋楸	110	2	4	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T508	<i>Acacia confusa</i>	台灣相思	200	3	5	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0004A
7-T509	<i>Albizia falcataria</i>	南洋楸	170	3	4	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T510	<i>Jacaranda acutifolia</i>	藍花楸	130	2	4	Good	Good	High	Medium	Retain	CE22/2006/MP/T/0004A
7-T511	<i>Albizia falcataria</i>	南洋楸	110	2	4	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T512	<i>Acacia confusa</i>	台灣相思	200	3	5	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0004A
7-T513	<i>Albizia falcataria</i>	南洋楸	110	3	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T514	<i>Albizia falcataria</i>	南洋楸	200	3	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T515	<i>Albizia falcataria</i>	南洋楸	120	3	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T516	<i>Acacia auriculiformis</i>	耳果相思	160	3	5	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0004A
7-T517	<i>Acacia auriculiformis</i>	耳果相思	190	3	6	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0004A
7-T518	<i>Acacia auriculiformis</i>	耳果相思	110	2	5	Fair	Fair	Low	Low	Fell	CE22/2006/MP/T/0004A
7-T519	<i>Albizia falcataria</i>	南洋楸	250	4	7	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T520	<i>Albizia falcataria</i>	南洋楸	120	3	5	Good	Good	Medium	Low	Transplant	CE22/2006/MP/T/0004A
7-T521	<i>Jacaranda acutifolia</i>	藍花楸	140	2	3	Good	Good	High	Medium	Retain	CE22/2006/MP/T/0004A
7-T522	<i>Jacaranda acutifolia</i>	藍花楸	260	7	9	Good	Good	High	Medium	Retain	CE22/2006/MP/T/0004A
7-T523	<i>Hibiscus tiliaceus</i>	黃槿	370	3	5	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
7-T524	<i>Hibiscus tiliaceus</i>	黃槿	150	2	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
7-T525	<i>Hibiscus tiliaceus</i>	黃槿	120	2	3	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
7-T526	<i>Hibiscus tiliaceus</i>	黃槿	150	2	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
7-T527	<i>Hibiscus tiliaceus</i>	黃槿	130	2	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
7-T528	<i>Hibiscus tiliaceus</i>	黃槿	120	2	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
7-T529	<i>Hibiscus tiliaceus</i>	黃槿	140	2	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
7-T530	<i>Hibiscus tiliaceus</i>	黃槿	120	2	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0004A
7-T531	<i>Hibiscus tiliaceus</i>	黃槿	150	2	4	Good	Good	Medium	Medium	Transplant	CE22/2006/MP/T/0004A

Note:

* - *Leucaena leucocephala*: # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

SECTION 7 (San Tin Tsuen Road)

Tree No.	Tree Species	Chinese name	DBH (mm)	Spread (m)	Height (m)	Health (Good/Fair/Poor)	Form (Good/Fair/Poor)	Amenity / Ecological Value	Species post- transplantation survival rate	Proposed treatment under conflict	Reference Drawing
								(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
7-T532	<i>Bischofia javanica</i>	秋楓	100	2	3	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0004A
7-T533	<i>Bischofia javanica</i>	秋楓	110	2	3	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0004A
7-T534	<i>Syzygium cumini</i>	海南蒲桃	190	4	5	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0004A
7-T535	<i>Syzygium cumini</i>	海南蒲桃	100	2	3	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0004A
7-T536	<i>Syzygium cumini</i>	海南蒲桃	120	2	4	Fair	Fair	Medium	Low	Fell	CE22/2006/MP/T/0004A
7-T537	<i>Eucalyptus robusta</i>	大葉桉	200	5	11	Fair	Fair	High	Medium	Fell	CE22/2006/MP/T/0004A
7-T538	<i>Eucalyptus robusta</i>	大葉桉	180	3	9	Fair	Fair	High	Medium	Fell	CE22/2006/MP/T/0004A
7-T539	<i>Eucalyptus robusta</i>	大葉桉	100	2	6	Fair	Fair	High	Medium	Fell	CE22/2006/MP/T/0004A
7-T540	<i>Eucalyptus robusta</i>	大葉桉	130	3	7	Fair	Fair	High	Medium	Fell	CE22/2006/MP/T/0004A
7-T541	<i>Salix babylonica</i>	垂柳	130	3	6	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T542	<i>Salix babylonica</i>	垂柳	110	2	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T543	<i>Salix babylonica</i>	垂柳	110	2	3	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T544	<i>Salix babylonica</i>	垂柳	160	3	5	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T545	<i>Salix babylonica</i>	垂柳	130	3	4	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A
7-T546	<i>Salix babylonica</i>	垂柳	140	2	3	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0004A

Tree numbers not used:

7-T013 to 7-T159, 7-T182, 7-T183, 7-T196, 7-T197, 7-T416, 7-T417, 7-T443 to 7-T457

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

**Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment**

Appendix 12-1 Preliminary Tree Survey

RESTING STATIONS - R5

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post- transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)	(Good/Fair/Poor)	(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	(Retain/Fell/Transplant)	
4-T052	<i>Eucalyptus camaldulensis</i>	赤桉	250	3	14	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0001A
4-T053	<i>Eucalyptus camaldulensis</i>	赤桉	170	4	12	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0001A
4-T054	<i>Eucalyptus camaldulensis</i>	赤桉	210	4	12	Fair	Fair	Low	High	Transplant	CE22/2006/MP/T/0001A
4-T055	<i>Ficus microcarpa</i>	細葉榕	210	5	12	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T056	<i>Ficus microcarpa</i>	細葉榕	300	7	10	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T057	<i>Ficus microcarpa</i>	細葉榕	200	5	10	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T058	<i>Ficus microcarpa</i>	細葉榕	160	7	10	Fair	Fair	High	High	Transplant	CE22/2006/MP/T/0001A
4-T059	<i>Ficus microcarpa</i>	細葉榕	170	6	8	Fair	Poor	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T060	<i>Celtis sinensis</i>	朴	230	4	7	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0001A
4-T061	<i>Celtis sinensis</i>	朴	170	2	10	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0001A
4-T062	<i>Khaya senegalensis</i>	非洲棟	360	10	15	Fair	Fair	Medium	Medium	Transplant	CE22/2006/MP/T/0001A
4-T063	<i>Hibiscus tiliaceus</i>	黃槿	170	4	7	Fair	Poor	Low	Medium	Transplant	CE22/2006/MP/T/0001A
4-T064	<i>Hibiscus tiliaceus</i>	黃槿	300	7	8	Fair	Fair	Low	Medium	Transplant	CE22/2006/MP/T/0001A
4-T065	<i>Hibiscus tiliaceus</i>	黃槿	270	4	7	Fair	Fair	Low	Medium	Transplant	CE22/2006/MP/T/0001A
4-T066	<i>Melaleuca quinquenevia</i>	白千層	270	1.5	6	Fair	Fair	Medium	High	Transplant	CE22/2006/MP/T/0001A
4-T067	<i>Cinnamomum camphora</i>	樟	200	7	3	Fair	Poor	Medium	Low	Fell	CE22/2006/MP/T/0001A
4-T068	<i>Cinnamomum camphora</i>	樟	260	3	7	Fair	Fair	High	Low	Retain	CE22/2006/MP/T/0001A
4-T069	<i>Melaleuca quinquenevia</i>	白千層	130	1	0	Fair	Poor	Low	High	Fell	CE22/2006/MP/T/0001A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B

Construction of Cycle Tracks and the associated Supporting Facilities from
Sha Po Tsuen to Shek Sheung River
Environmental Impact Assessment

Appendix 12-1 Preliminary Tree Survey

RESTING STATION R9.

Tree No.	Tree Species	Chinese name	DBH	Spread	Height	Health	Form	Amenity / Ecological Value	Species post-transplantation survival rate	Proposed treatment under conflict	Reference Drawing
			(mm)	(m)	(m)			(Good/Fair/Poor)	(High/Medium/Low)	(High/Medium/Low)	
5-T152	<i>Eucalyptus camaldulensis</i>	赤桉	266	6	12	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T153	<i>Acacia auriculiformis</i>	耳果相思	136	5.5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T154	<i>Acacia auriculiformis</i>	耳果相思	146	5	8.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T155	<i>Eucalyptus camaldulensis</i>	赤桉	164	5	8.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T156	<i>Eucalyptus camaldulensis</i>	赤桉	163	5	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T157	<i>Eucalyptus camaldulensis</i>	赤桉	137	4	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T158	<i>Eucalyptus camaldulensis</i>	赤桉	164	4.5	8.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T159	<i>Acacia auriculiformis</i>	耳果相思	150	5	7.5	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T160	<i>Eucalyptus camaldulensis</i>	赤桉	174	4	9.5	Poor	Fair	Low	High	Fell	CE22/2006/KW/T/0007A
5-T161	<i>Eucalyptus camaldulensis</i>	赤桉	150	4	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T162	<i>Eucalyptus camaldulensis</i>	赤桉	186	4.5	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T163	<i>Eucalyptus camaldulensis</i>	赤桉	188	5	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T164	<i>Acacia auriculiformis</i>	耳果相思	126	5	9	Fair	Poor	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T165	<i>Eucalyptus camaldulensis</i>	赤桉	212	5	9	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T166	<i>Eucalyptus camaldulensis</i>	赤桉	179	4.5	8	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T167	<i>Eucalyptus camaldulensis</i>	赤桉	154	5	6.5	Fair	Poor	Low	High	Fell	CE22/2006/KW/T/0007A
5-T168	<i>Eucalyptus camaldulensis</i>	赤桉	128	4.5	7	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T169	<i>Eucalyptus camaldulensis</i>	赤桉	109	3.5	6.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T170	<i>Eucalyptus camaldulensis</i>	赤桉	110	3.5	6.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T171	<i>Eucalyptus camaldulensis</i>	赤桉	115	3	6.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T172	<i>Eucalyptus camaldulensis</i>	赤桉	99	3	6.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T173	<i>Eucalyptus camaldulensis</i>	赤桉	117	3.5	6.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T236	<i>Acacia auriculiformis</i>	耳果相思	187	4.5	8	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T237	<i>Acacia auriculiformis</i>	耳果相思	125	5	6.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T238	<i>Eucalyptus camaldulensis</i>	赤桉	123	4	7.5	Fair	Fair	Low	High	Transplant	CE22/2006/KW/T/0007A
5-T239	<i>Acacia auriculiformis</i>	耳果相思	146	4	7.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T241	<i>Acacia auriculiformis</i>	耳果相思	112	4	7.5	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A
5-T242	<i>Acacia auriculiformis</i>	耳果相思	106	4	7	Fair	Fair	Low	Low	Fell	CE22/2006/KW/T/0007A

Note:

* - *Leucaena leucocephala*; # - Potential OVT pursuant to ETWB TCW No. 29/2004, Appendix B