

Figure 8.10 Seasonal Variation of the Distribution of Birds of Prey in Waters around Lamma Island during July 08 to June 09 (Total effective survey trips = 27, 98% of sightings from Black Kite)




Figure 8.11 Seasonal Variation of the Distribution of Egrets and Herons in Waters around Lamma Island during July 08 to June 09  
 (Total effective survey trips = 27, 71% of sightings from Little Egret)




Figure 8.12  
 Seasonal Variation of the Distribution of Shorebirds (excluded Egrets & Herons) in Waters around Lamma Island during July 08 to June 09  
 (Total effective survey trips = 27, 90% of sightings from Red-necked Phalarope)

File: Bird Survey\May\_09\0088440\_GP3\_L.mxd  
 Date: 20/08/2009




Figure 8.13 Seasonal Variation of the Distribution of Gulls and Terns in Waters around Lamma Island during July 08 to June 09 (Total effective survey trips = 27)

File: Bird Survey\May\_09\0088440\_GP4\_L.mxd  
 Date: 20/08/2009




Figure 8.14  
 Seasonal Variation of the Distribution of Seabirds (excluded Gulls & Terns) in Waters around Lamma Island during July 08 to June 09  
 (Total effective survey trips = 27)

File: Bird Survey\May\_09\0088440\_GP5\_L.mxd  
 Date: 20/08/2009

**Environmental  
 Resources  
 Management**






Figure 8.15

Seasonal Variation of the Distribution of Others in Waters around Lamma Island during July 08 to June 09  
(Total effective survey trips = 27)