

Figure 1
(Annex 8) Seasonal Variation of the Distribution of Chinese Pond Heron in Waters around Lamma Island during July 08 to June 09
(Total effective survey trips = 27)

File: Bird Survey\May_09\By_Species\
0088440_Chinese Pond Heron_L.mxd
Date: 20/08/2009

**Environmental
Resources
Management**






Figure 2
(Annex 8)

Seasonal Variation of the Distribution of Little Egret in Waters around Lamma Island during July 08 to June 09
(Total effective survey trips = 27)

File: Bird Survey\May_09\By_Species\
0088440_Little Egret_L.mxd
Date: 20/08/2009

**Environmental
Resources
Management**






Figure 3
 (Annex 8) Seasonal Variation of the Distribution of Red-necked Phalarope in Waters around Lamma Island during July 08 to June 09
 (Total effective survey trips = 27)

File: Bird Survey\May_09\By_Species\
 0088440_Red-necked Phalarope_L.mxd
 Date: 20/08/2009

**Environmental
 Resources
 Management**






Figure 4
(Annex 8)

Seasonal Variation of the Distribution of Aleutian Tern in Waters around Lamma Island during July 08 to June 09
(Total effective survey trips = 27)

File: Bird Survey\May_09\By_Species\0088440_Aleutian Tern_L.mxd
Date: 20/08/2009

Environmental
Resources
Management






Figure 5
(Annex 8)

Seasonal Variation of the Distribution of Black-headed Gull, Black-tailed Gull and Black-legged Kittiwake
in Waters around Lamma Island during July 08 to June 09
(Total effective survey trips = 27)

File: Bird Survey\May_09\by_species\
0088440_black-headed_L.mxd.mxd
Date: 20/08/2009

Environmental
Resources
Management






Figure 6
(Annex 8) Seasonal Variation of the Distribution of Black-naped Tern in Waters around Lamma Island during July 08 to June 09
(Total effective survey trips = 27)




Figure 7 Seasonal Variation of the Distribution of Bridled Tern in Waters around Lamma Island during July 08 to June 09 (Annex 8) (Total effective survey trips = 27)

File: Bird Survey\May_09\By_Species\0088440_Bridled Tern_L.mxd
 Date: 20/08/2009




Figure 8 (Annex 8) Seasonal Variation of the Distribution of Common Tern in Waters around Lamma Island during July 08 to June 09 (Total effective survey trips = 27)

File: Bird Survey\May_09\By_Species\0088440_Common Tern_L.mxd
 Date: 20/08/2009




Figure 9 (Annex 8) Seasonal Variation of the Distribution of Heuglin's Gull in Waters around Lamma Island during July 08 to June 09 (Total effective survey trips = 27)

File: Bird Survey\May_09\by_species\0088440_Heuglin's Gull_L.mxd
Date: 20/08/2009




Figure 10
(Annex 8)

Seasonal Variation of the Distribution of Roseate Tern in Waters around Lamma Island during July 08 to June 09
(Total effective survey trips = 27)

File: Bird Survey\May_09\By_Species\
0088440_Roseate Tern_L.mxd
Date: 20/08/2009

**Environmental
Resources
Management**





Figure 11
(Annex 8)

Seasonal Variation of the Distribution of Whiskered Tern in Waters around Lamma Island during July 08 to June 09
(Total effective survey trips = 27)

File: Bird Survey\May_09\By_Species\
0088440_Whiskered Tern_L.mxd
Date: 20/08/2009

Environmental
Resources
Management






Figure 12 (Annex 8) Seasonal Variation of the Distribution of White-winged Tern in Waters around Lamma Island during July 08 to June 09 (Total effective survey trips = 27)

File: Bird Survey\May_09\By_Species\0088440_White-winged Tern_L.mxd
Date: 20/08/2009




Figure 13 (Annex 8) Seasonal Variation of the Distribution of Unidentified Tern in Waters around Lamma Island during July 08 to June 09 (Total effective survey trips = 27)

File: Bird Survey\May_09\By_Species\0088440_Unidentified Tern_L.mxd
Date: 20/08/2009

Environmental Resources Management






Figure 14
 (Annex 8)

Seasonal Variation of the Distribution of Barn Swallow in Waters around Lamma Island during July 08 to June 09
 (Total effective survey trips = 27)