

Appendix 4.5 Summary of Predicted Construction Noise Levels - Unmitigated Scenario

The Project alone

NSR ID in this study	Noise Criteria	2012												2013												2014					
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun
CH1	75	-	64	75	-	73	72	80	80	79	79	79	84	82	83	83	83	74	74	74	74	76	76	76	73	-	-	67	-	-	-
CH2	75	-	63	74	-	73	72	80	80	78	78	78	83	81	82	82	82	73	73	73	73	75	75	75	73	-	-	66	-	-	-
CH3	75	-	-	69	-	65	65	76	76	75	75	75	79	77	78	78	78	69	69	69	69	71	71	71	65	-	-	-	-	-	-
CH4	75	-	-	67	-	68	68	77	77	76	76	76	81	79	80	80	80	71	71	71	71	73	73	73	68	-	-	-	-	-	-
N11	75	-	64	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N13	75	-	70	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-