



- - - 500m Radius Boundary of Tai O STW, Hang Mei SPS and Fan Kwai Tong SPS
- - - Dust Emission Area
- Air Sensitive Receiver
- - - Study Area (500m from Project boundary)



1-hr TSP criteria = 500  $\mu\text{g}/\text{m}^3$



- 500m Radius Boundary of Tai O STW, Hang Mei SPS and Fan Kwai Tong SPS
- Dust Emission Area
- Air Sensitive Receiver
- Study Area (500m from Project boundary)



24-hr RSP criteria = 100 µg/m³

Title :	Contour Plot of 10 <sup>th</sup> Maximum 24-hour RSP concentration in µg/m³ at 1.5m above ground (Mitigated)		
Date :	Jul 2016	Figure :	3.21



- - - 500m Radius Boundary of Tai O STW, Hang Mei SPS and Fan Kwai Tong SPS
- \_ \_ \_ Dust Emission Area
- Air Sensitive Receiver
- \_ \_ \_ Study Area (500m from Project boundary)



24-hr FSP criteria = 75 µg/m³



- - - 500m Radius Boundary of Tai O STW, Hang Mei SPS and Fan Kwai Tong SPS
- — — Dust Emission Area
- Air Sensitive Receiver
- - - Study Area (500m from Project boundary)

Annual RSP criteria = 50  $\mu\text{g}/\text{m}^3$

Title :	Contour Plot of Annual RSP concentration in $\mu\text{g}/\text{m}^3$ at 1.5m above ground (Mitigated)		
Date :	Jul 2016	Figure :	3.23



- 500m Radius Boundary of Tai O STW, Hang Mei SPS and Fan Kwai Tong SPS
- Dust Emission Area
- Air Sensitive Receiver
- Study Area (500m from Project boundary)

Annual FSP criteria = 35  $\mu\text{g}/\text{m}^3$

Title :	Contour Plot of Annual FSP concentration in $\mu\text{g}/\text{m}^3$ at 1.5m above ground (Mitigated)		
Date :	Jul 2016	Figure :	3.24