

Tree Survey Schedule

Tree ID No.	Species		Level at Base	Tree Size			Form		Health		Structural condition	Amenity Value	Anticipated Survival Rate after Transplanting	Proposed Treatment	Remarks	
	Scientific Name	Chinese Name	mPD	Height (m)	Spread (m)	DBH (m)	Good	Fair	Good	Fair	Good	High	Medium	Low		Transplant/Retain/Fell
							Poor	Poor	Poor	Medium	Low					
T001	<i>Acacia confusa</i>	台灣相思	3.753	5.00	5.00	0.22	Fair	Fair	Fair	Fair	Low	Low	Low	Retain		
T002	<i>Acacia auriculiformis</i>	耳栗相思	5.844	7.50	8.00	0.25	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant	
T003	<i>Acacia auriculiformis</i>	耳栗相思	6.027	9.00	7.00	0.25	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~10 degrees; co-dominant	
T004	<i>Acacia confusa</i>	台灣相思	6.707	7.50	5.00	0.22	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant; v-shaped	
T005	<i>Acacia confusa</i>	台灣相思	6.833	8.50	4.50	0.19	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant; v-shaped	
T006	<i>Acacia confusa</i>	台灣相思	6.366	8.00	5.00	0.18	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	multi-trunks	
T007	<i>Acacia confusa</i>	台灣相思	6.320	7.00	4.00	0.14	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	epicormics	
T008	<i>Acacia confusa</i>	台灣相思	5.707	5.00	4.00	0.14	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	epicormics	
T009	<i>Acacia confusa</i>	台灣相思	6.164	7.00	4.00	0.16	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	multi-trunks	
T010	<i>Acacia confusa</i>	台灣相思	6.735	8.00	6.00	0.16	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	multi-trunks	
T011	<i>Acacia confusa</i>	台灣相思	6.182	8.00	4.00	0.16	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant; v-shaped	
T012	<i>Acacia confusa</i>	台灣相思	6.003	7.00	3.00	0.13	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	multi-trunks	
T013	<i>Acacia confusa</i>	台灣相思	6.681	9.00	5.00	0.18	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~10 degrees; co-dominant	
T014	<i>Acacia confusa</i>	台灣相思	6.077	9.50	6.00	0.19	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	multi-trunks	
T015	<i>Acacia confusa</i>	台灣相思	6.803	9.00	6.00	0.21	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~10 degree; co-dominant	
T016	<i>Acacia confusa</i>	台灣相思	6.311	8.50	8.00	0.25	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root; abnormal bark crack; multi-trunks	
T017	<i>Acacia confusa</i>	台灣相思	6.072	9.00	8.00	0.32	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root; multi-trunks	
T018	<i>Acacia confusa</i>	台灣相思	6.322	7.50	4.50	0.24	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root; multi-trunks	
T019	<i>Bridelia tomentosa</i>	土蜜樹	6.118	5.50	4.50	0.14	Fair	Fair	Fair	Fair	Low	Low	Low	Fell		
T020	<i>Acacia confusa</i>	台灣相思	6.545	8.50	6.00	0.24	Fair	Fair	Fair	Fair	Low	Low	Low	Retain		
T021	<i>Bridelia tomentosa</i>	土蜜樹	6.306	4.00	3.00	0.13	Fair	Fair	Fair	Fair	Low	Low	Low	Fell	embedded on nearby fence	
T022	<i>Acacia confusa</i>	台灣相思	5.637	9.00	8.00	0.40	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant; cross-trunk	
T023	<i>Acacia confusa</i>	台灣相思	5.141	7.50	6.00	0.22	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~10 degrees	
T024	<i>Acacia confusa</i>	台灣相思	4.819	4.00	5.00	0.14	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant	
T025	<i>Acacia confusa</i>	台灣相思	4.967	6.50	4.50	0.22	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~10 degrees; co-dominant	
T026	<i>Acacia confusa</i>	台灣相思	5.699	8.00	7.00	0.27	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~10 degrees	
T027	<i>Acacia confusa</i>	台灣相思	5.877	6.50	5.00	0.21	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~10 degrees; co-dominant	
T028	<i>Acacia confusa</i>	台灣相思	6.306	7.50	6.00	0.24	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~10 degrees; cross-trunks	
T029	<i>Acacia confusa</i>	台灣相思	6.178	9.50	6.00	0.24	Fair	Fair	Fair	Fair	Low	Low	Low	Retain		
T030	<i>Acacia confusa</i>	台灣相思	6.740	9.50	7.00	0.25	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	cross trunks; co-dominant	
T031	<i>Acacia confusa</i>	台灣相思	6.800	8.00	7.00	0.22	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant	
T032	<i>Pachira macrocarpa</i>	大果木棉	4.897	3.50	2.50	0.10	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~10 degrees; co-dominant	
T033	<i>Celtis sinensis</i>	朴樹	6.130	8.50	5.00	0.25	Fair	Fair	Fair	Fair	Low	Low	Low	Retain		
T034	<i>Acacia confusa</i>	台灣相思	6.020	9.00	6.00	0.29	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	multi-trunks	
T035	<i>Celtis sinensis</i>	朴樹	6.490	8.50	3.00	0.13	Fair	Fair	Fair	Fair	Low	Low	Low	Retain		
T036	<i>Melaleuca cajuputi</i>	白千層	5.854	8.00	5.30	0.22	Fair	Fair	Fair	Fair	Low	Low	Low	Retain		
T037	<i>Acacia confusa</i>	台灣相思	5.907	7.50	6.00	0.35	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root	
T038	<i>Acacia confusa</i>	台灣相思	5.588	6.00	4.00	0.29	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root	
T039	<i>Acacia confusa</i>	台灣相思	6.834	7.00	6.00	0.33	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root; co-dominant	
T040	<i>Acacia confusa</i>	台灣相思	5.931	9.50	10.00	0.35	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root	
T041	<i>Acacia confusa</i>	台灣相思	6.025	9.00	7.00	0.18	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root	
T042	<i>Acacia confusa</i>	台灣相思	5.931	6.50	4.50	0.21	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root	
T043	<i>Acacia confusa</i>	台灣相思	6.753	6.00	6.00	0.19	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root	
T044	<i>Acacia confusa</i>	台灣相思	6.813	7.00	5.00	0.18	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root	
T045	<i>Acacia confusa</i>	台灣相思	6.083	8.50	8.00	0.22	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root	
T046	<i>Acacia confusa</i>	台灣相思	5.681	8.00	7.00	0.25	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root	
T047	<i>Acacia confusa</i>	台灣相思	5.616	4.00	5.00	0.27	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root; multi-trunks	

Tree Survey Schedule

Tree ID No.	Species		Level at Base	Tree Size			Form		Health		Structural condition	Amenity Value	Anticipated Survival Rate after Transplanting	Proposed Treatment	Remarks	
	Scientific Name	Chinese Name	mPD	Height (m)	Spread (m)	DBH (m)	Good	Fair	Good	Fair	Good	High	Medium	Low		Transplant/Retain/Fell
							Poor	Poor	Poor	Medium	Low					
T048	<i>Morus alba</i>	桑	5.452	4.00	4.00	0.10	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	multi-trunks	
T049	-	-	6.023	2.50	3.00	0.21	-	-	-	-	-	-	-	Retain	dead tree	
T050	<i>Acacia confusa</i>	台灣相思	5.163	5.50	5.50	0.24	Fair	Fair	Fair	Fair	Low	Low	Low	Retain		
T051	<i>Macaranga tanarius</i>	血桐	3.265	2.50	2.00	0.11	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	topped	
T052	-	-	3.252	6.00	3.00	0.13	-	-	-	-	-	-	-	Retain	dead tree	
T053	<i>Macaranga tanarius</i>	血桐	3.329	4.50	3.00	0.11	Fair	Fair	Fair	Fair	Low	Low	Low	Retain		
T054	<i>Acacia confusa</i>	台灣相思	4.541	6.00	6.00	0.24	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~10 degrees; multi-trunks	
T055	<i>Acacia confusa</i>	台灣相思	5.110	6.50	4.50	0.19	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant, dead stub	
T056	<i>Acacia confusa</i>	台灣相思	5.465	7.50	7.00	0.24	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant, v-shaped	
T057	<i>Bridelia tomentosa</i>	土蜜樹	5.613	5.00	4.00	0.10	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~5 degrees; multi-trunks	
T058	<i>Bridelia tomentosa</i>	土蜜樹	6.280	6.00	4.00	0.11	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	multi-trunks	
T059	<i>Acacia confusa</i>	台灣相思	5.549	8.50	9.00	0.24	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant	
T060	<i>Acacia confusa</i>	台灣相思	5.188	6.00	4.00	0.11	Fair	Fair	Fair	Fair	Low	Low	Low	Retain		
T061	<i>Acacia confusa</i>	台灣相思	4.669	8.50	6.00	0.22	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant	
T062	-	-	3.838	4.50	1.00	0.13	-	-	-	-	-	-	-	Retain	dead tree	
T063	<i>Acacia confusa</i>	台灣相思	4.260	6.50	5.00	0.19	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	cross trunks	
T064	<i>Acacia confusa</i>	台灣相思	3.572	6.50	4.00	0.18	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant trunks	
T065	<i>Acacia confusa</i>	台灣相思	3.257	3.00	0.50	0.13	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	topped	
T066	<i>Acacia confusa</i>	台灣相思	3.716	3.50	1.50	0.10	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	multi-trunks	
T067	<i>Acacia confusa</i>	台灣相思	4.113	6.00	4.50	0.14	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant; v-shaped	
T068	<i>Acacia confusa</i>	台灣相思	4.896	9.00	7.00	0.24	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant	
T069	<i>Acacia confusa</i>	台灣相思	4.740	8.50	7.00	0.22	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant; multi-trunks	
T070	<i>Acacia confusa</i>	台灣相思	5.083	8.50	6.00	0.24	Fair	Fair	Fair	Fair	Low	Low	Low	Retain		
T071	<i>Acacia confusa</i>	台灣相思	5.263	9.00	6.00	0.25	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant	
T072	<i>Acacia confusa</i>	台灣相思	3.502	6.00	4.00	0.19	Fair	Fair	Fair	Fair	Low	Low	Low	Retain		
T073	<i>Acacia confusa</i>	台灣相思	4.562	8.50	7.00	0.25	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant; v-shaped; multi-trunks	
T074	<i>Acacia confusa</i>	台灣相思	4.223	7.50	7.00	0.19	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant; v-shaped; multi-trunks	
T075	<i>Acacia confusa</i>	台灣相思	4.319	7.00	4.00	0.13	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant	
T076	<i>Acacia confusa</i>	台灣相思	4.254	4.00	2.00	0.21	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~10 degrees	
T077	<i>Acacia confusa</i>	台灣相思	4.968	8.50	7.00	0.29	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant; cross-trunks with T1574	
T078	<i>Acacia confusa</i>	台灣相思	5.233	5.50	6.00	0.14	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	co-dominant; cross-trunks with T1573	
T079	<i>Acacia confusa</i>	台灣相思	5.050	6.00	4.00	0.16	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	multi-trunks	
T080	<i>Acacia confusa</i>	台灣相思	4.396	5.00	4.00	0.19	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~10 degrees	
T081	<i>Acacia confusa</i>	台灣相思	4.569	7.50	5.00	0.25	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~10 degrees	
T082	<i>Acacia confusa</i>	台灣相思	5.279	7.50	7.00	0.22	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~5 degrees; multi-trunks	
T083	<i>Acacia confusa</i>	台灣相思	5.450	4.00	5.00	0.24	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~20 degrees; multi-trunks	
T084	<i>Hibiscus tiliaceus</i>	黃槿	4.116	6.00	7.00	0.19	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~10 degrees; co-dominant	
T085	<i>Hibiscus tiliaceus</i>	黃槿	5.243	5.50	8.00	0.19	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	multi-trunks	
T086	<i>Acacia confusa</i>	台灣相思	4.475	6.50	2.50	0.16	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	mechanical wound	
T087	<i>Acacia confusa</i>	台灣相思	5.028	6.50	5.00	0.18	Fair	Fair	Fair	Fair	Low	Low	Low	Retain		
T088	<i>Hibiscus tiliaceus</i>	黃槿	6.015	4.00	7.00	0.25	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root; multi-trunks	
T089	<i>Acacia confusa</i>	台灣相思	6.359	9.00	4.50	0.21	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root	
T090	<i>Acacia confusa</i>	台灣相思	6.862	9.00	4.00	0.14	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root	
T091	<i>Acacia confusa</i>	台灣相思	6.856	8.50	2.50	0.10	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root	
T092	<i>Bridelia tomentosa</i>	土蜜樹	6.791	6.00	1.50	0.10	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~5 degrees	
T093	<i>Acacia confusa</i>	台灣相思	6.639	8.00	4.50	0.18	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~5 degrees	
T094	<i>Acacia confusa</i>	台灣相思	6.602	8.00	4.00	0.14	Fair	Fair	Fair	Fair	Low	Low	Low	Retain		

Tree Survey Schedule



Tree ID No.	Species		Level at Base	Tree Size			Form		Health		Structural condition	Amenity Value			Anticipated Survival Rate after Transplanting	Proposed Treatment	Remarks	
	Scientific Name	Chinese Name	mPD	Height (m)	Spread (m)	DBH (m)	Good	Fair	Good	Fair	Good	High	Medium	Low	High	Medium		Low
							Poor	Fair	Poor	Fair	Poor							
T095	<i>Acacia confusa</i>	台灣相思	6.490	8.00	2.50	0.14	Fair	Fair	Fair	Fair	Fair	Low	Low	Low	Retain			
T096	<i>Acacia confusa</i>	台灣相思	6.417	8.00	3.00	0.14	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	leaning ~5 degrees			
T097	<i>Celtis sinensis</i>	朴樹	5.415	9.00	6.00	0.22	Fair	Fair	Fair	Fair	Low	Low	Low	Retain				
T098	<i>Celtis sinensis</i>	朴樹	5.249	8.00	7.00	0.27	Fair	Fair	Fair	Fair	Low	Low	Low	Retain				
T099	<i>Acacia confusa</i>	台灣相思	6.459	9.00	6.00	0.21	Fair	Fair	Fair	Fair	Low	Low	Low	Retain				
T100	<i>Acacia confusa</i>	台灣相思	6.283	8.50	4.50	0.19	Fair	Fair	Fair	Fair	Low	Low	Low	Retain				
T101	<i>Celtis sinensis</i>	朴樹	6.588	9.00	6.00	0.27	Fair	Fair	Fair	Fair	Low	Low	Low	Retain				
T102	<i>Bridelia tomentosa</i>	土蜜樹	6.607	7.00	4.00	0.13	Fair	Fair	Fair	Fair	Low	Low	Low	Retain				
T103	<i>Leucaena leucocephala</i>	銀合歡	3.677	5.00	4.00	0.10	Fair	Poor	Poor	Poor	Low	Low	Low	Retain				
T104	<i>Celtis sinensis</i>	朴樹	3.725	3.00	4.00	0.22	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root; restricted root; abnormal bark crack; dead stub			
T105	<i>Acacia confusa</i>	台灣相思	5.104	4.50	4.00	0.22	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	exposed root; restricted root			
T106	<i>Acacia confusa</i>	台灣相思	5.139	5.00	6.00	0.24	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	restricted root			
T107	<i>Celtis sinensis</i>	朴樹	5.275	5.00	6.00	0.24	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	restricted root			
T108	<i>Macaranga tanarius</i>	血桐	5.081	4.00	3.50	0.13	Fair	Fair	Fair	Fair	Low	Low	Low	Fell	exposed root			
T109	<i>Macaranga tanarius</i>	血桐	5.110	3.00	6.00	0.18	Fair	Fair	Fair	Fair	Low	Low	Low	Fell	exposed root			
T110	<i>Macaranga tanarius</i>	血桐	5.079	3.00	4.00	0.13	Fair	Fair	Fair	Fair	Low	Low	Low	Fell				
T111	<i>Celtis sinensis</i>	朴樹	3.857	5.50	4.00	0.14	Fair	Fair	Fair	Fair	Low	Low	Low	Fell				
T112	<i>Celtis sinensis</i>	朴樹	4.325	6.00	4.50	0.19	Fair	Fair	Fair	Fair	Low	Low	Low	Fell				
T113	<i>Leucaena leucocephala</i>	銀合歡	4.424	6.00	2.00	0.13	Fair	Poor	Poor	Poor	Low	Low	Low	Fell				
T114	<i>Acacia confusa</i>	台灣相思	4.580	7.00	5.00	0.24	Fair	Fair	Fair	Fair	Low	Low	Low	Fell	leaning ~5 degree; mechanical wound			
T115	<i>Acacia confusa</i>	台灣相思	4.079	7.00	6.00	0.25	Fair	Fair	Fair	Fair	Low	Low	Low	Fell	leaning ~10 degree; abnormal bark crack			
T116	<i>Acacia confusa</i>	台灣相思	4.941	7.00	6.00	0.25	Fair	Fair	Fair	Fair	Low	Low	Low	Fell	multi-trunks			
T117	<i>Macaranga tanarius</i>	血桐	5.037	5.50	5.00	0.14	Fair	Fair	Fair	Fair	Low	Low	Low	Fell	co-dominant; exposed root			
T118	<i>Carica papaya</i>	木瓜	5.537	1.50	0.10	0.11	Poor	Poor	Poor	Poor	Low	Low	Low	Fell				
T119	<i>Ficus virens</i>	大葉榕	4.846	4.00	6.00	0.13	Fair	Fair	Fair	Fair	Low	Low	Low	Retain				
T120	<i>Ficus virens</i>	大葉榕	4.992	4.00	7.00	0.11	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	restricted root			
T121	<i>Ficus virens</i>	大葉榕	4.867	4.00	7.00	0.11	Fair	Fair	Fair	Fair	Low	Low	Low	Fell	restricted root			
T122	<i>Ficus microcarpa</i>	細葉榕	4.912	6.00	8.00	0.14	Fair	Fair	Fair	Fair	Low	Low	Low	Retain	restricted root			
T123	<i>Ficus microcarpa</i>	細葉榕	5.004	6.00	8.00	0.16	Fair	Fair	Fair	Fair	Low	Low	Low	Fell	restricted root			
T124	<i>Macaranga tanarius</i>	血桐	6.358	7.00	7.00	0.22	Fair	Fair	Fair	Fair	Low	Low	Low	Fell	exposed root; restricted root			
T125	<i>Celtis sinensis</i>	朴樹	6.027	9.00	9.00	0.32	Fair	Fair	Fair	Fair	Low	Low	Low	Fell				
T126	<i>Acronychia pedunculata</i>	山油柑	5.165	4.00	4.00	0.13	Fair	Fair	Fair	Fair	Low	Low	Low	Fell				

NOTES:

- ALL LEVELS ARE IN METRES ABOVE PRINCIPAL DATUM (P.D.)

LEGEND:

- T73 TREE WITH MEASURED TRUNK GIRTH AND ESTIMATED HEIGHT & SPREAD.
- T000 TREE TO BE FELLED
- T000 TREE TO BE RETAINED



Revision	Date	Description	Initial
Initial	NT	DJ	SZ
Date	APR2015	APR2015	APR2015
Approved			

Agreement no.
CE 63/2012 (DS)

Contract title
EXPANSION OF SHA TAU KOK SEWAGE TREATMENT WORKS, PHASE 1 – INVESTIGATION, DESIGN AND CONSTRUCTION

Drawing title
TREE REMOVAL PLAN FOR THE EXPANSION OF STKSTW

Drawing no.
180579/SKETCH/23


Scale
A1 1:200



GROUND FLOOR LAYOUT PLAN

NOTES:
 1. ALL LEVELS ARE IN METRES ABOVE PRINCIPAL DATUM (P.D.)

- LEGEND:**
- TREE TO BE RETAINED
 - NEW PROPOSED TREES ON HYDROSEEDING AREA
 - SHRUB PLANTING ON HYDROSEEDING AREA



足球場
Football Field



Revision	Date	Description	Initial
	Designed	Checked	Drawn
Initial	NT	DJ	SZ
Date	JUN2016	JUN2016	JUN2016
Approved			

Contract no.
CE 63/2012 (DS)

Contract title
EXPANSION OF SHA TAU KOK SEWAGE TREATMENT WORKS, PHASE 1 - INVESTIGATION, DESIGN AND CONSTRUCTION

Drawing title
TREE COMPENSATION PLAN

Drawing no.
180579/B&V/STKSTW/GA/001C

Scale
A3 1:600



TREE PLANTING SCHEDULE


ABBREV.	SPECIES	SIZE	QUANTITY (NOS.)
CB	CINNAMOMUM BURMANNII	HEAVY STANDARD	12
SH	SCHEFFLERA HEPTAPHYLLA	HEAVY STANDARD	5
SS	SCHIMA SUPERB	HEAVY STANDARD	14

SHRUB PLANTING SCHEDULE

PLANTING AREA (m ²)	SPECIES	SIZE	SPACING (mm)	DENSITY (NO./m ²)	QUANTITY (NOS.)	PLANTING PATTERN
100	LITSEA ROTUNDIFOLIA	LARGE SHRUB	500	4.6	460	PLANT ALL SPECIES IN GROUP OF 3 WITHIN THE PLANTING AREA
100	RHAPHIOLEPIS INDICA	LARGE SHRUB	500	4.6	460	
100	RHODOMYRTUS TOMENTOSA	LARGE SHRUB	500	4.6	460	

HYDROSEEDING SCHEDULE

PLANTING AREA (m ²)	SPECIES
1509	EREMOCHLOA OPHIUROIDES



Tree no. T001



Tree no. T002



Tree no. T003



Tree no. T004




Tree no. T005



Tree no. T006



Tree no. T007



Tree no. T008

Tree no. T009



Tree no. T010

Tree no. T011




Tree no. T012



Tree no. T013




Tree no. T014



Tree no. T015



Tree no. T016



Tree no. T017



Tree no. T018



Tree no. T019



Tree no. T020



Tree no. T022


Tree no. T021



Tree no. T023




Tree no. T024



Tree no. T025



Tree no. T026



Tree no. T027



Tree no. T028



Tree no. T029



Tree no. T030



Tree no. T031



Tree no. T032



Tree no. T033



Tree no. T034



Tree no. T035



T036




T037

Tree no. T036



Tree no. T037




Tree no. T038

Tree no. T039




Tree no. T040



Tree no. T041




Tree no. T042



Tree no. T043



Tree no. T044



Tree no. T045



Tree no. T046

Tree no. T047




Tree no. T048

Tree no. T049




Tree no. T050



Tree no. T051



Tree no. T052




T053



T054

Tree no. T053

Tree no. T054




Tree no. T055


Tree no. T056



Tree no. T057



Tree no. T058




Tree no. T059

Tree no. T060




Tree no. T061


Tree no. T062



Tree no. T063



Tree no. T064




Tree no. T065



Tree no. T067


Tree no. T066



Tree no. T068



Tree no. T069




Tree no. T070



Tree no. T071



Tree no. T072



Tree no. T073



Tree no. T074



Tree no. T075



Tree no. T076




Tree no. T077




Tree no. T078




Tree no. T079



Tree no. T080



Tree no. T081



Tree no. T082



Tree no. T083

Tree no. T084



Tree no. T085

Tree no. T086




Tree no. T087



Tree no. T088




Tree no. T089




Tree no. T090




Tree no. T091




Tree no. T092



Tree no. T093



Tree no. T094



Tree no. T095

Tree no. T096




Tree no. T097

Tree no. T098



Tree no. T099




Tree no. T100



Tree no. T101



Tree no. T102



Tree no. T103



Tree no. T104




Tree no. T105




Tree no. T106



Tree no. T107



Tree no. T108



Tree no. T109



Tree no. T110



Tree no. T111




Tree no. T112



Tree no. T113




Tree no. T114



Tree no. T116

Tree no. T115



Tree no. T117



Tree no. T118



Tree no. T119



T120



T121


Tree no. T120

Tree no. T121



Tree no. T122

Tree no. T123



Tree no. T124



Tree no. T125



Tree no. T126