

Analyte Description							ED/EK: Inorganic Nonmetallic Parameters		EG: Metals and Major Cations - Filtered																
							Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	Total Kjeldahl Nitrogen as N	Total Phosphorus as P	Nitrate as N	Mercury	Arsenic	Cadmium	Chromium	Copper	Lead	Nickel	Silver	Zinc
							LOR	0.01	0.01	0.01	0.1	0.01	0.01			0.05	1	0.1	1	1	1	1	1	10	
ALS Lab ID (Sediment)	ALS Lab ID	Drilhole No	Sampling Depth	Date of Received	Date of Sampling																				
N/A	HK2220330-001	BHE2	Seawater	1/06/2022	1/06/2022		0.03	0.02	0.02	0.3	0.03	0.90		<0.05	2	<0.1	<1.0	3.0	<1.0	1.4	<1.0	<10			
HK2220322-001	HK2220337-001	BHE2	Grab	1/06/2022	1/06/2022		2.31	0.04	0.08	5.9	0.38	0.44		<0.05	6	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2220322-002	HK2220337-002	BHE2	0.1m - 0.6m	1/06/2022	1/06/2022		1.93	0.03	0.09	2.4	0.12	0.81		<0.05	7	<0.1	<1.0	<1.0	<1.0	1.1	<1.0	<10			
HK2220570-001	HK2220571-001	BHE2	2.00m to 2.50m, 2.50m to 3.00m	2/06/2022	2/06/2022		4.55	0.02	0.04	4.6	0.09	0.83		<0.05	6	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2220570-002	HK2220572-001	BHE2	3.00m to 3.50m, 3.50m to 4.00m	2/06/2022	2/06/2022		4.85	0.02	0.08	7.4	0.28	0.95		<0.05	12	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2220570-003	HK2220573-001	BHE2	4.00m to 4.50m, 4.50m to 5.00m	2/06/2022	2/06/2022		5.38	0.03	0.12	6.2	0.16	0.83		<0.05	14	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2220570-004	HK2220573-002	BHE2	5.00m to 5.50m, 5.50m to 6.00m	2/06/2022	2/06/2022		6.99	0.03	0.19	8.2	0.36	0.82		<0.05	25	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2220768-001	HK2220770-001	BHE2	7.00m to 7.50m, 7.50m to 8.00m	4/06/2022	4/06/2022		4.42	0.02	0.15	6.4	0.26	0.80		<0.05	22	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2220768-002	HK2220770-002	BHE2	8.00m to 8.50m, 8.50m to 9.00m	4/06/2022	4/06/2022		3.95	0.02	0.09	4.6	0.14	0.83		<0.05	11	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2220768-003	HK2220772-001	BHE2	10.00m to 10.50m, 10.50m to 11.00m	4/06/2022	4/06/2022		9.17	0.02	0.03	9.8	0.20	0.80		<0.05	4	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2220768-004	HK2220772-002	BHE2	11.00m to 11.50m, 11.50m to 12.00m	4/06/2022	4/06/2022		7.78	0.02	0.06	9.1	0.26	0.80		<0.05	6	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
N/A	HK2221263-001	BHE 4	(Seawater)	8/06/2022	8/06/2022		0.07	0.01	0.02	0.3	0.04	1.07		<0.05	2	<0.1	<1.0	2.0	<1.0	1.2	<1.0	<10			
HK2221262-001	HK2221264-001	BHE 4	(seabed grab)	8/06/2022	8/06/2022		2.31	0.02	0.05	3.4	0.07	0.75		<0.05	5	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2221262-002	HK2221264-002	BHE 4	0.10m to 0.45m, 0.45m to 0.90m	8/06/2022	8/06/2022		3.84	0.02	0.07	11.2	0.10	0.97		<0.05	6	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2221475-001	HK2221482-001	BHE 4	0.90m to 1.40m, 1.40m to 1.90m	9/06/2022	9/06/2022		4.87	0.02	0.30	13.2	0.36	0.98		<0.05	52	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2221475-002	HK2221482-002	BHE 4	1.90m to 2.40m, 2.40m to 2.90m	9/06/2022	9/06/2022		5.97	0.02	0.19	6.4	0.21	0.95		<0.05	21	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2221475-003	HK2221482-003	BHE 4	2.90m to 3.40m, 3.40m to 3.90m	9/06/2022	9/06/2022		5.69	0.02	0.16	8.3	0.24	0.96		<0.05	17	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2221475-005	HK2221482-005	BHE 4	5.90m to 6.40m, 6.40m to 6.90m	9/06/2022	9/06/2022		6.63	0.02	0.28	7.6	0.34	0.94		<0.05	26	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2221475-007	HK2221482-007	BHE 4	8.90m to 9.40m, 9.40m to 9.90m	9/06/2022	9/06/2022		5.52	0.02	0.09	6.5	0.11	0.98		<0.05	31	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
N/A	HK2221877-001	BHE 3	(Seawater)	11/06/2022	11/06/2022		0.05	0.05	0.03	0.4	0.06	1.24		<0.05	2	<0.1	<1.0	1.3	<1.0	1.0	<1.0	<10			
HK2221873-001	HK2221880-001	BHE 3	(seabed grab)	11/06/2022	11/06/2022		3.71	0.04	0.16	4.5	0.22	1.13		<0.05	10	<0.1	<1.0	1.3	<1.0	1.2	<1.0	<10			
HK2221873-002	HK2221883-001	BHE 3	0.10m to 0.45m, 0.45m to 0.90m	11/06/2022	11/06/2022		5.14	0.05	0.16	6.3	0.21	1.14		<0.05	8	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2221873-003	HK2221884-001	BHE 3	0.90m to 1.40m, 1.40m to 1.90m	11/06/2022	11/06/2022		7.76	0.04	0.05	16.1	0.10	1.14		<0.05	4	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2221873-004	HK2221887-001	BHE 3	1.90m to 2.40m, 2.40m to 2.90m	11/06/2022	11/06/2022		5.26	0.04	0.17	6.1	0.22	1.13		<0.05	27	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2222018-001	HK2222019-001	BHE 3	2.90m to 3.40m, 3.40m to 3.90m	13/06/2022	13/06/2022		4.08	0.04	0.11	5.2	0.16	1.16		<0.05	7	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2222018-003	HK2222020-001	BHE 3	5.90m to 6.40m, 6.40m to 6.90m	13/06/2022	13/06/2022		5.12	0.05	0.21	6.3	0.26	1.17		<0.05	13	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10			
HK2222018-005	HK2222021-001	BHE 3	8.90m to 9.40m, 9.40m to 9.90m	13/																					



			<i>EP-390: Triorganotins</i>	Tributyltin	<i>EP-076S: Polycyclic Aromatics</i>	2-Fluorobiphenyl	<i>EP-067S: Pesticide Surrogate</i>	Tetrachloromethylene	<i>EP-066S: PCB Surrogate</i>	Decachlorobiphenyl
			µg TBT /L	%	%	%	%	%	%	%
			0.015	0.1	0.1	0.1	0.1	0.1	0.1	0.01
ALS Lab ID (Sediment)	ALS Lab ID	Drilhole No								
N/A	HK2220330-001	BHE2	<0.015	54.4	71.6		66.1	70.8		50.6
HK2220322-001	HK2220337-001	BHE2	<0.015	54.1	86.6		57.8	84.5		77.5
HK2220322-002	HK2220337-002	BHE2	<0.015	56.7	61.5		60.8	56.5		53.8
HK2220570-001	HK2220571-001	BHE2	<0.015	62.4	87.1		52.4	81.1		52.2
HK2220570-002	HK2220572-001	BHE2	<0.015	70.5	100		52.1	97.8		75.8
HK2220570-003	HK2220573-001	BHE2	<0.015	57.8	75.9		57.5	64.0		52.5
HK2220570-004	HK2220573-002	BHE2	<0.015	71.9	88.8		59.7	82.3		50.7
HK2220768-001	HK2220770-001	BHE2	<0.015	57.2	72.4		62.5	66.9		51.7
HK2220768-002	HK2220770-002	BHE2	<0.015	52.1	55.8		69.6	59.0		50.7
HK2220768-003	HK2220772-001	BHE2	<0.015	54.4	84.0		61.0	91.7		50.6
HK2220768-004	HK2220772-002	BHE2	<0.015	55.2	63.0		56.3	58.1		51.2
N/A	HK2221263-001	BHE 4	<0.015	55.1	70.0		60.4	67.4		51.3
HK2221262-001	HK2221264-001	BHE 4	<0.015	53.4	89.3		54.3	64.2		54.2
HK2221262-002	HK2221264-002	BHE 4	<0.015	54.6	93.5		51.8	78.7		55.6
HK2221475-001	HK2221482-001	BHE 4	<0.015	51.9	59.1		52.9	61.5		55.4
HK2221475-002	HK2221482-002	BHE 4	<0.015	53.0	63.4		58.9	52.3		54.1
HK2221475-003	HK2221482-003	BHE 4	<0.015	51.9	56.5		53.2	65.1		50.2
HK2221475-005	HK2221482-005	BHE 4	<0.015	51.4	58.1		64.1	71.1		58.2
HK2221475-007	HK2221482-007	BHE 4	<0.015	57.4	80.1		62.9	81.8		62.3
N/A	HK2221877-001	BHE 3	<0.015	53.8	112		53.4	103		69.6
HK2221873-001	HK2221880-001	BHE 3	<0.015	65.4	100		84.4	108		57.7
HK2221873-002	HK2221883-001	BHE 3	<0.015	70.4	106		74.5	108		58.2
HK2221873-003	HK2221884-001	BHE 3	<0.015	52.2	107		63.0	103		62.0
HK2221873-004	HK2221887-001	BHE 3	<0.015	75.0	117		71.2	111		65.2
HK2222018-001	HK2222019-001	BHE 3	<0.015	85.6	112		96.7	107		65.0
HK2222018-003	HK2222020-001	BHE 3	<0.015	72.2	99.0		85.7	95.9		51.9
HK2222018-005	HK2222021-001	BHE 3	<0.015	76.1	120		91.2	115		65.2
HK2222018-007	HK2222022-001	BHE 3	<0.015	64.5	106		78.8	99.1		55.6

Analyte Description										ED/EK: Inorganic Nonmetallic Parameters																					
										Ammonia as N		Nitrite as N		Reactive Phosphorus as P		Total Kjeldahl Nitrogen as N		Total Phosphorus as P		Nitrate as N		EG: Metals and Major Cations - Filtered									
										mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L			
										LOR	0.01	0.01	0.01	0.1	0.01	0.01	0.05	1	0.1	1	1	1	1	1	1	10					
ALS Lab ID (Sediment)	ALS Lab ID	Drilhole No	Sampling Depth	Date of Received	Date of Sampling																										
N/A	HK2222854-001	BHE 1	(Seawater)	15/06/2022	15/06/2022		0.06	0.08	0.04	0.4	0.05	1.01		<0.05	2	<0.1	<1.0	1.2	<1.0	1.1	<1.0	<10									
HK2222847-001	HK2222863-001	BHE 1	(seabed grab)	15/06/2022	15/06/2022		0.70	0.07	0.04	<0.1	0.07	0.95		<0.05	3	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10									
HK2222847-002	HK2222864-001	BHE 1	0.10m to 0.45m, 0.45m to 0.90m	15/06/2022	15/06/2022		3.26	0.07	0.13	4.4	0.17	0.97		<0.05	7	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10									
HK2222847-003	HK2222865-001	BHE 1	0.90m to 1.40m, 1.40m to 1.90m	15/06/2022	15/06/2022		2.35	0.07	0.05	3.3	0.09	0.98		<0.05	6	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10									
HK2222847-004	HK2222866-001	BHE 1	1.90m to 2.40m, 2.40m to 2.90m	15/06/2022	15/06/2022		4.19	0.07	0.12	5.2	0.17	0.99		<0.05	7	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10									
HK2222847-005	HK2222867-001	BHE 1	2.90m to 3.40m, 3.40m to 3.90m	15/06/2022	15/06/2022		3.54	0.07	0.07	4.5	0.12	1.05		<0.05	6	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10									
HK2222847-007	HK2222868-001	BHE 1	5.90m to 6.40m, 6.40m to 6.90m	15/06/2022	15/06/2022		4.23	0.07	0.28	5.0	0.32	1.01		<0.05	36	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10									
HK2222847-009	HK2222869-001	BHE 1	8.90m to 9.40m, 9.40m to 9.90m	15/06/2022	15/06/2022		8.17	0.06	0.10	9.3	0.15	0.98		<0.05	8	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10									
HK2223094-001	HK2223095-001	BHE1	11.90-12.40, 12.40-12.90	16/06/2022	16/06/2022		6.68	0.07	0.16	7.9	0.21	0.99		<0.05	11	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10									
HK2223094-003	HK2223096-001	BHE1	14.90-15.40, 15.40-15.90	16/06/2022	16/06/2022		9.05	0.07	0.09	10.3	0.14	1.13		<0.05	8	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10									
N/A	HK2223703-001	BHD4	(Seawater)	20/06/2022	20/06/2022		<0.01	0.09	0.02	0.4	0.04	1.00		<0.05	2	<0.1	<1.0	1.3	<1.0	1.3	<1.0	<10									
HK2223692-001	HK2223707-001	BHD4	seabed	20/06/2022	20/06/2022		0.28	0.06	0.05	0.8	0.09	0.94		<0.05	4	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10									
HK2223692-002	HK2223709-001	BHD4	0.10-0.45, 0.45-0.90	20/06/2022	20/06/2022		0.64	0.08	0.03	1.2	0.06	0.99		<0.05	7	<0.1	<1.0	<1.0	<1.0	<1.0	<1.0	<10									
N/A	HK2223886-001	REF SED	REFERENCE: SEAWATER	21/06/2022	21/06/2022		<0.01	<0.01	<0.01	0.2	<0.01	0.01		<0.05	2	<0.1	<1.0	3.4	<1.0	<1.0	<1.0	<10									
HK2223862-001	HK2223891-001	REF SED	REFERENCE: SEAWATER WITH REF SED	21/06/2022	21/06/2022		0.70	<0.01	0.10	1.2	0.16	0.01		<0.05	13	<0.1	3.1	1.6	2.9	2.4	<1.0	14									



			<i>EP-390: Triorganotins</i>	Tributyltin	<i>EP-076S: Polycyclic Aromatics</i>	2-Fluorobiphenyl	<i>EP-067S: Pesticide Surrogate</i>	4-Terphenyl-d14	<i>EP-066S: PCB Surrogate</i>	Tetrachlorometaylene	Dibutylchloroendate	<i>EP-066S: PCB Surrogate</i>	Decachlorobiphenyl
				µg TBT /L		%	%	%	%	%	%		%
				0.015		0.1	0.1		0.1	0.1		0.01	
ALS Lab ID (Sediment)	ALS Lab ID	Drilhole No											
N/A	HK2222854-001	BHE 1		<0.015		65.2	101		87.4	105		59.8	
HK2222847-001	HK2222863-001	BHE 1		<0.015		50.3	98.4		56.4	109		60.5	
HK2222847-002	HK2222864-001	BHE 1		<0.015		89.4	103		106	108		62.8	
HK2222847-003	HK2222865-001	BHE 1		<0.015		72.5	112		73.2	90.5		70.8	
HK2222847-004	HK2222866-001	BHE 1		<0.015		67.3	103		61.8	103		75.4	
HK2222847-005	HK2222867-001	BHE 1		<0.015		66.3	108		65.9	104		68.7	
HK2222847-007	HK2222868-001	BHE 1		<0.015		96.9	119		101	106		84.2	
HK2222847-009	HK2222869-001	BHE 1		<0.015		58.1	104		51.3	108		75.0	
HK2223094-001	HK2223095-001	BHE1		<0.015		69.7	120		68.2	110		75.4	
HK2223094-003	HK2223096-001	BHE1		<0.015		95.2	121		87.8	110		73.5	
N/A	HK2223703-001	BHD4		<0.015		89.2	115		98.6	100		71.2	
HK2223692-001	HK2223707-001	BHD4		<0.015		106	114		92.4	108		108	
HK2223692-002	HK2223709-001	BHD4		<0.015		99.4	105		104	110		118	
N/A	HK2223886-001	REF SED		<0.015		50.5	97.0		59.4	83.7		109	
HK2223862-001	HK2223891-001	REF SED		<0.015		51.1	104		61.8	69.8		114	