Appendix 8.3a

List of Floral Species Recorded Recorded within the 500m Assessment Area

| | | | | | | | | | | Habitat | | | | |
|--------------------------------------|----------------|----------------|---------------------|-------------------------------------|-------------------------------------|-----|----|----|-----|---------|----|----|----|----|
| Species | Chinese Name | Growth Form | Origin ¹ | Status in Hong Kong ¹ | Conservation Status ² | PL | DA | WL | SI | SHGL | ТЭ | MN | MW | AP |
| Acacia auriculiformis | 耳果相思 | Tree | Exotic | Widely cultivated | - | ** | | * | * | | | | | |
| Acacia confusa | 台灣相思 | Tree | Exotic | Widely cultivated | - | ** | | * | | * | | | | |
| Acacia mangium | 大葉相思 | Tree | Exotic | Widely cultivated | - | ** | | ** | | | | | | |
| Acroceras tonkinense | 山雞穀草 | Herb | Native | - | - | * | * | | * | | ** | | | |
| Acronychia pedunculata | 山油柑 | Tree | Native | Common | - | | | ** | | | | | | |
| Adiantum capillus-veneris | 鐵線蕨 | Herb | Native | Common | - | | | * | * | | | | | |
| Ageratum conyzoides | 藿香薊 | Herb | Exotic | Common | - | * | * | | | | * | | | |
| Aglaia odorata var. microphyllina | 小葉米仔蘭 | Shrub | Exotic | Cultivated | - | * | | | | | | | | |
| Aleurites moluccana | 石栗 | Tree | Exotic | Widely cultivated | - | | * | | | | | | | |
| Alocasia macrorrhizos | 海芋 | Herb | Native | Very Common | - | * | | * | * | * | | * | * | |
| Alpinia zerumbet | 豐山薑 | Herb | Native | Common | - | * | | | | | | | | |
| Ananas comosus | 鳳梨 | Herb | Exotic | Cultivated | - | * | | | | | | | | |
| Aquilaria sinensis | 土沉香 | Tree | Native | Common | RPPHK (NT); CRDB (VU) | * | | * | | | | | | |
| Araucaria columnaris | 柱狀南洋杉 | Tree | Exotic | - | - | * | | | | | | | | |
| Ardisia crenata | 朱砂根 | Shrub | Native | Common | - | | | ** | * | | | | | |
| Artocarpus heterophyllus | 菠蘿蜜 | Tree | Exotic | Cultivated | - | * | | | | | | | | |
| Asystasia micrantha | 小花十萬錯 | Herb | Exotic | Cultivated or naturalized | - | * | | | | | | | | |
| Axonopus compressus | 地毯草 | Herb | Exotic | Common | - | | | | | | * | | | |
| Bambusa spp. | - | Tree | - | - | - | ** | | * | *** | | | | | |
| Bauhinia glauca | 粉葉羊蹄甲 | Climber | Native | Common | - | | | | ** | | | | | |
| Bauhinia variegata | 宮粉羊蹄甲 | Tree | Exotic | Cultivated | - | * | | | | | | | | |
| Bauhinia x blakeana | 洋紫荊 | Tree | Native | Cultivated | - | *** | | | | | | | | |
| Bidens alba | 白花鬼針草 | Herb | Exotic | Naturalized and widely distributed | - | * | ** | * | * | * | ** | | * | |

| | | | | | | | | | | Habitat | | | | |
|------------------------------|--------------|----------------|---------------------|-------------------------------------|-------------------------------------|-----|----|----|----|---------|----|----|----|----|
| Species | Chinese Name | Growth Form | Origin ¹ | Status in Hong Kong ¹ | Conservation Status ² | PL | DA | WL | SI | SHGL | CF | WN | MW | AP |
| Bidens bipinnata | 婆婆針 | Herb | Exotic | Common | - | * | * | | * | | * | | | |
| Blechnum orientale | 烏毛蕨 | Herb | Native | Common | - | | | * | * | * | | | | |
| Boehmeria nivea | 苧麻 | Shrub | Exotic | cultivated | | | | * | * | | | | | |
| Bougainvillea spectabilis | 葉子花 | Shrub | Exotic | Cultivated - | | * | | | | | | | | |
| Bridelia tomentosa | 土蜜樹 | Tree/Shr ub | Native | Common | | *** | | * | * | | | | | |
| Broussonetia papyrifera | 構樹 | Tree | Native | Common | - | * | | | | | | | | |
| Calamus walkeri | 多果省藤 | Climber | Native | - | | | | * | | | | | | |
| Calliandra haematocephala | 朱纓花 | Shrub | Exotic | Cultivated | - | *** | | | | | | | | |
| Callistemon viminalis | 串錢柳 | Tree | Exotic | Cultivated | - | * | | | | | | | | |
| Camellia euryoides | 柃葉茶 | Tree/Shr ub | Native | Very Common (Xing et. al. 2000) | Cap. 96 | | | * | | | | | | |
| Carex cryptostachys | 隱穗薹草 | Herb | Native | Common | - | | | | ** | * | | | | |
| Carica papaya | 番木瓜 | Tree | Exotic | Cultivated | - | * | | | | | | | | |
| Cassytha filiformis | 無根藤 | Climber | Native | Common | - | | | * | * | | | | | |
| Casuarina equisetifolia | 木麻黃 | Tree | Exotic | Common, also cultivated | | * | | * | | | | | | |
| Celtis sinensis | 朴樹 | Tree | Native | Common, also cultivated | - | * | | * | | | | | | |
| Chloris barbata | 孟仁草 | Herb | Native | Common | - | | * | | | | | | | |
| Choerospondias axillaris | 南酸棗 | Tree | Native | Common | - | | | * | | | | | | |
| Cibotium barometz | 金毛狗 | Shrub | Native | Common | RPPHK (VU) ;Cap. 586 | | | * | | | | | | |
| Cinnamomum burmannii | 陰香 | Tree | Native | Common, also cultivated | - | * | | * | | | | | | |

| | | | | | | | | | | Habitat | | | | |
|------------------------------|--------------|----------------|---------------------|-------------------------------------|-------------------------------------|----|-----|-----|----|---------|------|----|----|----|
| Species | Chinese Name | Growth Form | Origin ¹ | Status in Hong Kong ¹ | Conservation Status ² | PL | DA | WL | SL | SHGL | GL | NW | MW | AP |
| Cinnamomum camphora | 樟 | Tree | Native | Common, also cultivated | - | * | | | | | | | | |
| Clausena lansium | 黃皮 | Tree | Exotic | Cultivated | - | * | | | | | | | | |
| Cocculus orbiculatus | 木防己 | Climber | Native | Common, also widely planted | - | * | | | | | | | * | |
| Cratoxylum cochinchinense | 黃牛木 | Tree | Native | Common | - | | | *** | | | | | | |
| Cyperus haspan | 畦畔莎草 | | | | | | | | | | | | | * |
| Cyperus malaccensis | 茳芏 | Herb | Native | Common | - | | | | * | | | | ** | |
| Daphniphyllum calycinum | 牛耳楓 | Shrub | Native | Common | - | | | * | | | | | | |
| Delonix regia | 鳳凰木 | Tree | Exotic | Cultivated | - | * | | | | | | | | |
| Desmos chinensis | 假鷹爪 | Shrub | Native | Common | - | | | | * | | | | | |
| Dianella ensifolia | 山菅蘭 | Herb | Native | Common | - | | | * | * | * | * | | | |
| Dicranopteris pedata | 芒萁 | Herb | Native | Very Common | - | | | | | *** | **** | ** | | |
| Dimocarpus longan | 龍眼 | Tree | Exotic | Cultivated | - | ** | | * | | | | | | |
| Dracaena fragrans | 巴西鐵樹 | Shrub | Exotic | Cultivated | - | * | | | | | | | | |
| Duranta erecta | 假連翹 | Shrub | Exotic | Cultivated | - | | *** | | | | | | | |
| Eleusine indica | 牛筋草 | Herb | Native | Common | - | * | * | | | | | | | |
| Emilia sonchifolia | 一點紅 | Herb | Native | Common | - | * | * | | | | | | | |
| Epipremnum aureum | 綠蘿 | Climber | Exotic | Very Common | - | * | | * | | | | | | |
| Eragrostis tenella | 鯽魚草 | Herb | Native | Common | - | * | | | | * | * | | | |
| Erigeron karvinskianus | 加勒比飛蓬 | Herb | Exotic | Cultivated and naturalized | - | * | | | | | | | | |
| Eucalyptus spp. | - | Tree | Exotic | Common | - | | | ** | | | | | | |
| Euphorbia cotinfolia | - | Shrub | - | - | - | * | | | | | | | | |
| Euphorbia hirta | 飛揚草 | Herb | Exotic | Naturalized | | | * | | | | | | | |

| | | | | | | | | | | Habitat | | | | |
|----------------------------|--------------|----------------|---------------------|-------------------------------------|-------------------------------------|-----|----|----|----|---------|----|----|----|----|
| Species | Chinese Name | Growth Form | Origin ¹ | Status in Hong Kong ¹ | Conservation Status ² | PL | DA | WL | SI | SHGL | CL | NW | MW | AP |
| Excoecaria cochinchinensis | 紅背桂 | Shrub | Exotic | Cultivated | - | * | | | | | | | | |
| Ficus benjamina | 垂葉榕 | Tree | Exotic | Cultivated | - | * | | | | | | | | |
| Ficus elastica | 印度榕 | Tree | Exotic | Cultivated | - | * | | | | | | | | |
| Ficus hirta | 粗葉榕 | Tree/Shr ub | Native | Common | - | | | * | * | | | | | |
| Ficus hispida | 對葉榕 | Tree/Shr ub | Native | Common | - | * | | * | | | | | | |
| Ficus microcarpa | 榕樹 | Tree | Native | Common, also cultivated | - | ** | * | | | | | | | |
| Ficus religiosa | 菩提樹 | Tree | Exotic | Cultivated | - | * | | | | | | | | |
| Ficus variegata | 青果榕 | Tree | Native | Common | - | | | * | | | | | | |
| Glochidion lanceolarium | 艾膠算盤子 | Tree/Shr ub | Native | Common | - | | | * | | | | | | |
| Gnetum luofuense | 羅浮買麻藤 | Climber | Native | Common | IUCN (NT) | | | * | | * | | | | |
| Hibiscus rosa-sinensis | 朱槿 | Shrub | Exotic | Common, also cultivated | - | | ** | | | | | | | |
| Ilex asprella | 梅葉冬青 | Shrub | Native | Common | - | | | * | | | | | | |
| Imperata cylindrica | 大白茅 | Herb | Native | Common | - | | | | | | * | | | |
| Ipomoea cairica | 五爪金龍 | Herb | Exotic | Common | - | * | | | * | * | * | | | ** |
| Ipomoea triloba | 三裂葉薯 | Climber | Exotic | Naturalized | | | | | | | | | | ** |
| Ixora chinensis | 龍船花 | Shrub | Native | Widely cultivated | - | *** | | | | | | | | |
| Koelreuteria bipinnata | 複羽葉欒樹 | Tree | Exotic | Cultivated | - | * | | | | | | | | |
| Lagerstroemia speciosa | 大花紫薇 | Tree | Exotic | Cultivated | Cap. 96 | * | | | | | | | | |
| Lantana camara | 馬纓丹 | Shrub | Exotic | Naturalized | - | ** | | * | * | | | | | |
| Leucaena leucocephala | 銀合歡 | Tree/Shr ub | Exotic | Naturalized and cultivated | - | *** | | * | | | | | | |

| | | | | | | | | | | Habitat | | | | |
|---|--------------|----------------|---------------------|-------------------------------------|-------------------------------------|-----|----|-----|----|---------|----|----|----|----|
| Species | Chinese Name | Growth Form | Origin ¹ | Status in Hong Kong ¹ | Conservation Status ² | PL | DA | WL | SL | SHGL | CL | NW | MW | AP |
| Ligustrum lucidum | 女貞 | Tree/Shr ub | Exotic | Cultivated | - | | | * | * | | | | | |
| Ligustrum sinense | 山指甲 | Tree/Shr ub | Exotic | Common, also cultivated | - | * | | *** | | | | | | |
| Liquidambar formosana | 楓香 | Tree | Native | Common | - | * | | * | | | | | | |
| Litchi chinensis | 荔枝 | Tree | Exotic | Cultivated | - | | * | * | | | | | | |
| Litsea cubeba | 木薑子 | Tree/Shr ub | Native | Common | | | | | * | | | | | |
| Litsea glutinosa | 潺槁樹 | Tree | Native | Common | - | * | | * | | | | | | |
| Litsea rotundifolia | 豺皮樟 | Tree/Shr ub | Native | Very Common | - | | | ** | ** | | | | | |
| Livistona chinensis | 蒲葵 | Tree | Exotic | Cultivated | - | * | | | | | | | | |
| Lophostemon confertus | 紅膠木 | Tree | Exotic | Cultivated | - | *** | | ** | | | | | | |
| Lygodium japonicum | 海金沙 | Climber | Native | Very Common | - | | | * | * | * | * | * | | |
| Macaranga tanarius var. tomentosa | 血桐 | Tree | Native | Common | - | *** | | * | | | | | | |
| Machilus chekiangensis | 浙江潤楠 | Tree | Native | Common | - | | | * | | | | | | |
| Machilus pauhoi | 刨花潤楠 | Tree | Native | Common | - | | | * | | | | | | |
| Macrothelypteris torresiana | 普通針毛蕨 | Herb | Native | Very Common | - | | | * | * | * | * | * | | |
| Mallotus paniculatus | 白楸 | Tree/Shr ub | Native | Common | - | | | * | | | | | | |
| Mangifera indica | 杧果 | Tree | Exotic | Cultivated | - | * | | | | | | | | |
| Melaleuca cajuputi subsp. cumingiana | 白千層 | Tree | Exotic | Cultivated | - | *** | | | | | | | | |
| Melastoma malabathricum | 野牡丹 | Shrub | Native | Common | - | | | * | ** | * | * | | | |
| Microcos nervosa | 破布葉 | Tree/Shr ub | Native | Common | - | | | * | | | | | | |

| | | | | | | | | | | Habitat | t | | | |
|------------------------------|--------------|----------------|---------------------|-------------------------------------|-------------------------------------|----|----|------|----|---------|------|----|----|----|
| Species | Chinese Name | Growth Form | Origin ¹ | Status in Hong Kong ¹ | Conservation Status ² | PL | DA | WL | SL | SHGL | CL | NW | MW | AP |
| Mikania micrantha | 薇甘菊 | Tree/Shr ub | Native | Common | - | | | * | | * | * | | * | ** |
| Mimosa pudica | 含羞草 | Herb | Exotic | Naturalized | - | | | | | | * | | | |
| Miscanthus floridulus | 五節芒 | Herb | Native | Common | - | * | | | | ** | ** | | | |
| Miscanthus sinensis | 芒 | Herb | Native | Common | - | ** | | | | ** | **** | | | |
| Murraya paniculata | 九里香 | Tree | Exotic | Cultivated or naturalized | - | * | | | | | | | | |
| Musa x paradisiaca | 大蕉 | Herb | Exotic | Cultivated | - | * | | | | | | | | |
| Nymphaea nouchali | 延藥睡蓮 | Herb | Exotic | Cultivated | - | | | | | | | | | * |
| Oxalis corniculata | 酢漿草 | Herb | Native | Common | - | * | * | | | | * | | | |
| Pandanus austrosinensis | 露兜草 | Herb | Native | - | - | | | * | | | | | | |
| Pennisetum polystachion | 牧地狼尾草 | Herb | Exotic | Very Common | - | | | | | | * | | | |
| Phragmites australis | 蘆葦 | Herb | Native | - | - | | | | | | | | | * |
| Phyllanthus acidus | 酸果葉下珠 | Tree | Exotic | Cultivated | - | | | * | | | | | | |
| Pinus elliottii | 濕地松 | Tree | Exotic | Widely planted im countryside areas | - | | | * | | | | | | |
| Pittosporum glabratum | 光葉海桐 | Tree/Shr ub | Native | Common | - | | | * | | | | | | |
| Polyspora axillaris | 大頭茶 | Tree/Shr ub | Native | Common | - | | | ** | | | | | | |
| Psychotria asiatica | 九節 | Tree/Shr ub | Native | Common | - | | | **** | ** | | | | | |
| Pteris multifida | 井欄邊草 | Herb | Native | Common | - | | | | * | * | * | | * | |
| Pteris vittata | 蜈蚣草 | Herb | Native | Very Common | - | | | | | * | | | | |
| Ravenala madagascariensis | 旅人蕉 | Tree | Exotic | Cultivated | - | * | | | | | | | | |
| Rhaphiolepis indica | 石斑木 | Tree/Shr ub | Native | Common | - | | | * | * | * | | | | |

| | | | | | | | | | | Habitat | | | | |
|-----------------------------|--------------|----------------|---------------------|------------------------------------|-------------------------------------|----|----|----|----|---------|----|----|----|----|
| Species | Chinese Name | Growth Form | Origin ¹ | Status in Hong Kong ¹ | Conservation Status ² | T. | DA | WL | SL | SHGL | CL | NW | MW | AP |
| Rhapis excelsa | 棕竹 | Shrub | Native | Common, also cultivated | - | * | | | | | | | | |
| Rhodomyrtus tomentosa | 桃金娘 | Shrub | Native | Common | - | | | | | * | | | | |
| Rhus succedanea | 木蠟樹 | Tree/Shr ub | Native | Common | - | | | * | ** | | | | | |
| Rottboellia cochinchinensis | 筒軸茅 | Herb | Native | Common | - | | * | | | | | | | |
| Rubus reflexus | 鏽毛莓 | Shrub | Native | Common | - | | | | ** | * | | | | |
| Sansevieria trifasciata | 虎尾蘭 | Herb | Exotic | Cultivated | | * | | | | | | | | |
| Sapium discolor | 山烏桕 | Tree | Native | Common | - | | | * | * | | | | | |
| Sapium sebiferum | 烏桕 | Tree | Native | Common, also cultivated | - | | | * | | | | | | |
| Sarcandra glabra | 草珊瑚 | Shrub | Native | Common | - | | | * | * | | | | | |
| Schefflera arboricola | 鵝掌藤 | Shrub | Exotic | Cultivated | - | ** | | | | | | | | |
| Schefflera heptaphylla | 鵝掌柴 | Tree/Shr ub | Native | Common | - | | | ** | | | | | | |
| Senna alata | 翅莢決明 | Shrub | Exotic | Cultivated | - | * | | | | | | | | |
| Senna siamea | 鐵刀木 | Tree | Exotic | Cultivated | - | * | | * | | | | | | |
| Solanum torvum | 水茄 | Shrub | Exotic | Naturalized | - | * | | | | | | | | |
| Spathodea campanulata | 火焰樹 | Tree | Exotic | Cultivated | - | * | | | | | | | | |
| Spermacoce latifolia | 闊葉豐花草 | Herb | Exotic | Naturalized | - | * | | | | | | | | |
| Stachytarpheta jamaicensis | 假馬鞭 | Herb | Exotic | Naturalized | - | * | | | | | | | | |
| Sterculia lanceolata | 假蘋婆 | Tree | Native | Common | - | | | * | | | | | | |
| Synedrella nodiflora | 金腰箭 | Herb | Exotic | Naturalized and widely distributed | - | | | | | | * | | | |
| Syzygium cumini | 烏墨 | Tree | Exotic | Cultivated | - | | | * | | | | | | |
| Syzygium jambos | 蒲桃 | Tree | Exotic | Naturalized and cultivated | - | | | * | | | | | | |

| | | | | | | | | | | Habitat | | | | |
|------------------------|-----------------------------|----------------|---------------------|-------------------------------------|-------------------------------------|----|----|----|----|---------|----|----|----|----|
| Species | Chinese Name | Growth Form | Origin ¹ | Status in Hong Kong ¹ | Conservation Status ² | PL | DA | WL | SL | SHGL | GL | NW | MW | AP |
| Terminalia mantaly | 小葉欖仁 | Tree | Exotic | Cultivated | - | | * | | | | | | | |
| Tradescantia spathacea | 紫背萬年青 | Herb | Exotic | Cultivated | - | * | | | | | | | | |
| Trema orientalis | 異色山黃麻 | Tree/Shr ub | Native | Common | - | * | | * | | | | | | |
| Tridax procumbens | 羽芒菊 | Herb | Exotic | Naturalized and widely distributed | - | | | | | | * | | | |
| Typha angustifolia | 水燭 | Herb | Exotic | Cultivated | - | | | | | | | | | * |
| Vigna angularis | 赤豆 | Herb | Exotic | Cultivated | - | | | | ** | | | | | |
| Wedelia trilobata | 三裂葉蟛蜞菊 | Herb | Exotic | Naturalized and widely cultivated | - | | * | | * | * | * | | * | |
| Zanthoxylum avicennae | 簕欓花椒 | Tree | Native | Common | - | | | ** | * | | | | | |
| Zingiber officinale | 畫 | Herb | Exotic | Cultivated | - | | | * | * | | | | | |
| | Total no. of species record | | | | | | 17 | 70 | 37 | 22 | 23 | 4 | 7 | 7 |

Notes:

- 1. Origin and Status in Hong Kong were retrieved from https://bih.gov.hk/en/species-database/index.html (2022)
- 2. Conservation Status were based on the following:
 - a. Cap. 96 Forests and Countryside Ordinance, including the associated Chapter 96A Forestry Regulation
 - b. Cap. 586 Protection of Endangered Species of Animal and Plants Ordinance
 - c. Xing et al. (2000)
 - d. Rare and Precious Plants of Hong Kong (RPPHK) (AFCD 2003, Online Version)
 - e. IUCN (2022)
 - f. China Red Data Book (CRDB) (Retrieved from https://bih.gov.hk/en/species-database/index.html (2022))
- 3. In this list, plant species is considered as species of conservation importance, if it is scheduled under Cap. 96A, protected under Cap. 586, documented as rare/protected species in AFCD (2003), or has conservation status under IUCN Red List of Threatened Species and China Red Data Book; and its population is native and not cultivated in Hong Kong.
- 4. Habitat types: MW (Modified Watercourse); NW(Natural Watercourse); Artificial Pond (AP); DA (Developed Area); PL (Plantation); SL (Shrubland); WL (Woodland); GL (Grassland); SHGL (Shrubby Grassland)
- 5. Key for relative abundance: **** = Abundant; *** = Frequent; ** = Occasional; * = Scarce

Appendix 8.3b

List of Floral Species Recorded Recorded within the Project Area

| | | | | | | | Hal | bitat | |
|---------------------------|--------------|----------------|---------------------|------------------------------------|----------------------------------|-----|-----|-------|----|
| Species | Chinese Name | Growth Form | Origin ¹ | Status in Hong Kong ¹ | Conservation Status ² | PL. | DA | WL | NW |
| Acacia auriculiformis | 耳果相思 | Tree | Exotic | Widely cultivated | - | * | | * | |
| Acacia confusa | 台灣相思 | Tree | Exotic | Widely cultivated | - | * | | * | |
| Acacia mangium | 大葉相思 | Tree | Exotic | Widely cultivated | - | * | | ** | |
| Acroceras tonkinense | 山雞穀草 | Herb | Native | - | - | | * | | |
| Acronychia pedunculata | 山油柑 | Tree | Native | Common | - | | | * | |
| Adiantum capillus-veneris | 鐵線蕨 | Herb | Native | Common | - | | | * | |
| Ageratum conyzoides | 藿香薊 | Herb | Exotic | Common | - | | * | | |
| Alocasia macrorrhizos | 海芋 | Herb | Native | Very Common | - | | | * | * |
| Ardisia crenata | 朱砂根 | Shrub | Native | Common | - | | | * | |
| Bambusa spp. | - | Tree | - | - | - | | | * | |
| Bauhinia variegata | 宮粉羊蹄甲 | Tree | Exotic | Cultivated | - | * | | | |
| Bauhinia x blakeana | 洋紫荊 | Tree | Native | Cultivated | - | ** | | | |
| Bidens alba | 白花鬼針草 | Herb | Exotic | Naturalized and widely distributed | - | * | * | * | |
| Bidens bipinnata | 婆婆針 | Herb | Exotic | Common | - | | * | | |
| Boehmeria nivea | 苧麻 | Shrub | Exotic | Common, also cultivated | - | | | * | |
| Bridelia tomentosa | 土蜜樹 | Tree/Shrub | Native | Common | | | | * | |
| Casuarina equisetifolia | 木麻黃 | Tree | Exotic | Common, also cultivated | | | | * | |
| Celtis sinensis | 朴樹 | Tree | Native | Common, also cultivated | - | | | * | |
| Cinnamomum burmannii | 陰香 | Tree | Native | Common, also cultivated | - | | | * | |
| Cinnamomum camphora | 樟 | Tree | Native | Common, also cultivated | - | * | | | |
| Cocculus orbiculatus | 木防己 | Climber | Native | Common, also widely planted | - | * | | * | |
| Cratoxylum cochinchinense | 黃牛木 | Tree | Native | Common | - | | | ** | |
| Dicranopteris pedata | 芒萁 | Herb | Native | Very Common | - | | | | * |
| Dimocarpus longan | 龍眼 | Tree | Exotic | Cultivated | - | * | | * | |

| | | | | | | | Hal | bitat | |
|-----------------------------------|--------------|----------------|---------------------|-------------------------------------|----------------------------------|-----|-----|-------|----|
| Species | Chinese Name | Growth Form | Origin ¹ | Status in Hong Kong ¹ | Conservation Status ² | P. | DA | ML | WW |
| Dracaena fragrans | 巴西鐵樹 | Shrub | Exotic | Cultivated | - | * | | | |
| Duranta erecta | 假連翹 | Shrub | Exotic | Cultivated | - | | * | | |
| Emilia sonchifolia | 一點紅 | Herb | Native | Common | - | * | * | | |
| Ficus hirta | 粗葉榕 | Tree/Shrub | Native | Common | - | | | * | |
| Ficus hispida | 對葉榕 | Tree/Shrub | Native | Common | - | * | | * | |
| Ficus microcarpa | 榕樹 | Tree | Native | Common, also cultivated | - | * | * | | |
| Gnetum luofuense | 羅浮買麻藤 | Climber | Native | Common | IUCN (NT) | | | * | |
| Lantana camara | 馬纓丹 | Shrub | Exotic | Naturalized | - | | | * | |
| Leucaena leucocephala | 銀合歡 | Tree/Shrub | Exotic | Naturalized and cultivated | - | ** | | ** | |
| Ligustrum sinense | 山指甲 | Tree/Shrub | Exotic | Common, also cultivated | - | | | * | |
| Litchi chinensis | 荔枝 | Tree | Exotic | Cultivated | - | | | * | |
| Litsea glutinosa | 潺槁樹 | Tree | Native | Common | - | | | * | |
| Litsea rotundifolia | 豺皮樟 | Tree/Shrub | Native | Very Common | - | | | * | |
| Livistona chinensis | 蒲葵 | Tree | Exotic | Cultivated | - | * | | | |
| Lophostemon confertus | 紅膠木 | Tree | Exotic | Cultivated | - | *** | | ** | |
| Lygodium japonicum | 海金沙 | Climber | Native | Very Common | - | | | * | * |
| Macaranga tanarius var. tomentosa | 血桐 | Tree | Native | Common | - | ** | | * | |
| Machilus pauhoi | 刨花潤楠 | Tree | Native | Common | - | | | * | |
| Macrothelypteris torresiana | 普通針毛蕨 | Herb | Native | Very Common | - | | | * | * |
| Mallotus paniculatus | 白楸 | Tree/Shrub | Native | Common | - | | | * | |
| Microcos nervosa | 破布葉 | Tree/Shrub | Native | Common | - | | | * | |
| Mikania micrantha | 薇甘菊 | Tree/Shrub | Native | Common | - | | | * | |
| Miscanthus floridulus | 五節芒 | Herb | Native | Common | - | * | | | |
| Miscanthus sinensis | 芒 | Herb | Native | Common | - | * | | | |
| Musa x paradisiaca | 大蕉 | Herb | Exotic | Cultivated | - | * | | | |

| | | | | | | | Ha | bitat | |
|------------------------|--------------|----------------|---------------------|-------------------------------------|----------------------------------|----|----|-------|----|
| Species | Chinese Name | Growth Form | Origin ¹ | Status in Hong Kong ¹ | Conservation Status ² | PL | DA | WL | NW |
| Oxalis corniculata | 酢漿草 | Herb | Native | Common | - | | * | | |
| Psychotria asiatica | 九節 | Tree/Shrub | Native | Common | - | | | *** | |
| Rhaphiolepis indica | 石斑木 | Tree/Shrub | Native | Common | - | | | * | |
| Sapium discolor | 山烏桕 | Tree | Native | Common | - | | | * | |
| Sapium sebiferum | 烏桕 | Tree | Native | Common, also cultivated | - | | | * | |
| Sarcandra glabra | 草珊瑚 | Shrub | Native | Common | - | | | * | |
| Schefflera heptaphylla | 鵝掌柴 | Tree/Shrub | Native | Common | - | | | * | |
| Solanum torvum | 水茄 | Shrub | Exotic | Naturalized | - | * | | | |
| Sterculia lanceolata | 假蘋婆 | Tree | Native | Common | - | | | * | |
| Syzygium jambos | 蒲桃 | Tree | Exotic | Naturalized and cultivated | - | | | * | |
| Trema orientalis | 異色山黃麻 | Tree/Shrub | Native | Common | - | | | * | |
| Wedelia trilobata | 三裂葉蟛蜞菊 | Herb | Exotic | Naturalized and widely cultivated | - | | * | | |
| Zanthoxylum avicennae | 簕欓花椒 | Tree | Native | Common | - | | | * | |
| Zingiber officinale | 薑 | Herb | Exotic | Cultivated | - | | | * | |
| | | | _ | T | otal no. of species recorded | 21 | 9 | 45 | 4 |

Notes:

- 1. Origin and Status in Hong Kong were retrieved from https://bih.gov.hk/en/species-database/index.html (2022)
- 2. Conservation Status were based on the following:
 - a. Cap. 96 Forests and Countryside Ordinance, including the associated Chapter 96A Forestry Regulation
 - b. Cap. 586 Protection of Endangered Species of Animal and Plants Ordinance
 - c. Xing et al. (2000)
 - d. Rare and Precious Plants of Hong Kong (RPPHK) (AFCD 2003, Online Version)
 - e. IUCN (2022)
 - f. China Red Data Book (CRDB) (Retrieved from https://bih.gov.hk/en/species-database/index.html (2022))
- 3. In this list, plant species is considered as species of conservation importance, if it is scheduled under Cap. 96A, protected under Cap. 586, documented as rare/protected species in AFCD (2003), or has conservation status under IUCN Red List of Threatened Species and China Red Data Book; and its population is native and not cultivated in Hong Kong.
- 4. Habitat types: MW (Modified Watercourse); NW(Natural Watercourse); Artificial Pond (AP); DA (Developed Area); PL (Plantation); SL (Shrubland); WL (Woodland); GL (Grassland); SHGL (Shrubby Grassland)

5. Key for relative abundance: **** = Abundant; *** = Frequent; ** = Occasional; * = Scarce