Appendix 9.3 Fauna Species Recorded within the assessment area Avifauna

Avifauna					Protection		Red List of					Habi	tat within A	ssessment	Area			
Common Name	Scientific Name	Distribution in Hong Kong <sup>(3)</sup>	Principal Status <sup>(4)</sup>	Level of Concern <sup>(5)</sup>	Status in China <sup>(6)</sup>	China Red Data Book <sup>(7)</sup>	China's Vertebrates <sup>(8)</sup>	IUCN Red List <sup>(9)</sup>	MWL	SL	SG/G	PL	DA	RS	ss	NWC	MWC	IF
Amur Stonechat	Saxicola stejnegeri	Common passage migrant and winter visitor. Widely distributed in open cultivated fields throughout Hong Kong.	W,M	-	-	-	Least Concern	Least Concern					+					
Asian Koel	Eudynamys scolopaceus	Common resident. Widely distributed in Hong Kong.	Su,R	-	-	-	Least Concern	Least Concern	+				+			+		
Barn Swallow	Hirundo rustica	Abundant passage migrant and uncommon winter visitor. Widely distributed in Hong Kong.	SpM,Su	-	-	-	Least Concern	Least Concern	++	+	++++	+	+	++				
Black Drongo	Dicrurus macrocercus	Common autumn passage migrant and winter visitor. Widely distributed in open area throughout Hong Kong.	M,Su	-	-	-	Least Concern	Least Concern	+									+
Black Kite <sup>(2)(10)</sup>	Milvus migrans	Common resident and winter visitor. Widely distributed in Hong Kong	W,R	(RC)	Class II	-	Least Concern	Least Concern	+++	++		+	++					++
Black-collared Starling	Gracupica nigricollis	Common resident. Widely distributed in Hong Kong	R	-	-	-	Least Concern	Least Concern	++				++		+			
Black-crowned Night Heron <sup>(10)</sup>	Nycticorax nycticorax	Common resident and migrant. Widely distributed in Hong Kong.	Р	(LC)	-	-	Least Concern	Least Concern										+
Black-faced Bunting	Emberiza spodocephala	Common winter visitor and passage migrant. Widely distributed in Hong Kong.	M,W	-	-	-	Least Concern	Least Concern	+	+	+							
Black-throated Laughingthrush	Pterorhinus chinensis	Common resident. Widely distributed in woodland and shrubland throughout Hong Kong.	R	-	Class II	-	Near Threatened	Least Concern	+	+								
Black-winged Cuckooshrike	Lalage melaschistos	Common passage migrant and scarce winter visitor. Widely distributed in woodland throughout Hong Kong.	AM,W	-	-	-	Least Concern	Least Concern					+					
Blue Whistling Thrush	Myophonus caeruleus	Widely distributed in countryside areas throughout Hong Kong, except for Lantau Island	R	-	-	-	Least Concern	Least Concern	+	+	+	+	+			+		
Chinese Bulbul	Pycnonotus sinensis	Abundant resident. Widely distributed in Hong Kong.	R	-	-	-	Least Concern	Least Concern	+++++	++		++	+++			+		<u></u>
Chinese Hwamei <sup>(2)</sup>	Garrulax canorus	Common resident. Widely distributed in hillside shrubland througthout Hong Kong.	R	-	Class II	-	Near Threatened	Least Concern		+	+							
Chinese Pond Heron <sup>(10)</sup>	Ardeola bacchus	Common resident. Widely distributed in Hong Kong.	P	PRC (RC)	-	-	Least Concern	Least Concern								+		
Collared Crow <sup>(10)</sup>	Corvus torquatus	Locally common resident. Found in Inner Deep Bay area, Nam Chung, Kei Ling Ha, Tai Mei Tuk, Pok Fu Lam, Chek Iap Kok, Shuen Wan, Lam Tsuen.		LC	-	-	Near Threatened	Vulnerable	+									
Collared Scops Owl <sup>(2)</sup>	Otus lettia	Common resident. Widely distributed in shrubland throughout Hong Kong.	R	=	Class II	=	Least Concern	Least Concern	+	+	+		+					
Common Emerald Dove	Chalcophaps indica	Uncommon but widespread resident. Widely distributed in woodland throughout Hong Kong.	R	-	-	Vulnerable	Least Concern	Least Concern	+									
Common Kestrel <sup>(2)</sup>	Falco tinnunculus	Common autumn migrant and winter visitor. Widely distributed in Hong Kong.	AM,W	-	Class II	-	Least Concern	Least Concern										+
Common Kingfisher	Alcedo atthis	Common passage migrant and winter visitor. Widely distributed in wetland habitat throughout Hong Kong.	AM,P	-	-	-	Least Concern	Least Concern					+					

Avifauna					Protection		Red List of					Habi	tat within A	ssessment	Area			
Common Name	Scientific Name	Distribution in Hong Kong <sup>(3)</sup>	Principal Status <sup>(4)</sup>	Level of Concern <sup>(5)</sup>	Status in China <sup>(6)</sup>	China Red Data Book <sup>(7)</sup>	China's Vertebrates <sup>(8)</sup>	IUCN Red List <sup>(9)</sup>	MWL	SL	SG/G	PL	DA	RS	ss	NWC	MWC	IF
Common Sandpiper	Actitis hypoleucos	Common passage migrant and winter visitor. Widely distributed in wetland area throughout Hong Kong.	M,W	-	-	-	Least Concern	Least Concern						+	+			
Common Tailorbird	Orthotomus sutorius	Common resident. Widely distributed in Hong Kong.	R	-	-	-	Least Concern	Least Concern	++	+		+	++					+
Crested Goshawk <sup>(2)</sup>	Accipiter trivirgatus	Common resident. Widely distributed in woodlands and shrublands throughout Hong Kong.	R	-	Class II	Rare	Near Threatened	Least Concern	+									
Crested Myna	Acridotheres cristatellus	Abundant resident. Widely distributed in Hong Kong.	R	-	-	-	Least Concern	Least Concern	+		+++++		+					
Daurian Redstart	Phoenicurus auroreus	Common winter visitor. Widely distributed in Hong Kong.	W	-	-	-	Least Concern	Least Concern			+		+					
Dusky Warbler	Phylloscopus fuscatus	Abundant winter visitor and migrant. Widely distributed in shrubland and waterside vegetation throughout Hong Kong.	w	-	-	-	Least Concern	Least Concern			+		+					
Eastern Buzzard <sup>(2)(10)</sup>	Buteo japonicus	Common winter visitor. Widely distributed in Hong Kong.	w	-	Class II	-	Least Concern	Least Concern		+								+
Eurasian Tree Sparrow	Passer montanus	Abundant resident. Widely distributed in Hong Kong.	R	-	-	-	Least Concern	Least Concern	+	+	+		+++					
Great Egret	Ardea alba	Common resident, migrant and winter visitor. Widely distributed in Hong Kong.	Р	PRC (RC)	-	-	Least Concern	Least Concern										+
Greater Coucal	Centropus sinensis	Common resident. Widely distributed in Hong Kong.	R	-	Class II	Vulnerable	Least Concern	Least Concern	+	+		+	+					
Grey Heron <sup>(10)</sup>	Ardea cinerea	Common winter visitor. Found in Deep Bay area, Starling Inlet, Kowloon Park, Cape D'Aguilar.	w	PRC	-	-	Least Concern	Least Concern										+
Hair-crested Drongo	Dicrurus hottentottus	Common migrant and winter visitor, and locally common resident. Widely distributed in wooded area throughout Hong Kong.	M,Su,W	-	-	-	Least Concern	Least Concern				+						
House Swift	Apus nipalensis	Abundant spring migrant and common resident. Widely distributed in Hong Kong.	R,SpM	-	-	-	Least Concern	Least Concern	+	++	+	+	+					
Indochinese Yuhina	Staphida torqueola	Uncommon but increasing winter visitor, scarce and localised in summer.	w	(LC)	-		-	Least Concern	+									
Japanese Thrush	Turdus cardis	Common winter visitor and migrant. Widely distributed in woodland throughout Hong Kong.	M,W	-	-	-	Least Concern	Least Concern		+								
Japanese Tit	Parus minor	Vagrant. Found in Wetland Park.	-	-	-	-	-	-	+	+								
Kentish Plover <sup>(10)</sup>	Charadrius alexandrinus	Abundant winter visitor and scarce migrant. Found in Deep Bay area, Chek Lap Kok, Shuen Wan, Sai Kung, Lantau Island.	w	RC	-	-	Least Concern	Least Concern					+					
Large-billed Crow	Corvus macrorhynchos	Common resident. Widely distributed in Hong Kong.	R	-	-	-	Least Concern	Least Concern	++	+	+	++	++++					+
Lesser Coucal	Centropus bengalensis	Uncommon resident. Widely distributed in Hong Kong.	R	-	Class II	Vulnerable	Least Concern	Least Concern			+							
Little Bunting	Emberiza pusilla	Common passage migrant and winter visitor. Widely distributed in open area throughout Hong Kong.	w	-	-	-	Least Concern	Least Concern		+								
Little Egret <sup>(10)</sup>	Egretta garzetta	Common resident, migrant and winter visitor. Widely distributed in coastal area throughout Hong Kong.	Р	PRC (RC)	-	-	Least Concern	Least Concern										+
Long-tailed Shrike	Lanius schach	Common resident. Widely distributed in open areas throughout Hong Kong.	R	-	-	-	Least Concern	Least Concern	+		+		+					

# Avifauna

Avitauna					Protection		Red List of					Habi	tat within A	ssessment	Area			
Common Name	Scientific Name	Distribution in Hong Kong <sup>(3)</sup>	Principal Status <sup>(4)</sup>	Level of Concern <sup>(5)</sup>	Status in China <sup>(6)</sup>	China Red Data Book <sup>(7)</sup>	China's Vertebrates <sup>(8)</sup>	IUCN Red List <sup>(9)</sup>	MWL	SL	SG/G	PL	DA	RS	SS	NWC	MWC	IF
Masked Laughingthrush	Pterorhinus perspicillatus	Abundant resident. Widely distributed in shrubland throughout Hong Kong	R	-	-	-	Least Concern	Least Concern	+	+	+	+	+					
Mountain Bulbul	Ixos mcclellandii	Uncommon resident. Found in Tai Po Kau, Ng Tung Chai.	-	-	-	-	Least Concern	Least Concern	+									
Mountain Tailorbird	Phyllergates cucullatus	Uncommon resident and locally common winter visitor. Found in woodland throughtout Hong Kong	-	-	-	-	Least Concern	Least Concern		+								
Olive-backed Pipit	Anthus hodgsoni	Common passage migrant and winter visitor. Widely distributed in Hong Kong.	w	-	-	-	Least Concern	Least Concern			+		+					
Oriental Magpie	Pica serica	Common summer visitor. Widely distributed in open area throughout Hong Kong.	R	-	-	-	Least Concern	Least Concern				+	+					
Oriental Magpie Robin	Copsychus saularis	Abundant resident. Widely distributed in Hong Kong.	R	-	-	-	Least Concern	Least Concern	+	+	+	+	+	+				+
Pacific Reef Heron <sup>(10)</sup>	Egretta sacra	Common resident. Widely distributed in coastal area throughout Hong Kong.	R	(LC)	Class II	Rare	Least Concern	Least Concern						+				+
Pallas's Leaf Warbler	Phylloscopus proregulus	Common winter visitor and migrant. Found in woodland thorughout Hong Kong.	w	-	-	-	Least Concern	Least Concern	+			+	+					
Peregrine Falcon <sup>(2)(10)</sup>	Falco peregrinus	Locally common resident and winter visitor. Widely distributed in Hong Kong.	R,W	(LC)	Class II	-	Near Threatened	Least Concern										+
Plaintive Cuckoo	Cacomantis merulinus	Passage migrant and common visitor. Widely distributed in open area throughout Hong Kong.	Su	-	-	-	Least Concern	Least Concern	+									
Red-billed Blue Magpie	Urocissa erythroryncha	Common resident. Widely distributed in woodland edges throught Hong Kong.	R	-	-	-	Least Concern	Least Concern	++	+	+	+	++					
Red-whiskered Bulbul	Pycnonotus jocosus	Abundant resident. Widely distributed in Hong Kong.	R	-	-	-	Least Concern	Least Concern	+++	++	+	++	+++	+		++		
Rock Dove	Columba livia	Locally common resident. Widely distributed in urban area throughout Hong Kong.	R	-	-	-	Least Concern	Least Concern					+					
Rufous-capped Babbler	Cyanoderma ruficeps	Common resident	R	LC	-	-	Least Concern	Least Concern	+	+								Ì
Scarlet Minivet	Pericrocotus speciosus	Common resident. Found in Tai Po Kau, the Peak, Lam Tsuen, Cape D'Aguilar Road, Shing Mun.	R	-	-	-	Least Concern	Least Concern	+									
Scaly-breasted Munia	Lonchura punctulata	Abundant resident. Widely distributed in Hong Kong.	R	-	-	-	Least Concern	Least Concern					+					İ
Sooty-headed Bulbul	Pycnonotus aurigaster	Common resident. Widely distributed in open areas thorughout Hong Kong.	R	-	-	-	Least Concern	Least Concern			+	+						
Spotted Dove	Spilopelia chinensis	Abundant resident. Widely distributed in Hong Kong.	R	-	-	-	Least Concern	Least Concern	++	+	+	+	++			+		
Swinhoe's White-eye	Zosterops simplex	Abundant resident. Widely distributed in Hong Kong.	R,?W	-	-	-	Least Concern	Least Concern	+++	++	+	+	+				_	
Tristram's Bunting	Emberiza tristrami	Uncommon winter visitor. Widely distributed in woodland throughout Hong Kong.	w	-	-	-	Near Threatened	Least Concern					+					
White Wagtail	Motacilla alba	Resident, common passage migrant and winter visitor. Widely distributed in Hong Kong.	W,R	-	-	-	Least Concern	Least Concern	+	+		+	+					
White-breasted Waterhen <sup>(10)</sup>	Amaurornis phoenicurus	Common resident. Widely distributed in wetland throughout Hong Kong	R	-	-	-	Least Concern	Least Concern			+							
White-throated Kingfisher <sup>(10)</sup>	Halcyon smyrnensis	Common resident. Widely distributed in coastal areas throughout Hong Kong.	АМ,Р	(LC)	Class II	-	Least Concern	Least Concern					+	+				

#### Avifauna

					Protection		Red List of					Habi	tat within A	ssessment	Area			
Common Name	Scientific Name	Distribution in Hong Kong <sup>(3)</sup>	Principal Status <sup>(4)</sup>	Level of Concern <sup>(5)</sup>	Status in China <sup>(6)</sup>	China Red Data Book <sup>(7)</sup>	China's Vertebrates <sup>(8)</sup>	IUCN Red List <sup>(9)</sup>	MWL	SL	SG/G	PL	DA	RS	ss	NWC	MWC	IF
White-rumped Muia	Lonchura striata	Common resident. Widely distributed in wetland throughout Hong Kong.	R	-	-	-	Least Concern	Least Concern	+				+					
White-shouldered Starling		Locally common passage migrant and uncommon winter visitor.	R	(LC)	-	-	Least Concern	Least Concern	+									
Yellow-bellied Prinia		Common resident. Widely distributed in Hong Kong.	R	-	i	1	Least Concern	Least Concern		+	+	+						
Yellow-browed Warbler	Phylloscopus inornatus	Abundant winter visitor and migrant. Widely distributed in woodland throughout Hong Kong.	W	-	-	-	Least Concern	Least Concern	+	+	+	+					·	

#### Notes:

- (1) All wild birds are Protected under Wild Animals Protection Ordinance (Cap. 170).
- (2) Protected under the Protection of Endangered Species of Animals and Plants Ordinance (Cap. 586).
- (3) AFCD (2023). Hong Kong Biodiversity Information Hub.
- (4) Carey et al. (2001): R=resident; W=winter visitor; Su=summer visitor; M = migrant; A = autumn; P = present all year, exact composition unknown; ?W = extent of migration in winter is unclear
- (5) Fellowes et al. (2002). Wild Animals to Watch: Terrestrial and Freshwater Fauna of Conservation Concern in Hong Kong. Memoirs of the Hong Kong Natural History Society 25:123-159: LC=Local Concern; RC=Regional Concern. Letters in parentheses indicate that the assessment is on the basis of restrictedness in nesting and/or roosting sites rather than in general occurrence.
- (6) List of Wild Animals Under State Protection (promulgated by the National Forestry and Grassland Administration in 2021). (7) Zheng, G. M. and Wang, Q. S. (1998). China Red Data Book. Aves.
- (7) Zheng, G. M. and Wang, Q. S. (1998). China Red Data Book. Aves.
- (8) Jiang et al. (2016). Red List of China's Vertebrates.
- (9) IUCN (2024). The IUCN Red List of Threatened Species. Version 2023.01.
- (10) Wetland-dependent species (including wetland-dependent species and waterbirds).

Abbreviation for Habitats: MWL = Mixed Woodland; SL = Shrubland; SG/G = Shrubby Grassland/ Grassland; PL = Plantation; DA = Developed Area; RS = Rocky Shore; SS = Soft Shore; NWC = Natural Watercourse; MWC = Mixed Woodland; SL = Shrubland; SG/G = Shrubby Grassland/ Grassland; PL = In Flight

Code for Abundance: +++++ = Dominant; ++++ = Abundant; +++ = Frequent; ++ = Occasional; + = Scarce

#### Mammal

				Protection		Red List of					Habitat within Assessment Area  B PL DA RS SS NWC  + + + + + + + + + + + + + + + + + +					
Common Name	Scientific Name	Distribution in Hong Kong <sup>(2)</sup>	Level of Concern <sup>(3)</sup>	Status in China <sup>(4)</sup>	China Red Data Book <sup>(5)</sup>	China's Vertebrates <sup>(6)</sup>	IUCN Red List <sup>(7)</sup>	MWL	SL	SG/G	PL	DA	RS	SS	NWC	MWC
Chinese Noctule <sup>(1)</sup>	Nyctalus plancyi	areas throughout Hong Kong	PRC (RC)	-	-	Least Concern	Least Concern		+			+				
Domestic Cat	Felis catus	Widely distributed in urban and forested areas throughout Hong Kong.	=	-	-	-	-					+				
Domestic Dog	Canis lupus familiaris	Widely distributed in urban and countryside areas throughout Hong Kong.	-	-	-	-	-					++				
Eurasian Wild Pig	Sus scrofa	Very widely distributed in countryside areas throughout Hong Kong	-	-	-	Least Concern	Least Concern	+	+							
Grey Shrew	Crocidura attenuata	Fairly widely distributed. Found in Tai Po Kau, Pak Sha O, Wong Lung Hang and Pok Fu Lam	-	-	-	Least Concern	Least Concern			+						
Himalayan Leaf-nosed Bat <sup>(1)</sup>	Hipposideros armiger	Widely distributed in countryside areas throughout Hong Kong	(LC)	-	-	Least Concern	Least Concern	+	+							
Indochinese Forest Rat	Rattus andamanensis	Widely distributed in countryside areas throughout Hong Kong	-	-	-	Least Concern	Least Concern	+	+							<u> </u>
Intermediate Horseshoe Bat <sup>(1)</sup>	Rhinolophus affinis	throughout Hong Kong.	(LC)	-	-	Least Concern	Least Concern	+								
Japanese Pipistrelle <sup>(1)</sup>	Pipistrellus abramus	Widely distributed throughout Hong Kong		-	-	Least Concern	Least Concern	+	+			+				
Least Horseshoe Bat <sup>(1)</sup>		throughout Hong Kong	PRC (RC)	-	-	Least Concern	Least Concern	+								
Leopard Cat <sup>(1)</sup>	Prionailurus bengalensis	Widely distributed in countryside areas throughout Hong Kong, except for Lantau Island	-	Class II	Vulnerable	Vulnerable	Least Concern	+	+	+		+	+			
Lesser Bent-winged Bat <sup>(1)</sup>	Miniopterus pusillus	Fairly widely distributed in countryside areas throughout Hong Kong.	(LC)	-	-	Near Threatened	Least Concern	+								
Pallas's Squirrel <sup>(1)</sup>	Callosciurus erythraeus	Fairly widely distributed, with the styani subspecies found in the New Territories		-	-	Least Concern	Least Concern	+				+				
Rickett's Big-footed Myotis <sup>(1)</sup>	Myotis ricketti	areas throughout Hong Kong.	(LC)	-	Vulnerable	-	Vulnerable	+				+				
Short-nosed Fruit Bat <sup>(1)</sup>	Cynopterus sphinx	Very widely distributed in urban and countryside areas throughout Hong Kong.	-	-	Indeterminate	Near Threatened	Least Concern					+				
sp.` ′	Miniopterus sp.	Widely distributed in countryside areas throughout Hong Kong.	Ē	-	-	Ē	-	+				+				
Unknown Vespertilionidae species 1 <sup>(1)</sup>	-	-	-	-	-	-	-	+				+				
Unknown Vespertilionidae species 2 <sup>(1)</sup>	-	-	-	-	-	-	-	+			+					ĺ
Species 2"	ļ			!	!		ļ	·	ļ							

#### Notes:

- (1) Protected under Wild Animals Protection Ordinance (Cap. 170).
- (2) AFCD (2023). Hong Kong Biodiversity Information Hub.
- (3) Fellowes et al. (2002). Wild Animals to Watch: Terrestrial and Freshwater Fauna of Conservation Concern in Hong Kong. Memoirs of the Hong Kong Natural History Society 25:123-159: LC = Local Concern; RC = Regional Concern. Letters in parentheses indicate that the assessment is on the basis of restrictedness in nesting and/or roosting sites rather than in general occurrence.
- (4) List of Wild Animals Under State Protection (promulgated by the National Forestry and Grassland Administration in 2021).
- (5) Wang, S. (1998). China Red Data Book of Endangered Animals. Mammalia. First Edition. Beijing: Science Press.
- (6) Jiang et al. (2016). Red List of China's Vertebrates. Biodiversity Science 24(5): 500-551.
- (7) IUCN (2024). The IUCN Red List of Threatened Species. Version 2023.01.

Abbreviation for Habitats: MWL = Mixed Woodland; SL = Shrubland; SG/G = Shrubby Grassland/ Grassland; PL = Plantation; DA = Developed Area; RS = Rocky Shore; SS = Soft Shore; NWC = Natural Watercourse; and MWC = Modified Watercourse Code for Abundance: +++++ = Dominant; ++++ = Abundant; +++ = Frequent; ++ = Occasional; + = Scarce

Species of conservation importance is in  $\boldsymbol{bold}$  type face

				Protection		Red List of					Habitat wi	thin Assess	ment Area			
Common Name	Scientific Name	Distribution in Hong Kong <sup>(2)</sup>	Level of Concern <sup>(3)</sup>	Status in China <sup>(4)</sup>	China Red Data Book <sup>(5)</sup>	China's Vertebrates <sup>(6)</sup>	IUCN Red List <sup>(7)</sup>	MWL	SL	SG/G	PL	DA	RS	SS	NWC	MWC
Amphibian																
Asian Common Toad	Duttaphrynus melanostictus	Widely distributed in Hong Kong.	=	-	-	Least Concern	Least Concern		+		+	++			+	
Asiatic Painted Frog	Kaloula pulchra	Widely distributed in Hong Kong.	-	-	-	Least Concern	Least Concern		+		+	+				1
Brown Tree Frog	Polypedates megacephalus	Widely distributed throughout Hong Kong.	-	-	-	Least Concern	Least Concern	+	+	+	+	++				
Butler's Pigmy Frog	Microhyla butleri	Widely distributed in Hong Kong.	-	-	-	Least Concern	Least Concern		+			+				
Greenhouse Frog	Eleutherodactylus planirostris	Widely distributed throughout Hong Kong.	-	-	-	-	Least Concern	++	+		+	+				
Gunther's Frog	Sylvirana guentheri	Widely distributed throughout Hong Kong.	-	-	-	Least Concern	Least Concern					+			+	
Ornate Pigmy Frog	Microhyla fissipes	Widely distributed in Hong Kong.	-	-	-	Least Concern	Least Concern					+				
Paddy Frog	Fejervarya limnocharis	Widely distributed throughout Hong Kong.	-	-	-	Least Concern	Least Concern					+			+	
Reptile																
Bamboo Snake	Cryptelytrops albolabris	Widely distributed in countryside areas throughout Hong Kong, except for Lantau	-	-	-	Least Concern	Least Concern		+		+	+				
Bowring's Gecko	Hemidactylus bowringii	Distributed throughout Hong Kong.	-	-	-	Least Concern	Least Concern		+		+	++				İ
Changeable Lizard	Calotes versicolor	Widely distributed throughout Hong Kong.	=	=	-	Least Concern	Least Concern		+		+	+				
Chinese Gecko	Gekko chinensis	Widely distributed throughout Hong Kong.	-	-	-	Least Concern	Least Concern	+	+		+	+				
Common Rat Snake <sup>(2)</sup>	Ptyas mucosus	Widely distributed throughout Hong Kong.	PRC	-	Endangered	Endangered	Least Concern		+							
Common Wolf Snake	Lycodon capucinus	Widely distributed at low elevations throughout Hong Kong Island, Lantau	-	-	-	Near Threatened	Least Concern	+								
Four-clawed Gecko	Gehyra mutilata	Widely distributed throughout Hong Kong.	-	-	-	Vulnerable	Least Concern					+				
Garnot's Gecko	Hemidactylus garnotii	Distributed in Lantau Island, Hong Kong Island and eastern New Territories.	-	-	-	Least Concern	Least Concern				+	+				

## Notes:

- (1) Protected under Wild Animals Protection Ordinance (Cap. 170).
- (2) AFCD (2023). Hong Kong Biodiversity Information Hub.
- (3) Fellowes et al. (2002). Wild Animals to Watch: Terrestrial and Freshwater Fauna of Conservation Concern in Hong Kong. Memoirs of the Hong Kong Natural History Society 25:123-159: LC = Local Concern; RC = Regional Concern. Letters in parentheses indicate that the assessment is on the basis of restrictedness in nesting and/or roosting sites rather than in general occurrence.
- (4) List of Wild Animals Under State Protection (promulgated by the National Forestry and Grassland Administration in 2021).
- (5) Wang, S. (1998). China Red Data Book of Endangered Animals. Mammalia. First Edition. Beijing: Science Press.
- (6) Jiang et al. (2016). Red List of China's Vertebrates. Biodiversity Science 24(5): 500-551.
- (7) IUCN (2024). The IUCN Red List of Threatened Species. Version 2023.01.

Abbreviation for Habitats: MWL = Mixed Woodland; SL = Shrubland; SG/G = Shrubby Grassland/ Grassland; PL = Plantation; DA = Developed Area; RS = Rocky Shore; SS = Soft Shore; NWC = Natural Watercourse; and MWC = Modified Watercourse

Code for Abundance: +++++ = Dominant; ++++ = Abundant; +++ = Frequent; ++ = Occasional; + = Scarce

Appendix 9.3 Fauna Species Recorded within the assessment area Butterfly

Butterny			Local Restrictedness and							Habitat wi	thin Assess	ment Area			
Common Name	Scientific Name	Distribution in Hong Kong <sup>(1)</sup>	Species of Conservation Concern (2)	Level of Concern <sup>(3)</sup>	Protection Status in China <sup>(4)</sup>	IUCN Red List <sup>(5)</sup>	MWL	SL	SG/G	PL	DA	RS	SS	NWC	MWC
Banded Tree Brown	Lethe confusa	Widely distributed throughout Hong Kong.	Common	-	-	-		+							
Blue Admiral	Kaniska canace	Widely distributed throughout Hong Kong.	Common	-	=	-	+								
Blue Tiger	Tirumala limniace	Widely distributed throughout Hong Kong.	Common	-	-	-		+	+						
Ceylon Blue Glassy Tiger	Ideopsis similis	Widely distributed throughout Hong Kong.	Very common	-	-	-	+	+	+		+				
Chocolate Royal	Remelana jangala	Widely distributed throughout Hong Kong.	Common	-	-	-		+	+						
Colour Sergeant	Athyma nefte	Widely distributed throughout Hong Kong.	Common	-	-	-			+						
Common Bluebottle	Graphium sarpedon	Widely distributed throughout Hong Kong.	Very common	-	-	-	+		+		+			+	
Common Five-ring	Ypthima baldus	Widely distributed throughout Hong Kong.	Very common	-	-	-		+							
Common Grass Yellow	Eurema hecabe	Widely distributed throughout Hong Kong.	Very common	-	-	-	+	++	+	++	+				
Common Hedge Blue	Acytolepis puspa	Widely distributed throughout Hong Kong.	Common	-	-	-	+	+							
Common Indian Crow	Euploea core	Widely distributed throughout Hong Kong.	Common	-	-	-		+							
Common Jay	Graphium doson	Widely distributed throughout Hong Kong.	Common	-	-	-	+			+					
Common Jester	Symbrenthia lilaea	Widely distributed throughout Hong Kong.	Common	-	-	-			+						
Common Lineblue	Prosotas nora	-	-	-	-	-		+							
Common Mime	Chilasa clytia	Widely distributed throughout Hong Kong.	Common	-	=	-	+	+	+		+				
Common Mormon	Papilio polytes	Widely distributed throughout Hong Kong.	Very common	-	=	-	+	+	+	+	+	+			
Common Sailer	Neptis hylas	Widely distributed throughout Hong Kong.	Very common	-	=	-	+	+	+	+	+				
Common Sergeant	Athyma perius	Widely distributed throughout Hong Kong.	Uncommon	-	=	-			+						
Common Tiger	Danaus genutia	Widely distributed throughout Hong Kong.	Common	-	=	-	+		+						
Danaid Egg-fly	Hypolimnas misippus	Ngau Ngak Shan, Lung Kwu, Tan, Hong Kong Wetland Park, Mount Parker, Cloudy Hill, Lin Ma Hang.	Uncommon	LC	-	Least Concern			+						
Dark-Brand Bush Brown	Mycalesis mineus	Widely distributed throughout Hong Kong.	Very common	-	-	-	+	+	+	+	+				
Five-bar Swordtail	Pathysa antiphates	Widely distributed throughout Hong Kong.	Common	-	-	-				+					
Five-dot Sergeant	Parathyma sulpitia	Widely distributed throughout Hong Kong.	Common	-	-	-	+		+						
Forest Hopper	Astictopterus jama	Widely distributed throughout Hong Kong.	Common	-	-	-	+		+						
Forget-me-not	Catochrysops strabo	Widely distributed throughout Hong Kong.	Very Rare	-	-	-		+							
Formosan Swift	Borbo cinnara	Widely distributed throughout Hong Kong.	Common	-	-	-				+					
Gaudy Baron	Euthalia lubentina	Widely distributed throughout Hong Kong.	Uncommon	-	=	-	+				+				
Glassy Tiger	Parantica aglea	Widely distributed throughout Hong Kong.	Common	-	=	-			+	+					
Grass Demon	Udaspes folus	Widely distributed throughout Hong Kong.	Rare	-	-	-	+								
Great Eggfly	Hypolimnas bolina	Widely distributed throughout Hong Kong.	Common	-	-	-	+			+	+				
Great Mormon	Papilio memnon	Widely distributed throughout Hong Kong.	Very common	-	-	-	+		+						L
Great Orange Tip	Hebomoia glaucippe	Widely distributed throughout Hong Kong.	Common	-	-	-				+					L
Green Flash	Artipe eryx	Widely distributed throughout Hong Kong.	Uncommon	-	-	-				+					L
Indian Cabbage White	Pieris canidia	Widely distributed throughout Hong Kong.	Very common	-	-	-	+	+	+		++				L
Indian Palm Bob	Suastus gremius	Widely distributed throughout Hong Kong.	Uncommon	-	-	-	+								L
Large Faun	Faunis eumeus	Widely distributed throughout Hong Kong.	Common	-	-	-	++	+		+	+			+	<u> </u>
Lemon Emigrant	Catopsilia pomona	Widely distributed throughout Hong Kong.	Common	-	-	-			+		+				<u> </u>
Lime Blue	Chilades lajus	Widely distributed throughout Hong Kong.	Common	-	-	-	+					+			
Lime Butterfly	Papilio demoleus	Widely distributed throughout Hong Kong.	Common	-	-	-			+						
Long-tailed Blue	Lampides boeticus	Widely distributed throughout Hong Kong.	Common	-	-	-			+	+					
Metallic Cerulean	Jamides alecto	Victoria Peak, Fung Yuen, Chuen Lung, Mui Wo.	Very rare	-	-	-	+	+		+					
Paintbrush Swift	Baoris farri	Deep Water Bay, Shing Mun, Lam Tsuen, Fung Yuen, Wu Kau Tang, Lai Chi Wo.	Rare	-	-	-		+							

## Butterfly

			Local Restrictedness and							Habitat wi	thin Assess	ment Area			
Common Name	Scientific Name	Distribution in Hong Kong <sup>(1)</sup>	Species of Conservation Concern (2)	Level of Concern <sup>(3)</sup>	Protection Status in China <sup>(4)</sup>	IUCN Red List <sup>(5)</sup>	MWL	SL	SG/G	PL	DA	RS	SS	NWC	MWC
Painted Jezebel	Delias hyparete	Widely distributed throughout Hong Kong.	Uncommon	-	-	-			+						
Pale Grass Blue	Zizeeria maha	Widely distributed throughout Hong Kong.	Very common	-	-	-	+	++	+	+	++				
Paris Peacock	Papilio paris	Widely distributed throughout Hong Kong.	Very common	-	-	-		+	+	+	+	+			
Peacock Pansy	Junonia almana	Widely distributed throughout Hong Kong.	Common	-	-	-					+				
Plum Judy	Abisara echerius	Widely distributed throughout Hong Kong.	Very common	-	-	-	++	+	+	+	+				
Rare Swift	Papilio helenus	Widely distributed throughout Hong Kong.	Uncommon	-	-	-		+							
Red Helen	Papilio helenus	Widely distributed throughout Hong Kong.	Very common	-	-	-	+	+	+		+				
Red Ring Skirt	Hestina assimilis	Widely distributed throughout Hong Kong.	Common	-	-	-	+								
Red-base Jezebel	Delias pasithoe	Widely distributed throughout Hong Kong.	Very common	-	-	-	++	+++++	++++	+	+				
Rustic	Cupha erymanthis	Widely distributed throughout Hong Kong.	Very common	-	-	-	+			+	+				
Silver Streak Blue	Iraota timoleon	Widely distributed throughout Hong Kong.	Uncommon	-	-	-		+							
Small Cabbage White	Pieris rapae	Shep Mun Kap, Fan Lau, Ngong Ping, Kam Tin, Ho Chung, Luk Keng, Tuen Mun Ash Lagoon.	Rare	-	-	-		+			+				
South China Bush Brown	Mycalesis zonata	Widely distributed throughout Hong Kong.	Common	-	-	-	+	+							
Southern Sullied Sailer	Neptis clinia	Widely distributed throughout Hong Kong.	Common	-	-	-	+	+							
Spangle	Papilio protenor	Widely distributed throughout Hong Kong.	Very common	-	-	-	+	+							
Swallowtail	Papilio xuthus	Kap Lung, Ma On Shan, Tai Tam, Sha Lo Wan, Kat O, Lung Kwu Tan, Wu Kau Tang, Lung Kwu Chau.	Rare	-	-	-		+	+						
Tailed Jay	Graphium agamemnon	Widely distributed throughout Hong Kong.	Common	-	-	-	+								
Tailless Line Blue	Prosotas dubiosa	North Lantau Island.	Vagrant	-	-	-	+	+			+				
Water Snow Flat	Tagiades litigiosus	Widely distributed throughout Hong Kong.	Common	-	-	-	+								
Punchinello	Zemeros flegyas	Widely distributed throughout Hong Kong.	Common	-	-	-	+								

#### Notes:

- (1) AFCD (2023). Hong Kong Biodiversity Information Hub.
- (2) AFCD (2011). A Review of the Local Restrictedness of Hong Kong Butterflies.
- (3) Fellowes et al. (2002). Wild Animals to Watch: Terrestrial and Freshwater Fauna of Conservation Concern in Hong Kong. Memoirs of the Hong Kong Natural History Society 25:123-159.
- (4) List of Wild Animals Under State Protection (promulgated by the National Forestry and Grassland Administration in 2021).
- (5) IUCN (2024). The IUCN Red List of Threatened Species. Version 2023.01.

Abbreviation for Habitats: MWL = Mixed Woodland; SL = Shrubland; SG/G = Shrubby Grassland/ Grassland; PL = Plantation; DA = Developed Area; RS = Rocky Shore; SS = Soft Shore; NWC = Natural Watercourse; and MWC = Modified Watercourse

Code for Abundance: +++++ = Dominant; ++++ = Abundant; +++ = Frequent; ++ = Occasional; + = Scarce

## Odonate

						IUCN Priority				Habitat wi	thin Assess	ment Area			
Common Name	Scientific Name	Distribution in Hong Kong <sup>(1)</sup>	Level of Concern <sup>(2)</sup>	Protection Status in China <sup>(3)</sup>	IUCN Red List <sup>(4)</sup>	Species for Conservation <sup>(5)</sup>	MWL	SL	SG/G	PL	DA	RS	SS	NWC	MWC
Black Threadtail	Prodasineura autumnalis	Widely distributed in streams throughout Hong Kong.	-	-	Least Concern	-	+							+	
Black-banded Gossamerwing	Euphaea decorata	Widely distributed in streams throughout Hong Kong.	-	-	Least Concern	•								+	
Blue Percher	Diplacodes trivialis	Widespread, especially in late summer, when it can be found almost everywhere in Hong Kong.	-	-	Least Concern	-						+			
Blue Threadtail	Prodasineura autumnalis	Often perches on the plants near streams. Widely distributed in streams throughout Hong Kong; Widespread.	-	-	Least Concern	-								+	
Common Blue Skimmer	Orthetrum glaucum	Widely distributed in streams, conduits, drainage channels, seepages and road gutters throughout Hong Kong.	-	-	Least Concern	-	+				+	+			
Common Red Skimmer	Orthetrum pruinosum neglectum	Widely distributed in streams throughout Hong Kong.	-	-	Least Concern	-	+	+							
Green Skimmer	Orthetrum sabina sabina	Widely distributed in all wetland habitats throughout Hong Kong.	-	-	Least Concern	•		+				+			
Lesser Emperor	Anax julius	Often found in lowland ponds and sluggish rivers. Widely distributed throughout Hong Kong.	-	-	Least Concern	-		+							
Marsh Skimmer	Orthetrum luzonicum	Widely distributed in abandoned paddies, marshy swampy and boggy locations.	-	-	Least Concern	-	+	+		+					
Red-faced Skimmer	Orthetrum chrysis	Widely distributed in streams throughout Hong Kong.	-	-	Least Concern	-	+								
Wandering Glider	Pantala flavescens	Widely distributed in countryside areas throughout Hong Kong, except for Lantau	-	-	Least Concern	-	++	+++		++	++				

#### Notes:

- (1) AFCD (2023). Hong Kong Biodiversity Information Hub.
- (2) Fellowes et al. (2002). Wild Animals to Watch: Terrestrial and Freshwater Fauna of Conservation Concern in Hong Kong. Memoirs of the Hong Kong Natural History Society 25:123-159:
- (3) List of Wild Animals Under State Protection (promulgated by the National Forestry and Grassland Administration in 2021).
- (4) IUCN (2024). The IUCN Red List of Threatened Species. Version 2023.01.
- (5) Moore, N.W. (1997). Dragonflies Status Survey and Conservation Action Plan. IUCN/SSC Odonata Specialist Group. IUCN, Gland, Switzerland and Cambridge, UK. v + 28 pp.

Abbreviation for Habitats: MWL = Mixed Woodland; SL = Shrubland; SG/G = Shrubby Grassland/ Grassland; PL = Plantation; DA = Developed Area; RS = Rocky Shore; SS = Soft Shore; NWC = Natural Watercourse; and MWC = Modified Watercourse

Code of abundance: +++++ = Dominant; ++++ = Abundant; +++ = Frequent; ++ = Occasional; + = Scarce

## Freshwater Communities

						Red List of				Samplir	ng points		
Common Name	Scientific Name	Distribution in Hong Kong <sup>(1)</sup>	Level of Concern <sup>(2)</sup>	Protection Status in China <sup>(3)</sup>	China Red Data Book <sup>(4)</sup>	China's Vertebrates <sup>(5)</sup>	IUCN Red List <sup>(6)</sup>	F1	F2	F3	F4	F5	F6
Backswimmer	Anisops sp.	-	-	-	-	-	-						++
Backswimmer	Enithares biimpressa	-	-	-	-	-	-						+
Blood Worm	Chironomidae sp.	-	-	-	-	-	-						+
Caddisfly (Trichoptera) Larva	Hydropsychidae sp.	-	-	-	-	-	-						++
Canton Bee Shrimp	Caridina cantonensis	-	-	-	-	-	-		++	++	+++		
Copepod	Copepoda sp.	-	-	-	-	-	-						++++
Freshwater Prawn	Macrobrachium sp.	-	-	-	-	-	-						+
Freshwater Shrimp	Caridina sp.	-	-	-	-	-	-						++++
Freshwater Snail	Physella acuta	-	-	-	-	-	-						+++
Guppy	Poecilia reticulata	-	-	-	-	-	Least Concern				+	+	
Long-armed Freshwater Shrimp	Macrobrachium formosense	-	-	-	-	-	-				+	+	
Marsh Beetle (Larva)	Scirtidae sp.	-	-	-	-	-	-						++
Mayfly (Ephemeroptera) Larva	Cloeon sp.	-	-	-	-	-	-						++
Mayfly (Ephemeroptera) Larva	Electrogena ngi	-	-	-	-	-	-						++
Mosquito Fish	Gambusia affinis	-	-	-	-	-	Least Concern			++	+++	+	
Mosquito Larva	Armigeres sp.	-	-	-	-	-	-						+
Mosquito Larva	Culicidae sp.	-	-	-	-	-	-						++++
Ostracod	Ostracoda sp.	-	-	-	-	-	-						+++
Riffle Bug	Microvelia sp.	-	-	-	-	-	-						++
Unidentified Skimmer (Larva)	Orthetrum sp.	-	-	-	-	-	-						+
Velvet Water Bug	Hebridae sp.	-	-	-	-	-	-						+
Water Mite	Hydrachnidia sp.	-	-	-	-	-	-						+
Water Scavenger Beetle	Amphiops sp.	-	-	-	-	-	-						+
Water Scavenger Beetle	Enochrus sp.	-	-	-	-	-	-						+
Water Scavenger Beetle	Helochares fuliginosus	-	-	-	-	-	-						++
Water Skater	Ptilomera tigrina	-	-	-	-	-	-		+	+	+	+	
Water Treader	Mesoveliidae sp.	-	-	-	-	-	-						++

#### Notes

- (1) AFCD (2023). Hong Kong Biodiversity Information Hub; Dudgeon D. (2003). Hong Kong Field Guides: Hillstreams; Lee et al. (2004). Field Guide to the Freshwater Fish of Hong Kong.
- (2) Fellowes et al. (2002). Wild Animals to Watch: Terrestrial and Freshwater Fauna of Conservation Concern in Hong Kong. Memoirs of the Hong Kong Natural History Society 25:123-159
- (3) List of Wild Animals Under State Protection (promulgated by the National Forestry and Grassland Administration in 2021).
- (4) Yue P. and Chen Y. (1998). China Red Data Book of Endangered Animals: Pisces. Science Press, Beijing.
- (5) Jiang et al. (2016). Red List of China's Vertebrates.
- (6) IUCN (2024). The IUCN Red List of Threatened Species. Version 2023.01.

Sampling point (the watercourse it locates at): F1(S1); F2(S2); F3(S3); F4(S4); F5(S5); F6 (W1)

Code for Abundance: +++++ = Dominant; ++++ = Abundant; +++ = Frequent; ++ = Occasional; + = Scarce Species of conservation importance is in bold type face

## Firefly

							Habitat	within Assessme	nt Area			
Common Name	Scientific Name	Distribution in Hong Kong <sup>(1)</sup>	IUCN Red List <sup>(2)</sup>	MWL	SL	SG/G	PL	DA	RS	ss	NWC	MWC
Rimmed Window Firefly		Commonly seen in countryside, farmlands, abandoned farmlands, fish ponds, wetlands,	-					+				

#### Notes:

(1) AFCD (2023). Hong Kong Biodiversity Information Hub.

(2) IUCN (2024). The IUCN Red List of Threatened Species. Version 2023.01.

Abbreviation for Habitats: MWL = Mixed Woodland; SL = Shrubland; SG/G = Shrubby Grassland/ Grassland/; PL = Plantation; DA = Developed Area; RS = Rocky Shore; SS = Soft Shore; NWC = Natural Watercourse; and MWC = Modified Watercourse

Code for Abundance: +++++ = Dominant; ++++ = Abundant; +++ = Frequent; ++ = Occasional; + = Scarce Species of conservation importance is in **bold** type face