

Key Water Quality Objectives (WQOs) for River Monitoring Stations in the Eastern New Territories

Watercourse	Monitoring station	Key Water Quality Objectives				
		pH range	Maximum 5-Day Biochemical Oxygen Demand (mg/L)	Maximum Chemical Oxygen Demand (mg/L)	Maximum Annual Median Suspended Solids (mg/L)	Minimum Dissolved Oxygen (mg/L)
Tolo Harbour and Channel Water Control Zone						
Shing Mun River	KY1	6.5 - 8.5	3	15	20	4
	TR17	6.5 - 8.5	5	30	20	4
	TR17L	6.5 - 8.5	5	30	20	4
	TR19	6.5 - 8.5	5	30	20	4
	TR19A	6.5 - 8.5	5	30	20	4
	TR19C	6.5 - 8.5	5	30	20	4
	TR19I	6.0 - 9.0	5	30	25	4
	TR20B	6.5 - 8.5	5	30	20	4
	TR23A	6.5 - 8.5	3	15	20	4
	TR23L	6.5 - 8.5	3	15	20	4
Lam Tsuen River	TR12	6.5 - 8.5	3	15	20	4
	TR12B	6.5 - 8.5	3	15	20	4
	TR12C	6.5 - 8.5	3	15	20	4
	TR12D	6.5 - 8.5	3	15	20	4
	TR12E	6.5 - 8.5	3	15	20	4
	TR12F	6.5 - 8.5	3	15	20	4
	TR12G	6.5 - 8.5	3	15	20	4
	TR12H	6.5 - 8.5	3	15	20	4
	TR12I	6.0 - 9.0	5	30	25	4
Tai Po River	TR13	6.5 - 8.5	5	30	20	4
Tai Po Kau Stream	TR14	6.0 - 9.0	5	30	25	4
Shan Liu Stream	TR4	6.0 - 9.0	5	30	25	4
Tung Tze Stream	TR6	6.0 - 9.0	5	30	25	4
Port Shelter Water Control Zone						
Ho Chung River	PR1	6.5 - 8.5	5	30	25	4
	PR2	6.5 - 8.5	5	30	25	4
Sha Kok Mei Stream	PR5	6.0 - 9.0	5	30	25	4
	PR6	6.0 - 9.0	5	30	25	4
Tai Chung Hau Stream	PR7	6.0 - 9.0	5	30	25	4
	PR8	6.0 - 9.0	5	30	25	4
Junk Bay Water Control Zone						
Tseng Lan Shue Stream	JR3	6.0 - 9.0	5	30	25	4
	JR6	6.0 - 9.0	5	30	25	4
	JR11	6.0 - 9.0	5	30	25	4

* The WQO compliance for suspended solids is based on annual median value, while all other parameters refer to individual measurements.

Key Water Quality Objectives (WQOs) for River Monitoring Stations in the Northwestern New Territories

Watercourse	Monitoring station	Key Water Quality Objectives				
		pH range	Maximum 5-Day Biochemical Oxygen Demand (mg/L)	Maximum Chemical Oxygen Demand (mg/L)	Maximum Annual Median Suspended Solids (mg/L)	Minimum Dissolved Oxygen (mg/L)
Deep Bay Water Control Zone						
River Indus	IN1	6.5 - 8.5	3	15	20	4
	IN2	6.5 - 8.5	3	15	20	4
	IN3	6.5 - 8.5	3	15	20	4
River Beas	RB1	6.5 - 8.5	3	15	20	4
	RB2	6.5 - 8.5	3	15	20	4
	RB3	6.5 - 8.5	3	15	20	4
River Ganges	GR1	6.5 - 8.5	3	15	20	4
	GR2	6.5 - 8.5	3	15	20	4
	GR3	6.5 - 8.5	3	15	20	4
Yuen Long Creek	YL1	6.5 - 8.5	3	15	20	4
	YL2	6.5 - 8.5	3	15	20	4
	YL3	6.5 - 8.5	5	30	20	4
	YL4	6.5 - 8.5	5	30	20	4
Kam Tin River	KT1	6.5 - 8.5	3	15	20	4
	KT2	6.5 - 8.5	3	15	20	4
Tin Shui Wai Nullah	TSR1	6.0 - 9.0	5	30	20	4
	TSR2	6.0 - 9.0	5	30	20	4
Fairview Park Nullah	FVR1	6.0 - 9.0	5	30	20	4
Ha Pak Nai Stream	DB1	6.0 - 9.0	5	30	20	4
Tai Shui Hang Stream	DB2	6.0 - 9.0	5	30	20	4
Pak Nai Stream	DB3	6.0 - 9.0	5	30	20	4
Sheung Pak Nai Stream	DB5	6.0 - 9.0	5	30	20	4
Ngau Hom Sha Stream	DB6	6.0 - 9.0	5	30	20	4
Tsang Kok Stream	DB8	6.0 - 9.0	5	30	20	4

* The WQO compliance for suspended solids is based on annual median value, while all other parameters refer to individual measurements.

Key Water Quality Objectives (WQOs) for River Monitoring Stations on Lantau Island

Watercourse	Monitoring station	Key Water Quality Objectives				
		pH range	Maximum 5-Day Biochemical Oxygen Demand (mg/L)	Maximum Chemical Oxygen Demand (mg/L)	Maximum Annual Median Suspended Solids (mg/L)	Minimum Dissolved Oxygen (mg/L)
Southern Water Control Zone						
Mui Wo River	MW1	6.5 - 8.5	5	30	20	4
	MW3	6.5 - 8.5	5	30	20	4
	MW4	6.5 - 8.5	5	30	20	4
	MW2	6.5 - 8.5	5	30	20	4
	MW5	6.0 - 9.0	5	30	25	4
North Western Water Control Zone						
Tung Chung River	TC1	6.0 - 9.0	5	30	25	4
	TC2	6.0 - 9.0	5	30	25	4
	TC3	6.0 - 9.0	5	30	25	4

* The WQO compliance for suspended solids is based on annual median value, while all other parameters refer to individual measurements.

Key Water Quality Objectives (WQOs) for River Monitoring Stations in the Southwestern New Territories and Kowloon

Watercourse	Monitoring station	Key Water Quality Objectives				
		pH range	Maximum 5-Day Biochemical Oxygen Demand (mg/L)	Maximum Chemical Oxygen Demand (mg/L)	Maximum Annual Median Suspended Solids (mg/L)	Minimum Dissolved Oxygen (mg/L)
North Western Water Control Zone						
Tuen Mun River	TN1	6.0 - 9.0	5	30	25	4
	TN2	6.5 - 8.5	3	15	20	4
	TN3	6.0 - 9.0	5	30	25	4
	TN4	6.0 - 9.0	5	30	25	4
	TN5	6.0 - 9.0	5	30	25	4
	TN6	6.0 - 9.0	5	30	25	4
Western Buffer Water Control Zone						
Pai Min Kok (Anglers') Stream	AN1	6.0 - 9.0	5	30	25	4
	AN2	6.0 - 9.0	5	30	25	4
Victoria Harbour Water Control Zone						
Sam Dip Tam Stream	TW1	6.0 - 9.0	5	30	25	4
	TW2	6.0 - 9.0	5	30	25	4
	TW3	6.0 - 9.0	5	30	25	4
Kau Wa Keng Stream	KW3	6.0 - 9.0	5	30	25	4
Kai Tak Nullah	KN1	Not applicable				
	KN2					
	KN3					
	KN4					
	KN5					

* The WQO compliance for suspended solids is based on annual median value, while all other parameters refer to individual measurements.