

二零零五年各河溪水水质指标达标率

河溪	酸碱值	五天生化需氧量	化学需氧量	溶解氧	悬浮固体	整体达标率
新界东						
城门河	92%	75%	87%	100%	80%	87%
林村河	100%	82%	91%	98%	100%	94%
大埔河	100%	83%	92%	100%	100%	95%
大埔滘溪	100%	100%	100%	100%	100%	100%
山寮溪	100%	100%	100%	100%	100%	100%
洞梓溪	100%	92%	100%	100%	100%	98%
蚝涌河	100%	100%	100%	100%	100%	100%
沙角尾溪	100%	88%	100%	100%	100%	98%
大涌口溪	100%	100%	100%	100%	100%	100%
井栏树溪	100%	61%	75%	97%	100%	87%
新界西北						
梧桐河	100%	39%	58%	81%	67%	69%
双鱼河	100%	22%	47%	92%	100%	72%
平原河	100%	31%	31%	81%	67%	62%
元朗河	100%	0%	15%	46%	25%	37%
锦田河	100%	0%	21%	58%	50%	46%
天水围明渠	88%	60%	88%	92%	100%	85%
锦绣花园明渠	100%	9%	33%	75%	0%	43%
下白泥溪	100%	100%	100%	100%	100%	100%
大水坑溪	100%	100%	92%	100%	100%	98%
白泥溪	100%	100%	100%	100%	100%	100%
上白泥溪	100%	100%	92%	100%	100%	98%
鳌磡沙溪	100%	67%	100%	100%	100%	93%
曾角溪	100%	92%	92%	100%	100%	97%
大屿山						
梅窝河	100%	100%	100%	100%	100%	100%
东涌河	100%	97%	100%	100%	100%	99%
新界西南及九龙						
屯门河	100%	67%	82%	83%	83%	83%
排棉角溪	92%	57%	83%	100%	100%	86%
九华径溪	92%	83%	100%	100%	100%	95%
三叠潭溪	100%	84%	100%	100%	100%	97%
启德明渠	不适用					
平均达标率 (所有监测站)	98%	69%	80%	92%	87%	85%